



## WCDMA Band IV (RMC 12.2Kbps)


### Lowest Channel



### Middle Channel




### Highest Channel





## CDMA BC0 (1xRTT)


## Lowest Channel



Date: 2 NOV 2018 15:02:17


## CDMA BC1(1xRTT)

## Lowest Channel




Date: 2 NOV 2018 15:18:27

## Middle Channel




Date: 2 NOV 2018 15:02:53

## Middle Channel




Date: 2 NOV 2018 15:19:05

## Highest Channel




Date: 2 NOV 2018 15:03:27

## Highest Channel



Date: 2 NOV 2018 15:19:39


**Conducted Band Edge**




## GSM1900 (GSM)

## Lowest Band Edge

## Highest Band Edge



Date: 21.OCT.2018 22:30:24




Date: 21.OCT.2018 22:32:22


## GSM1900 (EDGE class 8)

## Lowest Band Edge

## Highest Band Edge



Date: 21.OCT.2018 22:48:57




Date: 21.OCT.2018 22:50:31



## WCDMA Band V (RMC 12.2Kbps)

## Lowest Band Edge




## Highest Band Edge




## WCDMA Band II (RMC 12.2Kbps)

## Lowest Band Edge



## Highest Band Edge








## WCDMA Band IV (RMC 12.2Kbps)

## Lowest Band Edge



Date: 21.OCT.2018 23:29:06

## Highest Band Edge




Date: 21.OCT.2018 23:31:54




## CDMA BC0 (1xRTT)

## Lowest Band Edge



Date: 2 NOV 2018 15:06:17


## Highest Band Edge



Date: 2 NOV 2018 15:09:05


## CDMA BC1 (1xRTT)

## Lowest Band Edge



Date: 2 NOV 2018 15:25:05

## Highest Band Edge




Date: 2 NOV 2018 15:28:12



# Conducted Spurious Emission


## GSM850 (GSM)

### Lowest Channel




## GSM850 (EDGE class 8)


### Lowest Channel




### Middle Channel




### Middle Channel



### Highest Channel



### Highest Channel








## GSM1900 (GSM)


## Lowest Channel



Date: 21.OCT.2018 22:33:44


## GSM1900 (EDGE class 8)

## Lowest Channel




Date: 21.OCT.2018 22:52:08

## Middle Channel




Date: 21.OCT.2018 22:35:41




Date: 21.OCT.2018 22:53:29

## Highest Channel



Date: 21.OCT.2018 22:37:08




Date: 21.OCT.2018 22:55:58



## WCDMA Band V (RMC 12.2Kbps)


## Lowest Channel



Date: 21.OCT.2018 23:51:55


## WCDMA Band II (RMC 12.2Kbps)

## Lowest Channel




Date: 21.OCT.2018 23:14:02

## Middle Channel




Date: 21.OCT.2018 23:53:21

## Middle Channel




Date: 21.OCT.2018 23:15:38

## Highest Channel



Date: 21.OCT.2018 23:54:54

## Highest Channel




Date: 21.OCT.2018 23:16:58




## WCDMA Band IV (RMC 12.2Kbps)


## Lowest Channel



## Middle Channel




## Highest Channel





## CDMA BC0 (1xRTT)


## Lowest Channel



Date: 2 NOV 2018 15:10:56


## CDMA BC1 (1xRTT)

## Lowest Channel




Date: 2 NOV 2018 15:30:45

## Middle Channel




Date: 2 NOV 2018 15:13:19

## Middle Channel




Date: 2 NOV 2018 15:32:33

## Highest Channel



Date: 2 NOV 2018 15:13:43

## Highest Channel



Date: 2 NOV 2018 15:34:03



**Frequency Stability**

| Test Conditions  | Middle Channel    | GSM850<br>(GSM) | GSM850<br>(EDGE class 8) | Limit<br>2.5ppm |
|------------------|-------------------|-----------------|--------------------------|-----------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm) |                          | Result          |
| 50               | Normal Voltage    | 0.0036          | 0.0155                   | PASS            |
| 40               | Normal Voltage    | 0.0407          | 0.0072                   |                 |
| 30               | Normal Voltage    | 0.0012          | 0.0299                   |                 |
| 20(Ref.)         | Normal Voltage    | 0.0000          | 0.0000                   |                 |
| 10               | Normal Voltage    | 0.0371          | 0.0096                   |                 |
| 0                | Normal Voltage    | 0.0227          | 0.0335                   |                 |
| -10              | Normal Voltage    | 0.0215          | 0.0227                   |                 |
| -20              | Normal Voltage    | 0.0012          | 0.0072                   |                 |
| -30              | Normal Voltage    | 0.0024          | 0.0239                   |                 |
| 20               | Maximum Voltage   | 0.0036          | 0.0143                   |                 |
| 20               | Normal Voltage    | 0.0000          | 0.0000                   |                 |
| 20               | Battery End Point | 0.0191          | 0.0120                   |                 |

**Note:** Normal Voltage = 3.8V. ; Battery End Point (BEP) =3.6V. ; Maximum Voltage =4.1 V





| Test Conditions  | Middle Channel    | GSM1900<br>(GSM) | GSM1900<br>(EDGE class 8) | Limit<br>Note 2. |
|------------------|-------------------|------------------|---------------------------|------------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)  |                           | Result           |
| 50               | Normal Voltage    | 0.0160           | 0.0064                    | PASS             |
| 40               | Normal Voltage    | 0.0011           | 0.0176                    |                  |
| 30               | Normal Voltage    | 0.0048           | 0.0122                    |                  |
| 20(Ref.)         | Normal Voltage    | 0.0000           | 0.0000                    |                  |
| 10               | Normal Voltage    | 0.0176           | 0.0144                    |                  |
| 0                | Normal Voltage    | 0.0138           | 0.0154                    |                  |
| -10              | Normal Voltage    | 0.0011           | 0.0165                    |                  |
| -20              | Normal Voltage    | 0.0133           | 0.0101                    |                  |
| -30              | Normal Voltage    | 0.0016           | 0.0186                    |                  |
| 20               | Maximum Voltage   | 0.0160           | 0.0106                    |                  |
| 20               | Normal Voltage    | 0.0000           | 0.0000                    |                  |
| 20               | Battery End Point | 0.0037           | 0.0016                    |                  |

**Note:**

1. Normal Voltage = 3.8V. ; Battery End Point (BEP) =3.6V. ; Maximum Voltage =4.1 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions  | Middle Channel    | WCDMA Band V<br>(RMC 12.2KbpsRMC 12.2Kbps) | Limit<br>2.5ppm |
|------------------|-------------------|--------------------------------------------|-----------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)                            | Result          |
| 50               | Normal Voltage    | 0.0155                                     | PASS            |
| 40               | Normal Voltage    | 0.0418                                     |                 |
| 30               | Normal Voltage    | 0.0395                                     |                 |
| 20(Ref.)         | Normal Voltage    | 0.0000                                     |                 |
| 10               | Normal Voltage    | 0.0179                                     |                 |
| 0                | Normal Voltage    | 0.0359                                     |                 |
| -10              | Normal Voltage    | 0.0012                                     |                 |
| -20              | Normal Voltage    | 0.0203                                     |                 |
| -30              | Normal Voltage    | 0.0311                                     |                 |
| 20               | Maximum Voltage   | 0.0514                                     |                 |
| 20               | Normal Voltage    | 0.0000                                     |                 |
| 20               | Battery End Point | 0.0048                                     |                 |

**Note:** Normal Voltage = 3.8V. ; Battery End Point (BEP) =3.6V. ; Maximum Voltage =4.1 V



| Test Conditions  | Middle Channel    | WCDMA Band II<br>(RMC 12.2Kbps) | Limit<br>Note 2. |
|------------------|-------------------|---------------------------------|------------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)                 | Result           |
| 50               | Normal Voltage    | 0.0112                          | PASS             |
| 40               | Normal Voltage    | 0.0101                          |                  |
| 30               | Normal Voltage    | 0.0021                          |                  |
| 20(Ref.)         | Normal Voltage    | 0.0000                          |                  |
| 10               | Normal Voltage    | 0.0005                          |                  |
| 0                | Normal Voltage    | 0.0016                          |                  |
| -10              | Normal Voltage    | 0.0080                          |                  |
| -20              | Normal Voltage    | 0.0032                          |                  |
| -30              | Normal Voltage    | 0.0000                          |                  |
| 20               | Maximum Voltage   | 0.0021                          |                  |
| 20               | Normal Voltage    | 0.0000                          |                  |
| 20               | Battery End Point | 0.0096                          |                  |

**Note:**

1. Normal Voltage = 3.8V. ; Battery End Point (BEP) =3.6V. ; Maximum Voltage =4.1V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions  | Middle Channel    | WCDMA Band IV<br>(RMC 12.2Kbps) | Limit<br>Note 2. |
|------------------|-------------------|---------------------------------|------------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)                 | Result           |
| 50               | Normal Voltage    | 0.0144                          | PASS             |
| 40               | Normal Voltage    | 0.0133                          |                  |
| 30               | Normal Voltage    | 0.0012                          |                  |
| 20(Ref.)         | Normal Voltage    | 0.0000                          |                  |
| 10               | Normal Voltage    | 0.0110                          |                  |
| 0                | Normal Voltage    | 0.0075                          |                  |
| -10              | Normal Voltage    | 0.0040                          |                  |
| -20              | Normal Voltage    | 0.0006                          |                  |
| -30              | Normal Voltage    | 0.0069                          |                  |
| 20               | Maximum Voltage   | 0.0069                          |                  |
| 20               | Normal Voltage    | 0.0000                          |                  |
| 20               | Battery End Point | 0.0023                          |                  |

**Note:**

1. Normal Voltage = 3.8V. ; Battery End Point (BEP) =3.6V. ; Maximum Voltage =4.1V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions  | Middle Channel    | CDMA BC0<br>(1xRTT) | Limit<br>2.5ppm |
|------------------|-------------------|---------------------|-----------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)     | Result          |
| 50               | Normal Voltage    | 0.0012              | PASS            |
| 40               | Normal Voltage    | 0.0155              |                 |
| 30               | Normal Voltage    | 0.0072              |                 |
| 20(Ref.)         | Normal Voltage    | 0.0000              |                 |
| 10               | Normal Voltage    | 0.0048              |                 |
| 0                | Normal Voltage    | 0.0215              |                 |
| -10              | Normal Voltage    | 0.0048              |                 |
| -20              | Normal Voltage    | 0.0179              |                 |
| -30              | Normal Voltage    | 0.0251              |                 |
| 20               | Maximum Voltage   | 0.0024              |                 |
| 20               | Normal Voltage    | 0.0000              |                 |
| 20               | Battery End Point | 0.0191              |                 |

**Note:** Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.6V. ; Maximum Voltage =4.1V

| Test Conditions  | Middle Channel    | CDMA BC1<br>(1xRTT) | Limit<br>Note 2. |
|------------------|-------------------|---------------------|------------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)     | Result           |
| 50               | Normal Voltage    | 0.0037              | PASS             |
| 40               | Normal Voltage    | 0.0027              |                  |
| 30               | Normal Voltage    | 0.0011              |                  |
| 20(Ref.)         | Normal Voltage    | 0.0000              |                  |
| 10               | Normal Voltage    | 0.0064              |                  |
| 0                | Normal Voltage    | 0.0085              |                  |
| -10              | Normal Voltage    | 0.0005              |                  |
| -20              | Normal Voltage    | 0.0096              |                  |
| -30              | Normal Voltage    | 0.0133              |                  |
| 20               | Maximum Voltage   | 0.0021              |                  |
| 20               | Normal Voltage    | 0.0000              |                  |
| 20               | Battery End Point | 0.0011              |                  |

**Note:**

1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.6V. ; Maximum Voltage =4.1V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.





## Appendix B. Test Results of Conducted Test

### Radiated Spurious Emission

| GSM850 (GSM) |                   |             |               |                   |                    |                      |                       |                    |
|--------------|-------------------|-------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel      | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle       | 1672              | -53.25      | -13           | -40.25            | -54.46             | 2.32                 | 5.68                  | H                  |
|              | 2510              | -60.77      | -13           | -47.77            | -61.40             | 3.02                 | 5.80                  | H                  |
|              | 3348              | -63.83      | -13           | -50.83            | -66.29             | 3.27                 | 7.88                  | H                  |
|              | 1672              | -52.40      | -13           | -39.40            | -53.61             | 2.32                 | 5.68                  | V                  |
|              | 2510              | -61.77      | -13           | -48.77            | -62.40             | 3.02                 | 5.80                  | V                  |
|              | 3348              | -64.01      | -13           | -51.01            | -66.47             | 3.27                 | 7.88                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| GSM850 (EDGE class 8) |                   |             |               |                   |                    |                      |                       |                    |
|-----------------------|-------------------|-------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel               | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                | 1672              | -57.82      | -13           | -44.82            | -59.03             | 2.32                 | 5.68                  | H                  |
|                       | 2509              | -64.75      | -13           | -51.75            | -65.38             | 3.02                 | 5.80                  | H                  |
|                       | 3348              | -63.63      | -13           | -50.63            | -66.09             | 3.27                 | 7.88                  | H                  |
|                       | 1672              | -68.53      | -13           | -55.53            | -69.74             | 2.32                 | 5.68                  | V                  |
|                       | 2509              | -65.81      | -13           | -52.81            | -66.44             | 3.02                 | 5.80                  | V                  |
|                       | 3348              | -63.94      | -13           | -50.94            | -66.40             | 3.27                 | 7.88                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| GSM1900 (GSM) |                   |              |               |                   |                    |                      |                       |                    |
|---------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel       | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle        | 3759              | -52.46       | -13           | -39.46            | -57.33             | 3.55                 | 8.42                  | H                  |
|               | 5640              | -54.29       | -13           | -41.29            | -60.63             | 4.34                 | 10.68                 | H                  |
|               | 7521              | -49.39       | -13           | -36.39            | -56.19             | 5.14                 | 11.94                 | H                  |
|               | 3759              | -56.47       | -13           | -43.47            | -61.34             | 3.55                 | 8.42                  | V                  |
|               | 5640              | -56.12       | -13           | -43.12            | -62.46             | 4.34                 | 10.68                 | V                  |
|               | 7521              | -52.81       | -13           | -39.81            | -59.61             | 5.14                 | 11.94                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| GSM1900 (EDGE class 8) |                   |              |               |                   |                    |                      |                       |                    |
|------------------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                 | 3759              | -53.01       | -13           | -40.01            | -57.88             | 3.55                 | 8.42                  | H                  |
|                        | 5640              | -53.88       | -13           | -40.88            | -60.22             | 4.34                 | 10.68                 | H                  |
|                        | 7521              | -50.85       | -13           | -37.85            | -57.65             | 5.14                 | 11.94                 | H                  |
|                        | 3759              | -60.03       | -13           | -47.03            | -64.90             | 3.55                 | 8.42                  | V                  |
|                        | 5640              | -55.95       | -13           | -42.95            | -62.29             | 4.34                 | 10.68                 | V                  |
|                        | 7521              | -54.42       | -13           | -41.42            | -61.22             | 5.14                 | 11.94                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| WCDMA Band V(RMC 12.2Kbps) |                   |             |               |                   |                    |                      |                       |                    |
|----------------------------|-------------------|-------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                    | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                     | 1672              | -67.20      | -13           | -54.20            | -68.41             | 2.32                 | 5.68                  | H                  |
|                            | 2509              | -64.83      | -13           | -51.83            | -65.46             | 3.02                 | 5.80                  | H                  |
|                            | 3348              | -63.47      | -13           | -50.47            | -65.93             | 3.27                 | 7.88                  | H                  |
|                            | 1672              | -67.92      | -13           | -54.92            | -69.13             | 2.32                 | 5.68                  | V                  |
|                            | 2508              | -65.25      | -13           | -52.25            | -65.88             | 3.02                 | 5.80                  | V                  |
|                            | 3348              | -63.78      | -13           | -50.78            | -66.24             | 3.27                 | 7.88                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| WCDMA Band II(RMC 12.2Kbps) |                      |                 |                  |                         |                          |                            |                             |                       |
|-----------------------------|----------------------|-----------------|------------------|-------------------------|--------------------------|----------------------------|-----------------------------|-----------------------|
| Channel                     | Frequency<br>( MHz ) | EIRP<br>( dBm ) | Limit<br>( dBm ) | Over<br>Limit<br>( dB ) | S.G.<br>Power<br>( dBm ) | TX Cable<br>loss<br>( dB ) | TX Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) |
| Middle                      | 3759                 | -62.74          | -13              | -49.74                  | -67.61                   | 3.55                       | 8.42                        | H                     |
|                             | 5640                 | -59.95          | -13              | -46.95                  | -66.29                   | 4.34                       | 10.68                       | H                     |
|                             | 7521                 | -54.93          | -13              | -41.93                  | -61.73                   | 5.14                       | 11.94                       | H                     |
|                             | 3760                 | -61.99          | -13              | -48.99                  | -66.86                   | 3.55                       | 8.42                        | V                     |
|                             | 5640                 | -60.06          | -13              | -47.06                  | -66.40                   | 4.34                       | 10.68                       | V                     |
|                             | 7521                 | -54.73          | -13              | -41.73                  | -61.53                   | 5.14                       | 11.94                       | V                     |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| WCDMA Band IV(RMC 12.2Kbps) |                      |                 |                  |                         |                          |                            |                             |                       |
|-----------------------------|----------------------|-----------------|------------------|-------------------------|--------------------------|----------------------------|-----------------------------|-----------------------|
| Channel                     | Frequency<br>( MHz ) | EIRP<br>( dBm ) | Limit<br>( dBm ) | Over<br>Limit<br>( dB ) | S.G.<br>Power<br>( dBm ) | TX Cable<br>loss<br>( dB ) | TX Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) |
| Middle                      | 3465                 | -61.68          | -13              | -48.68                  | -66.40                   | 3.41                       | 8.13                        | H                     |
|                             | 5196                 | -58.58          | -13              | -45.58                  | -64.59                   | 4.195                      | 10.20                       | H                     |
|                             | 6930                 | -56.49          | -13              | -43.49                  | -62.94                   | 4.91                       | 11.36                       | H                     |
|                             | 3462                 | -61.53          | -13              | -48.53                  | -66.25                   | 3.413                      | 8.13                        | V                     |
|                             | 5197.8               | -59.98          | -13              | -46.98                  | -65.99                   | 4.195                      | 10.20                       | V                     |
|                             | 6930                 | -56.76          | -13              | -43.76                  | -63.21                   | 4.911                      | 11.36                       | V                     |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| CDMA BC0(1xRTT) |                   |             |               |                   |                    |                      |                       |                    |
|-----------------|-------------------|-------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel         | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle          | 1672              | -68.38      | -13           | -55.38            | -69.59             | 2.32                 | 5.68                  | H                  |
|                 | 2508              | -65.73      | -13           | -52.73            | -66.36             | 3.02                 | 5.80                  | H                  |
|                 | 3348              | -64.13      | -13           | -51.13            | -66.59             | 3.27                 | 7.88                  | H                  |
|                 | 1672              | -68.40      | -13           | -55.40            | -69.61             | 2.32                 | 5.68                  | V                  |
|                 | 2509              | -65.84      | -13           | -52.84            | -66.47             | 3.02                 | 5.80                  | V                  |
|                 | 3348              | -63.81      | -13           | -50.81            | -66.27             | 3.27                 | 7.88                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| CDMA BC1(1xRTT) |                   |              |               |                   |                    |                      |                       |                    |
|-----------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel         | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle          | 3759              | -60.66       | -13           | -47.66            | -65.53             | 3.55                 | 8.42                  | H                  |
|                 | 5640              | -58.50       | -13           | -45.50            | -64.84             | 4.34                 | 10.68                 | H                  |
|                 | 7521              | -54.97       | -13           | -41.97            | -61.77             | 5.14                 | 11.94                 | H                  |
|                 | 3760              | -62.31       | -13           | -49.31            | -67.18             | 3.55                 | 8.42                  | V                  |
|                 | 5640              | -59.89       | -13           | -46.89            | -66.23             | 4.34                 | 10.68                 | V                  |
|                 | 7521              | -54.41       | -13           | -41.41            | -61.21             | 5.14                 | 11.94                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.