





LTE Band 41C / 10MHz+20MHz

64QAM

Middle Channel / 1RB0 and 1RB99

Middle Channel / 1RB49 and 1RB0




Date: 29.AUG.2020 11:50:18

Date: 29.AUG.2020 11:44:16

Middle Channel / FullRB

N/A



Date: 29.AUG.2020 11:52:25





LTE Band 41C / 10MHz+20MHz

64QAM

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB49 and 1RB0




Date: 29.AUG.2020 13:00:52

Date: 29.AUG.2020 13:13:35

Highest Channel / FullIRB

N/A



Date: 29.AUG.2020 12:58:56




LTE Band 41C / 15MHz+10MHz


64QAM

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB74 and 1RB0




Date: 28.AUG.2020 23:29:37



Date: 28.AUG.2020 23:26:52

Lowest Channel / FullRB

N/A



Date: 28.AUG.2020 23:48:09





LTE Band 41C / 15MHz+10MHz

64QAM

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB74 and 1RB0




Date: 28.AUG.2020 23:12:31

Date: 28.AUG.2020 23:15:01

Middle Channel / FullIRB

N/A



Date: 28.AUG.2020 23:06:43





LTE Band 41C / 15MHz+10MHz

64QAM

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB74 and 1RB0




Date: 29.AUG.2020 00:36:37

Date: 29.AUG.2020 00:45:14

Highest Channel / FullIRB

N/A



Date: 29.AUG.2020 00:35:15




LTE Band 41C / 15MHz+15MHz


64QAM

Lowest Channel / 1RB0 and 1RB74

Lowest Channel / 1RB74 and 1RB0




Date: 29.AUG.2020 15:29:43



Date: 29.AUG.2020 15:40:59

Lowest Channel / FullRB

N/A



Date: 29.AUG.2020 15:26:53





LTE Band 41C / 15MHz+15MHz

64QAM

Middle Channel / 1RB0 and 1RB74

Middle Channel / 1RB74 and 1RB0




Date: 29.AUG.2020 16:04:05

Date: 29.AUG.2020 15:44:47

Middle Channel / FullIRB

N/A



Date: 29.AUG.2020 16:07:12





LTE Band 41C / 15MHz+15MHz

64QAM

Highest Channel / 1RB0 and 1RB74

Highest Channel / 1RB74 and 1RB0




Date: 29.AUG.2020 16:37:18

Date: 29.AUG.2020 16:50:58

Highest Channel / FullIRB

N/A



Date: 29.AUG.2020 16:20:50




LTE Band 41C / 15MHz+20MHz


64QAM

Lowest Channel / 1RB0 and 1RB99

Lowest Channel / 1RB74 and 1RB0




Date: 29.AUG.2020 17:26:13



Date: 29.AUG.2020 17:46:41

Lowest Channel / FullRB

N/A



Date: 29.AUG.2020 16:55:29





LTE Band 41C / 15MHz+20MHz

64QAM

Middle Channel / 1RB0 and 1RB9

Middle Channel / 1RB74 and 1RB0




Date: 29.AUG.2020 18:13:24

Date: 29.AUG.2020 18:09:38

Middle Channel / FullIRB

N/A



Date: 29.AUG.2020 18:20:19




LTE Band 41C / 15MHz+20MHz


64QAM

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB74 and 1RB0




Date: 29.AUG.2020 18:36:54



Date: 29.AUG.2020 18:44:18

Highest Channel / FullIRB

N/A



Date: 29.AUG.2020 18:23:55




LTE Band 41C / 20MHz+5MHz


64QAM

Lowest Channel / 1RB0 and 1RB24

Lowest Channel / 1RB99 and 1RB0




Date: 28.AUG.2020 21:37:06



Date: 28.AUG.2020 21:35:27

Lowest Channel / FullIRB

N/A



Date: 28.AUG.2020 21:46:52




LTE Band 41C / 20MHz+5MHz


64QAM

Middle Channel / 1RB0 and 1RB24

Middle Channel / 1RB99 and 1RB0




Date: 28.AUG.2020 21:28:09



Date: 28.AUG.2020 21:29:16

Middle Channel / FullRB

N/A



Date: 28.AUG.2020 21:23:06




LTE Band 41C / 20MHz+5MHz


64QAM

Highest Channel / 1RB0 and 1RB24

Highest Channel / 1RB99 and 1RB0




Date: 28.AUG.2020 22:02:29



Date: 28.AUG.2020 22:04:45

Highest Channel / FullIRB

N/A



Date: 28.AUG.2020 21:52:17




LTE Band 41C / 20MHz+10MHz


64QAM

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB99 and 1RB0




Date: 29.AUG.2020 13:43:56



Date: 29.AUG.2020 14:56:58

Lowest Channel / FullRB

N/A



Date: 29.AUG.2020 13:17:48





LTE Band 41C / 20MHz+10MHz

64QAM

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB99 and 1RB0




Date: 29.AUG.2020 13:46:00

Date: 29.AUG.2020 13:56:41

Middle Channel / FullRB

N/A



Date: 29.AUG.2020 13:58:03




LTE Band 41C / 20MHz+10MHz


64QAM

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB99 and 1RB0




Date: 29.AUG.2020 14:20:12



Date: 29.AUG.2020 14:32:16

Highest Channel / FullIRB

N/A



Date: 29.AUG.2020 14:18:09




LTE Band 41C / 20MHz+15MHz


64QAM

Lowest Channel / 1RB0 and 1RB74

Lowest Channel / 1RB99 and 1RB0




Date: 29.AUG.2020 19:26:41



Date: 29.AUG.2020 19:35:12

Lowest Channel / FullRB

N/A



Date: 29.AUG.2020 19:24:58





LTE Band 41C / 20MHz+15MHz

64QAM

Middle Channel / 1RB0 and 1RB74

Middle Channel / 1RB99 and 1RB0




Date: 29.AUG.2020 19:44:58

Date: 29.AUG.2020 19:38:10

Middle Channel / FullRB

N/A



Date: 29.AUG.2020 19:53:53




LTE Band 41C / 20MHz+15MHz


64QAM

Highest Channel / 1RB0 and 1RB74

Highest Channel / 1RB99 and 1RB0




Date: 29.AUG.2020 20:08:03



Date: 29.AUG.2020 20:10:00

Highest Channel / FullIRB

N/A



Date: 29.AUG.2020 19:58:45




LTE Band 41C / 20MHz+20MHz


64QAM

Lowest Channel / 1RB0 and 1RB99

Lowest Channel / 1RB99 and 1RB0




Date: 29.AUG.2020 20:30:35



Date: 29.AUG.2020 20:29:10

Lowest Channel / FullRB

N/A



Date: 29.AUG.2020 20:47:39





LTE Band 41C / 20MHz+20MHz

64QAM

MiddleChannel / 1RB0 and 1RB99

Middle Channel / 1RB99 and 1RB0




Date: 29.AUG.2020 20:57:53

Date: 29.AUG.2020 20:59:04

Middle Channel / FullIRB

N/A



Date: 29.AUG.2020 20:49:28




LTE Band 41C / 20MHz+20MHz


64QAM

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB99 and 1RB0




Date: 29.AUG.2020 21:08:20



Date: 29.AUG.2020 21:06:50

Highest Channel / FullIRB

N/A



Date: 29.AUG.2020 21:19:10



### Appendix B. Test Results of Radiated Test

#### Radiated Spurious Emission

| LTE Band 7 / 20MHz / QPSK |                   |              |               |                   |                    |                      |                       |                    |
|---------------------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                   | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                    | 5000              | -52.72       | -25           | -27.72            | -62.93             | 3.03                 | 13.24                 | H                  |
|                           | 7504              | -57.62       | -25           | -32.62            | -67.07             | 3.56                 | 13.01                 | H                  |
|                           | 10000             | -57.63       | -25           | -32.63            | -67.15             | 3.92                 | 13.44                 | H                  |
|                           | 5000              | -52.42       | -25           | -27.42            | -62.63             | 3.03                 | 13.24                 | V                  |
|                           | 7504              | -58.83       | -25           | -33.83            | -68.28             | 3.56                 | 13.01                 | V                  |
|                           | 10000             | -56.99       | -25           | -31.99            | -66.51             | 3.92                 | 13.44                 | V                  |
| Middle                    | 5052              | -51.38       | -25           | -26.38            | -61.59             | 3.03                 | 13.24                 | H                  |
|                           | 7580              | -56.67       | -25           | -31.67            | -66.12             | 3.56                 | 13.01                 | H                  |
|                           | 10100             | -57.12       | -25           | -32.12            | -66.64             | 3.92                 | 13.44                 | H                  |
|                           | 5052              | -53.38       | -25           | -28.38            | -63.59             | 3.03                 | 13.24                 | V                  |
|                           | 7580              | -57.99       | -25           | -32.99            | -67.44             | 3.56                 | 13.01                 | V                  |
|                           | 10100             | -57.04       | -25           | -32.04            | -66.56             | 3.92                 | 13.44                 | V                  |
| Highest                   | 5100              | -57.22       | -25           | -32.22            | -67.43             | 3.03                 | 13.24                 | H                  |
|                           | 7652              | -57.88       | -25           | -32.88            | -67.33             | 3.56                 | 13.01                 | H                  |
|                           | 10200             | -57.26       | -25           | -32.26            | -66.78             | 3.92                 | 13.44                 | H                  |
|                           | 5100              | -57.54       | -25           | -32.54            | -67.75             | 3.03                 | 13.24                 | V                  |
|                           | 7652              | -58.35       | -25           | -33.35            | -67.80             | 3.56                 | 13.01                 | V                  |
|                           | 10200             | -57.07       | -25           | -32.07            | -66.59             | 3.92                 | 13.44                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 12 / 10MHz / QPSK |                   |             |               |                   |                    |                      |                       |                    |
|----------------------------|-------------------|-------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                    | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                     | 1400              | -68.91      | -13           | -55.91            | -75.88             | 1.58                 | 10.70                 | H                  |
|                            | 2098              | -67.50      | -13           | -54.50            | -75.75             | 2.102                | 12.50                 | H                  |
|                            | 2798              | -65.02      | -13           | -52.02            | -73.91             | 2.856                | 13.90                 | H                  |
|                            | 1400              | -68.64      | -13           | -55.64            | -75.61             | 1.58                 | 10.70                 | V                  |
|                            | 2098              | -66.62      | -13           | -53.62            | -74.87             | 2.10                 | 12.50                 | V                  |
|                            | 2798              | -65.05      | -13           | -52.05            | -73.94             | 2.86                 | 13.90                 | V                  |
| Middle                     | 1406              | -69.19      | -13           | -56.19            | -76.16             | 1.58                 | 10.70                 | H                  |
|                            | 2110              | -66.88      | -13           | -53.88            | -75.13             | 2.102                | 12.50                 | H                  |
|                            | 2812              | -64.37      | -13           | -51.37            | -73.26             | 2.856                | 13.90                 | H                  |
|                            | 1406              | -68.77      | -13           | -55.77            | -75.74             | 1.58                 | 10.70                 | V                  |
|                            | 2110              | -66.83      | -13           | -53.83            | -75.08             | 2.10                 | 12.50                 | V                  |
|                            | 2812              | -64.64      | -13           | -51.64            | -73.53             | 2.86                 | 13.90                 | V                  |
| Highest                    | 1414              | -68.94      | -13           | -55.94            | -75.91             | 1.58                 | 10.70                 | H                  |
|                            | 2120              | -66.87      | -13           | -53.87            | -75.12             | 2.102                | 12.50                 | H                  |
|                            | 2826              | -64.87      | -13           | -51.87            | -73.76             | 2.856                | 13.90                 | H                  |
|                            | 1414              | -68.14      | -13           | -55.14            | -75.11             | 1.58                 | 10.70                 | V                  |
|                            | 2120              | -66.67      | -13           | -53.67            | -74.92             | 2.10                 | 12.50                 | V                  |
|                            | 2826              | -64.74      | -13           | -51.74            | -73.63             | 2.86                 | 13.90                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 13 / 5MHz / QPSK |                   |             |               |                   |                    |                      |                       |                    |
|---------------------------|-------------------|-------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                   | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                    | 1554              | -67.98      | -13           | -54.98            | -70.61             | 1.09                 | 5.87                  | H                  |
|                           | 2332              | -66.06      | -13           | -53.06            | -68.46             | 1.37                 | 5.92                  | H                  |
|                           | 3108              | -63.58      | -13           | -50.58            | -67.47             | 1.64                 | 7.68                  | H                  |
|                           | 1554              | -67.84      | -13           | -54.84            | -70.47             | 1.09                 | 5.87                  | V                  |
|                           | 2332              | -66.08      | -13           | -53.08            | -68.48             | 1.37                 | 5.92                  | V                  |
|                           | 3108              | -63.55      | -13           | -50.55            | -67.44             | 1.64                 | 7.68                  | V                  |
| Middle                    | 1560              | -68.59      | -42.15        | -26.44            | -71.22             | 1.09                 | 5.87                  | H                  |
|                           | 2340              | -66.34      | -13           | -53.34            | -68.74             | 1.37                 | 5.92                  | H                  |
|                           | 3120              | -63.76      | -13           | -50.76            | -67.65             | 1.64                 | 7.68                  | H                  |
|                           | 1560              | -68.31      | -42.15        | -26.16            | -70.94             | 1.09                 | 5.87                  | V                  |
|                           | 2340              | -65.99      | -13           | -52.99            | -68.39             | 1.37                 | 5.92                  | V                  |
|                           | 3120              | -63.82      | -13           | -50.82            | -67.71             | 1.64                 | 7.68                  | V                  |
| Highest                   | 1564              | -68.34      | -42.15        | -26.19            | -70.97             | 1.09                 | 5.87                  | H                  |
|                           | 2348              | -66.37      | -13           | -53.37            | -68.77             | 1.37                 | 5.92                  | H                  |
|                           | 3132              | -63.93      | -13           | -50.93            | -67.82             | 1.64                 | 7.68                  | H                  |
|                           | 1564              | -63.83      | -42.15        | -21.68            | -66.46             | 1.09                 | 5.87                  | V                  |
|                           | 2348              | -65.89      | -13           | -52.89            | -68.29             | 1.37                 | 5.92                  | V                  |
|                           | 3132              | -63.69      | -13           | -50.69            | -67.58             | 1.64                 | 7.68                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 13 / 10MHz / QPSK |                   |             |               |                   |                    |                      |                       |                    |
|----------------------------|-------------------|-------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                    | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                     | 1556              | -67.96      | -13           | -54.96            | -70.59             | 1.09                 | 5.87                  | H                  |
|                            | 2332              | -66.36      | -13           | -53.36            | -68.76             | 1.37                 | 5.92                  | H                  |
|                            | 3108              | -63.47      | -13           | -50.47            | -67.36             | 1.64                 | 7.68                  | H                  |
|                            | 1556              | -67.56      | -13           | -54.56            | -70.19             | 1.09                 | 5.87                  | V                  |
|                            | 2332              | -66.12      | -13           | -53.12            | -68.52             | 1.37                 | 5.92                  | V                  |
|                            | 3108              | -63.51      | -13           | -50.51            | -67.40             | 1.64                 | 7.68                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 41 / 20MHz / QPSK |                   |              |               |                   |                    |                      |                       |                    |
|----------------------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                    | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                     | 4992              | -47.85       | -25           | -22.85            | -58.06             | 3.03                 | 13.24                 | H                  |
|                            | 7492              | -59.68       | -25           | -34.68            | -69.13             | 3.56                 | 13.01                 | H                  |
|                            | 9990              | -57.32       | -25           | -32.32            | -66.84             | 3.92                 | 13.44                 | H                  |
|                            | 4992              | -56.22       | -25           | -31.22            | -66.43             | 3.03                 | 13.24                 | V                  |
|                            | 7492              | -60.03       | -25           | -35.03            | -69.48             | 3.56                 | 13.01                 | V                  |
|                            | 9990              | -57.69       | -25           | -32.69            | -67.21             | 3.92                 | 13.44                 | V                  |
| Middle                     | 5168              | -53.69       | -25           | -28.69            | -63.90             | 3.03                 | 13.24                 | H                  |
|                            | 7752              | -58.06       | -25           | -33.06            | -67.51             | 3.56                 | 13.01                 | H                  |
|                            | 10340             | -57.02       | -25           | -32.02            | -66.54             | 3.92                 | 13.44                 | H                  |
|                            | 5168              | -56.72       | -25           | -31.72            | -66.93             | 3.03                 | 13.24                 | V                  |
|                            | 7752              | -59.11       | -25           | -34.11            | -68.56             | 3.56                 | 13.01                 | V                  |
|                            | 10340             | -56.61       | -25           | -31.61            | -66.13             | 3.92                 | 13.44                 | V                  |
| Highest                    | 5344              | -55.08       | -25           | -30.08            | -65.29             | 3.03                 | 13.24                 | H                  |
|                            | 8010              | -55.99       | -25           | -30.99            | -65.44             | 3.56                 | 13.01                 | H                  |
|                            | 10680             | -55.60       | -25           | -30.60            | -65.12             | 3.92                 | 13.44                 | H                  |
|                            | 5340              | -56.41       | -25           | -31.41            | -66.62             | 3.03                 | 13.24                 | V                  |
|                            | 8010              | -55.04       | -25           | -30.04            | -64.49             | 3.56                 | 13.01                 | V                  |
|                            | 10680             | -55.67       | -25           | -30.67            | -65.19             | 3.92                 | 13.44                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 41C_CA / 20MHz+20MHz / QPSK |                   |              |               |                   |                    |                      |                       |                    |
|--------------------------------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                              | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                               | 4996              | -49.28       | -25           | -24.28            | -59.49             | 3.03                 | 13.24                 | H                  |
|                                      | 7492              | -60.26       | -25           | -35.26            | -69.71             | 3.56                 | 13.01                 | H                  |
|                                      | 9990              | -57.30       | -25           | -32.30            | -66.82             | 3.92                 | 13.44                 | H                  |
|                                      | 4996              | -54.04       | -25           | -29.04            | -64.25             | 3.03                 | 13.24                 | V                  |
|                                      | 7492              | -60.40       | -25           | -35.40            | -69.85             | 3.56                 | 13.01                 | V                  |
|                                      | 9990              | -57.31       | -25           | -32.31            | -66.83             | 3.92                 | 13.44                 | V                  |
| Middle                               | 5148              | -57.08       | -25           | -32.08            | -67.29             | 3.03                 | 13.24                 | H                  |
|                                      | 7724              | -60.21       | -25           | -35.21            | -69.66             | 3.56                 | 13.01                 | H                  |
|                                      | 10300             | -57.01       | -25           | -32.01            | -66.53             | 3.92                 | 13.44                 | H                  |
|                                      | 5148              | -55.54       | -25           | -30.54            | -65.75             | 3.03                 | 13.24                 | V                  |
|                                      | 7724              | -59.82       | -25           | -34.82            | -69.27             | 3.56                 | 13.01                 | V                  |
|                                      | 10300             | -57.29       | -25           | -32.29            | -66.81             | 3.92                 | 13.44                 | V                  |
| Highest                              | 5305              | -61.43       | -25           | -36.43            | -71.64             | 3.03                 | 13.24                 | H                  |
|                                      | 7955              | -55.73       | -25           | -30.73            | -65.18             | 3.56                 | 13.01                 | H                  |
|                                      | 10602             | -56.11       | -25           | -31.11            | -65.63             | 3.92                 | 13.44                 | H                  |
|                                      | 5305              | -60.40       | -25           | -35.40            | -70.61             | 3.03                 | 13.24                 | V                  |
|                                      | 7955              | -55.64       | -25           | -30.64            | -65.09             | 3.56                 | 13.01                 | V                  |
|                                      | 10602             | -57.65       | -25           | -32.65            | -67.17             | 3.92                 | 13.44                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.