Page: 1 of 51

FCC TEST REPORT

Application No: ZR/2020/80006

Applicant: Motorola Mobility LLC

Address of Applicant 222 W Merchandise Mart Plaza, Suite 1800, Chicago IL 60654, USA

Manufacturer: Motorola Mobility LLC

Address of Manufacturer 222 W Merchandise Mart Plaza, Suite 1800, Chicago IL 60654, USA

EUT Description: Mobile Phone
Model No.: XT2091-4
Trade Mark: Motorola
FCC ID: IHDT56ZK1

Standards: 47 CFR FCC Part 2, Subpart J

47 CFR Part 15, Subpart C

Test Method KDB558074 D01 15.247 Meas Guidance v05r02

ANSI C63.10 (2013)

Date of Receipt: 2020/9/2

Date of Test: 2020/9/3 to 2020/9/21

Date of Issue: 2021/5/15

Test Result: PASS *

Authorized Signature:

Derde yang

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention To check the authenticity of testing inspection report accriticate, passe contacturs at telephone: [86-755] 8307 1443.

**Attention To check the authenticity of testing inspection report accriticate, passe contacturs at telephone: [86-755] 8307 1443.

or smail: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: ZR/2020/8000603-01

Page: 2 of 51

Version

Revision Record					
Version	Chapter	Date	Modifier	Remark	
01		2020/9/21		Original	
02		2021/5/15	Kevin.Lan	1.Add test site Information 2.Modify data conversion error of antenna height 3.Update equipment list	

^{*}This test report supersedes the original report (report No.: ZR/2020/8000603, issue date: 2020-9-21), original report shall be invalid.

Authorized for issue by:	
Prepared By	Kevin. lan (Kevin.Lan) /Engineer
Checked By	Dand Chen (David Chen) /Reviewer





Report No.: ZR/2020/8000603-01

Page: 3 of 51

2 Test Summary

Test Item	Test Requirement	Test method	Test Result	Result	Test Lab*
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013	Clause 4.2	PASS	В
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013	Clause 4.3	PASS	Α
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10 2013	Clause 4.4	PASS	Α
Power Spectral Density	15.247 (e)	ANSI C63.10 2013	Clause 4.5	PASS	Α
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.6	PASS	А
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.7	PASS	А
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10 2013	Clause 4.8	PASS	В
Restricted bands around fundamental frequency (Radiated Emission) 15.205/15.209		ANSI C63.10 2013	Clause 4.9	PASS	В

Remark1: All test were performed by Lab A and B.
Parts of test items above were subcontracted to Lab B.
Lab A SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Lab B SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.



Page: 4 of 51

Remark2:

We, Motorola Mobility LLC. declare on our sole responsibility for the product of XT2091-4 Latam (SKU6), XT2091-3/ XT2091-8 APEM (SKU5), the detail differences as below:

RF functionally matrix-same ROW indicates signal path is shared among SKUS				
Modes	SKU5	SKU6		
Model	XT2091-3/ XT2091-8	XT2091-4		
Trade Mark	Motorola/ lenovo	Motorola		
FCC ID	IHDT56ZK2	IHDT56ZK1		
PCB	The same	The same		
GSM	The same	The same		
WCDMA	1/2/4/5/8/19	1/2/4/5/8		
LTE	1/2/3/4/5/7/8/18/19/20/26/28/38/40	1/2/3/4/5/7/8/19/28/66		
WLAN 2.4G/5G	The same	The same		
Bluetooth	The same	The same		
Antenna	The same	The same		
NFC	Support	Not support		
Hardware Version	The same	The same		
Software Version	The same	The same		

According to the above difference description: The two models BT/WIFI have the same design, BLE is based on the original report ZR/2020/8000403 Spot Check RSE





Report No.: ZR/2020/8000603-01

Page: 5 of 51

Contents

1	1 VERSION	
2	2 TEST SUMMARY	
3		
J		
	3.1 CLIENT INFORMATION	
	3.2 TEST LOCATION	
	3.4 GENERAL DESCRIPTION OF EUT	
	3.5 TEST ENVIRONMENT	
	3.6 DESCRIPTION OF SUPPORT UNITS	
4		
	4.1 Antenna Requirement	
	4.2 AC POWER LINE CONDUCTED EMISSIONS	11
	4.3 Duty Cycle	
	4.3.1 Test Results	
	4.3.1 Test Plots	
	4.4 CONDUCTED OUTPUT POWER	
	4.4.1 Test Results	
	4.4.2 Test plots:	
	4.5 DTS (6 dB) BANDWIDTH & 99% OCCUPIED BANDWIDTH	
	4.5.1 Test Results	
	4.5.2 Test plots	
	4.6 Power Spectral Density	
	4.6.2 Test plots	
	4.7 BAND-EDGE FOR RF CONDUCTED EMISSIONS	
	4.7.1 Test plots	
	4.8 Spurious RF Conducted Emissions	
	4.8.1 Test plots:	
	4.9 RADIATED SPURIOUS EMISSION	
	4.9.1 Radiated Emission below 1GHz	
	4.9.2 Transmitter Emission above 1GHz	
	4.10 RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	43
	4.10.1 Test plots	44
5	5 MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)	48
6	6 EQUIPMENT LIST	49
7	7 PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS	51



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, National Research and the content of the

Page: 6 of 51

General Information

3.1 **Client Information**

Applicant:	Motorola Mobility LLC
Address of Applicant:	222 W Merchandise Mart Plaza, Suite 1800, Chicago IL 60654, USA
Manufacturer:	Motorola Mobility LLC
Address of Manufacturer:	222 W Merchandise Mart Plaza, Suite 1800, Chicago IL 60654, USA

3.2 **Test Location**

Lab A:

	Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch	
Address: No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China			
	Post code:	518057	
	Test Engineer	Dee Zheng, Mike Hu	

Lab B:

Company: SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO		SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.
Address: 1/F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, 3rd Road, Fengdong New City, Xi'an, Shaanxi China		1/F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi China
	Post code:	710086
	Test Engineer	Ben Huang, Lean Chen



Report No.: ZR/2020/8000603-01

Page: 7 of 51

3.3 **Test Facility**

The test facility is recognized, certified, or accredited by the following organizations:

Lab A:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC -Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

Lab B:

• A2LA (Certificate No. 4854.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

• FCC -Designation Number: CN1271.



Page: 8 of 51

3.4 General Description of EUT

EUT Description:	Mobile Phone
Model No.:	XT2091-4
Trade Mark:	Motorola
Hardware Version:	DVT2
Software Version:	QZC30.Q4-22
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.
Bluetooth Version: Bluetooth V5.0 LE	
Modulation Type:	GFSK
Number of Channel:	40
Sample Type: Portable Device, Module	
Antenna Type:	☐ External, ☑ Integrated
Antenna Gain:	-3.2dBi
Power Supply:	☐ AC/DC Adapter; ☐ Battery; ☐ PoE:; ☐ Other:

	Operation Frequency of each channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The lowest channel (CH0)	2402MHz
The middle channel (CH19)	2440MHz
The highest channel (CH39)	2480MHz





Page: 9 of 51

3.5 **Test Environment**

Operating Environment			
Temperature:	25.0 °C		
Humidity:	50 % RH		
Atmospheric Pressure:	101.32 KPa		

Description of Support Units 3.6

The EUT has been tested independent unit.



Page: 10 of 51

Test results and Measurement Data

4.1 **Antenna Requirement**

Standard requirement:

47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -3.2dBi.






Report No.: ZR/2020/8000603-01

Page: 11 of 51

4.2 **AC Power Line Conducted Emissions**

Test Requirement:	47 CFR Part 15C Section 15	5.207	
Test Method:	ANSI C63.10: 2013		
Test Frequency Range:	150kHz to 30MHz		
	Frequency range (MHz)	Limit (dBuV)	
	rrequericy rarige (MHZ)	Quasi-peak	Average
Limit:	0.15-0.5	66 to 56*	56 to 46*
LIIIIIL.	0.5-5	56	46
	5-30	60	50
	* Decreases with the logarith	hm of the frequency.	
Test Procedure:	 The EUT was connected Stabilization Network) we power cables of all other which was bonded to the for the unit being measur multiple power cables to exceeded. The tabletop EUT was perference plane. And for horizontal ground reference Plane was borned EUT shall be 0.4 measured for the shall be 0.4 measured for the ground reference plane was borned as placed 0.8 measured for the stance was between the control of the EUT LISN 2. In order to find the maximalization. 	with a vertical ground reference the vertical ground reference anded to the horizontal ground me the boundary of the unit of the LISNs mounted on top of the deen the closest points of the and associated equipment vertically be changed according to the the changed according to the the vertical properties.	a LISN 1 (Line Impedance $+$ 5Ω linear impedance. The nected to a second LISN 2, the same way as the LISN 1 at strip was used to connect a rating of the LISN was not able 0.8m above the ground the EUT was placed on the ence plane. The rear of the e plane. The vertical ground direference plane. The LISN under test and bonded to a the ground reference plane. LISN 1 and the EUT. All was at least 0.8 m from the estitions of equipment and all
		9	

Test Setup:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ** **Email: **Email:

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: ZR/2020/8000603-01

Page: 12 of 51

Test Mode: Transmitting with GFSK modulation. Charge +Transmitting mode.	
Instruments Used: Refer to section 5.10 for details.	
Test Results: Pass	





Report No.: ZR/2020/8000603-01


Page: 13 of 51

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.





Test Graph

Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1777	10.10	46.06	64.59	18.53	31.13	54.59	23.46	L
2	0.4525	10.10	35.25	56.83	21.58	24.76	46.83	22.07	L
3	3.5760	10.10	34.20	56.00	21.80	24.25	46.00	21.75	L
4	6.7691	10.10	31.84	60.00	28.16	23.39	50.00	26.61	L
5	11.5092	10.10	33.27	60.00	26.73	24.95	50.00	25.05	Ĺ
6	24.0896	10.11	31.88	60.00	28.12	20.43	50.00	29.57	Ĺ






Report No.: ZR/2020/8000603-01

Page: 14 of 51

Neutral line:



Test Graph

Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1550	10.10	47.24	65.73	18.49	30.23	55.73	25.50	N
2	0.4753	10.10	34.91	56.42	21.51	28.34	46.42	18.08	N
3	3.4583	10.10	31.58	56.00	24.42	19.73	46.00	26.27	N
4	6.6863	10.10	26.48	60.00	33.52	18.70	50.00	31.30	N
5	11.3744	10.10	32.68	60.00	27.32	25.08	50.00	24.92	N
6	24.1156	10.11	28.89	60.00	31.11	18.01	50.00	31.99	N

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.





Report No.: ZR/2020/8000603-01

Page: 15 of 51


Duty Cycle 4.3

4.3.1 **Test Results**

Test Mode	TX Freq. [MHz]	Duty cycle [%]
BLE_1M	CH0, CH19, CH39	62.50

4.3.1 **Test Plots**

4.3.1.1 BLE 1M








Report No.: ZR/2020/8000603-01

16 of 51 Page:

4.4 **Conducted Output Power**



Test Results 4.4.1

Measurement Data of Peak Power:

GFSK_1M mode				
Test channel Peak Output Power (dBm) Limit (dBm) Result				
Lowest	7.80	30.00	Pass	
Middle	7.88	30.00	Pass	
Highest	7.41	30.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ** **Email: **Email:

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: ZR/2020/8000603-01

Page: 17 of 51

4.4.2 Test plots:

4.4.2.1 GFSK 1M_Lowest Channel



4.4.2.2 GFSK 1M Middle Channel



4.4.2.3 GFSK 1M Highest Channel



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails CND Ploccheck-Rices.com.

or email: CN_Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

755) 26012053 1 (86-755) 26710594

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: ZR/2020/8000603-01

Page: 18 of 51





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: ZR/2020/8000603-01

19 of 51 Page:

DTS (6 dB) Bandwidth & 99% Occupied Bandwidth 4.5



4.5.1 **Test Results**

Mode	Test Channel			Limit (kHz)	Result	
	Lowest	1.03	0.66	≥500	Pass	
GFSK_1M	Middle	1.03	0.66	≥500	Pass	
	Highest	1.03	0.66	≥500	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ** **Email: **Email:



Report No.: ZR/2020/8000603-01

Page: 20 of 51

4.5.2 Test plots

4.5.2.1 GFSK 1M_Lowest Channel





of small: CM.Doccheck@sgs_com Mo.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技図中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/8000603-01

Page: 21 of 51

4.5.2.2 GFSK 1M_Middle Channel





No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技図中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/8000603-01

Page: 22 of 51

4.5.2.3 GFSK 1M_Highest Channel






No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技図中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Page: 23 of 51

4.6 Power Spectral Density



4.6.1 Test Results

Mode	Test Channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
	Lowest	-7.14	≤8.00	Pass
GFSK 1M	Middle	-7.03	≤8.00	Pass
_	Highest	-7.60	≤8.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ** **Email: **Email:



Report No.: ZR/2020/8000603-01

Page: 24 of 51

4.6.2 Test plots

4.6.2.1 GFSK 1M_Lowest Channel



4.6.2.2 GFSK 1M Middle Channel



4.6.2.3 GFSK 1M Highest Channel



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails CND Ploccheck-Rices.com.

or email: CN_Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国・深圳・科技園中区M-10栋一号厂房 邮编: 518

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/8000603-01

Page: 25 of 51





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Page: 26 of 51

Band-edge for RF Conducted Emissions 4.7

Test Requirement:	47 CFR Part 15C Section 15.247 (d)		
Test Method:	ANSI C63.10: 2013 Section 11.13		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.		
Test Mode:	Transmitting with GFSK modulation.		
Instruments Used:	Refer to section 5.10 for details.		
Test Results:	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: ZR/2020/8000603-01

Page: 27 of 51

4.7.1 **Test plots**

4.7.1.1 GFSK 1M_Lowest Channel







Report No.: ZR/2020/8000603-01

Page: 28 of 51

4.7.1.2 GFSK 1M_Highest Channel







Report No.: ZR/2020/8000603-01

Page: 29 of 51

Spurious RF Conducted Emissions 4.8

Test Requirement:	47 CFR Part 15C Section 15.247 (d)		
Test Method:	ANSI C63.10: 2013 Section 11.11		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.		
Test Mode:	Transmitting with GFSK modulation.		
Instruments Used:	Refer to section 5.10 for details.		
Test Results:	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




Report No.: ZR/2020/8000603-01

Page: 30 of 51

4.8.1 Test plots:

4.8.1.1 GFSK 1M_Lowest Channel



4.8.1.2 GFSK 1M Middle Channel



4.8.1.3 GFSK 1M Highest Channel

中国·深圳·科技园中区M-10栋一号厂房



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and south sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, exercited the results shown and the sample of the company and the retained for 30 days only.


or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: ZR/2020/8000603-01

31 of 51 Page:



Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ** **Email: **Email:



Report No.: ZR/2020/8000603-01

Page: 32 of 51

Radiated Spurious Emission 4.9

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10 :2013 Sec	tion 11.12				
Test Site:	Measurement Distance:	3m or 10m (Semi-	-Anechoic C	Chamber)		
	Frequency	Detector	RBW	VBW	Remark	
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak	
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average	
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak	
Doseiver Catury	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak	
Receiver Setup:	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average	
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak	
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak	
	AL 4011	Peak	1MHz	3MHz	Peak	
	Above 1GHz	Peak	1MHz	10Hz	Average	
	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)	
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300	
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30	
	1.705MHz-30MHz	30	-	-	30	
	30MHz-88MHz	100	40.0	Quasi-peak	3	
Limit:	88MHz-216MHz	150	43.5	Quasi-peak	3	
	216MHz-960MHz	200	46.0	Quasi-peak	3	
	960MHz-1GHz	500	54.0	Quasi-peak	3	
	Above 1GHz	500	54.0	Average	3	
	Remark: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.					






Report No.: ZR/2020/8000603-01

Page: 33 of 51

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

- For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. Use the following spectrum analyzer settings:
 - (1) Span shall wide enough to fully capture the emission being measured;
 - (2) Set RBW=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz; VBW≥ RBW; Sweep = auto;

Detector function = peak; Trace = max hold for peak



Test Procedure:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, National Reschedules.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: ZR/2020/8000603-01

Page: 34 of 51

	(3) For average measurement: use duty cycle correction factor method per 15.35(c).		
	Duty cycle = On time/100 milliseconds On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n		
	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.		
	Average Emission Level = Peak Emission Level + 20*log(Duty cycle)		
	f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.		
	g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.		
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.		
	i. Test the EUT in the lowest channel (2402MHz),the middle channel (2440MHz),the Highest channel (2480MHz)		
	j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.		
	k. Repeat above procedures until all frequencies measured was complete.		
Exploratory Test Mode:	Transmitting with GFSK modulation. Charge + Transmitting mode.		
	Transmitting with GFSK modulation.		
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode,		
Tillal Test Would.	For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.		
Instruments Used:	Refer to section 5.10 for details.		
Test Results:	Pass		






Report No.: ZR/2020/8000603-01

Page: 35 of 51

4.9.1 Radiated Emission below 1GHz

4.9.1.1 Charge + Transmitting

Test Graph



Suspected List

Odspected List												
Suspected List												
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	41.0602	13.81	-28.78	40.00	26.19	176	237	Horizontal				
2	55.0310	13.38	-31.12	40.00	26.62	108	277	Horizontal				
3	94.8090	14.40	-32.92	43.50	29.10	199	335	Horizontal				
4	291.176	18.80	-28.60	46.00	27.20	209	246	Horizontal				
5	570.204	22.24	-21.47	46.00	23.76	147	22	Horizontal				
6	845.157	28.20	-16.97	46.00	17.80	123	278	Horizontal				

Final Data List






Report No.: ZR/2020/8000603-01

Page: 36 of 51

Test Graph



Suspected List

Suspected List												
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	39.8960	13.85	-28.37	40.00	26.15	292	83	Vertical				
2	54.0608	14.32	-30.98	40.00	25.68	150	332	Vertical				
3	109.750	10.90	-32.00	43.50	32.60	172	40	Vertical				
4	250.040	16.62	-29.66	46.00	29.38	186	14	Vertical				
5	709.523	25.26	-19.29	46.00	20.74	161	83	Vertical				
6	982.730	28.96	-15.03	54.00	25.04	183	297	Vertical				

Final Data List






Report No.: ZR/2020/8000603-01

Page: 37 of 51

4.9.2 Transmitter Emission above 1GHz

4.9.2.1 BLE 1M Channel 0

Test Graph



Suspected List

dopeoted List											
Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2992.99	55.45	9.48	74.00	18.55	115	72	Horizontal			
2	2993.99	43.81	9.48	54.00	10.19	124	140	Horizontal			
3	4804.00	40.26	-18.30	74.00	33.74	162	100	Horizontal			
4	4804.00	30.03	-18.30	54.00	23.97	238	18	Horizontal			
5	7206.00	35.50	-9.82	54.00	18.50	107	127	Horizontal			
6	7206.00	47.20	-9.82	74.00	26.80	108	344	Horizontal			
7	17929.4	44.61	-1.30	54.00	9.39	144	72	Horizontal			

Final Data List






Report No.: ZR/2020/8000603-01

Page: 38 of 51

4.9.2.2 BLE 1M Channel 0

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2959.99	44.04	9.63	54.00	9.96	220	152	Vertical				
2	2994.99	55.60	9.47	74.00	18.40	221	288	Vertical				
3	4804.00	29.38	-18.30	54.00	24.62	198	124	Vertical				
4	4804.00	42.25	-18.30	74.00	31.75	171	97	Vertical				
5	7206.00	46.76	-9.82	74.00	27.24	277	97	Vertical				
6	7206.00	35.62	-9.82	54.00	18.38	278	260	Vertical				
7	17930.9	44.68	-1.30	54.00	9.32	273	70	Vertical				

Final Data List






Report No.: ZR/2020/8000603-01

Page: 39 of 51

4.9.2.3 BLE 1M Channel 19

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2977.49	44.37	9.55	54.00	9.63	215	358	Horizontal				
2	2988.49	55.39	9.50	74.00	18.61	222	100	Horizontal				
3	4880.00	29.87	-17.96	54.00	24.13	156	153	Horizontal				
4	4880.00	41.76	-17.96	74.00	32.24	155	181	Horizontal				
5	7320.00	48.36	-9.54	74.00	25.64	169	126	Horizontal				
6	7320.00	36.13	-9.54	54.00	17.87	220	18	Horizontal				
7	17911.4	44.66	-1.31	54.00	9.34	133	290	Horizontal				

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594




Report No.: ZR/2020/8000603-01

Page: 40 of 51

4.9.2.4 BLE 1M Channel 19

Test Graph



Suspected List

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2955.48	44.01	9.65	54.00	9.99	250	14	Vertical			
2	2990.99	55.47	9.49	74.00	18.53	229	288	Vertical			
3	4880.00	30.14	-17.96	54.00	23.86	250	155	Vertical			
4	4880.00	41.11	-17.96	74.00	32.89	160	316	Vertical			
5	7320.00	48.08	-9.54	74.00	25.92	180	19	Vertical			
6	7320.00	36.62	-9.54	54.00	17.38	278	155	Vertical			
7	17912.9	44.61	-1.31	54.00	9.39	269	342	Vertical			

Final Data List






Report No.: ZR/2020/8000603-01

Page: 41 of 51

4.9.2.5 BLE 1M Channel 39 (check)

Test Graph



Suspected List

Suspe	Suspected List											
NO	Freq.	Level	Factor	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	Polarity				
1	2888.97	56.24	9.16	74.00	17.76	241	139	Horizontal				
2	2947.48	44.32	9.65	54.00	9.68	220	111	Horizontal				
3	4960.00	31.04	-17.47	54.00	22.96	175	70	Horizontal				
4	4960.00	41.94	-17.47	74.00	32.06	129	125	Horizontal				
5	7440.00	48.63	-9.02	74.00	25.37	184	152	Horizontal				
6	7440.00	36.83	-9.02	54.00	17.17	139	0	Horizontal				
7	17918.9	44.86	-1.30	54.00	9.14	224	43	Horizontal				

Final Data List






Report No.: ZR/2020/8000603-01

Page: 42 of 51

4.9.2.6 BLE 1M_Channel 39 (check)

Test Graph



Suspected List

dispected List											
Suspected List											
NO.	Freq.	Level	Factor	Limit	Margin	Height	Angle	Polarity			
140.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	1 Glarity			
1	2962.99	55.15	9.62	74.00	18.85	260	358	Vertical			
2	2981.49	44.05	9.54	54.00	9.95	279	209	Vertical			
3	4960.00	30.14	-17.47	54.00	23.86	153	128	Vertical			
4	4960.00	40.71	-17.47	74.00	33.29	287	346	Vertical			
5	7440.00	48.10	-9.02	74.00	25.90	201	18	Vertical			
6	7440.00	37.13	-9.02	54.00	16.87	172	128	Vertical			
7	17930.9	44.66	-1.30	54.00	9.34	229	100	Vertical			

Final Data List

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
- Final Test Level =Receiver Reading + Antenna Factor + Cable Factor Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Attention:To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳•科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Report No.: ZR/2020/8000603-01

Page: 43 of 51

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section	47 CFR Part 15C Section 15.209 and 15.205									
Test Method:	ANSI C63.10: 2013 Sec	ANSI C63.10: 2013 Section 11.12									
Test Site:	Measurement Distance:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)									
	Frequency	Limit (dBuV/m @3m)	Remark								
	30MHz-88MHz	40.0	Quasi-peak Value								
	88MHz-216MHz	43.5	Quasi-peak Value								
Limit:	216MHz-960MHz	46.0	Quasi-peak Value								
	960MHz-1GHz	54.0	Quasi-peak Value								
	Above 1CUz	54.0	Average Value								
	Above 1GHz	74.0	Peak Value								
Test Setup:											






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
- h. Test the EUT in the lowest channel, the Highest channel



Test Procedure:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

AttentionTo otheck the authenticity of testing inspection report & certificate, please contact us at telephone (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

No.1 Worksnop, M-10, Middle Section, Science & technology Park, Shenzhen, China 51805/ 中国・深圳・科技園中区M-10栋一号厂房 邮編: 518057

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594




Report No.: ZR/2020/8000603-01

Page: 44 of 51

	 i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case. j. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with GFSK modulation. Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details.
Test Results:	Pass

4.10.1 **Test plots** BLE 1M_Channel 0 4.10.1.1

Test Graph



Suspected List

<u> </u>												
Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2358.69	51.94	7.80	74.00	22.06	165	144	Horizontal				
2	2367.55	37.58	7.79	54.00	16.42	126	226	Horizontal				
3	2390.00	49.88	7.77	74.00	24.12	202	216	Horizontal				
4	2390.00	37.70	7.77	54.00	16.30	109	216	Horizontal				
5	2402.00	100.36	7.77	0.00	-100.36	185	226	Horizontal				
6	2402.00	102.99	7.77	0.00	-102.99	118	221	Horizontal				

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594




Report No.: ZR/2020/8000603-01

Page: 45 of 51

BLE 1M_Channel 0 4.10.1.2

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2357.64	51.64	7.80	74.00	22.36	236	234	Vertical				
2	2374.30	37.48	7.79	54.00	16.52	256	168	Vertical				
3	2390.00	49.68	7.77	74.00	24.32	259	97	Vertical				
4	2390.00	37.39	7.77	54.00	16.61	194	70	Vertical				
5	2402.00	88.55	7.77	0.00	-88.55	171	97	Vertical				
6	2402.00	89.68	7.77	0.00	-89.68	204	152	Vertical				

Final Data List






Report No.: ZR/2020/8000603-01

Page: 46 of 51

BLE 1M Channel 39 (check) 4.10.1.3

Test Graph



Suspected List

aopoo											
Suspected List											
NO.	Freq.	Level	Factor	Limit	Margin	Height	Angle	Polarity			
140.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	rolanty			
1	2480.00	105.36	8.01	0.00	-105.36	219	222	Horizontal			
2	2480.00	103.96	8.01	0.00	-103.96	231	205	Horizontal			
3	2483.50	60.11	8.01	74.00	13.89	211	200	Horizontal			
4	2483.50	38.22	8.01	54.00	15.78	140	222	Horizontal			
5	2488.19	37.93	8.02	54.00	16.07	126	222	Horizontal			
6	2488.29	49.89	8.02	74.00	24.11	220	222	Horizontal			

Final Data List






Report No.: ZR/2020/8000603-01

Page: 47 of 51

BLE 1M Channel 39 (check) 4.10.1.1

Test Graph



Suspected List

<u>Juspee</u>	daptoted List										
Suspected List											
NO.	Freq.	Level	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height	Angle	Polarity			
1	2480.00	92.92	8.01	0.00	-92.92	245	163	Vertical			
ı	2400.00	92.92	0.01	0.00	-92.92	240	103	vertical			
2	2480.00	89.89	8.01	0.00	-89.89	153	132	Vertical			
3	2483.50	48.13	8.01	74.00	25.87	189	116	Vertical			
4	2483.50	32.41	8.01	54.00	21.59	154	163	Vertical			
5	2488.04	47.96	8.02	74.00	26.04	277	107	Vertical			
6	2492.64	32.72	8.02	54.00	21.28	182	127	Vertical			

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

**Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443. e: (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Report No.: ZR/2020/8000603-01

Page: 48 of 51

Measurement Uncertainty (95% confidence levels, k=2) 5

Lab A:

No.	Item	Measurement Uncertainty		
1	Total RF power, conducted	±0.75dB		
2	RF power density, conducted	±2.84dB		
3	Spurious emissions, conducted	±0.75dB		
4	Temperature test	±1°C		
5	Humidity test	±3%		
6	DC and low frequency voltages	±0.5%		

Lab B:

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 3.0dB (150kHz to 30MHz)		
		± 4.8dB (Below 1GHz)		
2	Radiated Emission	± 4.8dB (1GHz to 6GHz)		
		± 4.5dB (6GHz to 18GHz)		
		± 5.02dB (Above 18GHz)		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccessity and the content of the conten

Report No.: ZR/2020/8000603-01

Page: 49 of 51

Equipment List

RF conducted test					
	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate
Test Equipment				(yyyy-mm-dd)	(yyyy-mm- dd)
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2020/7/15	2021/7/15
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14
Temperature Chamber	GIANT FORCE	ICT-150-40- CP-AR	W027-03	2019/10/27	2020/10/27
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14

CE Test System					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	Brilliant-emc	N/A	XAW03-35-01	2019-09-11	2022-09-10
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-05	2020-04-12	2021-04-11
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2020-08-04	2021-08-03
Temperature and humidity meter	MingGao	TH101B	XAW01-01-01	2019-12-06	2020-12-05
Measurement Software	Tonscend	TS+ CE V2.5	XAW02-05-02	NCR	NCR





Report No.: ZR/2020/8000603-01

Page: 50 of 51

RSE Test System					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2019-09-11	2022-09-10
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2020-04-02	2021-04-01
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-05	2020-04-12	2021-04-11
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2019-10-13	2021-10-12
Receiving antenna (1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2019-10-13	2021-10-12
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2019-10-13	2021-10-12
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR
Amplifier	Tonscend	TAP00903040	XAW01-41-01	2019-11-18	2020-11-17
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2019-11-18	2020-11-17
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2019-12-03	2020-12-02
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2019-11-18	2020-11-17
Temperature and humidity meter	MingGao	TH101B	XAW01-01-01	2019-12-06	2020-12-05
Measurement Software	Tonscend	TS+ RSE V3.0.0.2	XAW02-05-01	NCR	NCR



Report No.: ZR/2020/8000603-01

Page: 51 of 51

Photographs - EUT Constructional Details 7

Refer to Appendix A - Photographs of Set-Up for ZR/2020/80006.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ** **Email EMB ***Deckhed ***Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essamilia**Essa