



September 9, 2004
Supplement to SAR Test Report for Motorola portable cellular phone (FCC ID IHDT6EK1)

Prepared by:
Albert Patapack
Motorola Personal Communications Sector Product Safety Laboratory
Libertyville, Illinois

Summary of FCC request for additional information

There was a request for additional information regarding Motorola’s SAR Test Report for Motorola portable cellular phone (FCC ID IHDT6EK1). The requested information is addressed below in the same numbering sequence received.

4. Please verify that the following are typos: page 7 of the SAR report- the measured left touch SAR value should be 0.231 (not 0.213) and the measured right touch SAR value should be 0.316 (not 0.314).

Response: The corrected table is attached.

f (MHz)	Description	Conducted Output Power (dBm)	Cheek / Touch Position							
			Left Head				Right Head			
			Measured (W/kg)	Drift (dB)	Extrapolated (W/kg)	Simulate Temp (°C)	Measured (W/kg)	Drift (dB)	Extrapolated (W/kg)	Simulate Temp (°C)
Digital 1900MHz	Channel 512	29.97								
	Channel 661	30.06	0.231	-0.19	0.24	18.9	0.316	0.01	0.32	19.1
	Channel 810	30.04								

Table 1: SAR measurement results for the portable cellular telephone FCC ID IHDT6EK1 at highest possible output power. Measured against the left head in the Cheek/Touch Position.