



MOBILE DEVICES BUSINESS

**PRODUCT SAFETY AND COMPLIANCE
EMC LABORATORY**

EMC TEST REPORT - Addendum

Test Report Number –22642-1 BT

Report Date –2009-01-16

The pictures contained herein relate only to the model(s) identified.

Signature:

Name: Lei Yang

Title: EMC Project Manager

Test: 2008-01-08 to 2009-01-12

As the responsible test lab manager, I hereby declare that the model tested as specified in this report conforms to the requirements indicated.

Signature:

Name: Yilin Zhao

Title: Test Lab Manager

Date: 2009-01-16

This report must not be reproduced, except in full, without written approval from this laboratory.

FCC Registration Number: 177885
IC Registration Number: 109AW-1

ADR Testing Service location ADR BJ
ISO/IEC-17025:2005 accredited by UKAS



Table of Contents

Test Report Details 3
PICTURES..... 4
 22642-1, IHDT6KH1 Maximum radiation at position X 4
 22642-1, IHDT6KH1 Maximum radiation pattern position X – lid open 4
 22642-1, IHDT6KH1 placed in test position X – lid open 5
 22642-1, IHDT6KH1 placed in test position Y – lid open 5
 22642-1, IHDT6KH1 placed in test position Z – lid open 6
 22642-1, IHDT6KH1 setup in semi-anechoic chamber – front view 6

Test Report Details

Tests Performed By: Motorola (China) Technologies Ltd.
Asia Global Compliance Labs
No.1 Wang Jing East Road
Chao Yang District
Beijing, 100102, P. R. China
Phone: +86 10 8473 2610
FCC Registration Number: 177885
IC Registration Number: 109AW-1

Tests Requested By: Motorola Inc.
Mobile Devices business
600 North US Hwy 45
Libertyville, IL 60048

Product Type: Cell phone with Bluetooth

Form factor: Flip (lid)

Signaling Capability: GSM 850/900/1800/1900
EDGE Class 10
GPRS Class 10
Bluetooth Class 2, version 2.0+EDR

Serial Numbers: TLU3110357


Battery Type: BT60 with model number SNN5819A

FCC ID: IHDT6KH1


Project Number: 22642-1

Testing Complete Date: 01-09-2009


PICTURES



22642-1, IHDT6KH1 Maximum radiation at position X



22642-1, IHDT6KH1 Maximum radiation pattern position X – lid open




22642-1, IHDT6KH1 placed in test position X – lid open



22642-1, IHDT6KH1 placed in test position Y – lid open



22642-1, IHDT6KH1 placed in test position Z – lid open



22642-1, IHDT6KH1 setup in semi-anechoic chamber – front view

End of Test Report