

SUBMITTED MEASURED DATA INDEX

EXHIBIT	MEASUREMENT
6A	RF Power Output
6B	Occupied Bandwidth - Graph
6C	Conducted Spurious and Harmonic Emissions - Graph
6D	Radiated Spurious and Harmonic Emissions - Graph
6E	Frequency Change vs. Temperature - Graph
6F	Frequency Change vs. Supply Voltage - Graph

RF POWER OUTPUT DATA

The input supply to the transmitter was set at 3.6 Volts. The RF power output was measured with the indicated voltage and current applied into the final RF amplifying device(s).

The values measured for RF Output, DC Current and RF Input Power are all average values which reflect a 100% transmit duty cycle in CDMA operation.

Measured RF output: 0.251 W

Measured DC voltage: 3.6 V

Measured DC current: 641 mA

Measured RF input: 0.55 mW

EFFECTIVE ISOTROPIC RADIATED POWER

Since the unit is intended for use with a provided antenna (and “non standard” RF connector), EIRP is measured. The dipole antenna substitution method was used. The result indicated is the maximum EIRP found over the channels and radio orientations tested.


Maximum Effective Isotropic Radiated Power: 24.5 dBm (0.282 W)

BANDWIDTH MEASUREMENT DATA FOR TRANSMITTER TYPES F9W

DEVIATION OF THE CARRIER WITH OQPSK MODULATION

HORIZONTAL SCALE = 0.5 MHz / DIVISION
 VERTICAL SCALE = 10 dB / DIVISION (ATTENUATION)
 RESOLUTION BANDWIDTH = 30 kHz
 VIDEO BANDWIDTH = 1 kHz
 POWER LEVEL = 0.250W (Average Power in transmitter)


1. Modulate the transmitter with OQPSK modulation, using pseudo random data. Obtain image on spectrum analyzer.



COMMENTS:

Modulation products in a bandwidth of 30 kHz, centered +/- 1.25 MHz from the channel center frequency, should be at least 42 dB below the mean output power level.

CONDUCTED SPURIOUS AND HARMONIC EMISSIONS – GRAPH



Digital Transmitter Conducted Spurious Emissions

Carrier Power: 0.28 W to 0.00001 mW.

Carrier Frequency: 1851.25 to 1908.75 MHz in 50KHz steps


* Each reported emission reflects the highest absolute level found among all power levels, channels, power amplifier configurations tested.

* All emissions not reported are more than 20 dB below the FCC specification


* No signals greater than -80 dBm were found in the 1930 to 1990 MHz band

* Spectrum was searched from 30 kHz to the 10th Harmonic of the transmitter

RADIATED SPURIOUS AND HARMONIC EMISSIONS –GRAPH



Frequency Change vs. Temperature – Graph



Frequency Change vs. Supply Voltage - Graph

