



MOTOROLA

Global Telecom Solutions Sector

FCC ID: IHET5BQ1

MODULATION CHARACTERISTICS

Maximum Power

SC4812ET 800MHz 3G-1X 46dBm

E6380A Cell Site Test Set: 07/23/01 03:18:00 PM

IHET5BQ1

SC4812ET @ 800 MHz

CDMA BTS FRAME

CDMA ANALYZER

Rho

0.9825

Time Offset us

-0.01

Freq Err Hz

-50 -0.4 50

Carrier Feedthru dB

-34.9

Tune Freq
893.310000
MHz

Input Atten
Auto/Hold
0 dB

Input Port
RF In/Ant

Find PN
Auto/Manual

PN Offset
134

Even Sec In
Enable/Not

Meas Intvl
1.25
ms

Gain
Auto/Hold
18 dB

Anl Dir
Fwd/Rev
Anl Special
Normal

Analyzer
Arm Meas
Single/Cont
Disarm

Qual Event
80 ms
Trig Event
80 ms

SC4812ET 800MHz 3G-1X 46dBm
E6380A Cell Site Test Set: 07/23/01 03:41:00 PM

IHET5BQ1
SC4812ET @ 800 MHz
CDMA BTS FRAME

CDMA ANALYZER

Rho

0.9829


Time Offset

0.13

us

Freq Err

Hz



Carrier Feedthru

dB

-39.7

Tune Freq

869.700000

MHz

Input Atten

Auto/Hold

0 dB

Input Port

RF In/Ant

Find PN

Auto/Manual

PN Offset

122

Even Sec In

Enable/Not

Meas Intvl

1.25

ms

Gain

Auto/Hold

18 dB

Anl Dir

Fwd/Rev

Anl Special

Normal

Analyzer

Arm Meas

Single/Cont

Disarm

Qual Event

80 ms

Trig Event

80 ms

8 of 39