


1		2		3		4		5		7		9		10					
								Changing File NO.		Edition		Change Illuminate		Design		Check		Date	
A																		A	
B																		B	
C																		C	
D																		D	
E																		E	
F																		F	

(SP) Video instructivo del MagicMount PRO CHARGE⁵... Scosche Industries 1550 Pacific Avenue Oxnard, California 93033 Teléfono: 800-363-4490 x1 / 805-486-4450 x1 www.scosche.com ©2021 Scosche Industries Scosche, MagicMount, MagicPlate son marcas comerciales de Scosche Industries. Las demás marcas y nombres les pertenecen a sus respectivos dueños. Los dispositivos y/o su apariencia pueden variar. Diseñado en Oxnard, California SI MPQ5DV 10/21 32		(EN) English3-12 Français13-22 Español23-32 2	
(SP) SECCIÓN F Ajuste del soporte de carga Soporte de tablero Alinee el collar de la rótula para ajustar el ángulo o girar el soporte 360°. Soporte de ventilación Rotación de 360° solamente. 30		(EN) INCLUDED ELEMENTS A. MagicMount[™] Pro Charge⁵ Magnetic Wireless Charging Mount B. Dash Mount C. Vent Mount D. MagicPlate[™] E. Protective Film F. Car Charger G. Cable Routing Clips (2) H. Cleaning Wipe I. Mounting Template for MagicPlate 3	
(SP) SECCIÓN G Indicador LED de estado Azul: Cargando Rojo intermitente: Objeto extraño detectado (FOD) Cargador inalámbrico* Entrada: 12,0V==2,0A Salida: 15,0W/10,0W/7,5W/5,0W *Las tasas de carga reales pueden variar según el software del dispositivo y las condiciones ambientales. Ganchos para el recorrido del cable (2) Adaptador para el auto Entrada: 12,0V-24,0V==6,0A Salida tipo C: 5,0V==3,0A / 9,0V==2,22A Salida CC: 12,0V==2,0A Puerto USB-C de 20 W con suministro de energía Salida de 12 V 31		(EN) DEVICE SETUP SECTION A - iPhone[®] 12 or Later (with optional MagSafe[™] Case) SECTION B - Wireless Charging Smartphones (with Case) iPhone[®] 11 / Pixel 4 & Newer (Case Required) Wireless Charging Smartphones (without Case) SECTION C - Attaching Device with MagicPlate SECTION D - Dash Mount SECTION E - Vent Mount SECTION F - Mount Adjustment SECTION G - Connection & Charging 4	
(SP) SECCIÓN E Soporte de ventilación Montaje del soporte Inserte el enganche de muestra en T del soporte de ventilación (A) en la abertura en la parte posterior del cabezal de montaje (B) y deslícelo hacia arriba (C). Desmontaje: Deslice el soporte de ventilación hacia abajo para quitarlo (D). Instalación Gire los clips de ventilación en el soporte (E) para alinearlos con la ventilación (F). Nota: Funciona con muchos diseños de ventilación (G). No compatible con ventilaciones curvas o circulares (H). 29		(EN) SECCIÓN E SECTION A - iPhone[®] 12 or Later (with optional MagSafe[™] Case) SECTION B - Wireless Charging Smartphones (with Case) iPhone[®] 11 / Pixel 4 & Newer (Case Required) Wireless Charging Smartphones (without Case) SECTION C - Attaching Device with MagicPlate SECTION D - Dash Mount SECTION E - Vent Mount SECTION F - Mount Adjustment SECTION G - Connection & Charging 4	

Unsign Tolerance		 深圳爱科思达科技有限公司 SHENZHEN AQUILSTAR TECHNOLOGY CO.,LTD.	
Linear Dimension 0<L≤30 ±0.05 30<L≤60 ±0.075 60<L≤100 ±0.10 100<L ±0.15	Angle ±0.3°	Part Name: 说明书	Drawing Number ASWC1500026C1501
Units: mm	Scale: /	Adapt Product: MPQ5DV-XTSP	Design
Quantity: 1	Revision: A/0	Part Material: 80g 书写纸	Check
		Technical Disposal:	Approve
Page 1 of 4		Tooling NO. :	 Drawing A4
		Part NO. : 3.2.1.5.008.0319	

(SP)

Video instructivo del **MagicMount PRO CHARGE⁵**...




Scosche Industries
1550 Pacific Avenue
Oxnard, California 93033
Teléfono: 800-363-4490 x1 / 805-486-4450 x1
www.scosche.com
©2021 Scosche Industries


MAGICMOUNTTM **PRO CHARGE⁵**
DASH/VENT

Scosche, MagicMount, MagicPlate son marcas comerciales de Scosche Industries.
Las demás marcas y nombres les pertenecen a sus respectivos dueños.
Los dispositivos y/o su apariencia pueden variar.

Diseñado en Oxnard, California

SI MPQ5DV 10/21
32


(SP)

SECCIÓN F

Ajuste del soporte de carga

Soporte de tablero
Aloja el collar de la rótula para ajustar el ángulo o girar el soporte 360°.

Soporte de ventilación
Rotación de 360° solamente.



30

(EN)

INCLUDED ELEMENTS

A. MagicMountTM Pro Charge5 Magnetic Wireless Charging Mount

B. Dash Mount

C. Vent Mount

D. MagicPlateTM


E. Protective Film

F. Car Charger

G. Cable Routing Clips (2)

H. Cleaning Wipe

I. Mounting Template for MagicPlate



3

(SP)

SECCIÓN G

Indicador LED de estado
Azul: Cargando
Rojo intermitente: Objeto extraño detectado (FOD)


Cargador inalámbrica*
Entrada: 12,0V==2,0A
Salida: 15,0W/10,0W/7,5W/5,0W

*Las tasas de carga reales pueden variar según el software del dispositivo y las condiciones ambientales.

Adaptador para el auto
Entrada: 12,0V-24,0V==6,0A
Salida tipo C: 5,0V==3,0A / 9,0V==2,22A
Salida CC: 12,0V==2,0A

Puerto USB-C de 20 W con suministro de energía

Salida de 12 V



31

English 3-12

Français13-22

Español 23-32

2

(EN)

DEVICE SETUP

SECTION A - iPhone[®] 12 or Later (with optional MagSafe[™] Case)

SECTION B - Wireless Charging Smartphones (with Case)
iPhone[®] 11 / Pixel 4 & Newer (Case Required)
Wireless Charging Smartphones (without Case)

SECTION C - Attaching Device with MagicPlate

SECTION D - Dash Mount

SECTION E - Vent Mount

SECTION F - Mount Adjustment

SECTION G - Connection & Charging

(SP)


SECCIÓN E

Soporte de ventilación
Montaje del soporte
Inserte el enganche de muesca en T del soporte de ventilación (A) en la abertura en la parte posterior del cabezal de montaje (B) y deslícelo hacia arriba (C).

Desmontaje: Deslice el soporte de ventilación hacia abajo para quitarlo (D).


Instalación
Gire los clips de ventilación en el soporte (E) para alinearlos con la ventilación (F).

Nota: Funciona con muchos diseños de ventilación (G). No compatible con ventilaciones curvas o circulares (H).



29

4

Unsign Tolerance		 深圳爱科思达科技有限公司 SHENZHEN AQUILSTAR TECHNOLOGY CO.,LTD.			
Linear Dimension 0<L≤30 ±0.05 30<L≤60 ±0.075 60<L≤100 ±0.10 100<L ±0.15	Angle ±0.3°	Part Name: 说明书	Drawing Number	ASWC1500026C1501	
		Adapt Product: MPQ5DV-XTSP	Design		
		Part Material: 80g书写纸	Check		
Units: mm	Scale: /	Technical Disposal:	Approve		
Quantity: 1	Revision: A/0	Tooling NO. :			Drawing A4
Page 1 of 4		Part NO. : 3.2.1.5.008.0319			

1		2		3		4		5		7		9		10					
								Changing File NO.		Edition		Change Illuminate		Design		Check		Date	

(SP)

CONFIGURACIÓN DEL DISPOSITIVO

(EN)

SECCIÓN A - iPhone® 12 o posterior (con estuche MagSafe™ opcional)

SECCIÓN B - Teléfonos inteligentes de carga inalámbrica (con estuche) iPhone® 11 & Pixel 4 y posterior (requieren estuche) Teléfonos inteligentes de carga inalámbrica (sin estuche)

SECCIÓN C - Conexión del dispositivo con MagicPlate

SECCIÓN D - Montaje en tablero

SECCIÓN E - Montaje en ventilación

SECCIÓN F - Ajuste del soporte

SECCIÓN G - Conexión y carga

Vent Mount Assembly

Insert t-notch hitch on vent mount (A) into opening on back of mount head (B), and slide upward (C).

Disassembly: Slide vent mount down to remove (D).

Installation

Rotate vent clips on mount (E) to align with vent (F).

Note: Works with many vent designs (G). Not compatible with curved or circular vents (H).

24

9

(EN)

SECTION F

(SP)

Charging Mount Adjustment

Dash Mount

Loosen ball-joint collar to adjust angle or rotate mount 360°.

Vent Mount

Rotates 360° only.

ELEMENTOS INCLUIDOS

A. Soporte de carga inalámbrico magnético MagicMount™ Pro Charge5

B. Soporte de tablero

C. Soporte de ventilación

D. MagicPlate™

E. Película protectora

F. Adaptador para el auto

G. Ganchos para el recorrido del cable (2)

H. Toallita de limpieza

I. Plantilla de montaje para MagicPlate

23

10

(GARY)

Vidéo d'instructions pour la MagicMount PRO CHARGE® ...

(EN)

SECCIÓN





Scosche Industries
1550 Pacific Avenue
Oxnard, California 93033
Téléphone : 800-363-4490, poste1 / 805-486-4450, poste1
www.scosche.com
©Scosche Industries, 2021

Scosche, MagicMount, et MagicPlate sont toutes des marques déposées de Scosche Industries.
Les autres marques sont la propriété de leurs propriétaires respectifs.
Les appareils ou leur apparence peuvent varier.

Conception réalisée à Oxnard, Californie

SI MPQ5DV 10/21

LED Status Indicator

Blue: Charging

Flashing Red: Foreign Object Detected (FOD)

Wireless Charger*

Input: 12.0V==2.0A

Output: 15.0W/10.0W/7.5W/5.0W

*Actual charge rates may vary depending on device software and environmental conditions.

Car Adapter

Input: 12.0V-24.0V==6.0A

Type-C Output: 5.0V==3.0A / 9.0V==2.22A

DC Output: 12.0V==2.0A

20W USB-C Power Delivery Port

12V Output

11

11

(EN)

MagicMount PRO CHARGE® How-To Video ...

(FR)

SECCIÓN





Scosche Industries
1550 Pacific Avenue
Oxnard, California 93033
Phone: 800-363-4490 x1 / 805-486-4450 x1
www.scosche.com
©2021 Scosche Industries

Scosche, MagicMount, MagicPlate are all trademarks of Scosche Industries.
Other marks or brands are the property of their respective owners.
Devices and or appearance may vary.

Designed in Oxnard, California

SI MPQ5DV 10/21

Indicateur de statut à DEL

Bleu : Recharge

Clignotant en rouge : Détection d'objet étranger (FOD)

Chargeur sans fil*

Entrée : 12,0V==2,0A

Sortie : 15,0W / 10,0 W / 7,5 W / 5,0 W

*Les taux de chargement réels peuvent varier en fonction du logiciel de l'appareil et des conditions environnementales.

Adaptateur pour l'auto

Entrée : 12,0V-24,0V == 6,0 A

Sortie Type-C: 5,0 V==3,0 A / 9,0V==2,22 A


Sortie DC : 12,0V==2,0 A

Port USB-C Power Delivery de 20 watts

Sortie 12V

21

12

Unsign Tolerance		深圳爱科思达科技有限公司 SHENZHEN AQUILSTAR TECHNOLOGY CO.,LTD.			
Linear Dimension 0<L≤30 ±0.05 30<L≤60 ±0.075 60<L≤100 ±0.10 100<L ±0.15	Angle ±0.3°	Part Name: 说明书	Drawing Number	ASWC1500026C1501	
		Adapt Product: MPQ5DV-XTSP	Design		
		Part Material: 80g书写纸	Check		
Units: mm	Scale: /	Technical Disposal:	Approve		
Quantity: 1	Revision: A/0	Tooling NO. :			Drawing A4
Page 3 of 4		Part NO. : 3.2.1.5.008.0319			

FCC Compliance Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause unintended operation.

Please note that changes or modifications of this product is not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Déclaration de conformité FCC

Cet appareil est conforme à la partie 15 des règles FCC. Son fonctionnement est soumis aux deux conditions suivantes: (1) Cet appareil ne doit pas provoquer d'interférences radioélectriques et (2) cet appareil doit accepter toute interférence reçue, y compris les interférences susceptibles de provoquer un fonctionnement indésirable.

Veuillez noter que les changements ou modifications de ce produit ne sont pas expressément approuvés par la partie responsable de la conformité pourrait annuler le droit de l'utilisateur à utiliser l'équipement.

Cet équipement a été testé et trouvé conforme aux limites. C'est appareil numérique de classe B, conformément à la partie 15 des règles FCC. Ces limites sont conçues pour fournir une protection raisonnable contre les interférences nuisibles dans une installation résidentielle. Cet équipement génère, utilise et peut émettre de l'énergie radioélectrique et, s'il n'est pas installé et utilisé conformément aux instructions, peut provoquer des interférences nuisibles aux communications radio. Cependant, il n'y a aucune garantie que des interférences ne se produiront pas dans une installation particulière. Si cet équipement cause des interférences nuisibles à la réception de la radio ou de la télévision, ce qui peut être déterminé en éteignant et en rallumant l'équipement, l'utilisateur est encouragé à essayer de corriger les interférences par une ou plusieurs des mesures suivantes:

- Réorienter ou déplacer l'antenne de réception.
- Augmenter la séparation entre l'équipement et le récepteur.
- Connecter l'équipement à une prise sur un circuit différent de celui sur lequel le récepteur est connecté.
- Consulter le vendeur ou un technicien radio / TV expérimenté pour obtenir de l'aide.

Canadian Compliance Statement

This device complies with Industry Canada's licence-exempt RSS. Operation is subject to the following two conditions: (1) This device may not cause interference and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

This Class B digital apparatus complies with Canadian ICES-003.

Déclaration de Conformité Canadienne

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

CON-KES-010 (NMB-010)

This document details the terms and conditions of the warranty provided with this product. Please disregard any other representations contained on this product's packaging or provided with this product which constitute or appear to constitute a warranty. This warranty is offered by Scosche Industries, 1550 Pacific Ave, Newark, CA 92313 United States. We can be reached at (951) 456-4450 or email at sales@scosche.com

Subject to the exclusions and limitations set out below, we warrant to you that if you purchase a product directly from us, or from any of our authorized resellers, that it will not contain defects which are a result of faulty manufacturer workmanship or materials. This warranty is limited to 1 year from the date of purchase.

Subject to any rights you have under the Australian Consumer Law, we will not be liable for defects which are a result of damage or loss caused by factors beyond our control, any product which has not been maintained according to any care or maintenance instructions provided with the product, any alterations to a product which are not performed by us, or damage or defects caused to the product due to unusual or non-recommended use. We will not be liable for any special, indirect, consequential or economic loss or damage or loss of profits whatsoever suffered by you or any other person resulting from any act or omission by us.

Our total liability in respect of this Warranty against Defects is limited to the replacement of the goods. Any claim made under this warranty must be made by contacting Scosche Industries. Scosche will then put you in touch with the closest company to you that will cover warranties. All returns of defective product will be sent at your expense, to be exchanged for a replacement. This Warranty against Defects is provided in addition to other rights and remedies that you may have at law. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to major failure.

CE:
Declaration of Conformity
Hereby, Scosche Industries Inc. declares that the product type MPQ5 is in compliance with Directives 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: WWW.scosche.com

- (a) Frequency bands 111~148KHz.
(b) Maximum radio-frequency power transmitted in the frequency bands in which the radio equipment operates: The maximum power for all bands is less than the highest limit value specified in the related Harmonized Standard. The frequency bands and transmitting power (radiated and/or conducted) nominal limits applicable to this radio equipment are as follows:
29.31dBuA/m at 3m, SAR 6.176V/m at 10 cm distance
(c) Max operation temperature is 25°C

FCC:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 cm between the radiator & your body.
Product Name: Anker Wireless Charging Dock for Kindle Paperwhite (Signature Edition)
Model: MPQ5
Company Name: Scosche Industries Inc.
Address: 1550 Pacific Ave., Oxnard CA 93033, USA

IC:

This device complies with RSS-216 of Industry Canada. Operation is subject to the condition that this device does not cause harmful interference.RSS-Gen Issue 5
March 2019