



**INTERIOR FOTOGRAHS OF A 2.4 GHZ. LOW POWER RLAN PCMCIA CARD,
MANUFACTURER APPLE COMPUTERS, LTD,
BRAND APPLE,
TYPE 630-37XX,
BUILT-IN IN; TYPES P92 DVT IBOOK, P25 POWERBOOK, P21 TOWER AND IMAC.**

TNO Certification EPS

**P.O. Box 15
9822 ZG Niekerk (NL)
Smidshornerweg 18
9822 TL Niekerk (NL)**

**Telephone: +31 594 505005
Telefax: +31 594 504804
E-mail: eps@certi.tno.nl**




Table of contents

1 Interior photographs of test item.....3

1.1 Top view of interior, without shell and plates. 3

1.2 Top view of interior, without shell 4

1.3 Top view of interior, with shell 5

1.4 Bottom view of interior, without shell..... 6

1.5 Bottom view of interior, with shell..... 7

1.6 Top view of shell 8

1.7 Test item mounted 9

1.7.1 Test item mounted in P92 DVT Ibook..... 9


1.7.2 Test item mounted in P25 Powerbook..... 9

1.7.3 Test item mounted in P21 Tower..... 10


1.7.4 Test item mounted in Imac 10


1 Interior photographs of test item

1.1 Top view of interior, without shell and plates.




1.2 Top view of interior, without shell






Description of EUT: 2.4 GHz. low power RLAN PCMCIA Card
Manufacturer: Apple Computer, Ltd.
Brand mark: Apple
Type: 630-37XX
FCC ID: IMRAPPC2411R


1.3 Top view of interior, with shell




1.4 Bottom view of interior, without shell



1.5 Bottom view of interior, with shell






Description of EUT: 2.4 GHz. low power RLAN PCMCIA Card
Manufacturer: Apple Computer, Ltd.
Brand mark: Apple
Type: 630-37XX
FCC ID: IMRAPP2411R

1.6 Top view of shell




1.7 Test item mounted


1.7.1 Test item mounted in P92 DVT Ibook



1.7.2 Test item mounted in P25 Powerbook



1.7.3 Test item mounted in P21 Tower



1.7.4 Test item mounted in Imac

