

Antenna specification

Equipment : DAX800XR


- Test date : January 17, 2025
- Tested by : Kotaro Mantani
Engineering Dept No.1, M&T Engineering & Design Division
- Approved by : Kazuo Iizuka / Expert
Engineering Dept No.1, M&T Engineering & Design Division
- Frequency Range
2.4GHz Band : 2402~2480[MHz]
5GHz Band : 5745~5805[MHz]
- Antenna Type: Chip antenna
- Connector Type : None

■ Measurement method :


The measurement system is as follows.

The RF signal source of the set is Module output (@Test Mode), and when measuring the Dipole antenna, the RF signal corresponding to the Module output level of the set is generated from SG. The orientation of the set during measurement was the two planes shown on the right ("X-Y plane" and "Y-Z plane": Z-X plane is omitted because it is impossible in actual use).


• Mesurment configuration for Dipole Antenna



• Measurement configuration for AUT



Axis



■ Test Location :

HC-1F 3m Anechoic Chamber
JVCKENWOOD Corporation
3-12,Moriya-cho, Kanagawa-ku Yokohama Kanagawa 221-0022 Japan

■ Equipment

Item	Model No.	Manufacturer	S/No	Expiry of Caliblation
Dipole Antenna(2.4GHz)	MA5612B4 (2.4GHz)	Anritsu	6201780211	-
Dipole Antenna(5GHz)	MA5612C5 (5GHz)	Anritsu	6201780213	-
SG	MG3710A	Anritsu	6201371434	-
Horn Antenna	BBHA9120D	Schwarzbeck	01784	31-Jul-2025
TEST Receiver	ESR 7	Rohde & Schwarz	101918	31-Jul-2025
RF amplifier	MLA-01118-J02-40	TSJ	16783	31-Jul-2025
Software	TEPT - ANT	TSJ	-	-

DAX800XR

■ Result (Summary)


Antenna Gain (DAX800XR)				
2.4GHz BAND			5GHz BAND	
ANT_0	ANT_1	ANT_0	ANT_1	
Max [dBi]	-4.9	-13.5	2.5	2.3

※2.4GHz Band : ANT_0 : Bluetooth / ANT_1 : Wi-Fi

Data

No.	Band	Antenna	f[GHz]	Reading												Result												Correction factor [dB]	
				X-Y axis						Z-X axis						X-Y axis						Z-X axis							
				Horizontal[dBi]			Vertical[dBi]			Horizontal[dBi]			Vertical[dBi]			Horizontal[dBi]			Vertical[dBi]			Horizontal[dBi]			Vertical[dBi]				
				MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE		
1	Standard Dipole Antenna	2.4GHz Band For ANT0	2.402	2.48	-40.5	-6.3	-	-	-	-	-	-	-	-	-	2.00	-40.9	-6.8	-	-	-	-	-	-	-	-	-	-0.48	
			2.441	2.33	-36.5	-5.8	-	-	-	-	-	-	-	-	-	-	2.00	-36.8	-6.1	-	-	-	-	-	-	-	-	-	-0.33
			2.480	1.7	-35.3	-6.9	-	-	-	-	-	-	-	-	-	-	2.00	-35.0	-6.6	-	-	-	-	-	-	-	-	-	0.30
2		2.4GHz Band For ANT1	2.412	8.19	-31.8	2.0	-	-	-	-	-	-	-	-	-	2.00	-38.0	-4.2	-	-	-	-	-	-	-	-	-	-6.19	
			2.437	8.5	-30.6	2.6	-	-	-	-	-	-	-	-	-	-	2.00	-37.1	-3.9	-	-	-	-	-	-	-	-	-	-6.50
			2.462	7.14	-38.2	0.3	-	-	-	-	-	-	-	-	-	-	2.00	-43.3	-4.9	-	-	-	-	-	-	-	-	-	-5.14
3	5GHz Band For ANT0	5.745	-0.06	-30.5	-7.5	-	-	-	-	-	-	-	-	-	2.00	-28.4	-5.5	-	-	-	-	-	-	-	-	-	2.06		
		5.775	-0.95	-39.0	-8.9	-	-	-	-	-	-	-	-	-	-	2.00	-36.0	-5.9	-	-	-	-	-	-	-	-	2.95		
		5.805	-1.54	-42.8	-9.7	-	-	-	-	-	-	-	-	-	-	2.00	-39.3	-6.2	-	-	-	-	-	-	-	-	3.54		
4		5GHz Band For ANT1	5.745	-1.15	-39.2	-9.7	-	-	-	-	-	-	-	-	-	2.00	-36.1	-6.5	-	-	-	-	-	-	-	-	-	3.15	
			5.775	-1.63	-39.9	10.1	-	-	-	-	-	-	-	-	-	-	2.00	-36.3	13.7	-	-	-	-	-	-	-	-	3.63	
			5.805	-2.25	-42.3	-11.0	-	-	-	-	-	-	-	-	-	-	2.00	-38.0	-6.7	-	-	-	-	-	-	-	-	4.25	
5	2.4GHz Band	ANT_0 (BT)	2.402	-6.3	-42.5	-14.1	-6.6	-36.1	-14.7	-9.5	-25.5	-13.7	-10.7	-30.4	-18.1	-6.8	-43.0	-14.6	-7.0	-36.6	-15.2	-10.0	-26.0	-14.1	-11.2	-30.9	-18.6	-0.48	
			2.441	-5.3	-31.3	-12.8	-15.8	-46.6	-28.7	-9.6	-25.7	-12.9	-9.5	-44.3	-17.2	-5.6	-31.6	-13.2	-16.1	-46.9	-29.0	-10.0	-26.0	-13.2	-9.8	-44.7	-17.6	-0.33	
			2.480	-5.2	-32.1	-12.7	-8.8	-37.1	-15.3	-10.4	-50.8	-17.2	-8.3	-34.2	-16.8	-4.9	-31.8	-12.4	-8.5	-36.8	-15.0	-10.1	-50.5	-16.9	-8.0	-33.9	-16.5	0.30	
6		ANT_1 (WLAN)	2.412	-9.2	-42.0	-19.9	-12.6	-42.7	-17.1	-9.1	-42.6	-17.5	-11.6	-45.7	-20.6	-15.4	-48.2	-26.1	-18.8	-48.9	-23.3	-15.3	-48.8	-23.7	-17.8	-51.9	-26.8	-6.19	
			2.437	-7.0	-47.4	-16.6	-9.2	-24.6	-13.2	-7.3	-40.0	-16.2	-8.5	-34.5	-17.2	-13.5	-53.9	-23.1	-15.7	-31.1	-19.7	-13.8	-46.5	-22.7	-15.0	-41.0	-23.7	-6.50	
			2.462	-11.4	-42.6	-22.2	-21.2	-35.9	-26.6	-12.9	-53.9	-22.4	-14.2	-48.9	-22.5	-16.6	-47.7	-27.3	-26.4	-41.0	-31.7	-18.1	-59.0	-27.5	-19.3	-54.0	-27.7	-5.14	
7	5GHz Band	ANT_0 (WLAN)	5.745	0.4	-55.6	-10.6	-3.4	-56.8	-15.4	-2.5	-42.2	-14.7	-5.9	-42.0	-14.3	2.5	-53.5	-8.5	-1.4	-54.8	-13.3	-0.5	-40.2	-12.7	-3.8	-39.9	-12.2	2.06	
			5.775	-2.2	-52.1	-12.9	-4.4	-34.1	-15.1	-5.8	-34.9	-15.8	-7.0	-38.8	-15.2	0.8	-49.2	-9.9	-1.4	-31.1	-12.2	-2.9	-31.9	-12.9	-4.1	-35.9	-12.2	2.95	
			5.805	-2.0	-38.5	-13.2	-4.4	-34.7	-14.9	-4.1	-47.2	-16.1	-7.4	-54.8	-16.3	1.5	-34.9	-9.7	-0.8	-31.2	-11.3	-0.5	-43.7	-12.6	-3.8	-51.3	-12.7	3.54	
8		ANT_1 (WLAN)	5.745	-0.9	-44.2	-12.3	-4.1	-38.7	-13.2	-4.3	-39.8	-13.0	-7.1	-40.4	-15.3	2.3	-41.1	-9.2	-1.0	-35.6	-10.0	-1.1	-36.7	-9.8	-3.9	-37.3	-12.2	3.15	
			5.775	-2.1	-43.7	-12.8	-6.3	-49.4	-14.5	-3.3	-33.5	-13.5	-7.4	-38.7	-16.3	1.5	-40.1	-9.1	-2.7	-45.8	-10.9	0.3	-29.8	-9.8	-3.8	-35.1	-12.6	3.63	
			5.805	-3.0	-40.7	-12.9	-8.0	-46.6	-14.8	-4.2	-35.1	-13.8	-8.9	-39.7	-17.4	1.2	-36.4	-8.6	-3.7	-42.4	-10.5	0.0	-30.9	-9.6	-4.7	-35.5	-13.2	4.25	

Radiated Pattern : DAX800XR




BT Lch Hor(XY)

Received Power

MAX MIN AVE
 -6.31 -42.53 -14.1026

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-8.41	40	-9.55	80	-10.83	120	-20.84	160	-22.2	200	-26.23	240	-9.43	280	-6.57	320	-7.48
1	-8.5	41	-9.57	81	-10.71	121	-20.38	161	-22.15	201	-31.13	241	-9.67	281	-6.56	321	-7.78
2	-8.64	42	-9.62	82	-10.64	122	-19.81	162	-22.42	202	-42.53	242	-9.94	282	-6.57	322	-8.08
3	-8.85	43	-9.71	83	-10.6	123	-19.6	163	-22.96	203	-37.43	243	-10.27	283	-6.6	323	-8.39
4	-9.16	44	-9.83	84	-10.58	124	-19.55	164	-23.78	204	-30.05	244	-10.6	284	-6.66	324	-8.66
5	-9.54	45	-9.99	85	-10.61	125	-19.55	165	-24.77	205	-26.49	245	-10.97	285	-6.75	325	-8.92
6	-9.98	46	-10.17	86	-10.65	126	-19.55	166	-27.24	206	-23.25	246	-11.35	286	-6.84	326	-9.12
7	-10.5	47	-10.4	87	-10.72	127	-19.53	167	-29.77	207	-22.34	247	-11.92	287	-6.97	327	-9.32
8	-11.13	48	-10.66	88	-10.82	128	-19.46	168	-31.57	208	-21.09	248	-12.3	288	-7.09	328	-9.51
9	-11.88	49	-10.97	89	-10.94	129	-19.33	169	-29.81	209	-20.21	249	-12.5	289	-7.23	329	-9.7
10	-12.66	50	-11.31	90	-11.08	130	-19.13	170	-26.86	210	-19.28	250	-13.03	290	-7.36	330	-10
11	-13.61	51	-11.72	91	-11.27	131	-18.98	171	-24.13	211	-18.52	251	-13.33	291	-7.5	331	-10.18
12	-14.62	52	-12.15	92	-11.48	132	-18.84	172	-21.85	212	-17.86	252	-13.56	292	-7.64	332	-10.39
13	-15.85	53	-12.66	93	-11.74	133	-18.75	173	-19.98	213	-16.81	253	-13.7	293	-7.75	333	-10.64
14	-17.23	54	-13.19	94	-12	134	-18.7	174	-18.38	214	-16.15	254	-13.73	294	-7.83	334	-10.9
15	-18.78	55	-13.75	95	-12.34	135	-18.68	175	-17.13	215	-15.81	255	-13.64	295	-7.91	335	-11.2
16	-20.48	56	-14.34	96	-12.72	136	-18.66	176	-16.17	216	-14.83	256	-13.45	296	-7.91	336	-11.55
17	-22.33	57	-14.96	97	-13.11	137	-18.64	177	-15.35	217	-14.19	257	-13.25	297	-7.9	337	-11.95
18	-23.81	58	-15.58	98	-13.52	138	-18.56	178	-14.7	218	-13.63	258	-12.98	298	-7.85	338	-12.4
19	-24.02	59	-16.19	99	-14.04	139	-18.46	179	-14.1	219	-13.12	259	-12.73	299	-7.8	339	-12.89
20	-22.98	60	-16.7	100	-14.59	140	-18.44	180	-13.6	220	-12.67	260	-12.44	300	-7.73	340	-13.38
21	-21.29	61	-17.11	101	-15.23	141	-18.54	181	-13.23	221	-12.26	261	-12.09	301	-7.64	341	-13.87
22	-19.59	62	-17.41	102	-15.91	142	-18.81	182	-13	222	-11.89	262	-11.72	302	-7.51	342	-14.26
23	-18.03	63	-17.51	103	-16.61	143	-19.21	183	-12.89	223	-11.58	263	-11.29	303	-7.36	343	-14.56
24	-16.76	64	-17.43	104	-17.39	144	-19.78	184	-12.88	224	-11.28	264	-10.87	304	-7.21	344	-14.63
25	-15.57	65	-17.13	105	-18.23	145	-20.38	185	-12.93	225	-11.01	265	-10.46	305	-7.05	345	-14.51
26	-14.62	66	-16.74	106	-19.15	146	-20.98	186	-13.01	226	-10.75	266	-10.08	306	-6.92	346	-14.19
27	-13.75	67	-16.23	107	-20.12	147	-21.68	187	-13.11	227	-10.47	267	-9.67	307	-6.79	347	-13.7
28	-13.03	68	-15.66	108	-21	148	-22.37	188	-13.26	228	-10.25	268	-9.28	308	-6.66	348	-13.08
29	-12.38	69	-15.09	109	-21.78	149	-23.2	189	-13.52	229	-10.04	269	-8.88	309	-6.54	349	-12.39
30	-11.57	70	-14.51	110	-22.39	150	-24.06	190	-13.88	230	-9.87	270	-8.54	310	-6.42	350	-11.72
31	-11.33	71	-13.98	111	-22.74	151	-24.69	191	-14.42	231	-9.72	271	-8.21	311	-6.34	351	-11.07
32	-10.73	72	-13.46	112	-22.84	152	-24.86	192	-15.06	232	-9.61	272	-7.92	312	-6.31	352	-10.48
33	-10.55	73	-12.97	113	-22.73	153	-24.55	193	-15.81	233	-9.49	273	-7.63	313	-6.32	353	-9.95
34	-10.26	74	-12.54	114	-22.47	154	-24.15	194	-16.58	234	-9.38	274	-7.39	314	-6.38	354	-9.53
35	-9.92	75	-12.14	115	-22.19	155	-23.77	195	-17.4	235	-9.27	275	-7.14	315	-6.5	355	-9.1
36	-9.78	76	-11.81	116	-21.98	156	-23.44	196	-18.37	236	-9.18	276	-6.95	316	-6.63	356	-8.83
37	-9.66	77	-11.51	117	-21.83	157	-23.13	197	-19.54	237	-9.14	277	-6.78	317	-6.82	357	-8.61
38	-9.58	78	-11.26	118	-21.6	158	-22.8	198	-21.07	238	-9.18	278	-6.68	318	-7.01	358	-8.48
39	-9.56	79	-11.07	119	-21.08	159	-22.47	199	-23.26	239	-9.27	279	-6.61	319	-7.23	359	-8.41

Radiated Pattern : DAX800XR




BT Lch Ver(XY)

Received Power

MAX MIN AVE
 -6.55 -36.1 -14.7286

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-12.37	40	-23.52	80	-13.5	120	-13.02	160	-8.7	200	-9.32	240	-9.52	280	-15.15	320	-18.24
1	-12.27	41	-24.32	81	-13.45	121	-13.06	161	-8.37	201	-9.22	241	-9.7	281	-15.66	321	-18.2
2	-12.31	42	-25.29	82	-13.36	122	-13.11	162	-8.06	202	-9	242	-9.86	282	-16.16	322	-18.06
3	-12.42	43	-26.28	83	-13.26	123	-13.19	163	-7.78	203	-8.9	243	-10	283	-16.77	323	-18.02
4	-12.52	44	-27.29	84	-13.13	124	-13.32	164	-7.55	204	-8.7	244	-10.13	284	-17.37	324	-17.94
5	-12.68	45	-28.35	85	-12.99	125	-13.39	165	-7.36	205	-8.49	245	-10.24	285	-18.46	325	-17.91
6	-12.8	46	-29.44	86	-12.83	126	-13.71	166	-7.2	206	-8.15	246	-10.37	286	-18.86	326	-17.88
7	-12.96	47	-30.42	87	-12.65	127	-13.87	167	-7	207	-7.92	247	-10.48	287	-19.73	327	-17.89
8	-13.12	48	-31.07	88	-12.48	128	-14.22	168	-6.87	208	-7.71	248	-10.59	288	-20.61	328	-17.94
9	-13.28	49	-31.19	89	-12.31	129	-14.71	169	-6.74	209	-7.51	249	-10.67	289	-21.68	329	-18.07
10	-13.45	50	-30.77	90	-12.04	130	-15.26	170	-6.67	210	-7.34	250	-10.75	290	-23.16	330	-18.42
11	-13.6	51	-29.84	91	-11.95	131	-16.13	171	-6.66	211	-7.18	251	-10.81	291	-24.02	331	-18.81
12	-13.77	52	-28.66	92	-11.75	132	-16.74	172	-6.68	212	-7.03	252	-10.87	292	-24.73	332	-19.32
13	-13.92	53	-27.35	93	-11.61	133	-17.35	173	-6.76	213	-6.92	253	-10.95	293	-25.13	333	-19.97
14	-14.06	54	-26.09	94	-11.51	134	-18	174	-6.86	214	-6.8	254	-11.01	294	-25.21	334	-20.75
15	-14.21	55	-24.85	95	-11.43	135	-18.53	175	-6.97	215	-6.7	255	-11.07	295	-25.13	335	-21.76
16	-14.39	56	-23.62	96	-11.36	136	-19.05	176	-7.07	216	-6.61	256	-11.14	296	-24.96	336	-22.88
17	-14.55	57	-22.43	97	-11.3	137	-19.49	177	-7.19	217	-6.58	257	-11.19	297	-24.69	337	-24.41
18	-14.72	58	-21.38	98	-11.28	138	-19.78	178	-7.33	218	-6.55	258	-11.23	298	-24.44	338	-26.19
19	-14.92	59	-20.48	99	-11.29	139	-19.98	179	-7.48	219	-6.55	259	-11.27	299	-24.21	339	-28.74
20	-15.14	60	-19.7	100	-11.33	140	-19.96	180	-7.64	220	-6.55	260	-11.31	300	-23.96	340	-32.28
21	-15.4	61	-18.88	101	-11.37	141	-19.66	181	-7.77	221	-6.58	261	-11.37	301	-23.72	341	-36.1
22	-15.79	62	-17.88	102	-11.44	142	-19.17	182	-7.88	222	-6.61	262	-11.44	302	-23.42	342	-33.92
23	-16.09	63	-17.22	103	-11.54	143	-18.57	183	-7.96	223	-6.66	263	-11.52	303	-23.19	343	-29.33
24	-16.25	64	-16.69	104	-11.63	144	-17.99	184	-8.02	224	-6.72	264	-11.6	304	-22.91	344	-25.83
25	-16.8	65	-16.22	105	-11.72	145	-17.46	185	-8.12	225	-6.81	265	-11.66	305	-22.66	345	-23.21
26	-17.21	66	-15.81	106	-11.84	146	-16.92	186	-8.2	226	-6.91	266	-11.74	306	-22.37	346	-21.22
27	-17.61	67	-15.44	107	-11.97	147	-16.23	187	-8.28	227	-7.03	267	-11.82	307	-22.02	347	-19.52
28	-17.97	68	-15.17	108	-12.09	148	-15.51	188	-8.38	228	-7.16	268	-11.9	308	-21.65	348	-18.22
29	-18.36	69	-14.82	109	-12.21	149	-14.65	189	-8.5	229	-7.31	269	-12.02	309	-21.24	349	-17.07
30	-18.71	70	-14.56	110	-12.32	150	-13.88	190	-8.62	230	-7.45	270	-12.17	310	-20.88	350	-16.14
31	-19.1	71	-14.34	111	-12.43	151	-13.17	191	-8.77	231	-7.62	271	-12.32	311	-20.55	351	-15.38
32	-19.43	72	-14.14	112	-12.52	152	-12.57	192	-8.91	232	-7.79	272	-12.5	312	-20.28	352	-14.75
33	-19.83	73	-13.99	113	-12.62	153	-12.02	193	-9.04	233	-7.96	273	-12.69	313	-19.97	353	-14.19
34	-20.23	74	-13.89	114	-12.7	154	-11.45	194	-9.15	234	-8.14	274	-12.93	314	-19.65	354	-13.72
35	-20.69	75	-13.84	115	-12.78	155	-10.86	195	-9.24	235	-8.35	275	-13.21	315	-19.38	355	-13.31
36	-21.14	76	-13.78	116	-12.86	156	-10.3	196	-9.29	236	-8.56	276	-13.55	316	-19.14	356	-12.99
37	-21.68	77	-13.69	117	-12.92	157	-9.79	197	-9.35	237	-8.79	277	-13.92	317	-18.9	357	-12.73
38	-22.21	78	-13.63	118	-12.96	158	-9.39	198	-9.38	238	-9.01	278	-14.29	318	-18.68	358	-12.53
39	-22.8	79	-13.55	119	-12.99	159	-9.01	199	-9.37	239	-9.22	279	-14.7	319	-18.47	359	-12.37

Radiated Pattern : DAX800XR




BT Cch Hor(XY)

Received Power

MAX MIN AVE
 -5.29 -31.3 -12.8252

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-7.15	40	-8.35	80	-11.03	120	-19.47	160	-26.48	200	-21.1	240	-10.08	280	-6.5	320	-5.81
1	-6.83	41	-8.58	81	-10.78	121	-18.62	161	-28.44	201	-19.27	241	-10.51	281	-6.32	321	-6.05
2	-6.85	42	-8.8	82	-10.6	122	-17.85	162	-30.55	202	-17.76	242	-11	282	-6.2	322	-6.29
3	-6.91	43	-9.12	83	-10.44	123	-17.17	163	-31.3	203	-16.63	243	-11.58	283	-6.12	323	-6.54
4	-7.06	44	-9.41	84	-10.32	124	-16.47	164	-29.16	204	-15.79	244	-12.22	284	-6.07	324	-6.77
5	-7.23	45	-9.77	85	-10.23	125	-15.92	165	-26.04	205	-15.13	245	-12.94	285	-6.08	325	-7.04
6	-7.52	46	-10.14	86	-10.21	126	-15.51	166	-23.21	206	-14.54	246	-13.62	286	-6.1	326	-7.3
7	-7.84	47	-10.57	87	-10.21	127	-15.17	167	-20.86	207	-14.12	247	-14.35	287	-6.14	327	-7.59
8	-8.26	48	-11.06	88	-10.25	128	-14.8	168	-18.89	208	-13.7	248	-15.1	288	-6.19	328	-7.85
9	-8.76	49	-11.57	89	-10.34	129	-14.45	169	-17.24	209	-13.35	249	-15.83	289	-6.29	329	-8.11
10	-9.33	50	-12.07	90	-10.45	130	-14.06	170	-16.06	210	-13.04	250	-16.48	290	-6.39	330	-8.33
11	-10.02	51	-12.58	91	-10.61	131	-13.68	171	-15.04	211	-12.61	251	-17.07	291	-6.53	331	-8.5
12	-10.82	52	-13.19	92	-10.81	132	-13.27	172	-14.27	212	-12.28	252	-17.54	292	-6.66	332	-8.67
13	-11.77	53	-13.82	93	-11.07	133	-13	173	-13.55	213	-11.81	253	-17.83	293	-6.82	333	-8.87
14	-12.79	54	-14.44	94	-11.36	134	-12.75	174	-12.98	214	-11.41	254	-17.93	294	-7.26	334	-9.1
15	-13.96	55	-15.14	95	-11.71	135	-12.62	175	-12.52	215	-11.03	255	-17.85	295	-7.14	335	-9.36
16	-15.13	56	-15.82	96	-12.11	136	-12.52	176	-12.24	216	-10.64	256	-17.67	296	-7.29	336	-9.7
17	-16.33	57	-16.56	97	-12.6	137	-12.5	177	-12.1	217	-10.28	257	-17.44	297	-7.43	337	-10.06
18	-17.18	58	-17.28	98	-13.12	138	-12.53	178	-12.08	218	-9.94	258	-16.86	298	-7.56	338	-10.51
19	-17.52	59	-18.03	99	-13.66	139	-12.58	179	-12.09	219	-9.62	259	-16.63	299	-7.64	339	-11.04
20	-17.17	60	-18.73	100	-14.6	140	-12.65	180	-12.2	220	-9.31	260	-16.2	300	-7.7	340	-11.57
21	-16.23	61	-19.38	101	-14.97	141	-12.84	181	-12.45	221	-9.09	261	-15.7	301	-7.71	341	-12.19
22	-15.15	62	-19.81	102	-15.61	142	-13.27	182	-12.86	222	-9.17	262	-15.09	302	-7.58	342	-12.76
23	-13.99	63	-20.04	103	-16.77	143	-13.49	183	-13.32	223	-8.67	263	-14.02	303	-7.52	343	-13.34
24	-12.94	64	-20.02	104	-17.48	144	-14	184	-13.9	224	-8.58	264	-13.34	304	-7.38	344	-13.93
25	-11.61	65	-19.7	105	-18.18	145	-14.57	185	-14.5	225	-8.46	265	-12.68	305	-7.18	345	-14.03
26	-10.89	66	-19.16	106	-18.86	146	-15.48	186	-15.04	226	-8.41	266	-12.06	306	-6.86	346	-13.87
27	-10.22	67	-18.47	107	-19.51	147	-16.07	187	-15.55	227	-8.35	267	-11.45	307	-6.59	347	-13.45
28	-9.69	68	-17.67	108	-20.13	148	-16.73	188	-16.18	228	-8.36	268	-10.88	308	-6.34	348	-12.87
29	-9.2	69	-16.56	109	-20.67	149	-17.49	189	-17.03	229	-8.4	269	-10.33	309	-6.06	349	-12.14
30	-8.83	70	-16.19	110	-21.21	150	-18.3	190	-18.04	230	-8.45	270	-9.82	310	-5.82	350	-11.38
31	-8.5	71	-15.1	111	-21.63	151	-19.1	191	-19.26	231	-8.49	271	-9.34	311	-5.63	351	-10.64
32	-8.25	72	-14.47	112	-21.89	152	-19.78	192	-20.69	232	-8.52	272	-8.91	312	-5.5	352	-9.97
33	-8.05	73	-13.85	113	-22.03	153	-20.29	193	-22.2	233	-8.57	273	-8.49	313	-5.42	353	-9.36
34	-7.95	74	-13.31	114	-22.02	154	-20.76	194	-23.7	234	-8.63	274	-8.13	314	-5.35	354	-8.81
35	-7.9	75	-12.81	115	-21.91	155	-21.31	195	-25.16	235	-8.75	275	-7.75	315	-5.3	355	-8.31
36	-7.89	76	-12.35	116	-21.63	156	-22.07	196	-26.46	236	-8.9	276	-7.45	316	-5.29	356	-7.92
37	-7.94	77	-11.94	117	-21.26	157	-22.94	197	-26.9	237	-9.14	277	-7.16	317	-5.35	357	-7.56
38	-8.07	78	-11.58	118	-20.77	158	-23.92	198	-25.64	238	-9.39	278	-6.91	318	-5.42	358	-7.3
39	-8.14	79	-11.27	119	-20.19	159	-25.05	199	-23.35	239	-9.73	279	-6.69	319	-5.61	359	-7.09

Radiated Pattern : DAX800XR




BT Cch Ver(XY)

Received Power

MAX MIN AVE
 -15.81 -46.56 -28.6617

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-28.67	40	-32.64	80	-31.17	120	-32.11	160	-24.8	200	-23.92	240	-32.76	280	-30.34	320	-28.32
1	-27.67	41	-34.26	81	-32.66	121	-31.41	161	-24.52	201	-23.31	241	-31.49	281	-30.17	321	-28.44
2	-27.18	42	-36.22	82	-34.55	122	-30.75	162	-23.23	202	-21.94	242	-30.42	282	-29.73	322	-28.62
3	-26.86	43	-38.73	83	-36.85	123	-30.64	163	-22.15	203	-21.6	243	-29.56	283	-29.13	323	-28.83
4	-26.65	44	-41.23	84	-38.81	124	-30.72	164	-21.15	204	-20.94	244	-28.91	284	-28.41	324	-29.01
5	-26.5	45	-42.62	85	-40.12	125	-30.95	165	-20.23	205	-20.72	245	-28.47	285	-28.19	325	-29.17
6	-26.41	46	-41.62	86	-40.95	126	-31.26	166	-19.48	206	-20.7	246	-28.31	286	-28.22	326	-29.24
7	-26.31	47	-39.46	87	-41.76	127	-31.48	167	-18.85	207	-20.86	247	-28.33	287	-28.51	327	-29.23
8	-26.21	48	-37.67	88	-40.38	128	-31.55	168	-18.32	208	-21.18	248	-28.44	288	-29	328	-29.06
9	-26.06	49	-36.46	89	-37.51	129	-31.39	169	-17.87	209	-21.64	249	-28.51	289	-29.54	329	-28.77
10	-25.91	50	-35.83	90	-34.56	130	-31.08	170	-17.57	210	-22.19	250	-28.4	290	-29.94	330	-28.37
11	-25.64	51	-35.64	91	-32.07	131	-30.64	171	-17.28	211	-22.8	251	-28.15	291	-30.07	331	-27.87
12	-25.46	52	-35.82	92	-30.19	132	-30.23	172	-17.05	212	-23.43	252	-27.89	292	-29.92	332	-27.37
13	-25.25	53	-36.25	93	-28.64	133	-29.91	173	-16.78	213	-23.96	253	-27.61	293	-29.67	333	-26.84
14	-25.05	54	-36.56	94	-27.43	134	-29.71	174	-16.5	214	-24.4	254	-27.45	294	-29.47	334	-26.4
15	-24.82	55	-36.79	95	-26.43	135	-29.64	175	-16.25	215	-24.79	255	-27.55	295	-29.5	335	-26.04
16	-24.66	56	-36.81	96	-25.65	136	-29.66	176	-16.05	216	-24.98	256	-27.94	296	-29.79	336	-25.8
17	-24.6	57	-36.7	97	-25.03	137	-29.68	177	-15.9	217	-25.13	257	-28.73	297	-30.33	337	-25.68
18	-24.67	58	-36.36	98	-24.61	138	-29.6	178	-15.81	218	-25.23	258	-29.83	298	-30.98	338	-25.64
19	-24.88	59	-35.99	99	-24.34	139	-29.26	179	-15.81	219	-25.38	259	-31.34	299	-31.52	339	-25.64
20	-25.29	60	-35.56	100	-24.34	140	-28.65	180	-15.87	220	-25.63	260	-33.01	300	-31.65	340	-25.64
21	-25.92	61	-35.11	101	-24.56	141	-27.78	181	-16.03	221	-25.99	261	-34.4	301	-31.33	341	-25.61
22	-26.77	62	-34.72	102	-25.02	142	-26.91	182	-16.24	222	-26.51	262	-35.18	302	-30.67	342	-25.54
23	-27.9	63	-34.23	103	-25.58	143	-26.14	183	-16.54	223	-27.3	263	-35.51	303	-29.91	343	-25.47
24	-29.27	64	-33.73	104	-26.17	144	-25.62	184	-16.9	224	-28.27	264	-35.68	304	-29.19	344	-25.38
25	-30.86	65	-33.18	105	-26.66	145	-25.44	185	-17.27	225	-29.46	265	-35.81	305	-28.58	345	-25.31
26	-32.29	66	-32.66	106	-26.98	146	-25.62	186	-17.71	226	-30.63	266	-35.96	306	-28.15	346	-25.3
27	-33.28	67	-32.16	107	-27.25	147	-26.12	187	-18.18	227	-31.73	267	-36.25	307	-27.89	347	-25.36
28	-33.32	68	-31.67	108	-27.62	148	-26.71	188	-18.69	228	-32.63	268	-36.66	308	-27.85	348	-25.54
29	-32.45	69	-31.13	109	-28.36	149	-26.98	189	-19.32	229	-33.35	269	-36.91	309	-28	349	-25.87
30	-31.3	70	-30.54	110	-29.57	150	-26.64	190	-19.95	230	-33.78	270	-36.74	310	-28.34	350	-26.39
31	-30.25	71	-29.95	111	-31.44	151	-25.87	191	-20.75	231	-34.16	271	-35.99	311	-28.75	351	-27.09
32	-29.45	72	-29.39	112	-34.44	152	-24.99	192	-21.68	232	-34.3	272	-35.01	312	-29.17	352	-27.98
33	-28.94	73	-28.9	113	-39.12	153	-24.27	193	-22.81	233	-34.59	273	-33.77	313	-29.46	353	-28.99
34	-28.78	74	-28.57	114	-46.56	154	-23.88	194	-24.02	234	-34.87	274	-32.55	314	-29.49	354	-30.02
35	-28.84	75	-28.4	115	-43.61	155	-23.72	195	-25.37	235	-35.11	275	-31.5	315	-29.34	355	-30.86
36	-29.09	76	-28.44	116	-38.72	156	-23.82	196	-26.4	236	-35.66	276	-30.75	316	-29.04	356	-31.11
37	-29.6	77	-28.7	117	-35.98	157	-24.23	197	-27.07	237	-35.77	277	-30.35	317	-28.69	357	-30.78
38	-30.33	78	-29.22	118	-34.26	158	-24.65	198	-26.78	238	-35.09	278	-30.31	318	-28.44	358	-30.15
39	-31.35	79	-30.05	119	-33.05	159	-25.02	199	-25.19	239	-34.03	279	-30.36	319	-28.28	359	-29.27

Radiated Pattern : DAX800XR




BT Hch Hor(XY)

Received Power

MAX MIN AVE
 -5.21 -32.06 -12.6831

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-7.04	40	-6.66	80	-15.58	120	-19.92	160	-23.94	200	-15.16	240	-8.22	280	-6.41	320	-5.52
1	-6.36	41	-6.81	81	-14.93	121	-19.43	161	-23.17	201	-14.28	241	-8.72	281	-6.21	321	-5.63
2	-6.24	42	-6.98	82	-14.31	122	-18.85	162	-21.89	202	-13.58	242	-9.28	282	-6.05	322	-5.75
3	-6.18	43	-7.23	83	-13.64	123	-18.21	163	-20.45	203	-13.01	243	-9.91	283	-5.92	323	-5.88
4	-6.22	44	-7.49	84	-13.16	124	-17.61	164	-19.09	204	-12.49	244	-10.59	284	-5.82	324	-6.03
5	-6.3	45	-7.82	85	-12.66	125	-16.91	165	-17.88	205	-11.95	245	-11.3	285	-5.7	325	-6.33
6	-6.46	46	-8.19	86	-12.25	126	-16.26	166	-16.7	206	-11.47	246	-11.94	286	-5.63	326	-6.56
7	-6.67	47	-8.62	87	-11.9	127	-15.68	167	-15.63	207	-11	247	-12.57	287	-5.57	327	-6.79
8	-6.96	48	-9.07	88	-11.61	128	-15.16	168	-14.78	208	-10.5	248	-13.18	288	-5.51	328	-6.98
9	-7.35	49	-9.57	89	-11.38	129	-14.67	169	-13.98	209	-10.02	249	-13.87	289	-5.5	329	-7.18
10	-7.8	50	-10.11	90	-11.26	130	-14.18	170	-13.4	210	-9.51	250	-14.49	290	-5.49	330	-7.33
11	-8.38	51	-10.72	91	-11.19	131	-13.72	171	-13	211	-8.97	251	-15.4	291	-5.49	331	-7.46
12	-9.03	52	-11.33	92	-11.18	132	-13.27	172	-12.64	212	-8.48	252	-15.64	292	-5.49	332	-7.59
13	-9.82	53	-11.98	93	-11.25	133	-12.88	173	-12.43	213	-7.97	253	-15.97	293	-5.54	333	-7.74
14	-10.74	54	-12.65	94	-11.38	134	-12.63	174	-12.29	214	-7.53	254	-16.05	294	-5.58	334	-7.98
15	-11.76	55	-13.38	95	-11.6	135	-12.54	175	-12.33	215	-7.08	255	-15.97	295	-5.7	335	-8.17
16	-13	56	-14.15	96	-11.87	136	-12.61	176	-12.52	216	-6.71	256	-15.58	296	-5.79	336	-8.44
17	-14.43	57	-14.98	97	-12.24	137	-12.86	177	-12.87	217	-6.35	257	-15.22	297	-5.93	337	-8.79
18	-16.09	58	-15.79	98	-12.93	138	-13.25	178	-13.26	218	-5.93	258	-14.79	298	-6.08	338	-9.2
19	-17.91	59	-16.7	99	-13.51	139	-13.76	179	-13.73	219	-5.81	259	-14.37	299	-6.25	339	-9.77
20	-19.33	60	-17.59	100	-14.27	140	-14.42	180	-14.49	220	-5.61	260	-13.84	300	-6.38	340	-10.38
21	-19.76	61	-18.65	101	-14.65	141	-15.25	181	-15.18	221	-5.46	261	-13.28	301	-6.53	341	-11.15
22	-18.79	62	-19.6	102	-15.38	142	-16.28	182	-15.96	222	-5.3	262	-12.69	302	-6.64	342	-11.98
23	-17.05	63	-20.95	103	-16.26	143	-17.73	183	-16.99	223	-5.24	263	-12.16	303	-6.77	343	-12.99
24	-15.35	64	-22.23	104	-17.52	144	-19.59	184	-18.14	224	-5.21	264	-11.71	304	-6.86	344	-13.99
25	-13.78	65	-23.64	105	-17.98	145	-22.17	185	-19.25	225	-5.22	265	-11.3	305	-6.92	345	-15.2
26	-12.48	66	-25.26	106	-19.42	146	-28.09	186	-20.29	226	-5.26	266	-10.88	306	-6.87	346	-16.24
27	-11.33	67	-26.8	107	-20.24	147	-32.06	187	-21.21	227	-5.35	267	-10.46	307	-6.77	347	-16.86
28	-10.37	68	-27.66	108	-21	148	-29.93	188	-22.11	228	-5.48	268	-10.07	308	-6.64	348	-16.78
29	-9.57	69	-28.01	109	-21.63	149	-26.45	189	-23.08	229	-5.63	269	-9.64	309	-6.44	349	-15.94
30	-8.86	70	-27.13	110	-22.09	150	-23.91	190	-23.83	230	-5.78	270	-9.29	310	-6.24	350	-14.75
31	-8.05	71	-26.33	111	-22.41	151	-22.23	191	-24.11	231	-5.93	271	-9.06	311	-6.05	351	-13.41
32	-7.56	72	-24.19	112	-22.61	152	-21.08	192	-23.77	232	-6.11	272	-8.6	312	-5.89	352	-12.23
33	-7.61	73	-22.85	113	-22.68	153	-20.39	193	-22.91	233	-6.3	273	-8.28	313	-5.71	353	-11.08
34	-6.92	74	-21.56	114	-22.62	154	-20.18	194	-21.89	234	-6.51	274	-7.97	314	-5.53	354	-10.1
35	-6.71	75	-20.29	115	-22.41	155	-20.47	195	-20.82	235	-6.74	275	-7.65	315	-5.39	355	-9.26
36	-6.59	76	-19.19	116	-22.06	156	-21.09	196	-19.72	236	-6.99	276	-7.35	316	-5.31	356	-8.54
37	-6.54	77	-18.17	117	-21.56	157	-22	197	-18.43	237	-7.24	277	-7.07	317	-5.27	357	-7.89
38	-6.53	78	-17.25	118	-21.03	158	-22.99	198	-17.28	238	-7.52	278	-6.84	318	-5.32	358	-7.39
39	-6.58	79	-16.42	119	-20.5	159	-23.74	199	-16.17	239	-7.84	279	-6.61	319	-5.41	359	-6.99

Radiated Pattern : DAX800XR




BT Hch Ver(XY)

Received Power

MAX MIN AVE
 -8.81 -37.12 -15.2839

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-14.11	40	-11.03	80	-15.37	120	-9.19	160	-17.28	200	-12.02	240	-11.84	280	-17.55	320	-25.44
1	-14.97	41	-11.45	81	-14.77	121	-9.4	161	-16.58	201	-11.67	241	-11.61	281	-17.27	321	-27.64
2	-15.33	42	-11.92	82	-14.24	122	-9.69	162	-15.9	202	-11.22	242	-11.36	282	-17.07	322	-29.68
3	-15.69	43	-12.38	83	-13.71	123	-10.09	163	-15.3	203	-11.02	243	-11.14	283	-16.91	323	-31.49
4	-16.06	44	-12.88	84	-13.31	124	-10.53	164	-14.79	204	-10.84	244	-10.94	284	-16.83	324	-32.07
5	-16.46	45	-13.41	85	-12.92	125	-11.03	165	-14.36	205	-10.75	245	-10.74	285	-16.74	325	-31.13
6	-16.82	46	-13.93	86	-12.58	126	-11.59	166	-13.98	206	-10.62	246	-10.6	286	-16.78	326	-29.42
7	-17.13	47	-14.41	87	-12.27	127	-12.19	167	-13.58	207	-10.52	247	-10.48	287	-16.84	327	-27.86
8	-17.4	48	-14.87	88	-12.06	128	-13.22	168	-12.99	208	-10.42	248	-10.38	288	-16.92	328	-25.46
9	-17.55	49	-15.24	89	-11.82	129	-13.62	169	-12.57	209	-10.41	249	-10.32	289	-17.1	329	-23.88
10	-17.52	50	-15.54	90	-11.67	130	-14.47	170	-12.21	210	-10.42	250	-10.29	290	-17.31	330	-22.85
11	-17.36	51	-15.8	91	-11.55	131	-15.39	171	-11.86	211	-10.44	251	-10.28	291	-17.42	331	-21.78
12	-17.04	52	-15.85	92	-11.49	132	-16.43	172	-11.54	212	-10.46	252	-10.3	292	-17.46	332	-20.97
13	-16.62	53	-16.22	93	-11.49	133	-17.73	173	-11.27	213	-10.52	253	-10.31	293	-17.38	333	-20.3
14	-16.1	54	-16.42	94	-11.63	134	-19.92	174	-11.1	214	-10.58	254	-10.36	294	-17.27	334	-19.77
15	-15.52	55	-16.48	95	-11.71	135	-21.52	175	-11.01	215	-10.67	255	-10.43	295	-17.07	335	-19.36
16	-14.89	56	-16.81	96	-11.93	136	-23.25	176	-11.06	216	-10.82	256	-10.53	296	-16.81	336	-19.01
17	-14.2	57	-16.99	97	-12.09	137	-25	177	-11.26	217	-11	257	-10.66	297	-16.46	337	-18.66
18	-13.54	58	-17	98	-12.31	138	-26.63	178	-11.63	218	-11.25	258	-10.83	298	-16.07	338	-18.4
19	-12.9	59	-17.32	99	-12.57	139	-27.61	179	-12.14	219	-11.53	259	-11.03	299	-15.69	339	-18.1
20	-12.27	60	-17.48	100	-12.81	140	-27.33	180	-12.82	220	-11.84	260	-11.26	300	-15.36	340	-17.87
21	-11.69	61	-17.66	101	-13.08	141	-25.93	181	-13.67	221	-12.13	261	-11.51	301	-15.01	341	-17.59
22	-10.94	62	-17.87	102	-13.29	142	-24.5	182	-14.72	222	-12.41	262	-11.8	302	-14.66	342	-17.29
23	-10.7	63	-18.03	103	-13.47	143	-23.31	183	-16.17	223	-12.67	263	-12.14	303	-14.31	343	-16.97
24	-10.05	64	-18.28	104	-13.57	144	-22.59	184	-17.97	224	-12.96	264	-12.53	304	-14.05	344	-16.62
25	-9.73	65	-18.47	105	-13.49	145	-22.16	185	-20.48	225	-13.24	265	-12.96	305	-13.87	345	-16.24
26	-9.44	66	-18.71	106	-13.3	146	-21.92	186	-23.98	226	-13.5	266	-13.44	306	-13.83	346	-15.87
27	-9.15	67	-18.96	107	-12.91	147	-21.61	187	-29.42	227	-13.73	267	-14	307	-13.86	347	-15.48
28	-9.01	68	-19.18	108	-12.46	148	-21.39	188	-37.12	228	-13.86	268	-14.54	308	-13.93	348	-15.15
29	-8.87	69	-19.43	109	-11.91	149	-21.24	189	-29.38	229	-13.91	269	-15.15	309	-14.04	349	-14.76
30	-8.81	70	-19.51	110	-11.36	150	-21.24	190	-24.49	230	-13.88	270	-15.79	310	-14.27	350	-14.31
31	-8.81	71	-19.54	111	-10.84	151	-21.45	191	-21.1	231	-13.78	271	-16.46	311	-14.96	351	-13.96
32	-8.88	72	-19.42	112	-10.38	152	-21.62	192	-18.92	232	-13.67	272	-17.11	312	-15.61	352	-13.75
33	-9.02	73	-19.13	113	-9.95	153	-21.77	193	-17.06	233	-13.51	273	-17.68	313	-16.39	353	-13.63
34	-9.21	74	-18.75	114	-9.59	154	-21.58	194	-15.74	234	-13.36	274	-18.1	314	-17.23	354	-13.56
35	-9.43	75	-18.25	115	-9.32	155	-21	195	-14.76	235	-13.17	275	-18.34	315	-18.23	355	-13.61
36	-9.74	76	-17.72	116	-9.15	156	-20.2	196	-14	236	-12.96	276	-18.44	316	-19.28	356	-13.69
37	-9.95	77	-17.08	117	-9.04	157	-19.38	197	-13.39	237	-12.74	277	-18.35	317	-20.55	357	-13.83
38	-10.28	78	-16.47	118	-9.02	158	-18.64	198	-12.89	238	-12.5	278	-18.13	318	-21.89	358	-14.02
39	-10.64	79	-15.9	119	-9.05	159	-17.94	199	-12.43	239	-12.22	279	-17.87	319	-23.6	359	-14.28

Radiated Pattern : DAX800XR




BT Lch Hor(ZX)

Received Power

MAX MIN AVE
 -9.47 -25.54 -13.6516

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-12.06	40	-12.6	80	-9.99	120	-9.47	160	-14.04	200	-13.98	240	-15.58	280	-16.67	320	-15.14
1	-12.43	41	-12.49	81	-9.98	121	-9.48	161	-14.54	201	-13.85	241	-15.4	281	-16.11	321	-14.79
2	-12.61	42	-12.48	82	-9.96	122	-9.53	162	-15.11	202	-13.65	242	-15.16	282	-15.87	322	-14.53
3	-12.8	43	-12.42	83	-9.98	123	-9.54	163	-15.65	203	-13.47	243	-15.06	283	-15.62	323	-14.41
4	-13.01	44	-12.37	84	-10.01	124	-9.6	164	-16.22	204	-13.25	244	-14.44	284	-15.28	324	-14.41
5	-13.22	45	-12.33	85	-10.04	125	-9.67	165	-16.76	205	-13.04	245	-14.03	285	-14.96	325	-14.53
6	-13.44	46	-12.24	86	-10.1	126	-9.8	166	-17.26	206	-12.86	246	-13.51	286	-14.64	326	-14.76
7	-13.65	47	-12.2	87	-10.23	127	-9.98	167	-17.74	207	-12.63	247	-12.99	287	-14.31	327	-15.11
8	-13.85	48	-12.11	88	-10.45	128	-10.22	168	-18.29	208	-12.54	248	-12.52	288	-14.03	328	-15.54
9	-13.99	49	-12.03	89	-10.38	129	-10.5	169	-18.78	209	-12.37	249	-12.17	289	-13.77	329	-16.05
10	-14.12	50	-12.03	90	-10.32	130	-10.83	170	-19.23	210	-12.12	250	-11.92	290	-13.5	330	-16.99
11	-14.18	51	-11.99	91	-10.4	131	-11.17	171	-19.54	211	-11.98	251	-11.72	291	-13.29	331	-17.81
12	-14.23	52	-12.08	92	-10.46	132	-11.56	172	-19.59	212	-11.86	252	-11.65	292	-13.03	332	-19.16
13	-14.2	53	-12.1	93	-10.26	133	-11.93	173	-19.14	213	-11.78	253	-11.62	293	-12.94	333	-20.56
14	-14.14	54	-12.17	94	-10.2	134	-12.33	174	-18.64	214	-11.75	254	-11.69	294	-12.81	334	-22.07
15	-14.03	55	-12.19	95	-10.13	135	-12.78	175	-18.06	215	-11.68	255	-11.84	295	-12.7	335	-23.76
16	-13.88	56	-12.27	96	-10.03	136	-13.24	176	-17.49	216	-11.67	256	-12.03	296	-12.67	336	-25.22
17	-13.7	57	-12.37	97	-9.96	137	-13.69	177	-16.91	217	-11.71	257	-12.25	297	-12.58	337	-25.54
18	-13.36	58	-12.5	98	-9.93	138	-14.19	178	-16.4	218	-11.81	258	-12.53	298	-12.59	338	-24.54
19	-13.13	59	-12.6	99	-9.93	139	-14.65	179	-15.93	219	-11.9	259	-12.85	299	-12.6	339	-22.89
20	-12.9	60	-12.72	100	-9.93	140	-15.13	180	-15.46	220	-11.97	260	-13.24	300	-12.68	340	-21.01
21	-12.67	61	-12.79	101	-9.97	141	-15.37	181	-15.03	221	-12.17	261	-13.67	301	-12.79	341	-19.51
22	-12.48	62	-12.82	102	-10.01	142	-15.81	182	-14.6	222	-12.29	262	-14.11	302	-12.94	342	-17.57
23	-12.31	63	-12.83	103	-10.06	143	-15.95	183	-14.28	223	-12.38	263	-14.54	303	-13.14	343	-16.57
24	-12.19	64	-12.8	104	-10.17	144	-15.91	184	-14.04	224	-12.65	264	-15.03	304	-13.42	344	-16.08
25	-12.13	65	-12.72	105	-10.26	145	-15.83	185	-13.87	225	-12.9	265	-15.83	305	-13.78	345	-14.99
26	-12.11	66	-12.61	106	-10.38	146	-15.59	186	-13.75	226	-13.21	266	-16.06	306	-14.19	346	-14.6
27	-12.1	67	-12.44	107	-10.46	147	-15.26	187	-13.66	227	-13.77	267	-16.56	307	-14.8	347	-14.04
28	-12.11	68	-12.26	108	-10.54	148	-14.88	188	-13.61	228	-14.1	268	-17.12	308	-15.4	348	-13.57
29	-12.12	69	-12.03	109	-10.56	149	-14.49	189	-13.62	229	-14.47	269	-17.57	309	-16.03	349	-12.97
30	-12.12	70	-11.82	110	-10.55	150	-14.09	190	-13.69	230	-14.74	270	-17.98	310	-17.02	350	-12.58
31	-12.13	71	-11.57	111	-10.43	151	-13.71	191	-13.79	231	-15.19	271	-18.31	311	-17.55	351	-12.43
32	-12.15	72	-11.33	112	-10.32	152	-13.37	192	-13.94	232	-15.27	272	-18.5	312	-17.91	352	-12.21
33	-12.19	73	-11.08	113	-10.19	153	-13.24	193	-14.14	233	-15.55	273	-18.59	313	-18.05	353	-12.08
34	-12.27	74	-10.85	114	-10.06	154	-12.96	194	-14.3	234	-15.67	274	-18.64	314	-17.95	354	-11.96
35	-12.37	75	-10.65	115	-9.93	155	-12.91	195	-14.39	235	-15.85	275	-18.47	315	-17.69	355	-11.9
36	-12.47	76	-10.47	116	-9.78	156	-12.96	196	-14.37	236	-16.16	276	-18.18	316	-17.14	356	-11.88
37	-12.57	77	-10.31	117	-9.66	157	-13.09	197	-14.3	237	-16.25	277	-17.86	317	-16.64	357	-11.93
38	-12.64	78	-10.18	118	-9.56	158	-13.3	198	-14.2	238	-16	278	-17.51	318	-16.09	358	-12
39	-12.64	79	-10.06	119	-9.5	159	-13.64	199	-14.1	239	-15.95	279	-17.09	319	-15.59	359	-12.09

Radiated Pattern : DAX800XR




BT Lch Ver(ZX)

Received Power

MAX MIN AVE
 -10.67 -30.4 -18.0815

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-14.12	40	-13.97	80	-19.08	120	-13.12	160	-24.1	200	-12.1	240	-18.41	280	-18.46	320	-21.72
1	-13.93	41	-13.97	81	-18.72	121	-13.47	161	-23.11	201	-12.74	241	-18.14	281	-19.11	321	-21.63
2	-13.97	42	-14.01	82	-18.26	122	-13.89	162	-21.54	202	-13.2	242	-17.98	282	-19.8	322	-21.61
3	-14.01	43	-14.07	83	-17.86	123	-14.3	163	-20.58	203	-13.73	243	-17.85	283	-20.44	323	-21.6
4	-14.06	44	-14.17	84	-17.17	124	-14.81	164	-19.66	204	-14.3	244	-17.71	284	-20.98	324	-21.67
5	-14.13	45	-14.3	85	-16.8	125	-15.36	165	-18.87	205	-15	245	-17.58	285	-21.75	325	-21.85
6	-14.23	46	-14.45	86	-16.4	126	-16	166	-18.12	206	-15.74	246	-17.44	286	-22.32	326	-22.04
7	-14.34	47	-14.63	87	-15.99	127	-16.74	167	-17.51	207	-16.52	247	-17.32	287	-22.77	327	-22.26
8	-14.45	48	-14.89	88	-15.55	128	-17.7	168	-16.84	208	-17.37	248	-17.16	288	-23.31	328	-22.6
9	-14.59	49	-15.23	89	-15.34	129	-18.37	169	-16.35	209	-18.05	249	-17	289	-23.85	329	-22.96
10	-14.71	50	-15.58	90	-14.91	130	-19.01	170	-15.85	210	-19.13	250	-16.8	290	-24.41	330	-23.4
11	-14.88	51	-15.88	91	-14.53	131	-19.62	171	-15.49	211	-20.2	251	-16.61	291	-24.54	331	-23.87
12	-15.06	52	-16.12	92	-13.98	132	-20.17	172	-15.05	212	-21.33	252	-16.45	292	-24.61	332	-24.36
13	-15.27	53	-16.61	93	-13.64	133	-20.56	173	-14.69	213	-22.16	253	-16.31	293	-24.6	333	-24.8
14	-15.49	54	-16.86	94	-13.34	134	-21.01	174	-14.37	214	-23.98	254	-16.2	294	-24.53	334	-25.21
15	-15.73	55	-17.13	95	-13.06	135	-21.07	175	-14.18	215	-25.28	255	-16.07	295	-24.34	335	-25.43
16	-16.08	56	-17.35	96	-12.81	136	-20.94	176	-13.94	216	-26.84	256	-15.91	296	-24.08	336	-25.36
17	-16.56	57	-17.52	97	-12.6	137	-20.77	177	-13.71	217	-27.49	257	-15.85	297	-23.86	337	-25
18	-16.92	58	-17.69	98	-12.42	138	-20.46	178	-13.47	218	-28.29	258	-15.75	298	-23.7	338	-24.54
19	-17.23	59	-17.85	99	-12.26	139	-20.2	179	-13.17	219	-28.89	259	-15.68	299	-23.61	339	-23.89
20	-17.49	60	-18.06	100	-12.12	140	-19.99	180	-12.88	220	-29.78	260	-15.66	300	-23.61	340	-23.07
21	-17.63	61	-18.21	101	-12.03	141	-19.76	181	-12.56	221	-29.76	261	-15.57	301	-23.66	341	-22.19
22	-17.7	62	-18.44	102	-11.97	142	-19.53	182	-12.27	222	-30.15	262	-15.62	302	-23.79	342	-20.92
23	-17.63	63	-18.71	103	-11.9	143	-19.21	183	-12.02	223	-30.4	263	-15.6	303	-24.02	343	-20.14
24	-17.45	64	-18.97	104	-11.87	144	-19.09	184	-11.77	224	-29.79	264	-15.53	304	-24.28	344	-19.4
25	-17.24	65	-19.31	105	-11.85	145	-19.06	185	-11.55	225	-28.65	265	-15.46	305	-24.62	345	-18.78
26	-16.95	66	-19.63	106	-11.83	146	-19.15	186	-11.32	226	-27.71	266	-15.39	306	-24.97	346	-18.21
27	-16.68	67	-19.79	107	-11.82	147	-19.37	187	-11.11	227	-26.66	267	-15.36	307	-25.19	347	-17.7
28	-16.37	68	-20.19	108	-11.8	148	-19.65	188	-10.95	228	-25.6	268	-15.35	308	-25.75	348	-17.23
29	-16.06	69	-20.45	109	-11.79	149	-19.96	189	-10.8	229	-24.7	269	-15.3	309	-25.79	349	-16.79
30	-15.72	70	-20.7	110	-11.8	150	-20.34	190	-10.71	230	-23.84	270	-15.29	310	-25.58	350	-16.38
31	-15.42	71	-20.87	111	-11.78	151	-20.72	191	-10.67	231	-23.26	271	-15.34	311	-25.26	351	-15.98
32	-15.14	72	-21.05	112	-11.81	152	-21.26	192	-10.67	232	-22.31	272	-15.53	312	-24.83	352	-15.6
33	-14.9	73	-21.04	113	-11.83	153	-21.91	193	-10.73	233	-21.77	273	-15.79	313	-24.35	353	-15.26
34	-14.7	74	-20.94	114	-11.91	154	-22.71	194	-10.78	234	-20.86	274	-15.98	314	-23.69	354	-14.94
35	-14.49	75	-20.85	115	-12	155	-23.58	195	-10.87	235	-20.11	275	-16.32	315	-23.36	355	-14.68
36	-14.34	76	-20.52	116	-12.15	156	-24.4	196	-11	236	-19.67	276	-16.74	316	-22.88	356	-14.42
37	-14.22	77	-20.15	117	-12.31	157	-24.99	197	-11.18	237	-19.19	277	-17.09	317	-22.47	357	-14.23
38	-14.11	78	-19.79	118	-12.54	158	-25.06	198	-11.4	238	-18.65	278	-17.55	318	-22.13	358	-14.09
39	-14.02	79	-19.42	119	-12.81	159	-24.87	199	-11.73	239	-18.53	279	-18.03	319	-21.89	359	-14.04

Radiated Pattern : DAX800XR




BT Cch Hor(ZX)

Received Power

MAX MIN AVE
 -9.63 -25.7 -12.9098

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-12.08	40	-11.24	80	-9.71	120	-12.8	160	-17.58	200	-13.64	240	-11.62	280	-10.63	320	-11.86
1	-12.41	41	-11.13	81	-9.78	121	-13.21	161	-17.41	201	-13.56	241	-11.53	281	-10.52	321	-11.78
2	-12.63	42	-11.05	82	-9.9	122	-13.58	162	-17.17	202	-13.42	242	-11.36	282	-10.41	322	-11.72
3	-12.95	43	-10.98	83	-10.08	123	-13.94	163	-16.87	203	-13.32	243	-11.2	283	-10.34	323	-11.75
4	-13.31	44	-10.96	84	-10.22	124	-14.31	164	-16.57	204	-13.24	244	-11.06	284	-10.33	324	-11.86
5	-13.72	45	-11.02	85	-10.42	125	-14.57	165	-16.3	205	-13.22	245	-10.86	285	-10.27	325	-11.93
6	-14.24	46	-11.1	86	-10.56	126	-14.88	166	-16.03	206	-13.18	246	-10.62	286	-10.29	326	-12.11
7	-14.76	47	-11.17	87	-10.78	127	-15.03	167	-15.82	207	-13.1	247	-10.41	287	-10.35	327	-12.51
8	-15.4	48	-11.25	88	-10.93	128	-15.14	168	-15.62	208	-13.07	248	-10.16	288	-10.35	328	-12.91
9	-15.97	49	-11.34	89	-11	129	-15.28	169	-15.47	209	-12.99	249	-9.97	289	-10.39	329	-13.34
10	-16.61	50	-11.42	90	-10.99	130	-15.39	170	-15.33	210	-12.85	250	-9.84	290	-10.43	330	-13.9
11	-17.28	51	-11.52	91	-10.97	131	-15.47	171	-15.18	211	-12.73	251	-9.75	291	-10.52	331	-14.5
12	-17.83	52	-11.63	92	-10.94	132	-15.52	172	-14.99	212	-12.62	252	-9.71	292	-10.51	332	-15.21
13	-18.27	53	-11.75	93	-10.94	133	-15.52	173	-14.75	213	-12.46	253	-9.74	293	-10.54	333	-16.09
14	-18.6	54	-11.88	94	-10.88	134	-15.4	174	-14.47	214	-12.32	254	-9.82	294	-10.53	334	-17.11
15	-18.7	55	-12	95	-10.79	135	-15.31	175	-14.22	215	-12.11	255	-9.94	295	-10.57	335	-18.29
16	-18.64	56	-12.09	96	-10.7	136	-15.15	176	-13.99	216	-12	256	-10.08	296	-10.5	336	-19.84
17	-18.4	57	-12.18	97	-10.66	137	-14.94	177	-13.82	217	-11.79	257	-10.23	297	-10.45	337	-21.61
18	-18.1	58	-12.27	98	-10.66	138	-14.77	178	-13.75	218	-11.66	258	-10.53	298	-10.47	338	-23.51
19	-17.71	59	-12.31	99	-10.69	139	-14.58	179	-13.48	219	-11.46	259	-10.67	299	-10.37	339	-25.14
20	-17.29	60	-12.33	100	-10.74	140	-14.43	180	-13.3	220	-11.21	260	-11.12	300	-10.39	340	-25.7
21	-16.58	61	-12.32	101	-10.83	141	-14.33	181	-13.15	221	-11.05	261	-11.4	301	-10.35	341	-24.71
22	-16.33	62	-12.27	102	-10.89	142	-14.27	182	-13	222	-10.83	262	-11.67	302	-10.3	342	-22.92
23	-15.65	63	-12.15	103	-10.93	143	-14.27	183	-12.95	223	-10.76	263	-11.93	303	-10.36	343	-21.18
24	-15.2	64	-12	104	-10.95	144	-14.32	184	-12.97	224	-10.68	264	-12.2	304	-10.35	344	-19.56
25	-14.81	65	-11.82	105	-10.96	145	-14.41	185	-13.07	225	-10.6	265	-12.44	305	-10.47	345	-18.18
26	-14.45	66	-11.63	106	-10.91	146	-14.51	186	-13.2	226	-10.65	266	-12.62	306	-10.59	346	-16.96
27	-14.12	67	-11.42	107	-10.92	147	-14.63	187	-13.34	227	-10.68	267	-12.75	307	-10.68	347	-15.97
28	-13.82	68	-11.19	108	-10.89	148	-14.84	188	-13.48	228	-10.84	268	-12.77	308	-10.93	348	-15.13
29	-13.55	69	-10.96	109	-10.86	149	-15.04	189	-13.61	229	-10.98	269	-12.73	309	-11.08	349	-14.43
30	-13.31	70	-10.71	110	-10.82	150	-15.35	190	-13.76	230	-11.11	270	-12.64	310	-11.28	350	-13.84
31	-13.07	71	-10.5	111	-10.77	151	-15.61	191	-13.96	231	-11.18	271	-12.52	311	-11.47	351	-13.35
32	-12.79	72	-10.29	112	-10.72	152	-15.86	192	-14.31	232	-11.4	272	-12.36	312	-11.66	352	-12.94
33	-12.48	73	-10.11	113	-10.77	153	-16.11	193	-14.37	233	-11.46	273	-12.14	313	-11.87	353	-12.64
34	-12.2	74	-9.95	114	-10.84	154	-16.38	194	-14.53	234	-11.65	274	-11.9	314	-11.98	354	-12.39
35	-11.95	75	-9.82	115	-11.04	155	-16.65	195	-14.53	235	-11.73	275	-11.65	315	-12.1	355	-12.31
36	-11.75	76	-9.72	116	-11.29	156	-16.95	196	-14.43	236	-11.71	276	-11.41	316	-12.1	356	-12.09
37	-11.58	77	-9.66	117	-11.62	157	-17.24	197	-14.22	237	-11.8	277	-11.15	317	-12.08	357	-12.02
38	-11.47	78	-9.63	118	-12.03	158	-17.57	198	-13.95	238	-11.78	278	-10.97	318	-12.06	358	-12.04
39	-11.37	79	-9.64	119	-12.4	159	-17.61	199	-13.82	239	-11.68	279	-10.79	319	-11.92	359	-12.11

Radiated Pattern : DAX800XR




BT Cch Ver(ZX)

Received Power

MAX MIN AVE
 -9.47 -44.34 -17.232

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-11.88	40	-23.74	80	-15.32	120	-14.28	160	-19.3	200	-12.66	240	-17.39	280	-28.69	320	-17.69
1	-11.62	41	-23.87	81	-15.12	121	-14.26	161	-18.78	201	-12.82	241	-16.88	281	-30.57	321	-17.79
2	-11.49	42	-23.74	82	-14.92	122	-14.26	162	-18.17	202	-12.95	242	-16.4	282	-33.36	322	-17.99
3	-11.4	43	-23.48	83	-14.75	123	-14.25	163	-17.47	203	-13.12	243	-16.07	283	-37.19	323	-18.21
4	-11.3	44	-23.04	84	-14.57	124	-14.27	164	-16.73	204	-13.32	244	-15.79	284	-44.34	324	-18.5
5	-11.22	45	-22.64	85	-14.4	125	-14.35	165	-16.02	205	-13.49	245	-15.56	285	-42.64	325	-18.84
6	-11.15	46	-22.21	86	-14.23	126	-14.47	166	-15.28	206	-13.63	246	-15.41	286	-35.57	326	-19.49
7	-11.09	47	-21.92	87	-14.06	127	-14.63	167	-14.57	207	-13.71	247	-15.29	287	-31.24	327	-19.93
8	-11.03	48	-21.68	88	-13.88	128	-14.85	168	-13.82	208	-13.76	248	-15.24	288	-28.44	328	-20.44
9	-10.97	49	-21.61	89	-13.7	129	-15.13	169	-13.19	209	-13.83	249	-15.27	289	-26.28	329	-21.08
10	-10.89	50	-21.49	90	-13.53	130	-15.42	170	-12.64	210	-13.94	250	-15.34	290	-24.64	330	-21.73
11	-10.82	51	-21.54	91	-13.26	131	-15.73	171	-12.12	211	-14.11	251	-15.47	291	-23.29	331	-22.5
12	-10.72	52	-21.56	92	-13.1	132	-16.05	172	-11.67	212	-14.32	252	-15.66	292	-22.06	332	-23.32
13	-10.61	53	-21.61	93	-12.95	133	-16.4	173	-11.28	213	-14.53	253	-15.89	293	-21.12	333	-24.16
14	-10.52	54	-21.68	94	-12.85	134	-16.78	174	-10.9	214	-14.76	254	-16.33	294	-19.98	334	-25.13
15	-10.42	55	-21.79	95	-12.73	135	-17.1	175	-10.61	215	-14.97	255	-16.69	295	-19.41	335	-26.1
16	-10.34	56	-21.99	96	-12.65	136	-17.42	176	-10.35	216	-15.24	256	-17.07	296	-18.94	336	-27.17
17	-10.29	57	-22.11	97	-12.61	137	-17.68	177	-10.12	217	-15.52	257	-17.46	297	-18.62	337	-27.95
18	-10.25	58	-22.23	98	-12.55	138	-17.9	178	-9.92	218	-15.87	258	-17.92	298	-18.39	338	-28.07
19	-10.26	59	-22.28	99	-12.54	139	-18.05	179	-9.75	219	-16.28	259	-18.31	299	-18.23	339	-27.21
20	-10.34	60	-22.29	100	-12.56	140	-18.13	180	-9.62	220	-16.79	260	-18.72	300	-18.15	340	-25.72
21	-10.54	61	-22.14	101	-12.63	141	-18.11	181	-9.52	221	-17.39	261	-19.13	301	-18.1	341	-24.1
22	-10.75	62	-21.8	102	-12.66	142	-18.01	182	-9.47	222	-18.01	262	-19.62	302	-18.09	342	-22.46
23	-11.02	63	-21.47	103	-12.78	143	-17.81	183	-9.47	223	-18.67	263	-20.03	303	-18.09	343	-21.02
24	-11.33	64	-21.07	104	-12.91	144	-17.53	184	-9.51	224	-19.47	264	-20.49	304	-18.09	344	-19.69
25	-11.7	65	-20.66	105	-13.08	145	-17.22	185	-9.59	225	-20.97	265	-20.87	305	-18.08	345	-18.58
26	-12.14	66	-20.2	106	-13.27	146	-17	186	-9.67	226	-22.1	266	-21.25	306	-18.06	346	-17.56
27	-12.64	67	-19.72	107	-13.49	147	-16.86	187	-9.78	227	-23.34	267	-21.65	307	-18.03	347	-16.65
28	-13.2	68	-19.23	108	-13.71	148	-16.8	188	-9.88	228	-24.52	268	-22.02	308	-17.97	348	-15.86
29	-13.83	69	-18.75	109	-13.93	149	-16.85	189	-10.03	229	-25.26	269	-22.33	309	-17.92	349	-15.18
30	-14.52	70	-18.31	110	-14.17	150	-16.97	190	-10.22	230	-25.57	270	-22.68	310	-17.88	350	-14.55
31	-15.28	71	-17.93	111	-14.33	151	-17.14	191	-10.41	231	-25.21	271	-22.91	311	-17.81	351	-14.05
32	-16.16	72	-17.54	112	-14.49	152	-17.36	192	-10.74	232	-24.36	272	-23.23	312	-17.76	352	-13.54
33	-17.11	73	-17.2	113	-14.6	153	-17.66	193	-10.96	233	-23.48	273	-23.55	313	-17.72	353	-13.15
34	-18.22	74	-16.86	114	-14.64	154	-18.08	194	-11.19	234	-22.37	274	-23.94	314	-17.69	354	-12.82
35	-19.32	75	-16.54	115	-14.63	155	-18.57	195	-11.43	235	-21.41	275	-24.38	315	-17.64	355	-12.58
36	-20.56	76	-16.25	116	-14.56	156	-19.1	196	-11.69	236	-20.42	276	-24.87	316	-17.59	356	-12.37
37	-21.73	77	-15.98	117	-14.5	157	-19.54	197	-11.95	237	-19.47	277	-25.46	317	-17.58	357	-12.17
38	-22.7	78	-15.73	118	-14.4	158	-19.79	198	-12.23	238	-18.67	278	-26.23	318	-17.58	358	-12.02
39	-23.36	79	-15.51	119	-14.34	159	-19.66	199	-12.47	239	-17.98	279	-27.25	319	-17.61	359	-11.87

Radiated Pattern : DAX800XR




BT Hch Hor(ZX)

Received Power

MAX MIN AVE
 -10.36 -50.81 -17.1809

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-13.39	40	-15.66	80	-10.5	120	-13.28	160	-19.15	200	-17.67	240	-17.76	280	-12.56	320	-15.13
1	-13.68	41	-15.72	81	-10.67	121	-14.21	161	-18.12	201	-17	241	-17.61	281	-12.56	321	-15.07
2	-13.89	42	-15.74	82	-10.95	122	-15.33	162	-17.22	202	-16.27	242	-17.39	282	-12.59	322	-14.97
3	-14.15	43	-15.68	83	-11.26	123	-16.54	163	-16.51	203	-15.69	243	-17.2	283	-12.67	323	-14.94
4	-14.49	44	-15.64	84	-11.61	124	-17.94	164	-15.94	204	-15.24	244	-17.1	284	-12.76	324	-14.98
5	-14.92	45	-15.65	85	-12.06	125	-19.47	165	-15.58	205	-14.9	245	-16.95	285	-12.85	325	-15.05
6	-15.43	46	-15.61	86	-12.61	126	-21.35	166	-15.42	206	-14.68	246	-16.93	286	-13.02	326	-15.17
7	-15.93	47	-15.63	87	-13.2	127	-23.43	167	-15.36	207	-14.49	247	-16.88	287	-13.15	327	-15.29
8	-16.62	48	-15.65	88	-13.84	128	-26.08	168	-15.38	208	-14.27	248	-16.89	288	-13.33	328	-15.55
9	-17.29	49	-15.65	89	-14.51	129	-29.5	169	-15.47	209	-14.1	249	-16.98	289	-13.54	329	-15.86
10	-17.98	50	-15.59	90	-15.19	130	-33.73	170	-15.63	210	-13.94	250	-17.23	290	-13.8	330	-16.27
11	-18.6	51	-15.46	91	-15.78	131	-41.6	171	-15.86	211	-13.81	251	-17.61	291	-14.02	331	-16.81
12	-19.26	52	-15.37	92	-16.23	132	-50.81	172	-16.15	212	-13.67	252	-18.09	292	-14.31	332	-17.49
13	-19.81	53	-15.26	93	-16.52	133	-59.17	173	-16.46	213	-13.56	253	-18.54	293	-14.58	333	-18.37
14	-20.17	54	-15.11	94	-16.66	134	-64.61	174	-16.86	214	-13.49	254	-18.99	294	-14.88	334	-19.51
15	-20.38	55	-14.98	95	-16.65	135	-62.26	175	-17.49	215	-13.53	255	-19.25	295	-15.19	335	-20.93
16	-20.24	56	-14.84	96	-16.46	136	-50.8	176	-17.74	216	-13.63	256	-19.46	296	-15.43	336	-23
17	-19.89	57	-14.65	97	-16.23	137	-29.55	177	-18.43	217	-13.74	257	-19.52	297	-15.68	337	-25.56
18	-19.48	58	-14.46	98	-15.87	138	-28.5	178	-18.9	218	-13.85	258	-19.51	298	-15.91	338	-29.29
19	-19.18	59	-14.26	99	-15.53	139	-27.45	179	-19.21	219	-14	259	-19.4	299	-16.09	339	-36.49
20	-18.69	60	-14.07	100	-15.1	140	-26.5	180	-19.45	220	-14.22	260	-19.06	300	-16.19	340	-43.2
21	-18.33	61	-13.89	101	-14.74	141	-25.41	181	-19.5	221	-14.48	261	-18.69	301	-16.18	341	-31.53
22	-18.06	62	-13.7	102	-14.44	142	-24.51	182	-19.51	222	-14.79	262	-18.23	302	-16.18	342	-26.47
23	-17.81	63	-13.52	103	-14.1	143	-23.84	183	-19.54	223	-15.16	263	-17.74	303	-16.06	343	-23.78
24	-17.55	64	-13.31	104	-13.69	144	-23.25	184	-19.68	224	-15.57	264	-17.2	304	-16.09	344	-21.51
25	-17.33	65	-13.11	105	-13.02	145	-23.08	185	-19.93	225	-16.03	265	-16.7	305	-15.96	345	-19.94
26	-17.14	66	-12.88	106	-12.52	146	-23.07	186	-20.21	226	-16.51	266	-16.16	306	-15.78	346	-18.52
27	-16.99	67	-12.63	107	-12.04	147	-23.22	187	-20.41	227	-16.95	267	-15.67	307	-15.72	347	-17.56
28	-16.77	68	-12.38	108	-11.56	148	-23.7	188	-20.58	228	-17.38	268	-15.21	308	-15.62	348	-16.76
29	-16.57	69	-12.15	109	-11.18	149	-24.42	189	-20.72	229	-17.8	269	-14.78	309	-15.57	349	-15.94
30	-16.38	70	-11.86	110	-10.86	150	-25.59	190	-20.95	230	-18.13	270	-14.4	310	-15.52	350	-15.42
31	-16.28	71	-11.6	111	-10.6	151	-27.15	191	-21.24	231	-18.48	271	-14.06	311	-15.51	351	-14.81
32	-16.25	72	-11.32	112	-10.44	152	-28.87	192	-21.64	232	-18.58	272	-13.74	312	-15.51	352	-14.43
33	-16.16	73	-11.07	113	-10.37	153	-30.47	193	-21.81	233	-18.72	273	-13.46	313	-15.53	353	-14.13
34	-16.09	74	-10.83	114	-10.37	154	-30.58	194	-21.79	234	-18.65	274	-13.21	314	-15.5	354	-13.87
35	-15.98	75	-10.67	115	-10.58	155	-28.64	195	-21.42	235	-18.52	275	-13.03	315	-15.48	355	-13.65
36	-15.9	76	-10.52	116	-10.75	156	-26.02	196	-20.79	236	-18.45	276	-12.84	316	-15.41	356	-13.49
37	-15.78	77	-10.4	117	-11.14	157	-23.95	197	-20.13	237	-18.26	277	-12.73	317	-15.39	357	-13.4
38	-15.66	78	-10.36	118	-11.67	158	-22.09	198	-19.31	238	-18.17	278	-12.65	318	-15.3	358	-13.39
39	-15.63	79	-10.39	119	-12.4	159	-20.5	199	-18.49	239	-17.99	279	-12.59	319	-15.22	359	-13.39

Radiated Pattern : DAX800XR




BT Hch Ver(ZX)

Received Power

MAX MIN AVE
 -8.26 -34.22 -16.8463

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-9.72	40	-20.03	80	-17.21	120	-17.65	160	-12.66	200	-10.83	240	-19.22	280	-23.04	320	-17.62
1	-9.29	41	-20.74	81	-17.25	121	-17.9	161	-12.02	201	-10.83	241	-18.76	281	-22.9	321	-17.51
2	-9.23	42	-21.39	82	-17.24	122	-18.1	162	-11.44	202	-10.84	242	-18.35	282	-22.73	322	-17.47
3	-9.18	43	-21.92	83	-17.19	123	-18.29	163	-10.98	203	-10.87	243	-17.94	283	-22.55	323	-17.5
4	-9.14	44	-22.42	84	-17.05	124	-18.45	164	-10.54	204	-10.93	244	-17.52	284	-22.31	324	-17.64
5	-9.14	45	-22.86	85	-16.84	125	-18.55	165	-10.16	205	-11.01	245	-17.14	285	-22.09	325	-17.83
6	-9.19	46	-23.27	86	-16.57	126	-18.61	166	-9.82	206	-11.16	246	-16.85	286	-21.79	326	-18.07
7	-9.25	47	-23.63	87	-16.3	127	-18.67	167	-9.53	207	-11.21	247	-16.61	287	-21.49	327	-18.41
8	-9.35	48	-23.84	88	-15.94	128	-18.68	168	-9.29	208	-11.34	248	-16.42	288	-21.14	328	-18.84
9	-9.5	49	-24.11	89	-15.55	129	-18.69	169	-9.07	209	-11.51	249	-16.25	289	-20.81	329	-19.35
10	-9.65	50	-24.34	90	-15.12	130	-18.69	170	-8.9	210	-11.85	250	-16.1	290	-20.48	330	-19.91
11	-9.8	51	-24.62	91	-14.72	131	-18.73	171	-8.76	211	-12.13	251	-15.95	291	-20.17	331	-20.51
12	-9.95	52	-24.76	92	-14.28	132	-18.77	172	-8.58	212	-12.45	252	-15.84	292	-19.9	332	-21.18
13	-10.11	53	-24.87	93	-13.86	133	-18.82	173	-8.46	213	-12.78	253	-15.78	293	-19.72	333	-21.92
14	-10.26	54	-24.88	94	-13.47	134	-18.85	174	-8.34	214	-13.15	254	-15.78	294	-19.6	334	-22.87
15	-10.4	55	-24.82	95	-13.13	135	-18.89	175	-8.3	215	-13.59	255	-15.8	295	-19.58	335	-23.9
16	-10.54	56	-24.62	96	-12.85	136	-18.95	176	-8.28	216	-14.12	256	-15.86	296	-19.61	336	-25.12
17	-10.69	57	-24.33	97	-12.61	137	-19.04	177	-8.26	217	-14.68	257	-16	297	-19.67	337	-26.11
18	-10.75	58	-23.97	98	-12.41	138	-19.09	178	-8.26	218	-15.35	258	-16.14	298	-19.76	338	-26.51
19	-10.89	59	-23.7	99	-12.27	139	-19.13	179	-8.3	219	-16.02	259	-16.39	299	-19.97	339	-26.97
20	-10.97	60	-23.27	100	-12.18	140	-19.16	180	-8.34	220	-16.75	260	-16.7	300	-20.39	340	-24.73
21	-11.09	61	-22.77	101	-12.15	141	-19.19	181	-8.43	221	-17.59	261	-17.07	301	-20.86	341	-23.14
22	-11.21	62	-22.25	102	-12.16	142	-19.19	182	-8.57	222	-18.5	262	-17.5	302	-21.46	342	-21.53
23	-11.35	63	-21.74	103	-12.24	143	-19.19	183	-8.72	223	-19.55	263	-17.94	303	-22.09	343	-20.13
24	-11.51	64	-21.27	104	-12.35	144	-19.11	184	-8.87	224	-20.78	264	-18.54	304	-22.63	344	-18.8
25	-11.73	65	-20.75	105	-12.53	145	-18.95	185	-9.02	225	-22.22	265	-19.18	305	-23.03	345	-17.66
26	-11.98	66	-20.22	106	-12.77	146	-18.88	186	-9.16	226	-24.16	266	-19.83	306	-23.26	346	-16.56
27	-12.25	67	-19.78	107	-13.04	147	-18.8	187	-9.29	227	-26.27	267	-20.51	307	-23.35	347	-15.64
28	-12.59	68	-19.37	108	-13.54	148	-18.66	188	-9.45	228	-29.05	268	-21.23	308	-23.19	348	-14.79
29	-12.95	69	-19.06	109	-13.92	149	-18.53	189	-9.63	229	-32.33	269	-21.9	309	-22.92	349	-14.07
30	-13.41	70	-18.69	110	-14.37	150	-18.35	190	-9.83	230	-34.22	270	-22.52	310	-22.34	350	-13.02
31	-13.88	71	-18.39	111	-14.68	151	-18.05	191	-10.02	231	-32.29	271	-22.91	311	-21.42	351	-12.73
32	-14.37	72	-18.06	112	-15.09	152	-17.68	192	-10.21	232	-29.37	272	-23.25	312	-20.8	352	-11.85
33	-14.92	73	-17.82	113	-15.49	153	-17.2	193	-10.34	233	-27.01	273	-23.41	313	-20.24	353	-11.63
34	-15.57	74	-17.63	114	-15.89	154	-16.66	194	-10.46	234	-25.08	274	-23.42	314	-19.72	354	-10.98
35	-16.26	75	-17.45	115	-16.26	155	-16.11	195	-10.55	235	-23.75	275	-23.28	315	-19.23	355	-10.59
36	-16.99	76	-17.34	116	-16.6	156	-15.43	196	-10.66	236	-22.53	276	-23.23	316	-18.77	356	-10.28
37	-17.76	77	-17.26	117	-16.89	157	-14.76	197	-10.74	237	-21.52	277	-23.16	317	-18.34	357	-9.97
38	-18.5	78	-17.22	118	-17.16	158	-14.03	198	-10.82	238	-20.38	278	-23.15	318	-18.03	358	-9.73
39	-19.28	79	-17.21	119	-17.42	159	-13.34	199	-10.84	239	-19.76	279	-23.11	319	-17.8	359	-9.52

Radiated Pattern : DAX800XR




WiFi 2.4GHz Lch (ANT1) Hor (XY)

Received Power

MAX MIN AVE
 -9.17 -41.99 -19.9259

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-11.3	40	-11.7	80	-20.69	120	-34.57	160	-20.6	200	-25.09	240	-36.62	280	-27.84	320	-17.75
1	-11.76	41	-12.21	81	-20.74	121	-35.73	161	-20.42	201	-28.2	241	-39.02	281	-27.15	321	-18.67
2	-11.99	42	-12.66	82	-20.75	122	-37.26	162	-20.11	202	-32.54	242	-40.24	282	-26.3	322	-19.9
3	-12.27	43	-13.19	83	-20.69	123	-37.92	163	-19.65	203	-41.99	243	-39.32	283	-25.3	323	-21.13
4	-12.58	44	-13.74	84	-20.58	124	-37.09	164	-19.31	204	-36.78	244	-36.92	284	-24.27	324	-22.61
5	-12.79	45	-14.2	85	-20.45	125	-34.63	165	-18.79	205	-30.21	245	-34.41	285	-23.13	325	-24.19
6	-13.05	46	-14.69	86	-20.29	126	-32.3	166	-18.37	206	-26.45	246	-32.31	286	-22.12	326	-25.73
7	-13.18	47	-15.19	87	-20.12	127	-30.56	167	-17.79	207	-23.9	247	-30.47	287	-21.06	327	-26.81
8	-13.29	48	-15.56	88	-19.94	128	-28.69	168	-17.3	208	-22.05	248	-28.96	288	-20.21	328	-27.15
9	-13.33	49	-15.85	89	-19.84	129	-27.15	169	-16.94	209	-20.57	249	-27.74	289	-19.29	329	-26.88
10	-13.34	50	-16.1	90	-19.65	130	-25.97	170	-16.54	210	-19.38	250	-26.65	290	-18.49	330	-26.35
11	-13.23	51	-16.26	91	-19.57	131	-24.79	171	-16.33	211	-18.43	251	-25.71	291	-17.74	331	-25.76
12	-13.13	52	-16.37	92	-19.41	132	-23.92	172	-16.16	212	-17.67	252	-24.93	292	-17.11	332	-25.54
13	-12.92	53	-16.44	93	-19.34	133	-23.29	173	-16	213	-17.1	253	-24.13	293	-16.51	333	-25.42
14	-12.72	54	-16.45	94	-19.18	134	-22.93	174	-15.94	214	-16.63	254	-23.52	294	-15.99	334	-25.83
15	-12.46	55	-16.46	95	-19.05	135	-22.69	175	-15.86	215	-16.25	255	-22.96	295	-15.52	335	-26.55
16	-12.19	56	-16.47	96	-18.98	136	-22.64	176	-15.83	216	-15.94	256	-22.5	296	-15.13	336	-27.68
17	-11.89	57	-16.45	97	-18.8	137	-22.7	177	-15.88	217	-15.78	257	-22.18	297	-14.77	337	-29.65
18	-11.6	58	-16.45	98	-18.72	138	-22.94	178	-15.92	218	-15.63	258	-21.93	298	-14.43	338	-34.92
19	-11.3	59	-16.48	99	-18.65	139	-23.09	179	-15.95	219	-15.6	259	-21.73	299	-14.12	339	-38.18
20	-11.03	60	-16.54	100	-18.58	140	-23.33	180	-16	220	-15.69	260	-21.6	300	-13.72	340	-33.22
21	-10.75	61	-16.6	101	-18.5	141	-23.62	181	-15.95	221	-15.79	261	-21.53	301	-13.49	341	-28.45
22	-10.48	62	-16.68	102	-18.67	142	-23.75	182	-15.92	222	-15.99	262	-21.57	302	-13.3	342	-25.05
23	-10.24	63	-16.81	103	-18.78	143	-23.85	183	-15.84	223	-16.29	263	-21.72	303	-13.11	343	-22.21
24	-10	64	-16.91	104	-19.13	144	-23.66	184	-15.7	224	-16.58	264	-21.93	304	-12.98	344	-20.14
25	-9.78	65	-17.05	105	-19.52	145	-23.45	185	-15.65	225	-17.21	265	-22.38	305	-12.86	345	-18.42
26	-9.62	66	-17.22	106	-19.96	146	-23.06	186	-15.52	226	-17.44	266	-22.79	306	-12.8	346	-16.94
27	-9.45	67	-17.38	107	-20.61	147	-22.58	187	-15.4	227	-18.21	267	-23.27	307	-12.77	347	-15.67
28	-9.3	68	-17.56	108	-21.39	148	-22.08	188	-15.39	228	-18.48	268	-23.85	308	-12.8	348	-14.62
29	-9.23	69	-17.78	109	-22.2	149	-21.68	189	-15.4	229	-19.37	269	-24.48	309	-12.82	349	-13.8
30	-9.2	70	-18.01	110	-23.12	150	-21.34	190	-15.58	230	-19.7	270	-25.17	310	-12.9	350	-13.08
31	-9.17	71	-18.26	111	-24.22	151	-21.07	191	-15.86	231	-20.87	271	-25.89	311	-13.05	351	-12.5
32	-9.25	72	-18.53	112	-25.27	152	-20.89	192	-16.25	232	-21.73	272	-26.6	312	-13.18	352	-12.03
33	-9.37	73	-18.97	113	-26.58	153	-20.78	193	-16.74	233	-22.85	273	-27.24	313	-13.44	353	-11.64
34	-9.5	74	-19.26	114	-27.94	154	-20.72	194	-17.32	234	-24.14	274	-27.82	314	-13.76	354	-11.36
35	-9.72	75	-19.58	115	-29.31	155	-20.72	195	-18.03	235	-25.64	275	-28.31	315	-14.16	355	-11.17
36	-9.97	76	-19.87	116	-30.54	156	-20.83	196	-18.87	236	-27.36	276	-28.64	316	-14.7	356	-11.06
37	-10.43	77	-20.17	117	-31.57	157	-20.88	197	-19.96	237	-29.42	277	-28.81	317	-15.31	357	-11.05
38	-10.82	78	-20.38	118	-32.59	158	-20.84	198	-21.27	238	-31.7	278	-28.76	318	-16.04	358	-11.15
39	-11.26	79	-20.57	119	-33.56	159	-20.81	199	-22.91	239	-34.14	279	-28.42	319	-16.86	359	-11.24

Radiated Pattern : DAX800XR




WiFi 2.4GHz Lch (ANT1) Ver (XY)

Received Power

MAX MIN AVE
 -12.62 -42.7 -17.1023

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-18.38	40	-14.58	80	-13.83	120	-14.1	160	-22.63	200	-15.69	240	-13.42	280	-15.12	320	-33.44
1	-16.9	41	-14.54	81	-14.04	121	-13.99	161	-23.19	201	-15.61	241	-13.44	281	-15.46	321	-29.32
2	-16.47	42	-14.57	82	-14.26	122	-13.91	162	-23.5	202	-15.66	242	-13.49	282	-15.86	322	-26.53
3	-16.19	43	-14.61	83	-14.47	123	-13.86	163	-23.39	203	-15.75	243	-13.53	283	-16.26	323	-24.6
4	-15.98	44	-14.58	84	-14.69	124	-13.83	164	-23.01	204	-15.89	244	-13.59	284	-16.74	324	-22.52
5	-15.88	45	-14.58	85	-14.91	125	-13.85	165	-22.22	205	-16.05	245	-13.66	285	-17.26	325	-21.97
6	-15.81	46	-14.58	86	-15.15	126	-13.88	166	-21.49	206	-16.17	246	-13.75	286	-17.85	326	-21.13
7	-15.86	47	-14.6	87	-15.4	127	-13.95	167	-20.64	207	-16.33	247	-13.8	287	-18.48	327	-20.3
8	-15.96	48	-14.53	88	-15.64	128	-13.98	168	-19.8	208	-16.5	248	-13.85	288	-19.1	328	-20.01
9	-16.07	49	-14.51	89	-15.94	129	-14.03	169	-19.01	209	-16.73	249	-13.89	289	-20.12	329	-19.96
10	-16.23	50	-14.46	90	-16.23	130	-14.02	170	-18.32	210	-16.94	250	-13.92	290	-20.79	330	-20.1
11	-16.43	51	-14.34	91	-16.53	131	-14.02	171	-17.63	211	-17.19	251	-13.95	291	-21.4	331	-20.35
12	-16.56	52	-14.27	92	-16.83	132	-14.03	172	-17.04	212	-17.48	252	-13.96	292	-21.91	332	-20.84
13	-16.7	53	-14.14	93	-17.18	133	-14.04	173	-16.52	213	-17.55	253	-13.95	293	-22.24	333	-21.54
14	-16.78	54	-14.04	94	-17.55	134	-14.06	174	-15.93	214	-17.57	254	-13.96	294	-22.4	334	-22.51
15	-16.78	55	-13.9	95	-17.96	135	-14.11	175	-15.65	215	-17.52	255	-13.95	295	-22.29	335	-23.74
16	-16.72	56	-13.79	96	-18.35	136	-14.05	176	-15.5	216	-17.41	256	-13.94	296	-22.04	336	-25.09
17	-16.63	57	-13.6	97	-18.78	137	-14.03	177	-15.38	217	-17.26	257	-13.91	297	-21.66	337	-26.55
18	-16.46	58	-13.47	98	-19.48	138	-13.96	178	-15.36	218	-17.07	258	-13.89	298	-21.21	338	-27.84
19	-16.26	59	-13.3	99	-19.7	139	-13.88	179	-15.36	219	-16.85	259	-13.84	299	-20.75	339	-28.46
20	-16.05	60	-13.15	100	-20.18	140	-13.87	180	-15.41	220	-16.59	260	-13.8	300	-20.25	340	-28.2
21	-15.81	61	-13.04	101	-20.8	141	-13.92	181	-15.49	221	-16.29	261	-13.77	301	-19.8	341	-27.3
22	-15.58	62	-12.93	102	-21.09	142	-14.05	182	-15.66	222	-15.99	262	-13.67	302	-19.39	342	-26.29
23	-15.38	63	-12.82	103	-21.29	143	-14.22	183	-15.88	223	-15.69	263	-13.6	303	-19.05	343	-25.34
24	-15.17	64	-12.76	104	-21.28	144	-14.4	184	-16.16	224	-15.4	264	-13.56	304	-18.77	344	-24.62
25	-14.96	65	-12.7	105	-21.1	145	-14.61	185	-16.38	225	-15.15	265	-13.52	305	-18.62	345	-24.19
26	-14.82	66	-12.64	106	-20.76	146	-14.87	186	-16.59	226	-14.88	266	-13.49	306	-18.63	346	-23.91
27	-14.64	67	-12.63	107	-20.29	147	-15.17	187	-16.75	227	-14.64	267	-13.47	307	-18.67	347	-23.76
28	-14.52	68	-12.63	108	-19.68	148	-15.57	188	-16.91	228	-14.4	268	-13.46	308	-18.93	348	-23.71
29	-14.43	69	-12.62	109	-19.02	149	-15.97	189	-17.03	229	-14.22	269	-13.46	309	-19.19	349	-23.73
30	-14.38	70	-12.65	110	-18.37	150	-16.4	190	-17.06	230	-14.05	270	-13.48	310	-19.65	350	-23.72
31	-14.38	71	-12.71	111	-17.69	151	-16.83	191	-17.04	231	-13.94	271	-13.54	311	-20.27	351	-23.63
32	-14.41	72	-12.77	112	-17.06	152	-17.26	192	-16.88	232	-13.8	272	-13.6	312	-21.07	352	-23.41
33	-14.4	73	-12.85	113	-16.46	153	-17.71	193	-16.68	233	-13.69	273	-13.7	313	-22.24	353	-22.99
34	-14.41	74	-12.93	114	-15.92	154	-18.29	194	-16.49	234	-13.6	274	-13.8	314	-23.77	354	-22.36
35	-14.44	75	-13.03	115	-15.48	155	-18.87	195	-16.26	235	-13.52	275	-13.95	315	-25.64	355	-21.54
36	-14.44	76	-13.17	116	-15.11	156	-19.6	196	-16.09	236	-13.47	276	-14.12	316	-28.38	356	-20.71
37	-14.45	77	-13.3	117	-14.75	157	-20.38	197	-15.96	237	-13.43	277	-14.35	317	-32.68	357	-19.8
38	-14.49	78	-13.47	118	-14.48	158	-21.15	198	-15.86	238	-13.41	278	-14.54	318	-40.12	358	-18.95
39	-14.5	79	-13.64	119	-14.3	159	-21.93	199	-15.73	239	-13.41	279	-14.83	319	-42.7	359	-18.23

Radiated Pattern : DAX800XR




WiFi 2.4GHz Cch (ANT1) Hor (XY)

Received Power

MAX MIN AVE
 -6.97 -47.38 -16.5791

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-12.46	40	-6.97	80	-12.99	120	-17.34	160	-16.57	200	-11.82	240	-23.22	280	-23.14	320	-9.23
1	-10.21	41	-7	81	-13.37	121	-17.84	161	-16.89	201	-11.91	241	-24.59	281	-23.26	321	-9.23
2	-9.63	42	-7.14	82	-13.84	122	-18.23	162	-17.38	202	-12.08	242	-26.28	282	-23.49	322	-9.33
3	-9.21	43	-7.21	83	-14.33	123	-18.47	163	-18.03	203	-12.27	243	-28.05	283	-23.73	323	-9.57
4	-8.86	44	-7.43	84	-14.78	124	-18.83	164	-18.78	204	-12.51	244	-29.95	284	-24	324	-9.76
5	-8.64	45	-7.61	85	-15.3	125	-19.02	165	-19.67	205	-12.79	245	-31.35	285	-24.13	325	-10.12
6	-8.54	46	-7.84	86	-15.82	126	-19.18	166	-20.53	206	-13.22	246	-33.44	286	-24.18	326	-10.53
7	-8.48	47	-8.18	87	-16.26	127	-19.23	167	-20.99	207	-13.69	247	-35.58	287	-24.07	327	-10.91
8	-8.62	48	-8.55	88	-16.67	128	-19.32	168	-21.12	208	-14.68	248	-38.58	288	-24.04	328	-11.56
9	-8.75	49	-8.83	89	-16.92	129	-19.53	169	-20.71	209	-15.54	249	-42.06	289	-23.95	329	-12.14
10	-9.01	50	-9.27	90	-16.97	130	-19.57	170	-20.01	210	-16.59	250	-47.38	290	-23.7	330	-13
11	-9.35	51	-9.76	91	-16.87	131	-19.68	171	-18.71	211	-17.97	251	-41.45	291	-23.3	331	-14
12	-9.72	52	-10.17	92	-16.58	132	-19.75	172	-18.07	212	-19.81	252	-35.9	292	-22.88	332	-15.22
13	-10.17	53	-10.66	93	-16.32	133	-19.65	173	-17.3	213	-22.13	253	-32.33	293	-22.07	333	-16.72
14	-10.68	54	-11.2	94	-15.93	134	-19.45	174	-16.81	214	-25.61	254	-29.33	294	-21.23	334	-18.59
15	-11.14	55	-11.7	95	-15.49	135	-19.26	175	-16.27	215	-30.99	255	-27.2	295	-20.48	335	-20.68
16	-11.66	56	-12.17	96	-15.19	136	-19.08	176	-15.91	216	-33.57	256	-25.38	296	-19.54	336	-23.41
17	-12.14	57	-12.63	97	-14.84	137	-19.11	177	-15.7	217	-38.05	257	-24.02	297	-18.55	337	-26.07
18	-12.6	58	-13.02	98	-14.51	138	-19.14	178	-15.73	218	-43.85	258	-23.01	298	-17.77	338	-27.37
19	-12.9	59	-13.34	99	-14.17	139	-19.22	179	-15.82	219	-51.05	259	-22.13	299	-16.93	339	-25.85
20	-13.19	60	-13.48	100	-14.06	140	-19.32	180	-16.04	220	-59.11	260	-21.35	300	-16.04	340	-23.68
21	-13.29	61	-13.6	101	-13.87	141	-19.46	181	-16.35	221	-67.61	261	-20.71	301	-15.21	341	-21.82
22	-13.28	62	-13.69	102	-13.77	142	-19.55	182	-16.73	222	-77.63	262	-20.18	302	-14.48	342	-20.41
23	-13.11	63	-13.65	103	-13.74	143	-19.64	183	-17	223	-89.54	263	-19.86	303	-13.89	343	-19.38
24	-12.85	64	-13.52	104	-13.7	144	-19.8	184	-17.44	224	-103.83	264	-19.56	304	-13.21	344	-18.92
25	-12.5	65	-13.37	105	-13.61	145	-19.86	185	-17.51	225	-119.34	265	-19.47	305	-12.66	345	-18.69
26	-11.77	66	-13.04	106	-13.57	146	-19.79	186	-17.62	226	-146.09	266	-19.43	306	-12.19	346	-18.79
27	-11.23	67	-12.92	107	-13.55	147	-19.62	187	-17.27	227	-174.92	267	-19.41	307	-11.75	347	-19.28
28	-10.73	68	-12.72	108	-13.6	148	-19.42	188	-16.78	228	-215.88	268	-19.44	308	-11.34	348	-20.16
29	-10.2	69	-12.45	109	-13.57	149	-19.1	189	-16.23	229	-269.54	269	-19.54	309	-10.95	349	-21.67
30	-9.69	70	-12.28	110	-13.63	150	-18.72	190	-15.52	230	-337.32	270	-19.68	310	-10.63	350	-24.19
31	-9.21	71	-12.2	111	-13.76	151	-18.44	191	-14.72	231	-429.69	271	-19.94	311	-10.41	351	-27.55
32	-8.78	72	-12.11	112	-13.89	152	-18.08	192	-14.04	232	-546.12	272	-20.25	312	-10.13	352	-30.41
33	-8.32	73	-12.07	113	-14.12	153	-17.73	193	-13.44	233	-688.58	273	-20.57	313	-9.81	353	-27.88
34	-7.96	74	-12	114	-14.51	154	-17.38	194	-12.91	234	-858.45	274	-20.88	314	-9.71	354	-21.22
35	-7.73	75	-12.06	115	-14.89	155	-17.04	195	-12.47	235	-1057.26	275	-21.2	315	-9.57	355	-19.65
36	-7.47	76	-12.1	116	-15.33	156	-16.76	196	-12.16	236	-1287.19	276	-21.55	316	-9.43	356	-16.17
37	-7.21	77	-12.25	117	-15.8	157	-16.5	197	-11.92	237	-1549.15	277	-21.99	317	-9.37	357	-14.4
38	-7.14	78	-12.47	118	-16.39	158	-16.37	198	-11.75	238	-1845.28	278	-22.39	318	-9.28	358	-12.96
39	-7.06	79	-12.74	119	-16.82	159	-16.43	199	-11.75	239	-2178.18	279	-22.64	319	-9.24	359	-11.85

Radiated Pattern : DAX800XR




WiFi 2.4GHz Cch (ANT1) Ver(XY)

Received Power

MAX MIN AVE
 -9.23 -24.6 -13.2467

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-20.66	40	-12.94	80	-10.35	120	-12.18	160	-11.75	200	-12.59	240	-10.25	280	-11.03	320	-14.78
1	-20.14	41	-12.75	81	-10.53	121	-11.9	161	-12.18	201	-12.41	241	-10.18	281	-11.05	321	-14.91
2	-19.66	42	-12.49	82	-10.7	122	-11.71	162	-12.37	202	-12.32	242	-10.11	282	-11.04	322	-15.23
3	-19.21	43	-12.31	83	-10.94	123	-11.58	163	-12.64	203	-12.22	243	-10.06	283	-11.04	323	-15.58
4	-18.7	44	-12.18	84	-11.2	124	-11.52	164	-12.92	204	-12.16	244	-10.01	284	-11.02	324	-15.98
5	-18.13	45	-11.99	85	-11.46	125	-11.51	165	-13.3	205	-12.18	245	-9.98	285	-10.98	325	-16.72
6	-17.48	46	-11.74	86	-11.75	126	-11.54	166	-13.62	206	-12.25	246	-9.95	286	-10.95	326	-17.46
7	-16.77	47	-11.62	87	-12.07	127	-11.61	167	-14	207	-12.35	247	-9.9	287	-10.92	327	-18.2
8	-15.97	48	-11.47	88	-12.37	128	-11.65	168	-14.33	208	-12.43	248	-9.88	288	-10.91	328	-19.25
9	-15.25	49	-11.28	89	-12.71	129	-11.7	169	-14.68	209	-12.55	249	-9.86	289	-10.93	329	-20.08
10	-14.48	50	-11.16	90	-13.08	130	-11.73	170	-14.93	210	-12.67	250	-9.86	290	-10.93	330	-20.96
11	-13.79	51	-11.06	91	-13.63	131	-11.75	171	-15.21	211	-12.83	251	-9.84	291	-11.01	331	-21.46
12	-13.1	52	-11.03	92	-14.07	132	-11.7	172	-15.46	212	-13.02	252	-9.82	292	-11.15	332	-21.5
13	-12.55	53	-10.93	93	-14.45	133	-11.61	173	-15.63	213	-13.24	253	-9.82	293	-11.24	333	-20.85
14	-12.07	54	-10.84	94	-14.87	134	-11.47	174	-15.65	214	-13.45	254	-9.84	294	-11.4	334	-19.91
15	-11.68	55	-10.65	95	-15.3	135	-11.26	175	-15.54	215	-13.59	255	-9.87	295	-11.58	335	-19.07
16	-11.34	56	-10.67	96	-15.72	136	-10.99	176	-15.31	216	-13.68	256	-9.9	296	-11.78	336	-18.2
17	-11.16	57	-10.54	97	-16.13	137	-10.77	177	-14.98	217	-13.73	257	-9.89	297	-11.98	337	-17.52
18	-11	58	-10.55	98	-16.53	138	-10.58	178	-14.6	218	-13.78	258	-9.94	298	-12.25	338	-16.9
19	-11.05	59	-10.48	99	-16.96	139	-10.37	179	-14.23	219	-13.86	259	-9.96	299	-12.54	339	-16.51
20	-11.11	60	-10.37	100	-17.33	140	-10.09	180	-13.83	220	-13.89	260	-9.99	300	-12.81	340	-16.32
21	-11.29	61	-10.33	101	-17.78	141	-9.91	181	-13.53	221	-13.81	261	-10.05	301	-13.13	341	-16.14
22	-11.55	62	-10.26	102	-18.2	142	-9.7	182	-13.22	222	-13.72	262	-10.14	302	-13.52	342	-16.18
23	-11.89	63	-10.19	103	-18.62	143	-9.49	183	-13.08	223	-13.62	263	-10.17	303	-13.8	343	-16.49
24	-12.19	64	-10.18	104	-18.84	144	-9.36	184	-12.91	224	-13.38	264	-10.2	304	-14.23	344	-16.85
25	-12.6	65	-10.11	105	-19.02	145	-9.28	185	-12.86	225	-13.2	265	-10.26	305	-14.52	345	-17.32
26	-12.99	66	-10.01	106	-18.99	146	-9.27	186	-12.86	226	-13.06	266	-10.34	306	-14.99	346	-17.93
27	-13.35	67	-9.95	107	-18.72	147	-9.23	187	-12.94	227	-12.85	267	-10.38	307	-15.38	347	-18.7
28	-13.6	68	-9.89	108	-18.39	148	-9.28	188	-13.04	228	-12.58	268	-10.47	308	-15.6	348	-19.49
29	-13.87	69	-9.84	109	-17.85	149	-9.33	189	-13.14	229	-12.37	269	-10.57	309	-15.74	349	-20.56
30	-14.06	70	-9.8	110	-17.24	150	-9.45	190	-13.3	230	-12.12	270	-10.63	310	-15.71	350	-21.74
31	-14.27	71	-9.74	111	-16.7	151	-9.55	191	-13.38	231	-11.81	271	-10.66	311	-15.68	351	-23.04
32	-14.26	72	-9.77	112	-16.05	152	-9.79	192	-13.47	232	-11.54	272	-10.72	312	-15.59	352	-23.97
33	-14.32	73	-9.77	113	-15.46	153	-9.99	193	-13.52	233	-11.34	273	-10.77	313	-15.59	353	-24.6
34	-14.26	74	-9.75	114	-14.87	154	-10.22	194	-13.53	234	-11.12	274	-10.86	314	-15.32	354	-24.59
35	-14.08	75	-9.8	115	-14.33	155	-10.45	195	-13.44	235	-10.92	275	-10.9	315	-15.16	355	-24.13
36	-13.89	76	-9.85	116	-13.8	156	-10.72	196	-13.3	236	-10.73	276	-10.94	316	-15.1	356	-23.45
37	-13.72	77	-9.97	117	-13.31	157	-10.88	197	-13.03	237	-10.59	277	-11	317	-14.87	357	-22.66
38	-13.41	78	-10.07	118	-12.87	158	-11.21	198	-12.84	238	-10.44	278	-11.03	318	-14.78	358	-21.88
39	-13.19	79	-10.17	119	-12.49	159	-11.4	199	-12.69	239	-10.35	279	-11.04	319	-14.86	359	-21.57

Radiated Pattern : DAX800XR




WiFi 2.4GHz Hch (ANT1) Hor (XY)

Received Power

MAX MIN AVE
 -11.43 -42.57 -22.2086

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-19.86	40	-11.83	80	-16.64	120	-21.37	160	-32.8	200	-17.7	240	-32.28	280	-40.74	320	-14.74
1	-17.12	41	-11.65	81	-16.96	121	-21.49	161	-32.51	201	-18.17	241	-35.36	281	-39.87	321	-15.09
2	-16.1	42	-11.49	82	-17.37	122	-21.75	162	-31.18	202	-18.9	242	-39.28	282	-37.37	322	-15.45
3	-15.25	43	-11.43	83	-17.85	123	-21.97	163	-29.48	203	-19.43	243	-41.43	283	-34.96	323	-15.87
4	-14.52	44	-11.44	84	-18.37	124	-22.37	164	-27.87	204	-20.03	244	-42.57	284	-33.26	324	-16.32
5	-13.91	45	-11.49	85	-19.01	125	-22.63	165	-25.44	205	-20.76	245	-39.99	285	-31.7	325	-16.76
6	-13.41	46	-11.56	86	-19.74	126	-22.97	166	-24.22	206	-21.68	246	-37.35	286	-30.47	326	-17.17
7	-13.03	47	-11.72	87	-20.5	127	-23.54	167	-23.2	207	-22.82	247	-36.08	287	-29.53	327	-17.66
8	-12.75	48	-11.94	88	-21.38	128	-24.02	168	-22.48	208	-24.18	248	-34.67	288	-28.8	328	-18.15
9	-12.59	49	-12.18	89	-22.31	129	-24.3	169	-21.79	209	-25.5	249	-33.35	289	-28.24	329	-18.67
10	-12.53	50	-12.49	90	-23.22	130	-25.02	170	-21.28	210	-27.65	250	-32.2	290	-27.81	330	-19.29
11	-12.56	51	-12.84	91	-24.17	131	-25.62	171	-21.1	211	-29.58	251	-31.23	291	-27.42	331	-20.01
12	-12.71	52	-13.24	92	-25.1	132	-26.06	172	-20.95	212	-30.26	252	-30.21	292	-27.08	332	-20.88
13	-12.96	53	-13.62	93	-25.97	133	-26.42	173	-20.98	213	-29.4	253	-29.3	293	-26.78	333	-21.88
14	-13.28	54	-14.06	94	-26.23	134	-26.7	174	-21.07	214	-27.35	254	-28.5	294	-26.43	334	-23.09
15	-13.7	55	-14.5	95	-26.21	135	-26.74	175	-21.53	215	-25.17	255	-27.79	295	-26.02	335	-24.53
16	-14.2	56	-14.98	96	-25.93	136	-26.87	176	-21.9	216	-23.23	256	-27.18	296	-25.41	336	-26.32
17	-14.73	57	-15.44	97	-25.55	137	-26.99	177	-22.48	217	-21.8	257	-26.71	297	-24.63	337	-28.36
18	-15.32	58	-15.85	98	-25	138	-27.36	178	-23.34	218	-20.53	258	-26.3	298	-23.79	338	-31.02
19	-15.92	59	-16.28	99	-24.41	139	-27.77	179	-24.05	219	-19.51	259	-26	299	-22.83	339	-33.62
20	-16.5	60	-16.63	100	-23.95	140	-28.22	180	-24.47	220	-18.71	260	-25.78	300	-21.77	340	-33.68
21	-17.09	61	-16.93	101	-23.45	141	-29.25	181	-24.64	221	-18.13	261	-25.62	301	-20.79	341	-31.3
22	-17.61	62	-17.15	102	-22.94	142	-30.37	182	-24.21	222	-17.75	262	-25.53	302	-19.84	342	-28.26
23	-18.16	63	-17.33	103	-22.52	143	-31.35	183	-23.35	223	-17.46	263	-25.57	303	-19.03	343	-25.05
24	-18.41	64	-17.36	104	-22.2	144	-32.84	184	-22.14	224	-17.32	264	-25.68	304	-18.13	344	-24.2
25	-18.54	65	-17.35	105	-21.75	145	-34.75	185	-21.06	225	-17.33	265	-25.81	305	-17.47	345	-22.85
26	-18.42	66	-17.24	106	-21.4	146	-36.51	186	-19.99	226	-17.4	266	-26.07	306	-16.76	346	-21.87
27	-18.19	67	-17.11	107	-21.09	147	-37.94	187	-19.08	227	-17.62	267	-26.34	307	-16.15	347	-21.05
28	-17.81	68	-16.92	108	-20.86	148	-37.3	188	-18.32	228	-17.98	268	-26.73	308	-15.57	348	-20.39
29	-17.38	69	-16.72	109	-20.61	149	-35.57	189	-17.73	229	-18.43	269	-27.15	309	-14.99	349	-20.23
30	-16.77	70	-16.52	110	-20.33	150	-34.16	190	-17.25	230	-18.98	270	-27.63	310	-14.6	350	-20.18
31	-16.25	71	-16.36	111	-20.26	151	-32.74	191	-16.96	231	-19.65	271	-28.3	311	-14.39	351	-20.34
32	-15.61	72	-16.2	112	-20.17	152	-31.7	192	-16.74	232	-20.48	272	-29.5	312	-14.18	352	-20.64
33	-14.98	73	-16.08	113	-20.14	153	-31.05	193	-16.6	233	-21.38	273	-30.48	313	-14.05	353	-21.04
34	-14.33	74	-16	114	-20.08	154	-30.45	194	-16.55	234	-22.46	274	-31.59	314	-13.99	354	-21.44
35	-13.78	75	-15.97	115	-20.17	155	-30.39	195	-16.57	235	-23.57	275	-32.92	315	-13.95	355	-21.75
36	-13.33	76	-15.99	116	-20.41	156	-30.5	196	-16.63	236	-24.81	276	-34.28	316	-14.04	356	-21.7
37	-12.86	77	-16.07	117	-20.52	157	-30.9	197	-16.79	237	-26.77	277	-36.45	317	-14.14	357	-21.13
38	-12.46	78	-16.2	118	-20.78	158	-31.66	198	-17.03	238	-28.31	278	-38.91	318	-14.29	358	-20.33
39	-12.1	79	-16.38	119	-21.12	159	-32.21	199	-17.32	239	-29.99	279	-40.36	319	-14.45	359	-19.27

Radiated Pattern : DAX800XR




WiFi 2.4GHz Hch (ANT1) Ver (XY)

Received Power

MAX -21.21 MIN -35.87 AVE -26.5827

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-26.1	40	-34.78	80	-22.7	120	-24.59	160	-25.27	200	-26.7	240	-23.43	280	-23.4	320	-35.04
1	-26.93	41	-34.6	81	-22.56	121	-24.85	161	-25.14	201	-26.68	241	-23.28	281	-23.59	321	-34.49
2	-27.37	42	-34.49	82	-22.4	122	-25.35	162	-25.03	202	-26.49	242	-23.21	282	-23.78	322	-33.79
3	-27.81	43	-34.44	83	-22.26	123	-25.54	163	-25.04	203	-26.24	243	-23.23	283	-23.95	323	-33.11
4	-28.31	44	-34.17	84	-22.13	124	-25.66	164	-25.07	204	-25.91	244	-23.15	284	-24.14	324	-32.46
5	-28.82	45	-34	85	-22.04	125	-25.93	165	-25.16	205	-25.72	245	-23.02	285	-24.34	325	-31.88
6	-29.4	46	-33.91	86	-21.91	126	-26.08	166	-25.33	206	-25.32	246	-23.03	286	-24.53	326	-31.13
7	-29.84	47	-33.66	87	-21.81	127	-26.18	167	-25.58	207	-25.17	247	-22.9	287	-24.72	327	-30.71
8	-30.38	48	-33.52	88	-21.71	128	-26.29	168	-25.93	208	-24.91	248	-22.83	288	-24.94	328	-30.33
9	-30.86	49	-33.31	89	-21.6	129	-26.34	169	-26.28	209	-24.57	249	-22.82	289	-25.12	329	-30.01
10	-31.33	50	-33.07	90	-21.47	130	-26.33	170	-26.69	210	-24.33	250	-22.74	290	-25.36	330	-29.72
11	-31.76	51	-32.79	91	-21.4	131	-26.29	171	-27.19	211	-24.21	251	-22.65	291	-25.55	331	-29.41
12	-32.11	52	-32.54	92	-21.34	132	-26.29	172	-27.61	212	-23.92	252	-22.53	292	-25.76	332	-29.1
13	-32.41	53	-32.18	93	-21.3	133	-26.32	173	-27.94	213	-23.73	253	-22.41	293	-25.93	333	-28.8
14	-32.6	54	-31.84	94	-21.27	134	-26.23	174	-28.42	214	-23.64	254	-22.25	294	-26.14	334	-28.43
15	-32.77	55	-31.43	95	-21.24	135	-26.17	175	-28.69	215	-23.5	255	-22.15	295	-26.32	335	-28.06
16	-32.84	56	-31	96	-21.22	136	-26.13	176	-29.14	216	-23.36	256	-22.09	296	-26.49	336	-27.71
17	-32.79	57	-30.57	97	-21.21	137	-26.05	177	-29.41	217	-23.33	257	-21.87	297	-26.8	337	-27.39
18	-32.73	58	-30.16	98	-21.22	138	-26	178	-29.62	218	-23.27	258	-21.78	298	-27	338	-27.06
19	-32.63	59	-29.73	99	-21.21	139	-26.01	179	-29.57	219	-23.24	259	-21.73	299	-27.24	339	-26.77
20	-32.51	60	-29.3	100	-21.23	140	-26.02	180	-29.55	220	-23.18	260	-21.62	300	-27.47	340	-26.49
21	-32.39	61	-28.61	101	-21.27	141	-26.04	181	-29.42	221	-23.19	261	-21.61	301	-27.71	341	-26.25
22	-32.25	62	-28.16	102	-21.34	142	-26.08	182	-29.14	222	-23.31	262	-21.54	302	-27.98	342	-26.07
23	-32.18	63	-27.72	103	-21.38	143	-26.16	183	-28.88	223	-23.36	263	-21.56	303	-28.29	343	-25.86
24	-32.25	64	-27.29	104	-21.44	144	-26.21	184	-28.66	224	-23.36	264	-21.55	304	-28.64	344	-25.66
25	-32.18	65	-26.87	105	-21.53	145	-26.3	185	-28.35	225	-23.46	265	-21.56	305	-29.02	345	-25.53
26	-32.23	66	-26.46	106	-21.61	146	-26.39	186	-28.06	226	-23.52	266	-21.56	306	-29.48	346	-25.37
27	-32.32	67	-26.1	107	-21.71	147	-26.49	187	-27.8	227	-23.63	267	-21.62	307	-29.94	347	-25.21
28	-32.52	68	-25.75	108	-21.82	148	-26.62	188	-27.59	228	-23.72	268	-21.7	308	-30.41	348	-25.08
29	-32.6	69	-25.41	109	-21.93	149	-26.74	189	-27.41	229	-23.75	269	-21.81	309	-30.96	349	-25.01
30	-32.89	70	-25.08	110	-22.07	150	-26.85	190	-27.18	230	-23.72	270	-21.9	310	-31.62	350	-24.94
31	-33.13	71	-24.78	111	-22.23	151	-26.86	191	-27.03	231	-23.85	271	-22.02	311	-32.21	351	-24.94
32	-33.4	72	-24.46	112	-22.38	152	-26.84	192	-26.95	232	-23.79	272	-22.19	312	-32.96	352	-24.99
33	-33.51	73	-24.18	113	-22.59	153	-26.77	193	-26.91	233	-23.79	273	-22.32	313	-33.67	353	-25.06
34	-33.74	74	-23.92	114	-22.81	154	-26.62	194	-26.99	234	-23.75	274	-22.47	314	-34.46	354	-25.09
35	-34.1	75	-23.68	115	-23.03	155	-26.42	195	-26.87	235	-23.79	275	-22.61	315	-35.03	355	-25.24
36	-34.33	76	-23.47	116	-23.34	156	-26.2	196	-26.84	236	-23.71	276	-22.77	316	-35.72	356	-25.41
37	-34.36	77	-23.26	117	-23.61	157	-25.97	197	-26.92	237	-23.65	277	-22.9	317	-35.87	357	-25.62
38	-34.64	78	-23.08	118	-23.97	158	-25.75	198	-26.81	238	-23.57	278	-23.08	318	-35.86	358	-25.85
39	-34.79	79	-22.89	119	-24.28	159	-25.46	199	-26.78	239	-23.42	279	-23.26	319	-35.63	359	-26.14

Radiated Pattern : DAX800XR




WiFi 2.4GHz Lch (ANT1) Hor (ZX)

Received Power

MAX MIN AVE
 -9.12 -42.6 -17.4963

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-15.57	40	-17.87	80	-21.2	120	-9.65	160	-10.62	200	-12.54	240	-27.08	280	-22.63	320	-24.41
1	-15.37	41	-17.3	81	-20.64	121	-9.77	161	-10.62	201	-12.53	241	-28.16	281	-23.28	321	-25.84
2	-15.41	42	-16.83	82	-19.96	122	-9.91	162	-10.6	202	-12.55	242	-29.12	282	-23.91	322	-27.79
3	-15.41	43	-16.34	83	-19.22	123	-10.03	163	-10.58	203	-12.55	243	-29.54	283	-24.51	323	-30.54
4	-15.54	44	-15.86	84	-18.48	124	-10.16	164	-10.55	204	-12.58	244	-29.32	284	-25.11	324	-33.3
5	-15.8	45	-15.48	85	-17.74	125	-10.3	165	-10.51	205	-12.49	245	-28.91	285	-25.83	325	-36.35
6	-16.02	46	-14.98	86	-17	126	-10.41	166	-10.46	206	-12.48	246	-27.22	286	-26.39	326	-36.82
7	-16.45	47	-14.68	87	-16.32	127	-10.54	167	-10.44	207	-12.36	247	-25.73	287	-26.71	327	-33.89
8	-16.87	48	-14.39	88	-15.69	128	-10.63	168	-10.4	208	-12.3	248	-24.33	288	-27.24	328	-31.04
9	-17.56	49	-14.17	89	-15.09	129	-10.72	169	-10.36	209	-12.27	249	-23.08	289	-27.18	329	-28.75
10	-18.21	50	-13.98	90	-14.46	130	-10.8	170	-10.29	210	-12.18	250	-22.08	290	-27.5	330	-26.94
11	-19.02	51	-13.83	91	-13.95	131	-10.87	171	-10.22	211	-12.24	251	-21	291	-27.45	331	-25.56
12	-19.75	52	-13.69	92	-13.45	132	-10.93	172	-10.15	212	-12.25	252	-20.06	292	-27.2	332	-24.58
13	-20.78	53	-13.62	93	-13.02	133	-10.99	173	-10.08	213	-12.23	253	-19.11	293	-26.48	333	-23.87
14	-21.72	54	-13.55	94	-12.53	134	-11.03	174	-10.06	214	-12.36	254	-18.4	294	-26.22	334	-23.32
15	-22.78	55	-13.55	95	-12.22	135	-11.04	175	-10.06	215	-12.43	255	-17.78	295	-25.42	335	-23.08
16	-24.1	56	-13.57	96	-11.89	136	-11.02	176	-10.1	216	-12.46	256	-17.33	296	-24.94	336	-23.07
17	-25.36	57	-13.59	97	-11.53	137	-10.99	177	-10.17	217	-12.6	257	-16.92	297	-24.3	337	-23.27
18	-26.62	58	-13.67	98	-11.29	138	-10.97	178	-10.24	218	-12.73	258	-16.56	298	-23.6	338	-23.74
19	-27.66	59	-13.78	99	-10.99	139	-10.9	179	-10.31	219	-13.02	259	-16.36	299	-22.69	339	-24.42
20	-28.85	60	-13.9	100	-10.77	140	-10.85	180	-10.4	220	-13.27	260	-16.17	300	-22.12	340	-25.39
21	-29.89	61	-14.07	101	-10.6	141	-10.79	181	-10.49	221	-13.47	261	-16.1	301	-21.53	341	-26.72
22	-30.77	62	-14.3	102	-10.36	142	-10.72	182	-10.6	222	-13.89	262	-16.04	302	-21.01	342	-28.62
23	-31.38	63	-14.55	103	-10.23	143	-10.63	183	-10.73	223	-14.22	263	-16.04	303	-20.75	343	-31.4
24	-31.32	64	-14.85	104	-10.07	144	-10.52	184	-10.87	224	-14.49	264	-16.11	304	-20.14	344	-35.73
25	-30.68	65	-15.21	105	-9.93	145	-10.45	185	-11.03	225	-14.81	265	-16.19	305	-19.85	345	-42.6
26	-30.24	66	-15.62	106	-9.74	146	-10.37	186	-11.17	226	-15.32	266	-16.36	306	-19.8	346	-34.35
27	-29.19	67	-16.11	107	-9.54	147	-10.35	187	-11.33	227	-15.62	267	-16.56	307	-19.55	347	-29.79
28	-28.43	68	-16.64	108	-9.42	148	-10.32	188	-11.47	228	-16.21	268	-16.79	308	-19.33	348	-27.99
29	-27.42	69	-17.15	109	-9.36	149	-10.29	189	-11.6	229	-16.64	269	-17.18	309	-19.35	349	-25.36
30	-26.16	70	-17.83	110	-9.24	150	-10.28	190	-11.72	230	-17.16	270	-17.48	310	-19.29	350	-23.26
31	-25.23	71	-18.45	111	-9.2	151	-10.27	191	-11.85	231	-17.78	271	-17.89	311	-19.18	351	-20.98
32	-24.11	72	-19.11	112	-9.13	152	-10.33	192	-12.01	232	-18.67	272	-18.25	312	-19.31	352	-19.79
33	-23.18	73	-19.91	113	-9.12	153	-10.34	193	-12.11	233	-19.89	273	-18.68	313	-19.52	353	-18.8
34	-22.24	74	-20.59	114	-9.15	154	-10.39	194	-12.27	234	-20.65	274	-19.2	314	-19.85	354	-17.91
35	-21.26	75	-21.24	115	-9.16	155	-10.45	195	-12.33	235	-21.59	275	-19.68	315	-20.21	355	-17.25
36	-20.51	76	-21.61	116	-9.23	156	-10.51	196	-12.35	236	-22.64	276	-20.16	316	-20.65	356	-16.61
37	-19.79	77	-21.88	117	-9.31	157	-10.56	197	-12.41	237	-23.63	277	-20.75	317	-21.38	357	-16.2
38	-19.02	78	-21.9	118	-9.41	158	-10.59	198	-12.45	238	-25.04	278	-21.31	318	-22.08	358	-15.84
39	-18.41	79	-21.71	119	-9.55	159	-10.61	199	-12.49	239	-25.93	279	-21.97	319	-22.96	359	-15.56

Radiated Pattern : DAX800XR




WiFi 2.4GHz Lch (ANT1)Ver(ZX)

Received Power

MAX MIN AVE
 -11.61 -45.67 -20.5862

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-24.05	40	-16.19	80	-15.19	120	-13.62	160	-34.82	200	-19.6	240	-34.91	280	-21.51	320	-21.02
1	-22.86	41	-16.09	81	-15.05	121	-13.76	161	-32.91	201	-19.58	241	-36.28	281	-21.23	321	-21.2
2	-22.53	42	-16.04	82	-14.87	122	-13.81	162	-30.53	202	-19.59	242	-37.57	282	-20.93	322	-21.32
3	-22.18	43	-15.94	83	-14.64	123	-13.82	163	-29.16	203	-19.4	243	-38.05	283	-20.69	323	-21.45
4	-21.82	44	-15.8	84	-14.35	124	-13.89	164	-27.74	204	-19.24	244	-39.96	284	-20.4	324	-21.49
5	-21.51	45	-15.66	85	-14.05	125	-13.96	165	-26.34	205	-19.14	245	-41.03	285	-20.21	325	-21.43
6	-21.19	46	-15.54	86	-13.73	126	-13.96	166	-25.25	206	-18.94	246	-42.15	286	-19.99	326	-21.28
7	-20.95	47	-15.36	87	-13.44	127	-14	167	-24.34	207	-18.87	247	-43.45	287	-19.87	327	-21.03
8	-20.69	48	-15.19	88	-13.17	128	-14.05	168	-23.49	208	-18.86	248	-43.5	288	-19.83	328	-20.8
9	-20.46	49	-15.04	89	-12.94	129	-14.07	169	-22.7	209	-18.97	249	-45.67	289	-19.74	329	-20.52
10	-20.2	50	-14.87	90	-12.72	130	-14.07	170	-22.07	210	-18.93	250	-44.95	290	-19.72	330	-20.26
11	-20.01	51	-14.64	91	-12.54	131	-14.08	171	-21.3	211	-18.97	251	-44.49	291	-19.62	331	-20
12	-19.74	52	-14.44	92	-12.33	132	-14.07	172	-20.78	212	-18.89	252	-43.28	292	-19.49	332	-19.67
13	-19.44	53	-14.24	93	-12.1	133	-14.13	173	-20.14	213	-18.9	253	-42.03	293	-19.44	333	-19.43
14	-19.22	54	-14.08	94	-11.97	134	-14.2	174	-19.71	214	-18.97	254	-40.29	294	-19.33	334	-19.2
15	-18.97	55	-13.93	95	-11.87	135	-14.3	175	-19.26	215	-19.12	255	-39.09	295	-19.27	335	-18.97
16	-18.56	56	-13.77	96	-11.78	136	-14.41	176	-18.96	216	-19.35	256	-39.53	296	-19.18	336	-18.81
17	-18.29	57	-13.62	97	-11.7	137	-14.57	177	-18.6	217	-19.58	257	-39.47	297	-18.92	337	-18.69
18	-18.05	58	-13.36	98	-11.66	138	-14.79	178	-18.4	218	-19.85	258	-39.05	298	-18.76	338	-18.61
19	-17.74	59	-13.22	99	-11.63	139	-15.01	179	-18.18	219	-20.15	259	-40.41	299	-18.62	339	-18.63
20	-17.53	60	-13.12	100	-11.61	140	-15.29	180	-17.99	220	-20.44	260	-40.95	300	-18.51	340	-18.72
21	-17.25	61	-13.06	101	-11.61	141	-15.64	181	-17.75	221	-20.72	261	-42.39	301	-18.5	341	-18.85
22	-17.1	62	-13.07	102	-11.63	142	-16.06	182	-17.65	222	-21.03	262	-44.88	302	-18.48	342	-19.05
23	-16.93	63	-13.06	103	-11.68	143	-16.52	183	-17.45	223	-21.36	263	-43.98	303	-18.42	343	-19.33
24	-16.72	64	-13.02	104	-11.73	144	-17.1	184	-17.49	224	-21.8	264	-41.43	304	-18.44	344	-19.64
25	-16.62	65	-13.08	105	-11.79	145	-17.78	185	-17.39	225	-22.49	265	-38.79	305	-18.48	345	-20.02
26	-16.43	66	-13.11	106	-11.88	146	-18.53	186	-17.45	226	-22.99	266	-36.35	306	-18.49	346	-20.5
27	-16.35	67	-13.27	107	-11.94	147	-19.41	187	-17.64	227	-23.59	267	-34.18	307	-18.6	347	-21.02
28	-16.31	68	-13.4	108	-12.05	148	-20.41	188	-17.69	228	-24.17	268	-32.32	308	-18.74	348	-21.59
29	-16.22	69	-13.51	109	-12.15	149	-21.49	189	-17.93	229	-24.77	269	-30.72	309	-18.97	349	-22.22
30	-16.23	70	-13.69	110	-12.27	150	-22.84	190	-17.98	230	-25.46	270	-29.18	310	-19.15	350	-22.85
31	-16.21	71	-13.95	111	-12.37	151	-24.13	191	-18.37	231	-26.18	271	-27.94	311	-19.36	351	-23.47
32	-16.23	72	-14.14	112	-12.54	152	-25.75	192	-18.5	232	-26.87	272	-26.8	312	-19.52	352	-24.1
33	-16.21	73	-14.42	113	-12.66	153	-27.38	193	-18.79	233	-27.63	273	-25.83	313	-19.69	353	-24.56
34	-16.2	74	-14.62	114	-12.81	154	-29.22	194	-19	234	-28.45	274	-25	314	-19.89	354	-24.91
35	-16.2	75	-14.83	115	-12.97	155	-31.24	195	-19.35	235	-29.22	275	-24.27	315	-20.08	355	-25.03
36	-16.2	76	-15.07	116	-13.15	156	-33.61	196	-19.47	236	-30.24	276	-23.59	316	-20.3	356	-24.96
37	-16.19	77	-15.2	117	-13.26	157	-36.2	197	-19.56	237	-31.25	277	-22.95	317	-20.51	357	-24.75
38	-16.21	78	-15.27	118	-13.4	158	-38.51	198	-19.47	238	-32.23	278	-22.36	318	-20.71	358	-24.34
39	-16.2	79	-15.24	119	-13.51	159	-37.94	199	-19.5	239	-33.57	279	-21.9	319	-20.88	359	-23.91

Radiated Pattern : DAX800XR




WiFi 2.4GHz Cch (ANT1) Hor (ZX)

Received Power
 MAX -7.28 MIN -39.98 AVE -16.2042

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-11.14	40	-9.82	80	-26.06	120	-7.57	160	-11.06	200	-15.82	240	-17.65	280	-17.01	320	-30.45
1	-11.49	41	-9.7	81	-26.17	121	-7.43	161	-10.98	201	-15.29	241	-18.92	281	-17.67	321	-32.3
2	-11.87	42	-9.6	82	-26.15	122	-7.33	162	-10.92	202	-15.04	242	-19.74	282	-18.32	322	-30.4
3	-12.22	43	-9.5	83	-26	123	-7.28	163	-10.92	203	-14.51	243	-21.3	283	-18.92	323	-27.19
4	-12.69	44	-9.47	84	-25.86	124	-7.28	164	-10.9	204	-14.41	244	-22.19	284	-19.41	324	-25.03
5	-13.25	45	-9.5	85	-25.49	125	-7.38	165	-10.93	205	-14.25	245	-23.21	285	-19.87	325	-23.32
6	-13.93	46	-9.54	86	-24.87	126	-7.46	166	-11.02	206	-14.06	246	-23.96	286	-20.09	326	-21.88
7	-14.73	47	-9.58	87	-23.76	127	-7.72	167	-11.05	207	-13.74	247	-24.47	287	-20.5	327	-20.97
8	-15.65	48	-9.65	88	-22.84	128	-7.86	168	-11.1	208	-13.62	248	-24.2	288	-20.67	328	-20.06
9	-16.53	49	-9.71	89	-22.21	129	-8.09	169	-11.16	209	-13.37	249	-23.54	289	-20.52	329	-19.53
10	-17.56	50	-9.78	90	-21.13	130	-8.58	170	-11.27	210	-13.1	250	-23.22	290	-20.72	330	-18.93
11	-18.81	51	-9.9	91	-20.02	131	-8.98	171	-11.41	211	-12.83	251	-22.68	291	-20.67	331	-18.56
12	-19.95	52	-10.01	92	-19.48	132	-9.43	172	-11.61	212	-12.48	252	-22.35	292	-20.32	332	-18.39
13	-21.19	53	-10.14	93	-18.88	133	-9.91	173	-11.87	213	-12.25	253	-22.01	293	-20.43	333	-18.26
14	-22.23	54	-10.32	94	-18.25	134	-10.39	174	-12.12	214	-12.05	254	-21.64	294	-20	334	-18.44
15	-23.05	55	-10.48	95	-17.79	135	-10.98	175	-12.36	215	-11.98	255	-21.16	295	-20.26	335	-18.74
16	-23.57	56	-10.7	96	-17.32	136	-11.59	176	-12.58	216	-11.69	256	-20.52	296	-20.15	336	-19.32
17	-23.59	57	-10.99	97	-16.91	137	-12.3	177	-12.81	217	-11.55	257	-19.81	297	-20.05	337	-20.19
18	-23.2	58	-11.28	98	-16.42	138	-13.01	178	-13.09	218	-11.47	258	-18.92	298	-19.54	338	-21.4
19	-22.71	59	-11.87	99	-15.99	139	-13.75	179	-13.43	219	-11.45	259	-18.06	299	-19.76	339	-22.75
20	-22.05	60	-12.34	100	-15.54	140	-14.47	180	-13.79	220	-11.48	260	-17.19	300	-19.66	340	-24.28
21	-21.25	61	-12.9	101	-15	141	-15.06	181	-14.15	221	-11.7	261	-16.48	301	-19.49	341	-25.53
22	-20.37	62	-13.55	102	-14.54	142	-15.49	182	-14.54	222	-11.86	262	-15.81	302	-19.26	342	-25.71
23	-19.44	63	-14.28	103	-14.09	143	-15.79	183	-14.81	223	-12.06	263	-15.2	303	-18.61	343	-24.5
24	-18.52	64	-15.2	104	-13.57	144	-15.94	184	-15.18	224	-12.29	264	-14.69	304	-18.6	344	-22.65
25	-17.64	65	-16.23	105	-13.12	145	-15.96	185	-15.4	225	-12.39	265	-14.23	305	-18.27	345	-20.83
26	-16.84	66	-17.44	106	-12.62	146	-15.75	186	-15.74	226	-12.79	266	-13.85	306	-17.76	346	-19.08
27	-16.04	67	-18.92	107	-12.24	147	-15.42	187	-16.01	227	-12.91	267	-13.58	307	-17.73	347	-17.57
28	-15.32	68	-20.61	108	-11.82	148	-15.02	188	-16.25	228	-13.4	268	-13.35	308	-17.57	348	-15.71
29	-14.63	69	-22.74	109	-11.41	149	-14.57	189	-16.53	229	-13.72	269	-13.27	309	-17.78	349	-15.19
30	-13.9	70	-25.43	110	-11.04	150	-14.14	190	-16.6	230	-14.06	270	-13.28	310	-17.77	350	-14.22
31	-13.29	71	-28.7	111	-10.62	151	-13.73	191	-16.78	231	-14.26	271	-13.41	311	-18.02	351	-13.45
32	-12.59	72	-33.73	112	-10.23	152	-13.34	192	-16.74	232	-14.61	272	-13.53	312	-18.47	352	-12.81
33	-12.04	73	-39.98	113	-9.82	153	-12.96	193	-16.88	233	-15.14	273	-13.65	313	-19.29	353	-12.05
34	-11.53	74	-37.54	114	-9.42	154	-12.54	194	-16.79	234	-15.2	274	-13.97	314	-20.13	354	-11.77
35	-11.06	75	-33.1	115	-9.03	155	-12.18	195	-16.82	235	-15.48	275	-14.52	315	-21.04	355	-11.35
36	-10.73	76	-29.98	116	-8.66	156	-11.87	196	-16.91	236	-15.94	276	-14.92	316	-22.52	356	-11.11
37	-10.42	77	-27.83	117	-8.33	157	-11.59	197	-16.82	237	-15.98	277	-15.35	317	-23.92	357	-11.06
38	-10.16	78	-27.29	118	-8.02	158	-11.37	198	-16.6	238	-16.63	278	-15.83	318	-25.58	358	-11.05
39	-10.01	79	-26.33	119	-7.78	159	-11.19	199	-16.22	239	-16.91	279	-16.42	319	-27.93	359	-11.14

Radiated Pattern : DAX800XR




WiFi 2.4GHz Cch (ANT1) Ver (ZX)

Received Power
 MAX MIN AVE
 -8.51 -34.45 -17.204

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-16.74	40	-19.05	80	-11.98	120	-9.63	160	-26.99	200	-13.2	240	-29.8	280	-15.93	320	-32.38
1	-16.45	41	-18.75	81	-11.36	121	-9.46	161	-26.35	201	-13.55	241	-29.22	281	-16	321	-34.45
2	-16.25	42	-18.3	82	-10.75	122	-9.26	162	-25.98	202	-13.97	242	-27.29	282	-16.12	322	-34.09
3	-15.97	43	-17.87	83	-10.24	123	-9.12	163	-25.71	203	-14.43	243	-26.29	283	-16.39	323	-32.43
4	-15.78	44	-17.37	84	-9.8	124	-9.03	164	-25.79	204	-14.97	244	-25.2	284	-16.73	324	-30.74
5	-15.48	45	-16.9	85	-9.45	125	-8.95	165	-26.19	205	-15.42	245	-24.37	285	-16.9	325	-28.28
6	-15.27	46	-16.46	86	-9.16	126	-8.92	166	-26.85	206	-15.88	246	-23.62	286	-17.1	326	-26.66
7	-15.08	47	-16	87	-8.92	127	-8.91	167	-27.7	207	-16.27	247	-22.99	287	-17.38	327	-25.57
8	-14.87	48	-15.54	88	-8.71	128	-8.91	168	-28.75	208	-16.56	248	-22.41	288	-17.88	328	-24.22
9	-14.77	49	-15.06	89	-8.59	129	-8.93	169	-28.19	209	-16.86	249	-21.93	289	-18.22	329	-23.28
10	-14.63	50	-14.62	90	-8.52	130	-8.98	170	-27	210	-17.37	250	-21.49	290	-18.57	330	-22.34
11	-14.59	51	-14.2	91	-8.51	131	-9.04	171	-25.05	211	-17.72	251	-21.12	291	-18.83	331	-21.53
12	-14.57	52	-13.79	92	-8.53	132	-9.09	172	-23.4	212	-18.08	252	-20.75	292	-19.05	332	-20.82
13	-14.61	53	-13.41	93	-8.59	133	-9.21	173	-22.08	213	-18.32	253	-20.5	293	-19.26	333	-20.26
14	-14.61	54	-13.11	94	-8.7	134	-9.3	174	-20.75	214	-18.43	254	-20.3	294	-19.4	334	-19.55
15	-14.73	55	-12.86	95	-8.91	135	-9.43	175	-19.39	215	-18.47	255	-20.15	295	-19.5	335	-19.08
16	-14.94	56	-12.65	96	-9.1	136	-9.59	176	-18.35	216	-18.56	256	-20	296	-19.52	336	-18.49
17	-15.03	57	-12.46	97	-9.31	137	-9.78	177	-17.29	217	-18.72	257	-19.88	297	-19.5	337	-18.03
18	-15.29	58	-12.33	98	-9.53	138	-10.07	178	-16.37	218	-19.01	258	-19.77	298	-19.33	338	-17.58
19	-15.46	59	-12.23	99	-9.77	139	-10.33	179	-15.55	219	-19.42	259	-19.64	299	-19.18	339	-17.23
20	-15.75	60	-12.22	100	-9.99	140	-10.67	180	-14.74	220	-19.84	260	-19.48	300	-19.11	340	-16.89
21	-15.98	61	-12.33	101	-10.18	141	-11.13	181	-14.14	221	-20.22	261	-19.26	301	-18.93	341	-16.62
22	-16.27	62	-12.6	102	-10.41	142	-11.66	182	-13.59	222	-20.56	262	-19.06	302	-18.88	342	-16.32
23	-16.74	63	-12.72	103	-10.58	143	-12.23	183	-13.06	223	-20.86	263	-18.84	303	-18.76	343	-16.11
24	-17.11	64	-13.22	104	-10.8	144	-13	184	-12.63	224	-21.28	264	-18.63	304	-18.67	344	-15.91
25	-17.45	65	-13.65	105	-10.99	145	-13.73	185	-12.2	225	-21.72	265	-18.41	305	-18.56	345	-15.8
26	-17.68	66	-14.25	106	-11.15	146	-14.68	186	-11.87	226	-22.21	266	-18.13	306	-18.6	346	-15.88
27	-17.97	67	-14.9	107	-11.29	147	-15.59	187	-11.58	227	-22.77	267	-17.91	307	-18.69	347	-15.79
28	-18.37	68	-15.61	108	-11.35	148	-16.67	188	-11.32	228	-23.49	268	-17.62	308	-18.86	348	-15.87
29	-18.53	69	-16.34	109	-11.39	149	-17.92	189	-11.19	229	-23.92	269	-17.28	309	-19.24	349	-16.06
30	-18.94	70	-16.99	110	-11.32	150	-19.24	190	-11.11	230	-24.5	270	-17.03	310	-19.64	350	-16.03
31	-19.12	71	-17.47	111	-11.26	151	-20.58	191	-11.1	231	-25	271	-16.85	311	-20.07	351	-16.29
32	-19.23	72	-17.74	112	-11.16	152	-22.11	192	-11.14	232	-26.03	272	-16.59	312	-20.66	352	-16.27
33	-19.46	73	-17.66	113	-11.03	153	-23.59	193	-11.21	233	-26.66	273	-16.44	313	-21.22	353	-16.39
34	-19.54	74	-17.05	114	-10.86	154	-25.1	194	-11.33	234	-27.18	274	-16.24	314	-22.04	354	-16.68
35	-19.73	75	-16.29	115	-10.68	155	-26.32	195	-11.52	235	-27.84	275	-16.11	315	-22.96	355	-16.84
36	-19.72	76	-15.44	116	-10.5	156	-27.5	196	-11.79	236	-28.64	276	-16.07	316	-24.18	356	-16.8
37	-19.56	77	-14.45	117	-10.27	157	-27.79	197	-12.09	237	-29.47	277	-15.95	317	-26.32	357	-16.94
38	-19.51	78	-13.56	118	-10.08	158	-27.75	198	-12.47	238	-30.05	278	-15.91	318	-28.05	358	-16.89
39	-19.23	79	-12.8	119	-9.87	159	-27.36	199	-12.82	239	-30.85	279	-15.96	319	-30.18	359	-16.8

Radiated Pattern : DAX800XR




WiFi 2.4GHz Hch (ANT1) Hor (ZX)

Received Power

MAX MIN AVE
 -12.92 -53.87 -22.3867

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-17.82	40	-16.18	80	-35.54	120	-12.99	160	-23.41	200	-20.33	240	-27.03	280	-21.67	320	-22.64
1	-17.11	41	-16.02	81	-44.16	121	-12.94	161	-23.48	201	-20.13	241	-26.56	281	-22.56	321	-23.86
2	-16.97	42	-15.91	82	-53.87	122	-12.92	162	-23.41	202	-19.93	242	-26.74	282	-23.56	322	-25.17
3	-16.91	43	-15.85	83	-39.09	123	-12.98	163	-23.26	203	-19.73	243	-26.45	283	-24.57	323	-26.93
4	-16.94	44	-15.84	84	-32.21	124	-13.09	164	-23.06	204	-19.7	244	-26.08	284	-25.61	324	-28.7
5	-17.05	45	-15.92	85	-29.66	125	-13.24	165	-22.78	205	-19.62	245	-25.39	285	-27.41	325	-31.23
6	-17.24	46	-15.99	86	-27.29	126	-13.49	166	-22.47	206	-19.55	246	-25.03	286	-28.05	326	-33.49
7	-17.54	47	-16.17	87	-25.35	127	-13.74	167	-22.15	207	-19.48	247	-24.3	287	-29.98	327	-34.04
8	-17.85	48	-16.34	88	-23.87	128	-14.06	168	-21.79	208	-19.34	248	-23.88	288	-31.1	328	-31.47
9	-18.3	49	-16.63	89	-22.58	129	-14.44	169	-21.38	209	-19.32	249	-23.47	289	-32.31	329	-28.58
10	-18.82	50	-16.93	90	-21.62	130	-14.9	170	-21.07	210	-19.27	250	-23.13	290	-34.4	330	-26.24
11	-19.4	51	-17.18	91	-20.68	131	-15.38	171	-20.74	211	-19.15	251	-23.16	291	-35.81	331	-24.27
12	-20.13	52	-17.48	92	-20.2	132	-15.92	172	-20.52	212	-18.96	252	-23.19	292	-36.53	332	-22.8
13	-20.92	53	-17.84	93	-19.7	133	-16.56	173	-20.38	213	-18.84	253	-23.51	293	-38.42	333	-21.68
14	-21.94	54	-18.13	94	-19.15	134	-17.31	174	-20.2	214	-18.8	254	-23.75	294	-40.74	334	-20.81
15	-22.86	55	-18.5	95	-18.85	135	-18.04	175	-20.06	215	-18.66	255	-23.92	295	-43.32	335	-20.21
16	-23.98	56	-18.82	96	-18.75	136	-18.82	176	-19.89	216	-18.43	256	-24.02	296	-49.8	336	-19.75
17	-25.08	57	-19.18	97	-18.61	137	-19.78	177	-19.79	217	-18.33	257	-23.84	297	-49.03	337	-19.44
18	-26.18	58	-19.55	98	-18.51	138	-20.65	178	-19.66	218	-18.44	258	-23.43	298	-51.32	338	-19.23
19	-27.25	59	-19.87	99	-18.35	139	-21.81	179	-19.64	219	-18.34	259	-22.91	299	-49.45	339	-19.15
20	-27.9	60	-20.21	100	-18.41	140	-22.99	180	-19.61	220	-18.63	260	-22.11	300	-46.18	340	-19.14
21	-28.34	61	-20.54	101	-18.39	141	-24.15	181	-19.58	221	-18.67	261	-21.43	301	-41.98	341	-19.22
22	-28.26	62	-20.93	102	-18.33	142	-25.37	182	-19.63	222	-19.14	262	-20.73	302	-39.13	342	-19.45
23	-27.37	63	-21.29	103	-18.21	143	-26.42	183	-19.54	223	-19.5	263	-20.06	303	-36.07	343	-19.73
24	-26.54	64	-21.72	104	-18.1	144	-27.48	184	-19.56	224	-19.72	264	-19.49	304	-33.7	344	-20.17
25	-25.6	65	-22.04	105	-17.74	145	-27.98	185	-19.57	225	-20.14	265	-18.89	305	-31.54	345	-20.73
26	-24.66	66	-22.43	106	-17.46	146	-27.9	186	-19.7	226	-21.02	266	-18.43	306	-29.67	346	-21.33
27	-23.81	67	-22.71	107	-17.1	147	-27.29	187	-19.83	227	-21.58	267	-18.1	307	-28.18	347	-21.92
28	-23	68	-23.1	108	-16.72	148	-26.65	188	-20.01	228	-22.3	268	-17.79	308	-26.82	348	-22.43
29	-22.22	69	-23.43	109	-16.3	149	-25.69	189	-20.11	229	-22.79	269	-17.72	309	-25.64	349	-22.72
30	-21.42	70	-23.72	110	-15.91	150	-25.03	190	-20.12	230	-24	270	-17.61	310	-24.6	350	-22.71
31	-20.67	71	-23.93	111	-15.51	151	-24.53	191	-20.2	231	-24.5	271	-17.68	311	-23.83	351	-22.51
32	-19.92	72	-24.21	112	-15.18	152	-24.1	192	-20.36	232	-25.87	272	-17.72	312	-23.13	352	-21.97
33	-19.21	73	-24.78	113	-14.79	153	-23.61	193	-20.55	233	-26.63	273	-17.94	313	-22.65	353	-21.34
34	-18.61	74	-25.29	114	-14.45	154	-23.35	194	-20.58	234	-27.24	274	-18.37	314	-22.35	354	-20.62
35	-18.01	75	-26.28	115	-14.13	155	-23.18	195	-20.73	235	-27.01	275	-18.59	315	-22.07	355	-19.92
36	-17.5	76	-26.94	116	-13.8	156	-23.12	196	-20.79	236	-27.07	276	-19.07	316	-21.78	356	-19.23
37	-17.03	77	-28.51	117	-13.53	157	-23.14	197	-20.84	237	-27.51	277	-19.6	317	-21.65	357	-18.65
38	-16.66	78	-30.27	118	-13.31	158	-23.2	198	-20.75	238	-27.35	278	-20.54	318	-21.83	358	-18.17
39	-16.4	79	-32.41	119	-13.1	159	-23.35	199	-20.49	239	-27.14	279	-20.91	319	-22.32	359	-17.76

Radiated Pattern : DAX800XR




WiFi 2.4GHz Hch (ANT1) Ver (ZX)

Received Power

MAX MIN AVE
 -14.16 -48.86 -22.5184

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-19.27	40	-35.97	80	-20.6	120	-14.16	160	-35.16	200	-18.91	240	-28.88	280	-22.62	320	-22.55
1	-18.55	41	-36.52	81	-19.51	121	-14.16	161	-38.16	201	-19.34	241	-27.7	281	-22.61	321	-23.15
2	-18.27	42	-37.83	82	-18.56	122	-14.19	162	-39.89	202	-19.77	242	-26.5	282	-22.63	322	-23.79
3	-17.99	43	-39.65	83	-17.84	123	-14.26	163	-36.54	203	-20.23	243	-25.47	283	-22.71	323	-24.42
4	-17.73	44	-43.88	84	-17.17	124	-14.32	164	-32.92	204	-20.65	244	-24.69	284	-22.82	324	-25.22
5	-17.47	45	-48.86	85	-16.68	125	-14.37	165	-29.8	205	-21.04	245	-24.05	285	-22.98	325	-25.96
6	-17.25	46	-44.97	86	-16.26	126	-14.5	166	-27.56	206	-21.32	246	-23.46	286	-23.21	326	-26.75
7	-17.05	47	-39.33	87	-15.93	127	-14.54	167	-25.67	207	-21.66	247	-23.06	287	-23.49	327	-27.64
8	-16.85	48	-35.28	88	-15.7	128	-14.66	168	-23.95	208	-21.94	248	-22.66	288	-23.84	328	-28.35
9	-16.75	49	-32.35	89	-15.52	129	-14.68	169	-22.63	209	-22.41	249	-22.39	289	-24.22	329	-29.15
10	-16.64	50	-29.9	90	-15.42	130	-14.75	170	-21.28	210	-22.72	250	-22.19	290	-24.58	330	-30.06
11	-16.6	51	-27.95	91	-15.39	131	-14.81	171	-20.3	211	-23.03	251	-22.06	291	-24.9	331	-30.82
12	-16.62	52	-26.16	92	-15.38	132	-14.91	172	-19.41	212	-23.45	252	-21.97	292	-25.15	332	-31.36
13	-16.67	53	-24.73	93	-15.43	133	-14.96	173	-18.62	213	-23.56	253	-21.93	293	-25.27	333	-31.96
14	-16.75	54	-23.47	94	-15.54	134	-15.09	174	-17.89	214	-23.88	254	-21.94	294	-25.3	334	-31.77
15	-16.88	55	-22.41	95	-15.61	135	-15.22	175	-17.2	215	-23.97	255	-21.95	295	-25.2	335	-31.28
16	-17.04	56	-21.55	96	-15.71	136	-15.34	176	-16.65	216	-24.41	256	-22.02	296	-24.97	336	-30.72
17	-17.25	57	-20.79	97	-15.79	137	-15.56	177	-16.25	217	-24.66	257	-22.11	297	-24.53	337	-29.93
18	-17.53	58	-20.22	98	-15.87	138	-15.8	178	-15.81	218	-25.43	258	-22.2	298	-24.02	338	-29.2
19	-17.8	59	-19.74	99	-15.93	139	-16.29	179	-15.43	219	-25.78	259	-22.27	299	-23.19	339	-28.44
20	-18.2	60	-19.37	100	-15.93	140	-16.43	180	-15.03	220	-26.4	260	-22.32	300	-22.65	340	-27.59
21	-18.62	61	-19.17	101	-15.91	141	-16.83	181	-14.88	221	-27.09	261	-22.38	301	-22.14	341	-26.85
22	-19.11	62	-19.1	102	-15.8	142	-17.25	182	-14.72	222	-27.4	262	-22.47	302	-21.66	342	-26.01
23	-19.67	63	-19.13	103	-15.62	143	-17.74	183	-14.65	223	-28.22	263	-22.53	303	-21.27	343	-25.36
24	-20.64	64	-19.45	104	-15.47	144	-18.29	184	-14.64	224	-28.97	264	-22.58	304	-20.86	344	-24.74
25	-21.41	65	-19.85	105	-15.33	145	-19.24	185	-14.65	225	-29.65	265	-22.44	305	-20.52	345	-24.27
26	-22.21	66	-20.37	106	-15.16	146	-19.93	186	-14.69	226	-30.61	266	-22.47	306	-20.14	346	-23.72
27	-23.2	67	-21.05	107	-14.99	147	-20.59	187	-14.78	227	-31.65	267	-22.44	307	-19.91	347	-23.17
28	-24.16	68	-21.99	108	-14.81	148	-21.32	188	-14.94	228	-33.08	268	-22.47	308	-19.75	348	-22.72
29	-25.45	69	-23.12	109	-14.69	149	-22.04	189	-15.13	229	-34.53	269	-22.54	309	-19.62	349	-22.3
30	-26.61	70	-24.58	110	-14.56	150	-22.84	190	-15.33	230	-36.21	270	-22.5	310	-19.54	350	-22.01
31	-27.96	71	-26.21	111	-14.46	151	-23.58	191	-15.6	231	-37.84	271	-22.55	311	-19.52	351	-21.65
32	-29.65	72	-28.18	112	-14.36	152	-24.38	192	-15.83	232	-38.89	272	-22.48	312	-19.57	352	-21.28
33	-31.15	73	-30.18	113	-14.34	153	-25.13	193	-16.14	233	-39.52	273	-22.46	313	-19.72	353	-20.88
34	-32.58	74	-31.08	114	-14.31	154	-25.99	194	-16.45	234	-40.03	274	-22.4	314	-19.92	354	-20.57
35	-33.72	75	-29.81	115	-14.28	155	-26.91	195	-16.82	235	-37.88	275	-22.44	315	-20.17	355	-20.26
36	-34.38	76	-27.46	116	-14.24	156	-27.93	196	-17.21	236	-36.67	276	-22.54	316	-20.57	356	-20.05
37	-35.08	77	-25.35	117	-14.21	157	-29.15	197	-17.61	237	-34.19	277	-22.57	317	-20.96	357	-19.69
38	-35.49	78	-23.45	118	-14.18	158	-30.63	198	-18.04	238	-32.3	278	-22.61	318	-21.46	358	-19.42
39	-35.64	79	-21.91	119	-14.16	159	-32.49	199	-18.47	239	-30.65	279	-22.63	319	-21.96	359	-19.25

Radiated Pattern : DAX800XR




WiFi 5GHz Lch (ANT0) Hor (XY)

Received Power

MAX 0.41 MIN -55.55 AVE -10.5794

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-7.63	40	-5.93	80	-7.56	120	-15.2	160	-9.43	200	-8.53	240	-15.2	280	-12.96	320	-9.87
1	-8.09	41	-5.71	81	-9.09	121	-16.51	161	-11.73	201	-6.89	241	-14.03	281	-13.07	321	-9.49
2	-8.64	42	-5.39	82	-11.18	122	-17.28	162	-15.21	202	-5.72	242	-13.48	282	-13.16	322	-9.02
3	-9.28	43	-5.04	83	-14.15	123	-17.87	163	-20.6	203	-4.77	243	-13.24	283	-13.25	323	-8.74
4	-10	44	-4.71	84	-16.81	124	-18.76	164	-26.25	204	-4.11	244	-13.32	284	-13.34	324	-8.82
5	-10.93	45	-4.34	85	-15.39	125	-20.43	165	-21.64	205	-3.79	245	-13.52	285	-13.64	325	-9.2
6	-11.89	46	-4.03	86	-11.87	126	-23.1	166	-17.17	206	-3.68	246	-13.7	286	-14.15	326	-9.91
7	-12.94	47	-3.76	87	-8.59	127	-28.66	167	-14.63	207	-3.86	247	-13.33	287	-14.68	327	-11.18
8	-13.54	48	-3.51	88	-6.35	128	-55.55	168	-13.41	208	-4.36	248	-12.35	288	-15.37	328	-13.8
9	-13.19	49	-3.29	89	-3.81	129	-29.4	169	-12.54	209	-5.25	249	-10.8	289	-16.06	329	-16.09
10	-11.87	50	-3.09	90	-2.56	130	-22.67	170	-11.85	210	-6.49	250	-9.23	290	-16.69	330	-17.82
11	-10.19	51	-2.91	91	-1.61	131	-18.91	171	-11.34	211	-8.29	251	-7.68	291	-17.17	331	-18.32
12	-8.61	52	-2.71	92	-0.83	132	-15.61	172	-10.97	212	-10.71	252	-6.22	292	-17.64	332	-17.15
13	-7.24	53	-2.54	93	-0.27	133	-13.14	173	-11.01	213	-13.83	253	-4.99	293	-17.89	333	-15.36
14	-6.21	54	-2.4	94	0.12	134	-11.18	174	-11.22	214	-15.7	254	-4.19	294	-18.2	334	-13.45
15	-5.41	55	-2.28	95	0.35	135	-9.49	175	-11.77	215	-13.76	255	-3.61	295	-18.8	335	-12.13
16	-4.77	56	-2.22	96	0.41	136	-8.22	176	-12.75	216	-10.93	256	-3.29	296	-19.73	336	-11.36
17	-4.31	57	-2.28	97	0.29	137	-7.33	177	-14.33	217	-8.37	257	-3.24	297	-21.44	337	-10.73
18	-3.98	58	-2.46	98	0.08	138	-6.66	178	-16.31	218	-6.47	258	-3.34	298	-24.01	338	-10.06
19	-3.81	59	-2.71	99	-0.27	139	-6.25	179	-18.46	219	-5.14	259	-3.5	299	-27.71	339	-9.66
20	-3.8	60	-3.13	100	-0.75	140	-6.24	180	-19.99	220	-4.14	260	-3.92	300	-25.73	340	-9.64
21	-3.95	61	-3.72	101	-1.32	141	-6.45	181	-18.44	221	-3.42	261	-4.24	301	-22.53	341	-9.68
22	-4.18	62	-4.56	102	-1.9	142	-6.87	182	-15.68	222	-2.96	262	-4.67	302	-19.96	342	-9.87
23	-4.48	63	-5.69	103	-2.58	143	-7.58	183	-12.92	223	-2.74	263	-5.19	303	-18.29	343	-10.24
24	-4.79	64	-7.15	104	-3.29	144	-8.28	184	-10.61	224	-2.74	264	-5.9	304	-17.4	344	-10.68
25	-5.19	65	-9.17	105	-4.02	145	-9.1	185	-8.92	225	-2.95	265	-6.85	305	-17.36	345	-11.28
26	-5.61	66	-12.1	106	-4.83	146	-9.62	186	-7.78	226	-3.39	266	-7.98	306	-18.13	346	-12.23
27	-5.93	67	-16.79	107	-5.81	147	-9.86	187	-7.08	227	-4.1	267	-9.33	307	-20.07	347	-13.9
28	-6.1	68	-23.38	108	-6.83	148	-9.68	188	-6.73	228	-5.11	268	-10.9	308	-23.14	348	-16.37
29	-6.18	69	-20.28	109	-8	149	-9.12	189	-6.87	229	-7.06	269	-12.5	309	-24.63	349	-20.22
30	-6.11	70	-14.83	110	-9.22	150	-8.48	190	-7.43	230	-8.88	270	-13.55	310	-20.86	350	-24.1
31	-5.99	71	-11.37	111	-10.52	151	-7.83	191	-8.47	231	-11.13	271	-14.02	311	-16.99	351	-19.96
32	-5.9	72	-9.19	112	-11.71	152	-7.29	192	-11.42	232	-13.96	272	-13.85	312	-14.2	352	-15.96
33	-5.84	73	-7.69	113	-12.76	153	-6.86	193	-12.84	233	-17.93	273	-13.35	313	-12.3	353	-12.98
34	-5.84	74	-6.68	114	-13.19	154	-6.46	194	-16.87	234	-23.22	274	-12.94	314	-11.16	354	-11.13
35	-5.86	75	-6.06	115	-13.07	155	-6.45	195	-24.42	235	-29.39	275	-12.65	315	-10.44	355	-9.81
36	-5.9	76	-5.73	116	-13.07	156	-6.53	196	-21.6	236	-26.89	276	-12.48	316	-10.07	356	-8.86
37	-6.02	77	-5.72	117	-13.26	157	-6.78	197	-16.2	237	-22.48	277	-12.51	317	-10.05	357	-8.24
38	-6.07	78	-5.98	118	-13.57	158	-7.2	198	-12.73	238	-19.31	278	-12.67	318	-10.09	358	-7.82
39	-6.03	79	-6.61	119	-14.3	159	-8.04	199	-10.39	239	-16.92	279	-12.78	319	-10.04	359	-7.67

Radiated Pattern : DAX800XR




WiFi 5GHz Lch (ANT0) Ver (XY)

Received Power

MAX MIN AVE
 -3.42 -56.84 -15.3681

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-5.68	40	-9.56	80	-3.52	120	-15.94	160	-25	200	-29.31	240	-20.91	280	-14.57	320	-17.67
1	-5.97	41	-9.31	81	-3.59	121	-18.99	161	-25.91	201	-25	241	-20.82	281	-14.12	321	-15.19
2	-6.79	42	-9.24	82	-3.67	122	-25.1	162	-25.51	202	-22.32	242	-20.7	282	-13.68	322	-13.28
3	-8.14	43	-9.45	83	-3.84	123	-22.85	163	-23.98	203	-20.54	243	-20.55	283	-13.39	323	-12.14
4	-9.86	44	-9.91	84	-4.04	124	-18.61	164	-22.06	204	-18.89	244	-20.3	284	-13.17	324	-11.66
5	-11.98	45	-10.58	85	-4.31	125	-15.41	165	-20.3	205	-18.06	245	-20.06	285	-13.08	325	-11.66
6	-14.16	46	-11.69	86	-4.64	126	-13.13	166	-18.85	206	-17.97	246	-19.9	286	-13.07	326	-12.13
7	-15.08	47	-13.32	87	-5.04	127	-11.37	167	-16.56	207	-18.11	247	-19.75	287	-12.99	327	-13.06
8	-14.08	48	-15.52	88	-5.66	128	-10.28	168	-14.11	208	-18.47	248	-19.95	288	-13.03	328	-14.23
9	-12.33	49	-18.61	89	-5.92	129	-9.59	169	-11.94	209	-19.23	249	-20.9	289	-13.25	329	-15.18
10	-10.87	50	-23.31	90	-6.66	130	-9.03	170	-10.25	210	-19.88	250	-22.49	290	-13.68	330	-15.3
11	-9.68	51	-28.7	91	-7.2	131	-8.49	171	-9	211	-19.83	251	-24.92	291	-15.17	331	-14.47
12	-8.88	52	-24.88	92	-7.74	132	-8.16	172	-8.15	212	-19.11	252	-31.38	292	-16.61	332	-13.2
13	-8.38	53	-19.88	93	-8.27	133	-7.93	173	-7.51	213	-18	253	-34.83	293	-18.5	333	-11.86
14	-8.22	54	-16.63	94	-8.82	134	-7.79	174	-7.06	214	-16.7	254	-36.09	294	-20.36	334	-10.76
15	-8.3	55	-14.52	95	-9.38	135	-7.79	175	-6.66	215	-15.16	255	-34.43	295	-22.44	335	-10.01
16	-8.64	56	-12.95	96	-9.88	136	-7.99	176	-6.29	216	-13.96	256	-35.73	296	-25.47	336	-9.56
17	-9.28	57	-11.6	97	-10.32	137	-8.24	177	-5.93	217	-13.27	257	-45.19	297	-28.68	337	-9.39
18	-10.18	58	-10.23	98	-10.61	138	-8.63	178	-5.68	218	-12.96	258	-37.23	298	-32.71	338	-9.54
19	-11.48	59	-9.41	99	-10.74	139	-9.26	179	-5.59	219	-12.95	259	-28.79	299	-33.28	339	-10.13
20	-13.21	60	-8.72	100	-10.74	140	-9.87	180	-5.68	220	-13.28	260	-24.7	300	-30.18	340	-11.03
21	-15.52	61	-8.11	101	-10.58	141	-10.43	181	-5.94	221	-14	261	-22.14	301	-27.69	341	-11.99
22	-20.71	62	-7.49	102	-10.16	142	-11.09	182	-6.43	222	-14.93	262	-20.31	302	-26.5	342	-12.55
23	-24.81	63	-6.94	103	-9.53	143	-11.71	183	-7.1	223	-16.01	263	-19.11	303	-25.26	343	-12.27
24	-25.76	64	-6.36	104	-8.88	144	-12.33	184	-7.81	224	-17.57	264	-18.26	304	-24.71	344	-11.44
25	-23.84	65	-5.81	105	-8.35	145	-12.77	185	-8.68	225	-18.8	265	-17.73	305	-24.05	345	-10.52
26	-22.35	66	-5.36	106	-8.02	146	-13.02	186	-9.61	226	-20.31	266	-17.58	306	-23	346	-9.99
27	-21.57	67	-4.96	107	-7.86	147	-13.35	187	-10.65	227	-22.31	267	-17.71	307	-22.3	347	-9.88
28	-21.33	68	-4.64	108	-7.79	148	-13.8	188	-11.88	228	-24.71	268	-17.97	308	-21.51	348	-10.27
29	-21.39	69	-4.37	109	-7.8	149	-14.96	189	-13.31	229	-28.32	269	-18.32	309	-20.46	349	-11.07
30	-21.47	70	-4.1	110	-7.84	150	-16.44	190	-15.62	230	-36.34	270	-18.56	310	-19.49	350	-12.22
31	-20.89	71	-3.89	111	-7.94	151	-18.79	191	-17.59	231	-38.91	271	-18.35	311	-18.72	351	-13.46
32	-19.44	72	-3.72	112	-8.02	152	-22.69	192	-19.87	232	-29.23	272	-17.91	312	-18.05	352	-14.38
33	-17.82	73	-3.59	113	-8.12	153	-27.76	193	-22.53	233	-25.64	273	-17.3	313	-17.84	353	-14.24
34	-16.29	74	-3.49	114	-8.38	154	-31.65	194	-26.39	234	-23.81	274	-16.74	314	-18	354	-12.75
35	-14.69	75	-3.43	115	-8.85	155	-25.99	195	-31.75	235	-22.61	275	-16.37	315	-18.69	355	-10.7
36	-13.2	76	-3.42	116	-9.68	156	-23.05	196	-39.49	236	-21.8	276	-16.01	316	-19.87	356	-8.82
37	-11.91	77	-3.45	117	-10.7	157	-22.62	197	-56.84	237	-21.28	277	-15.72	317	-21.26	357	-6.75
38	-10.82	78	-3.46	118	-11.94	158	-23.26	198	-41.35	238	-21	278	-15.45	318	-22.72	358	-5.9
39	-10	79	-3.48	119	-14.6	159	-23.85	199	-33.29	239	-20.97	279	-15.05	319	-22.05	359	-5.64

Radiated Pattern : DAX800XR




WiFi 5GHz Cch (ANT0) Hor (XY)

Received Power

MAX MIN AVE
 -2.17 -52.12 -12.8674

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-6.78	40	-3.33	80	-14.22	120	-10.93	160	-18.33	200	-9.37	240	-20.07	280	-10.07	320	-9.14
1	-8.36	41	-3.19	81	-15.02	121	-11.75	161	-18.25	201	-9.68	241	-20.83	281	-10.71	321	-9.74
2	-9.57	42	-3.11	82	-16.19	122	-12.79	162	-19.37	202	-10.02	242	-21.78	282	-11.76	322	-10.55
3	-10.94	43	-3.02	83	-17.79	123	-13.76	163	-21.98	203	-10.47	243	-22.81	283	-13.21	323	-11.55
4	-12.26	44	-2.93	84	-19.99	124	-14.43	164	-25.61	204	-11.03	244	-24.15	284	-15.34	324	-12.8
5	-12.97	45	-2.89	85	-23.82	125	-14.75	165	-23.38	205	-11.62	245	-26.27	285	-18.01	325	-14.45
6	-12.56	46	-2.82	86	-30.21	126	-14.4	166	-18.47	206	-12.28	246	-23.37	286	-21.24	326	-16.53
7	-11.27	47	-2.75	87	-25.01	127	-13.54	167	-14.97	207	-13.3	247	-19.15	287	-24.49	327	-18.97
8	-9.77	48	-2.69	88	-18.54	128	-12.27	168	-13.52	208	-14.59	248	-16.91	288	-24.56	328	-20.34
9	-8.31	49	-2.65	89	-14.53	129	-10.92	169	-13.21	209	-16.31	249	-15.1	289	-22.34	329	-19.84
10	-7.05	50	-2.58	90	-11.43	130	-9.73	170	-13.71	210	-18.76	250	-13.99	290	-20.19	330	-18.4
11	-6	51	-2.53	91	-9.1	131	-8.83	171	-14.82	211	-21.65	251	-13.5	291	-18.89	331	-16.87
12	-5.24	52	-2.52	92	-7.15	132	-8.39	172	-16.41	212	-22.94	252	-13.01	292	-18.38	332	-15.34
13	-4.7	53	-2.56	93	-5.5	133	-8.28	173	-17.72	213	-20.87	253	-12.04	293	-18.58	333	-14.26
14	-4.43	54	-2.65	94	-4.28	134	-8.31	174	-17.15	214	-18.41	254	-10.64	294	-19.32	334	-13.45
15	-4.31	55	-2.8	95	-3.33	135	-8.79	175	-15.55	215	-16.09	255	-9.1	295	-20.51	335	-12.59
16	-4.28	56	-3.04	96	-2.67	136	-9.5	176	-14.5	216	-14.22	256	-7.82	296	-22.2	336	-11.74
17	-4.34	57	-3.38	97	-2.27	137	-10.16	177	-13.64	217	-12.93	257	-6.92	297	-24.46	337	-11.28
18	-4.55	58	-3.88	98	-2.17	138	-10.56	178	-13.14	218	-12.16	258	-6.52	298	-27.12	338	-11.09
19	-4.85	59	-4.53	99	-2.34	139	-10.58	179	-12.77	219	-11.7	259	-6.51	299	-29.89	339	-10.92
20	-5.19	60	-5.32	100	-2.75	140	-10.51	180	-12.28	220	-11.43	260	-6.87	300	-29.82	340	-10.88
21	-5.56	61	-6.38	101	-3.47	141	-10.6	181	-11.73	221	-11.42	261	-7.72	301	-27.24	341	-11.04
22	-5.91	62	-7.61	102	-4.47	142	-10.61	182	-11	222	-11.68	262	-8.82	302	-24.68	342	-11.31
23	-6.25	63	-9.25	103	-5.76	143	-10.72	183	-10.2	223	-12.19	263	-10.38	303	-22.1	343	-11.62
24	-6.49	64	-11.26	104	-7.49	144	-10.74	184	-9.49	224	-12.82	264	-12.46	304	-19.94	344	-12.27
25	-6.61	65	-13.76	105	-9.56	145	-10.63	185	-9.04	225	-13.85	265	-14.82	305	-17.98	345	-13.45
26	-6.62	66	-17.24	106	-13.07	146	-10.41	186	-8.86	226	-15.27	266	-17.39	306	-16.42	346	-15.31
27	-6.51	67	-22.34	107	-15.84	147	-10.3	187	-8.98	227	-17.18	267	-19.15	307	-15.37	347	-18.26
28	-6.3	68	-27.74	108	-17.9	148	-10.18	188	-9.54	228	-19.6	268	-18.72	308	-14.7	348	-24.27
29	-6	69	-23.61	109	-19.67	149	-10.36	189	-10.85	229	-21.75	269	-17.47	309	-14.33	349	-52.12
30	-5.54	70	-19.35	110	-19.46	150	-10.87	190	-12.85	230	-21.24	270	-15.98	310	-14.15	350	-24.95
31	-5.28	71	-16.58	111	-18.08	151	-11.81	191	-15.96	231	-18.95	271	-14.1	311	-14.08	351	-19.46
32	-5.05	72	-14.76	112	-16.72	152	-12.84	192	-21.92	232	-17.12	272	-13.16	312	-13.88	352	-16.44
33	-4.78	73	-13.29	113	-15.39	153	-13.54	193	-36.82	233	-15.45	273	-12.26	313	-12.77	353	-14.09
34	-4.5	74	-12.77	114	-14.03	154	-14.08	194	-18.89	234	-14.87	274	-11.47	314	-11.74	354	-12.17
35	-4.26	75	-12.57	115	-12.67	155	-14.79	195	-14.74	235	-15.13	275	-10.83	315	-10.78	355	-9.62
36	-4.03	76	-12.57	116	-11.54	156	-15.92	196	-12.44	236	-15.7	276	-10.28	316	-9.84	356	-8.26
37	-3.79	77	-12.73	117	-10.91	157	-17.55	197	-11.01	237	-16.48	277	-9.86	317	-9.13	357	-7.74
38	-3.63	78	-13.04	118	-10.64	158	-18.9	198	-9.96	238	-17.58	278	-9.63	318	-8.87	358	-6.84
39	-3.49	79	-13.59	119	-10.55	159	-18.98	199	-9.39	239	-19.03	279	-9.72	319	-8.89	359	-6.89

Radiated Pattern : DAX800XR




WiFi 5GHz Cch (ANT0) Ver (XY)

Received Power

MAX MIN AVE
 -4.39 -34.09 -15.1076

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-6.92	40	-10.56	80	-4.42	120	-21.1	160	-16.95	200	-17.33	240	-20.6	280	-15.68	320	-25.94
1	-6.31	41	-10.52	81	-4.46	121	-19.36	161	-16.46	201	-16.34	241	-20.95	281	-15.13	321	-20.67
2	-6.83	42	-10.65	82	-4.52	122	-17.24	162	-16.1	202	-15.91	242	-21.54	282	-14.53	322	-17.42
3	-7.7	43	-10.93	83	-4.76	123	-15.49	163	-15.67	203	-15.74	243	-22.16	283	-13.89	323	-15.43
4	-9.08	44	-11.37	84	-5.03	124	-13.97	164	-14.59	204	-16.11	244	-22.88	284	-13.15	324	-14.24
5	-10.89	45	-12.12	85	-5.36	125	-12.71	165	-13.32	205	-17.08	245	-23.7	285	-12.52	325	-13.72
6	-12.9	46	-13.26	86	-5.77	126	-11.47	166	-11.95	206	-18.11	246	-24.42	286	-12.04	326	-13.85
7	-14.24	47	-14.77	87	-6.26	127	-10.45	167	-10.64	207	-18.98	247	-25.49	287	-11.84	327	-14.41
8	-14.05	48	-16.62	88	-6.79	128	-9.7	168	-9.56	208	-19.61	248	-27.81	288	-11.85	328	-15.01
9	-12.72	49	-19.78	89	-7.34	129	-9.16	169	-8.8	209	-19.54	249	-30.77	289	-12.1	329	-15.37
10	-11.25	50	-20.66	90	-7.9	130	-8.74	170	-8.33	210	-18.68	250	-32.94	290	-12.41	330	-15.36
11	-10.18	51	-20.6	91	-8.48	131	-8.45	171	-8.01	211	-17.57	251	-31.81	291	-12.85	331	-14.98
12	-9.43	52	-18.83	92	-9.02	132	-8.33	172	-7.64	212	-17.11	252	-29.67	292	-13.37	332	-14.3
13	-9	53	-16.55	93	-9.47	133	-8.29	173	-7.27	213	-16.54	253	-28.62	293	-13.94	333	-13.58
14	-8.9	54	-13.79	94	-9.86	134	-8.41	174	-6.91	214	-16.01	254	-28.53	294	-14.7	334	-12.94
15	-9.01	55	-12.51	95	-10.11	135	-8.74	175	-6.47	215	-15.79	255	-29.49	295	-15.74	335	-12.44
16	-9.35	56	-11.47	96	-10.31	136	-9.11	176	-6.25	216	-15.65	256	-32.79	296	-16.79	336	-12.13
17	-9.89	57	-10.73	97	-10.38	137	-9.38	177	-6.16	217	-15.38	257	-34.09	297	-18	337	-12.16
18	-11.26	58	-10.07	98	-10.3	138	-9.69	178	-6.21	218	-14.98	258	-30.09	298	-19.21	338	-12.53
19	-12.61	59	-9.48	99	-10.07	139	-10.05	179	-6.5	219	-14.73	259	-26.1	299	-19.73	339	-13.09
20	-14.36	60	-8.95	100	-9.75	140	-10.36	180	-6.93	220	-14.46	260	-23.01	300	-19.85	340	-14.57
21	-16.73	61	-8.4	101	-9.34	141	-10.68	181	-7.49	221	-14.3	261	-20.79	301	-19.67	341	-15.76
22	-19.81	62	-7.82	102	-8.96	142	-10.95	182	-8.16	222	-14.32	262	-19.06	302	-19.21	342	-16.21
23	-23.41	63	-7.27	103	-8.67	143	-11.2	183	-8.86	223	-14.54	263	-18.01	303	-19.25	343	-16.73
24	-25.36	64	-6.72	104	-8.43	144	-11.66	184	-9.76	224	-15.11	264	-17.41	304	-19.35	344	-14.49
25	-23.97	65	-6.21	105	-8.42	145	-12.26	185	-10.71	225	-16.06	265	-17.32	305	-19.36	345	-13.51
26	-22.21	66	-5.78	106	-8.62	146	-13.75	186	-11.87	226	-17.5	266	-17.67	306	-19.57	346	-13.07
27	-21.15	67	-5.41	107	-8.97	147	-15.14	187	-13.32	227	-19.52	267	-18.24	307	-19.57	347	-13.23
28	-20.6	68	-5.13	108	-9.38	148	-17.31	188	-14.97	228	-22.39	268	-19.21	308	-18.87	348	-14.07
29	-20.62	69	-4.93	109	-10.04	149	-20.58	189	-16.52	229	-26.52	269	-20.12	309	-18.68	349	-15.59
30	-21.23	70	-4.76	110	-10.42	150	-26.07	190	-18.47	230	-33.16	270	-20.93	310	-17.25	350	-17.97
31	-21.54	71	-4.64	111	-10.83	151	-29.01	191	-20.46	231	-33.52	271	-21.44	311	-16.47	351	-20.84
32	-20.51	72	-4.53	112	-11.21	152	-23.84	192	-22.41	232	-28.76	272	-21.4	312	-16.03	352	-22.2
33	-18.87	73	-4.47	113	-11.62	153	-20.86	193	-24.54	233	-26.19	273	-20.69	313	-16.03	353	-19.05
34	-16.94	74	-4.42	114	-12.33	154	-18.85	194	-27.8	234	-24.59	274	-19.81	314	-16.68	354	-15.38
35	-15.13	75	-4.39	115	-13.57	155	-18.31	195	-31.86	235	-23.34	275	-18.92	315	-17.8	355	-12.57
36	-13.46	76	-4.4	116	-15.33	156	-17.96	196	-32.69	236	-22.36	276	-18.15	316	-19.65	356	-10.29
37	-12.23	77	-4.39	117	-17.51	157	-17.84	197	-26.09	237	-21.64	277	-17.5	317	-22.58	357	-8.63
38	-11.32	78	-4.4	118	-19.82	158	-17.74	198	-21.74	238	-21.17	278	-16.59	318	-27.17	358	-7.38
39	-10.8	79	-4.4	119	-21.4	159	-17.35	199	-19.26	239	-20.61	279	-16.13	319	-31.42	359	-6.63

Radiated Pattern : DAX800XR




WiFi 5GHz Hch (ANT0) Hor(XY)

Received Power

MAX MIN AVE
 -2.02 -38.47 -13.1952

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-7.28	40	-3.78	80	-11.29	120	-12.89	160	-15.43	200	-10.45	240	-25.46	280	-12	320	-9.67
1	-10.78	41	-3.76	81	-11.6	121	-14.65	161	-17.94	201	-10.31	241	-25.51	281	-12.46	321	-10.06
2	-13.22	42	-3.72	82	-12.09	122	-16.81	162	-23.72	202	-10.46	242	-26.57	282	-13.16	322	-10.74
3	-15.78	43	-3.64	83	-12.7	123	-18.62	163	-38.47	203	-10.93	243	-30.58	283	-14.05	323	-11.66
4	-17.89	44	-3.51	84	-13.46	124	-19.62	164	-22.35	204	-11.83	244	-34.05	284	-15.14	324	-13.07
5	-18.09	45	-3.35	85	-14.18	125	-19.03	165	-16.92	205	-13.18	245	-23.06	285	-16.43	325	-15
6	-15.95	46	-3.19	86	-14.66	126	-17.41	166	-14.43	206	-14.96	246	-17.9	286	-17.85	326	-17.14
7	-13.41	47	-3.01	87	-14.18	127	-15.84	167	-13.5	207	-17.56	247	-14.45	287	-19.24	327	-19.03
8	-11.05	48	-2.87	88	-12.76	128	-14.44	168	-13.59	208	-21.68	248	-12.37	288	-20.6	328	-19.93
9	-9.28	49	-2.76	89	-10.89	129	-13.63	169	-14.18	209	-27.54	249	-11.36	289	-21.8	329	-19.1
10	-7.93	50	-2.68	90	-8.91	130	-12.87	170	-15.1	210	-27.28	250	-11.12	290	-22.86	330	-17.17
11	-7.02	51	-2.68	91	-7.2	131	-12.26	171	-16.28	211	-20.94	251	-11.48	291	-23.73	331	-15.41
12	-6.55	52	-2.7	92	-5.68	132	-11.85	172	-16.78	212	-16.93	252	-12.09	292	-24.42	332	-14.23
13	-6.36	53	-2.77	93	-4.42	133	-11.62	173	-16.28	213	-14.32	253	-12.27	293	-24.53	333	-13.28
14	-6.44	54	-2.93	94	-3.45	134	-11.65	174	-15.71	214	-12.46	254	-11.47	294	-24.34	334	-12.47
15	-6.73	55	-3.15	95	-2.75	135	-11.8	175	-15.27	215	-11.07	255	-10.29	295	-23.71	335	-12.01
16	-7.1	56	-3.49	96	-2.24	136	-11.81	176	-14.63	216	-10.26	256	-9.22	296	-23.02	336	-11.81
17	-7.41	57	-3.91	97	-2.02	137	-11.78	177	-14.1	217	-10.03	257	-8.58	297	-22.36	337	-11.65
18	-7.44	58	-4.5	98	-2.07	138	-11.83	178	-13.55	218	-10.21	258	-8.29	298	-21.67	338	-11.43
19	-8.07	59	-5.21	99	-2.38	139	-11.88	179	-12.61	219	-10.76	259	-8.51	299	-20.9	339	-11.19
20	-8.39	60	-6.01	100	-2.99	140	-12.09	180	-11.54	220	-11.81	260	-9.08	300	-19.96	340	-10.88
21	-8.67	61	-7.01	101	-3.92	141	-12.21	181	-10.8	221	-13.43	261	-10.04	301	-18.68	341	-10.71
22	-8.83	62	-8.13	102	-5.24	142	-12.23	182	-10.24	222	-15.57	262	-11.37	302	-17.46	342	-10.89
23	-8.88	63	-9.47	103	-6.91	143	-12.2	183	-10	223	-18.54	263	-13.06	303	-16.27	343	-11.48
24	-8.88	64	-11.04	104	-9.18	144	-12.05	184	-10.31	224	-23.9	264	-14.73	304	-14.67	344	-12.61
25	-8.77	65	-12.86	105	-11.82	145	-11.9	185	-11.17	225	-35.94	265	-15.94	305	-13.8	345	-14.45
26	-8.57	66	-15.13	106	-15.18	146	-11.72	186	-13.5	226	-22.08	266	-16.11	306	-13.06	346	-17.7
27	-8.29	67	-17.49	107	-18.95	147	-11.69	187	-16.45	227	-18.11	267	-15.51	307	-12.49	347	-25.7
28	-7.89	68	-19.8	108	-24.73	148	-11.87	188	-20.91	228	-15.65	268	-14.75	308	-12	348	-24.15
29	-7.32	69	-20.43	109	-26.6	149	-12.46	189	-27.95	229	-14.13	269	-14.34	309	-11.69	349	-19.28
30	-6.66	70	-19.12	110	-24.04	150	-13.7	190	-27.54	230	-13.53	270	-14.09	310	-11.53	350	-15.95
31	-6.07	71	-17.27	111	-20.27	151	-14.22	191	-21	231	-13.47	271	-13.79	311	-11.44	351	-13.66
32	-5.49	72	-15.47	112	-17.04	152	-14.21	192	-17.6	232	-13.98	272	-13.65	312	-11.43	352	-11.59
33	-4.95	73	-14.08	113	-14.75	153	-14.12	193	-15.21	233	-15.35	273	-13.52	313	-11.5	353	-9.98
34	-4.32	74	-12.61	114	-13.15	154	-14.5	194	-13.54	234	-17.57	274	-13.14	314	-11.36	354	-8.64
35	-4.08	75	-11.98	115	-12.11	155	-15.14	195	-12.74	235	-20.22	275	-12.73	315	-10.99	355	-7.68
36	-3.93	76	-11.51	116	-11.46	156	-15.44	196	-12.19	236	-24.37	276	-12.36	316	-10.48	356	-7
37	-3.82	77	-11.22	117	-11.17	157	-14.96	197	-11.53	237	-29.74	277	-12.08	317	-9.98	357	-6.7
38	-3.8	78	-11.09	118	-11.15	158	-14.31	198	-10.98	238	-30.45	278	-11.88	318	-9.6	358	-6.98
39	-3.8	79	-11.1	119	-11.64	159	-14.3	199	-10.66	239	-27.23	279	-11.81	319	-9.49	359	-7.75

Radiated Pattern : DAX800XR




WiFi 5GHz Hch (ANT0) Ver (XY)

Received Power

MAX MIN AVE
 -4.37 -34.71 -14.8644

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-7.81	40	-13.2	80	-4.47	120	-15.56	160	-10.51	200	-18.27	240	-16.13	280	-13.29	320	-15.67
1	-9.46	41	-12.63	81	-4.63	121	-15.04	161	-11.32	201	-17.9	241	-16.76	281	-12.27	321	-14.5
2	-11.62	42	-12.25	82	-4.94	122	-14.11	162	-12.24	202	-17.53	242	-17.43	282	-11.65	322	-13.96
3	-13.17	43	-12.08	83	-5.33	123	-12.82	163	-12.46	203	-17.01	243	-18.09	283	-11.41	323	-14.06
4	-14.42	44	-12.18	84	-5.78	124	-11.31	164	-11.44	204	-16.66	244	-18.88	284	-11.41	324	-14.52
5	-14.99	45	-12.28	85	-6.31	125	-9.77	165	-9.95	205	-16.72	245	-19.86	285	-11.62	325	-15.08
6	-14.73	46	-12.39	86	-6.94	126	-8.74	166	-8.73	206	-17.07	246	-20.61	286	-11.98	326	-15.66
7	-13.85	47	-12.62	87	-7.65	127	-8.19	167	-7.83	207	-17.74	247	-20.84	287	-12.5	327	-16.21
8	-12.69	48	-12.86	88	-8.28	128	-7.96	168	-7.29	208	-19.13	248	-20.56	288	-13.02	328	-16.62
9	-11.55	49	-12.94	89	-8.86	129	-8.12	169	-7.05	209	-21.38	249	-20.25	289	-13.54	329	-17.05
10	-10.61	50	-12.86	90	-9.31	130	-8.54	170	-7	210	-24	250	-20.44	290	-13.92	330	-17.82
11	-10.02	51	-12.63	91	-9.76	131	-9.05	171	-7.04	211	-25.59	251	-22.01	291	-14.05	331	-20.1
12	-9.79	52	-12.42	92	-9.85	132	-9.51	172	-6.92	212	-24.21	252	-24.28	292	-14.06	332	-21.92
13	-9.84	53	-12.16	93	-9.87	133	-9.84	173	-6.71	213	-21.8	253	-28.58	293	-13.85	333	-22.53
14	-10.22	54	-11.94	94	-9.68	134	-9.85	174	-6.62	214	-19.48	254	-34.71	294	-13.72	334	-21.68
15	-10.94	55	-11.77	95	-9.18	135	-9.58	175	-6.63	215	-17.53	255	-30.75	295	-13.78	335	-20.26
16	-11.94	56	-11.58	96	-8.94	136	-9.39	176	-6.67	216	-16.22	256	-25.26	296	-13.93	336	-18.86
17	-13.2	57	-11.31	97	-8.5	137	-9.35	177	-6.91	217	-15.38	257	-21.7	297	-14.93	337	-17.71
18	-14.48	58	-11.06	98	-8.19	138	-9.68	178	-7.35	218	-14.87	258	-19.44	298	-15.68	338	-16.86
19	-15.5	59	-10.79	99	-7.95	139	-9.96	179	-8.3	219	-15.02	259	-18.12	299	-16.98	339	-16.17
20	-16.07	60	-10.54	100	-7.98	140	-10.73	180	-9.2	220	-15.63	260	-17.31	300	-18.5	340	-15.66
21	-16.09	61	-10.23	101	-8.16	141	-12.61	181	-10.39	221	-16.98	261	-16.94	301	-19.94	341	-15.4
22	-15.78	62	-9.88	102	-8.41	142	-14.12	182	-11.54	222	-19.01	262	-16.87	302	-20.82	342	-15.4
23	-15.37	63	-9.51	103	-8.81	143	-15.74	183	-12.7	223	-22.15	263	-16.94	303	-20.06	343	-15.85
24	-15.02	64	-9.07	104	-9.34	144	-16.82	184	-13.83	224	-26.7	264	-17.05	304	-18.53	344	-16.79
25	-14.82	65	-8.59	105	-9.95	145	-17.88	185	-14.86	225	-33.69	265	-17.26	305	-17.22	345	-18.37
26	-14.82	66	-8.18	106	-10.59	146	-19.61	186	-15.69	226	-30.02	266	-17.52	306	-16.29	346	-20.99
27	-15.08	67	-7.79	107	-11.17	147	-21.51	187	-16.77	227	-24.7	267	-17.84	307	-15.76	347	-25.34
28	-15.69	68	-7.43	108	-11.65	148	-22.41	188	-18.68	228	-21.59	268	-18.29	308	-15.71	348	-33.25
29	-16.64	69	-7.1	109	-12.16	149	-20.56	189	-20.92	229	-19.82	269	-18.84	309	-16	349	-27.92
30	-17.78	70	-6.7	110	-12.85	150	-18.77	190	-23.82	230	-18.71	270	-19.66	310	-16.77	350	-21.35
31	-19.41	71	-6.28	111	-13.57	151	-17.09	191	-28.98	231	-17.8	271	-20.93	311	-17.8	351	-17.06
32	-21.49	72	-5.89	112	-14.11	152	-16.23	192	-33.89	232	-16.91	272	-22.89	312	-18.63	352	-14.03
33	-24.34	73	-5.47	113	-14.41	153	-15.64	193	-29.3	233	-16.17	273	-25.88	313	-19.75	353	-11.77
34	-26.19	74	-5.1	114	-14.54	154	-14.62	194	-25.42	234	-15.71	274	-28.99	314	-20.69	354	-10.12
35	-23.76	75	-4.77	115	-14.49	155	-13.26	195	-22.85	235	-15.45	275	-26.61	315	-21.34	355	-8.96
36	-20.08	76	-4.56	116	-14.42	156	-11.81	196	-20.94	236	-15.26	276	-22.5	316	-21.75	356	-8.18
37	-17.36	77	-4.44	117	-14.56	157	-10.69	197	-19.73	237	-15.29	277	-19.34	317	-20.9	357	-7.71
38	-15.55	78	-4.38	118	-15	158	-10.22	198	-19.22	238	-15.46	278	-16.76	318	-19.07	358	-7.59
39	-14.12	79	-4.37	119	-15.49	159	-10.09	199	-18.73	239	-15.72	279	-14.79	319	-17.2	359	-7.88

Radiated Pattern : DAX800XR




WiFi 5GHz Lch (ANT0) Hor (ZX)

Received Power

MAX MIN AVE
 -2.52 -42.24 -14.7399

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-15.89	40	-16.88	80	-8.74	120	-13.78	160	-2.55	200	-9.44	240	-9.68	280	-13.07	320	-14.29
1	-17.83	41	-17.2	81	-8.89	121	-13.4	161	-2.54	201	-9.67	241	-9.48	281	-12.45	321	-14.6
2	-19.27	42	-17.63	82	-9.11	122	-13.36	162	-2.52	202	-10.07	242	-9.41	282	-11.87	322	-14.82
3	-21.54	43	-18.19	83	-9.44	123	-13.57	163	-2.55	203	-10.65	243	-9.55	283	-11.25	323	-14.95
4	-25.32	44	-19.08	84	-9.88	124	-13.87	164	-2.56	204	-11.39	244	-9.66	284	-10.9	324	-15.13
5	-32.14	45	-20.24	85	-10.5	125	-14.01	165	-2.71	205	-12.95	245	-9.86	285	-10.59	325	-15.53
6	-40.3	46	-21.85	86	-11.35	126	-13.82	166	-2.92	206	-14.3	246	-10.11	286	-10.38	326	-16.01
7	-28.21	47	-24.14	87	-12.47	127	-13.54	167	-3.1	207	-15.87	247	-10.36	287	-10.27	327	-16.5
8	-23.82	48	-27.5	88	-14.01	128	-13.22	168	-3.42	208	-18.01	248	-10.62	288	-10.22	328	-17.12
9	-21.33	49	-31.85	89	-16.18	129	-12.7	169	-3.8	209	-20.72	249	-11.01	289	-10.3	329	-18.24
10	-19.63	50	-31.52	90	-18.77	130	-12.29	170	-4.25	210	-23.32	250	-11.52	290	-10.44	330	-19.82
11	-18.6	51	-26.78	91	-21.05	131	-12.39	171	-4.85	211	-26.4	251	-12.06	291	-10.73	331	-21.75
12	-18.04	52	-23.75	92	-20.18	132	-12.5	172	-5.47	212	-30.2	252	-12.73	292	-10.98	332	-24.46
13	-17.81	53	-21.68	93	-17.44	133	-12.78	173	-6.13	213	-28.5	253	-13.68	293	-11.3	333	-28.58
14	-17.68	54	-20.21	94	-13.48	134	-13.29	174	-7.01	214	-24.32	254	-14.97	294	-11.61	334	-35.86
15	-17.73	55	-19.21	95	-11.59	135	-13.96	175	-7.89	215	-21.02	255	-16.51	295	-11.95	335	-35.7
16	-18.05	56	-18.5	96	-10.22	136	-14.88	176	-8.75	216	-18.69	256	-18.41	296	-12.21	336	-29.54
17	-18.59	57	-17.82	97	-9.28	137	-15.86	177	-9.68	217	-17.45	257	-20.16	297	-12.45	337	-26.03
18	-19.2	58	-17.31	98	-8.6	138	-16.43	178	-10.93	218	-16.26	258	-21.36	298	-12.61	338	-23.83
19	-19.81	59	-16.77	99	-8.25	139	-16.04	179	-12.06	219	-15.5	259	-20.66	299	-12.78	339	-22.64
20	-20.54	60	-16.2	100	-8.08	140	-14.99	180	-13.25	220	-14.9	260	-19.25	300	-12.79	340	-22.14
21	-21.62	61	-15.35	101	-8.11	141	-13.57	181	-14.62	221	-14.47	261	-17.61	301	-12.84	341	-22.28
22	-22.42	62	-14.72	102	-8.33	142	-11.95	182	-15.93	222	-14.43	262	-16.16	302	-12.81	342	-22.55
23	-23.42	63	-14.1	103	-8.63	143	-10.67	183	-16.8	223	-14.38	263	-15.28	303	-12.72	343	-23.27
24	-23.96	64	-13.52	104	-8.95	144	-9.53	184	-17.31	224	-14.58	264	-14.45	304	-12.61	344	-24.92
25	-23.78	65	-12.9	105	-9.28	145	-8.56	185	-16.88	225	-15.08	265	-13.88	305	-12.47	345	-27.13
26	-23.31	66	-12.25	106	-9.53	146	-7.76	186	-15.81	226	-15.73	266	-13.55	306	-12.32	346	-31.72
27	-22.67	67	-11.7	107	-9.74	147	-6.95	187	-14.86	227	-16.32	267	-13.54	307	-12.27	347	-42.24
28	-21.71	68	-11.17	108	-9.87	148	-6.25	188	-13.8	228	-17.01	268	-13.49	308	-12.33	348	-37.83
29	-20.45	69	-10.68	109	-10.01	149	-5.6	189	-12.96	229	-17.13	269	-13.63	309	-12.44	349	-30.62
30	-19.4	70	-10.3	110	-10.18	150	-4.99	190	-12.22	230	-16.87	270	-13.85	310	-12.61	350	-26.31
31	-18.83	71	-9.92	111	-10.37	151	-4.5	191	-11.77	231	-16.47	271	-14.32	311	-12.79	351	-23.29
32	-18.29	72	-9.61	112	-10.67	152	-4.03	192	-11.25	232	-15.85	272	-14.75	312	-12.94	352	-21.04
33	-17.67	73	-9.36	113	-11.08	153	-3.68	193	-10.83	233	-14.97	273	-15.19	313	-13.13	353	-19.38
34	-17.18	74	-9.12	114	-11.7	154	-3.39	194	-10.47	234	-14.1	274	-15.54	314	-13.24	354	-18.05
35	-16.88	75	-8.91	115	-12.51	155	-3.14	195	-10.19	235	-13.48	275	-15.67	315	-13.28	355	-17.08
36	-16.66	76	-8.78	116	-13.4	156	-2.91	196	-9.93	236	-12.73	276	-15.49	316	-13.54	356	-16.32
37	-16.64	77	-8.69	117	-14.12	157	-2.78	197	-9.66	237	-11.92	277	-14.76	317	-13.62	357	-15.81
38	-16.68	78	-8.63	118	-14.54	158	-2.63	198	-9.42	238	-10.58	278	-14.4	318	-13.68	358	-15.78
39	-16.76	79	-8.64	119	-14.3	159	-2.55	199	-9.32	239	-10.04	279	-13.7	319	-14.01	359	-16.09

Radiated Pattern : DAX800XR




WiFi 5GHz Lch (ANT0) Ver (ZX)

Received Power
 MAX MIN AVE
 -5.9 -41.97 -14.2693

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-14.03	40	-11.46	80	-8.36	120	-12.87	160	-12.37	200	-14.01	240	-8.41	280	-16.54	320	-17.12
1	-12.7	41	-10.91	81	-8.52	121	-13.07	161	-12.25	201	-14.11	241	-8.51	281	-16.09	321	-16.49
2	-12.21	42	-10.52	82	-8.62	122	-13.25	162	-12.21	202	-14.38	242	-8.83	282	-15.59	322	-15.75
3	-11.8	43	-10.2	83	-8.66	123	-13.68	163	-12.16	203	-14.7	243	-9.35	283	-14.97	323	-15.22
4	-11.53	44	-9.94	84	-8.66	124	-14.15	164	-12.12	204	-14.97	244	-9.94	284	-14.34	324	-14.82
5	-11.48	45	-9.78	85	-8.53	125	-14.75	165	-12.22	205	-15.66	245	-10.33	285	-13.62	325	-14.55
6	-11.58	46	-9.67	86	-8.35	126	-15.92	166	-12.41	206	-16.91	246	-10.57	286	-12.99	326	-14.45
7	-11.76	47	-9.57	87	-8.08	127	-17.4	167	-12.55	207	-18.61	247	-10.83	287	-12.37	327	-14.54
8	-11.98	48	-9.69	88	-7.92	128	-18.09	168	-12.64	208	-21.61	248	-11.21	288	-11.86	328	-14.77
9	-12.13	49	-9.94	89	-7.75	129	-17.58	169	-12.52	209	-25.72	249	-11.51	289	-11.57	329	-14.89
10	-12.22	50	-10.26	90	-7.56	130	-17.11	170	-12.37	210	-30.82	250	-11.82	290	-11.49	330	-14.83
11	-12.3	51	-10.71	91	-7.21	131	-16.57	171	-12.17	211	-35.4	251	-12.28	291	-11.69	331	-14.49
12	-12.41	52	-11.06	92	-6.93	132	-15.71	172	-11.99	212	-30.95	252	-12.56	292	-12.04	332	-14.13
13	-12.65	53	-11.09	93	-6.66	133	-14.97	173	-11.91	213	-29.97	253	-12.54	293	-12.53	333	-13.72
14	-13.06	54	-10.71	94	-6.36	134	-14.49	174	-11.88	214	-28.53	254	-12.37	294	-13.3	334	-13.44
15	-13.63	55	-9.93	95	-6.1	135	-13.99	175	-11.93	215	-26.83	255	-12.24	295	-14.01	335	-13.4
16	-14.37	56	-8.47	96	-5.95	136	-13.42	176	-12.08	216	-25.68	256	-12.18	296	-14.82	336	-13.75
17	-15.11	57	-7.58	97	-5.9	137	-13.48	177	-12.39	217	-22.83	257	-12.31	297	-15.67	337	-14.43
18	-15.85	58	-6.9	98	-5.92	138	-14.21	178	-12.76	218	-20.31	258	-12.54	298	-16.52	338	-15.64
19	-17.12	59	-6.46	99	-6.02	139	-15.09	179	-13.1	219	-19.16	259	-12.77	299	-16.83	339	-17.59
20	-17.64	60	-6.2	100	-6.15	140	-16.52	180	-13.44	220	-18.17	260	-13.11	300	-16.88	340	-20.71
21	-19.51	61	-6.14	101	-6.36	141	-18.52	181	-13.6	221	-17.37	261	-13.48	301	-16.82	341	-25.81
22	-21.04	62	-6.19	102	-6.68	142	-20.33	182	-13.66	222	-17.33	262	-14.28	302	-16.85	342	-41.97
23	-22.53	63	-6.3	103	-7.16	143	-21.34	183	-13.73	223	-17.45	263	-15.03	303	-16.88	343	-29.88
24	-23.37	64	-6.51	104	-7.85	144	-22.41	184	-13.7	224	-16.64	264	-15.95	304	-17.05	344	-23
25	-23.11	65	-6.7	105	-8.69	145	-24.01	185	-13.69	225	-15.4	265	-16.73	305	-17.51	345	-19.78
26	-22.13	66	-6.85	106	-9.46	146	-25.02	186	-13.82	226	-13.31	266	-17.84	306	-18.23	346	-17.93
27	-21.06	67	-6.92	107	-9.97	147	-26.2	187	-13.92	227	-11.83	267	-18.87	307	-19.37	347	-18.86
28	-20.29	68	-6.89	108	-10.3	148	-29.26	188	-13.96	228	-10.64	268	-19.56	308	-20.88	348	-16.5
29	-19.9	69	-6.77	109	-10.41	149	-33.19	189	-14.01	229	-9.87	269	-19.98	309	-21.85	349	-16.93
30	-19.74	70	-6.57	110	-10.43	150	-30.33	190	-13.96	230	-9.23	270	-20.01	310	-21.66	350	-18.14
31	-19.36	71	-6.43	111	-10.42	151	-24.73	191	-13.86	231	-8.72	271	-19.39	311	-20.52	351	-19.92
32	-18.6	72	-6.34	112	-10.46	152	-21.17	192	-13.53	232	-8.43	272	-18.76	312	-19.21	352	-22.15
33	-18.03	73	-6.4	113	-10.57	153	-18.23	193	-13.27	233	-8.25	273	-18.28	313	-17.91	353	-23.04
34	-17.65	74	-6.61	114	-10.74	154	-16.01	194	-13.14	234	-8.13	274	-17.81	314	-17.03	354	-21.41
35	-16.82	75	-6.92	115	-10.97	155	-14.75	195	-13.11	235	-8.07	275	-17.49	315	-16.71	355	-18.94
36	-15.59	76	-7.32	116	-11.23	156	-13.77	196	-13.24	236	-8.15	276	-17.37	316	-16.67	356	-17.02
37	-14.37	77	-7.67	117	-11.62	157	-12.97	197	-13.56	237	-8.29	277	-17.33	317	-16.73	357	-15.64
38	-13.26	78	-7.98	118	-12.12	158	-12.58	198	-13.76	238	-8.39	278	-17.16	318	-16.93	358	-14.63
39	-12.3	79	-8.18	119	-12.47	159	-12.4	199	-13.84	239	-8.4	279	-16.84	319	-17.19	359	-13.9

Radiated Pattern : DAX800XR




WiFi 5GHz Cch (ANT0) Hor (ZX)

Received Power

MAX MIN AVE
 -5.82 -34.89 -15.808

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-14.93	40	-14.27	80	-8.91	120	-7.04	160	-17.8	200	-20.7	240	-13.59	280	-18.38	320	-32.2
1	-16.22	41	-13.61	81	-7.9	121	-6.87	161	-18.22	201	-22.13	241	-12.47	281	-19.65	321	-31.75
2	-17.82	42	-12.92	82	-7.13	122	-7.02	162	-17.65	202	-24.88	242	-11.98	282	-21.61	322	-32.99
3	-20.03	43	-12.34	83	-6.62	123	-7.48	163	-16.75	203	-29.86	243	-11.62	283	-23.73	323	-34.62
4	-23.87	44	-11.81	84	-6.2	124	-8.09	164	-15.82	204	-33.35	244	-11.05	284	-26.04	324	-34.89
5	-30.62	45	-11.32	85	-5.93	125	-8.73	165	-15.1	205	-28.85	245	-10.18	285	-28.9	325	-31.37
6	-33.3	46	-10.85	86	-5.82	126	-9.49	166	-14.94	206	-26.7	246	-9.51	286	-28.94	326	-29.25
7	-26.61	47	-10.38	87	-5.89	127	-10.45	167	-14.89	207	-24.33	247	-8.88	287	-26.18	327	-28.9
8	-22.9	48	-9.9	88	-6.06	128	-11.87	168	-14.62	208	-21.48	248	-8.65	288	-22.76	328	-27.02
9	-20.49	49	-9.41	89	-6.34	129	-13.46	169	-14.35	209	-19.52	249	-8.18	289	-19.89	329	-24.79
10	-18.65	50	-8.93	90	-6.89	130	-15.59	170	-14.37	210	-17.1	250	-7.48	290	-17.76	330	-23.86
11	-17.6	51	-8.43	91	-7.63	131	-18.6	171	-14.84	211	-14.51	251	-7.37	291	-15.97	331	-23.75
12	-17.12	52	-7.94	92	-8.99	132	-24.45	172	-14.97	212	-11.97	252	-7.45	292	-14.6	332	-22.85
13	-16.8	53	-7.5	93	-9.64	133	-26.71	173	-15.36	213	-11.24	253	-7.7	293	-13.41	333	-22.59
14	-16.47	54	-7.1	94	-10.89	134	-29.98	174	-15.86	214	-10.07	254	-8.31	294	-12.1	334	-22.95
15	-16.24	55	-6.74	95	-12.7	135	-29.16	175	-16.56	215	-9.14	255	-9.26	295	-11.51	335	-24.02
16	-16.01	56	-6.44	96	-13.4	136	-24.04	176	-16.71	216	-8.41	256	-10.46	296	-11.09	336	-25.97
17	-15.64	57	-6.22	97	-13.59	137	-21.37	177	-17.04	217	-8.08	257	-11.81	297	-10.91	337	-29.07
18	-15.05	58	-6.08	98	-13.03	138	-18.96	178	-17.39	218	-7.82	258	-13.51	298	-10.94	338	-32.84
19	-14.62	59	-5.98	99	-12.3	139	-17.1	179	-16.88	219	-7.54	259	-15.43	299	-11.1	339	-30.89
20	-14.43	60	-5.92	100	-11.81	140	-15.88	180	-16.32	220	-7.25	260	-17.22	300	-11.49	340	-27.12
21	-14.62	61	-5.95	101	-11.76	141	-14.74	181	-15.84	221	-7.05	261	-19.9	301	-12.03	341	-24.43
22	-14.99	62	-6.09	102	-11.94	142	-13.95	182	-15.19	222	-7.05	262	-24.23	302	-12.62	342	-22.28
23	-15.42	63	-6.17	103	-12.45	143	-13.32	183	-14.53	223	-7.23	263	-30.32	303	-13.34	343	-21.17
24	-15.65	64	-6.48	104	-13.14	144	-12.75	184	-14.07	224	-7.82	264	-34.23	304	-14.31	344	-21.08
25	-16.44	65	-6.79	105	-13.6	145	-12.15	185	-13.69	225	-8.75	265	-25.37	305	-15.22	345	-21.9
26	-16.96	66	-7.15	106	-13.53	146	-11.47	186	-13.19	226	-9.92	266	-21.11	306	-16.4	346	-23.33
27	-17.25	67	-7.66	107	-13.16	147	-10.75	187	-12.88	227	-11.43	267	-18.3	307	-17.77	347	-25.21
28	-17.62	68	-8.35	108	-12.98	148	-10.09	188	-12.69	228	-13.48	268	-16.45	308	-19.14	348	-27.02
29	-17.97	69	-9.17	109	-12.76	149	-9.72	189	-12.46	229	-15.39	269	-15.23	309	-20.7	349	-26.33
30	-18.28	70	-10.29	110	-11.84	150	-9.54	190	-12.6	230	-16.99	270	-14.19	310	-22.5	350	-23.94
31	-18.42	71	-11.6	111	-10.34	151	-9.62	191	-12.96	231	-19.06	271	-13.63	311	-24.15	351	-21.98
32	-18.45	72	-13.15	112	-8.81	152	-10.17	192	-13.22	232	-21.51	272	-13.34	312	-25.92	352	-20.46
33	-18.35	73	-14.75	113	-7.64	153	-10.97	193	-13.7	233	-23.75	273	-13.15	313	-27.76	353	-19.13
34	-18.28	74	-15.56	114	-6.79	154	-11.97	194	-14.83	234	-26.13	274	-13.25	314	-28.6	354	-17.89
35	-17.77	75	-15.53	115	-6.58	155	-13.23	195	-15.48	235	-24.17	275	-13.63	315	-29.22	355	-16.83
36	-17.06	76	-14.45	116	-6.9	156	-14.25	196	-15.87	236	-20.46	276	-14.1	316	-30.2	356	-16.02
37	-16.43	77	-12.89	117	-7.27	157	-15.22	197	-16.7	237	-17.94	277	-14.78	317	-30.15	357	-15.47
38	-15.76	78	-11.39	118	-7.42	158	-16.26	198	-17.95	238	-16.14	278	-15.74	318	-29.89	358	-15.05
39	-14.98	79	-10.05	119	-7.31	159	-17.11	199	-19.32	239	-14.89	279	-17	319	-31.06	359	-14.79

Radiated Pattern : DAX800XR




WiFi 5GHz Cch (ANT0) Ver (ZX)

Received Power

MAX MIN AVE
 -7.04 -38.84 -15.1918

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-13.09	40	-13.93	80	-10.2	120	-13.1	160	-14.92	200	-12.31	240	-9.83	280	-16.21	320	-20.54
1	-11.7	41	-13.19	81	-10.16	121	-12.94	161	-14.82	201	-12.1	241	-10.06	281	-16.25	321	-19.79
2	-11.42	42	-12.56	82	-10.15	122	-12.65	162	-14.68	202	-12.16	242	-10.53	282	-16.3	322	-19.01
3	-11.31	43	-12.01	83	-10.17	123	-12.52	163	-14.66	203	-12.44	243	-11.2	283	-16.26	323	-18.21
4	-11.37	44	-11.47	84	-10.16	124	-12.47	164	-14.62	204	-13.03	244	-11.94	284	-16	324	-17.47
5	-11.59	45	-11.01	85	-10.11	125	-12.46	165	-14.77	205	-13.96	245	-12.52	285	-15.75	325	-17.06
6	-11.92	46	-10.71	86	-9.99	126	-12.59	166	-15.01	206	-15.38	246	-12.94	286	-15.45	326	-17.13
7	-12.47	47	-10.55	87	-9.85	127	-13.04	167	-15.07	207	-17.35	247	-13.42	287	-15.15	327	-17.49
8	-13.06	48	-10.45	88	-9.6	128	-13.68	168	-15.17	208	-20.26	248	-13.75	288	-15.04	328	-17.99
9	-13.71	49	-10.62	89	-9.36	129	-14.16	169	-15.18	209	-23.17	249	-13.96	289	-15.02	329	-18.5
10	-14.22	50	-10.96	90	-9.15	130	-14	170	-15.02	210	-25.5	250	-14.3	290	-14.94	330	-19.1
11	-14.47	51	-11.41	91	-8.88	131	-14	171	-14.87	211	-26.58	251	-14.48	291	-14.97	331	-19.52
12	-14.7	52	-12.1	92	-8.59	132	-14.18	172	-14.62	212	-26.11	252	-14.32	292	-14.98	332	-19.48
13	-14.88	53	-12.52	93	-8.22	133	-13.93	173	-14.41	213	-27.46	253	-13.91	293	-15.17	333	-18.96
14	-15.16	54	-12.52	94	-7.86	134	-13.97	174	-14.32	214	-31.35	254	-13.41	294	-15.49	334	-18.35
15	-15.62	55	-12.04	95	-7.45	135	-14.15	175	-14.18	215	-38.84	255	-13.03	295	-15.72	335	-17.94
16	-16.24	56	-11.08	96	-7.23	136	-14.27	176	-14.08	216	-37.75	256	-12.91	296	-15.98	336	-17.96
17	-17.01	57	-10.09	97	-7.11	137	-14.61	177	-14.18	217	-27.53	257	-12.98	297	-16.13	337	-18.56
18	-17.9	58	-9.2	98	-7.04	138	-15.47	178	-14.19	218	-23.45	258	-13.13	298	-16.24	338	-19.93
19	-18.82	59	-8.5	99	-7.04	139	-16.33	179	-14.05	219	-21.17	259	-13.42	299	-16.44	339	-22.44
20	-19.87	60	-8.05	100	-7.09	140	-16.88	180	-14.06	220	-19.32	260	-13.85	300	-16.6	340	-27.18
21	-21.01	61	-7.82	101	-7.24	141	-17.07	181	-14.13	221	-18.38	261	-14.36	301	-16.87	341	-35.69
22	-22.2	62	-7.83	102	-7.52	142	-17.15	182	-14.17	222	-17.92	262	-15.03	302	-17.17	342	-28.46
23	-24.21	63	-7.99	103	-7.97	143	-16.87	183	-14.41	223	-16.9	263	-16.01	303	-17.47	343	-23.04
24	-24.58	64	-8.21	104	-8.6	144	-16.67	184	-14.57	224	-15.34	264	-16.87	304	-18.07	344	-19.76
25	-24	65	-8.45	105	-9.31	145	-17.09	185	-14.69	225	-13.97	265	-17.73	305	-18.81	345	-17.71
26	-22.97	66	-8.68	106	-10	146	-17.7	186	-14.5	226	-11.89	266	-18.65	306	-19.69	346	-16.41
27	-21.8	67	-8.82	107	-10.5	147	-18.58	187	-14.2	227	-10.62	267	-19.03	307	-20.92	347	-15.68
28	-20.67	68	-8.9	108	-10.81	148	-20.64	188	-13.86	228	-9.71	268	-19.17	308	-22.47	348	-15.46
29	-19.81	69	-8.96	109	-11.05	149	-23.65	189	-13.46	229	-9.1	269	-19.2	309	-23.96	349	-16.16
30	-19.46	70	-8.91	110	-11.22	150	-28.52	190	-12.96	230	-8.68	270	-18.72	310	-25.56	350	-16.72
31	-19.41	71	-8.83	111	-11.32	151	-35.38	191	-12.57	231	-8.44	271	-18.03	311	-26.49	351	-18.33
32	-19.1	72	-8.79	112	-11.37	152	-28.12	192	-12.15	232	-8.41	272	-17.47	312	-25.81	352	-20.61
33	-18.66	73	-8.8	113	-11.4	153	-22.88	193	-11.84	233	-8.52	273	-16.94	313	-24.26	353	-23.14
34	-18.2	74	-8.96	114	-11.54	154	-19.78	194	-11.76	234	-8.66	274	-16.58	314	-23.02	354	-21.43
35	-17.86	75	-9.2	115	-11.81	155	-17.97	195	-11.77	235	-8.97	275	-16.38	315	-22.19	355	-18.69
36	-17.18	76	-9.53	116	-12.16	156	-16.64	196	-11.95	236	-9.08	276	-16.39	316	-21.21	356	-16.28
37	-16.37	77	-9.85	117	-12.58	157	-15.92	197	-12.32	237	-9.39	277	-16.43	317	-20.85	357	-14.67
38	-15.54	78	-10.08	118	-12.91	158	-15.39	198	-12.5	238	-9.59	278	-16.29	318	-20.93	358	-13.48
39	-14.76	79	-10.19	119	-13.05	159	-14.99	199	-12.47	239	-9.71	279	-16.16	319	-20.94	359	-12.67

Radiated Pattern : DAX800XR




WiFi 5GHz Hch (ANT0) Hor (ZX)

Received Power

MAX MIN AVE
 -4.05 -47.22 -16.105

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-15.15	40	-18.98	80	-12.01	120	-20.15	160	-14.57	200	-30.02	240	-13.88	280	-15.11	320	-24.51
1	-18.01	41	-18.74	81	-10.97	121	-15.98	161	-14.09	201	-29.44	241	-14.05	281	-16	321	-24.81
2	-20.61	42	-18.1	82	-10.11	122	-12.62	162	-13.62	202	-27.15	242	-14.28	282	-17.06	322	-26.03
3	-25.27	43	-17.21	83	-9.36	123	-10.16	163	-13.22	203	-26.12	243	-14.41	283	-18.29	323	-27.81
4	-30.49	44	-16.41	84	-8.81	124	-8.36	164	-12.72	204	-25.12	244	-14.4	284	-20.03	324	-29.63
5	-26.77	45	-15.68	85	-8.44	125	-7.13	165	-12.75	205	-22.55	245	-14.25	285	-22.14	325	-30.33
6	-22.31	46	-14.92	86	-8.19	126	-6.3	166	-12.91	206	-19.8	246	-13.81	286	-24.75	326	-30.89
7	-19.69	47	-14.32	87	-8.01	127	-5.75	167	-13.04	207	-17.19	247	-13.67	287	-27.3	327	-29.95
8	-18.05	48	-13.67	88	-8	128	-5.22	168	-13.26	208	-14.95	248	-13.41	288	-28.59	328	-27.7
9	-17.33	49	-12.99	89	-8.04	129	-4.92	169	-13.59	209	-13.62	249	-13.47	289	-26.42	329	-26.43
10	-17.29	50	-12.28	90	-8.23	130	-4.7	170	-13.88	210	-12.69	250	-13.58	290	-23.23	330	-25.83
11	-17.7	51	-11.6	91	-8.23	131	-4.39	171	-13.82	211	-12.06	251	-13.61	291	-19.89	331	-25.19
12	-18.35	52	-10.9	92	-8.26	132	-4.13	172	-13.92	212	-11.85	252	-13.43	292	-18.8	332	-25.49
13	-19.18	53	-10.12	93	-8.11	133	-4.05	173	-14.27	213	-11.85	253	-13.37	293	-16.43	333	-26.8
14	-20.45	54	-9.35	94	-7.8	134	-4.14	174	-14.22	214	-11.98	254	-13.45	294	-15.21	334	-28.6
15	-21.85	55	-8.62	95	-7.57	135	-4.34	175	-14.1	215	-12.07	255	-13.75	295	-14.25	335	-30.51
16	-23.69	56	-7.94	96	-7.4	136	-4.67	176	-13.94	216	-12.06	256	-14.43	296	-13.46	336	-32.86
17	-26.11	57	-7.08	97	-7.23	137	-5.09	177	-13.63	217	-12.03	257	-15.36	297	-12.99	337	-32.97
18	-28.65	58	-6.63	98	-7.31	138	-5.6	178	-13.3	218	-11.85	258	-16.66	298	-12.72	338	-29.87
19	-29.88	59	-6.33	99	-7.61	139	-5.97	179	-12.73	219	-11.81	259	-18.12	299	-12.5	339	-26.46
20	-30.48	60	-6.15	100	-7.94	140	-6.31	180	-12.23	220	-11.96	260	-19.4	300	-12.41	340	-23.84
21	-34.73	61	-6.04	101	-8.37	141	-6.46	181	-12.01	221	-12.58	261	-20.28	301	-12.35	341	-22.28
22	-46.28	62	-6.15	102	-8.83	142	-6.42	182	-11.69	222	-13.6	262	-20.78	302	-12.35	342	-21.51
23	-41.21	63	-6.38	103	-9.08	143	-6.28	183	-11.41	223	-15.06	263	-20.95	303	-12.56	343	-21.42
24	-33.49	64	-6.68	104	-9.11	144	-6.04	184	-11.62	224	-17.32	264	-21.04	304	-12.94	344	-21.98
25	-28.76	65	-7.12	105	-9.04	145	-5.74	185	-11.93	225	-20.54	265	-20.81	305	-13.38	345	-23.43
26	-25.04	66	-7.68	106	-9.03	146	-5.44	186	-12.15	226	-24.43	266	-20.3	306	-14.09	346	-25.98
27	-22.38	67	-8.31	107	-9.13	147	-5.27	187	-12.69	227	-29.02	267	-19.61	307	-14.78	347	-29.18
28	-20.28	68	-9.14	108	-9.3	148	-5.31	188	-13.26	228	-35.73	268	-18.4	308	-15.44	348	-30.15
29	-18.57	69	-10.16	109	-9.54	149	-5.52	189	-13.39	229	-41.21	269	-17.22	309	-16.15	349	-26.38
30	-17.58	70	-11.45	110	-9.71	150	-5.91	190	-13.62	230	-47.22	270	-16.34	310	-16.88	350	-22.72
31	-17.15	71	-13.07	111	-9.56	151	-6.49	191	-13.95	231	-32.29	271	-15.46	311	-17.53	351	-20.11
32	-16.91	72	-15.17	112	-9.34	152	-7.26	192	-14.21	232	-26.31	272	-14.72	312	-18.39	352	-18.28
33	-16.85	73	-17.92	113	-9.55	153	-8.21	193	-14.69	233	-23.18	273	-14.26	313	-19.19	353	-16.97
34	-17.05	74	-21.16	114	-10.27	154	-9.17	194	-15.39	234	-20.58	274	-13.85	314	-20.06	354	-15.98
35	-17.57	75	-22.2	115	-11.53	155	-10.28	195	-16.48	235	-18.46	275	-13.59	315	-21.1	355	-15.27
36	-18.08	76	-20.16	116	-13.78	156	-11.44	196	-18.57	236	-16.88	276	-13.62	316	-21.87	356	-14.87
37	-18.45	77	-17.39	117	-16.88	157	-12.54	197	-20.9	237	-15.79	277	-13.78	317	-22.48	357	-14.71
38	-18.8	78	-15.21	118	-20.38	158	-13.46	198	-23.85	238	-14.86	278	-14.07	318	-23.51	358	-14.82
39	-19.04	79	-13.4	119	-22.98	159	-14.17	199	-28.86	239	-14.14	279	-14.46	319	-24.35	359	-15.31

Radiated Pattern : DAX800XR




WiFi 5GHz Hch (ANT0) Ver(ZX)

Received Power

MAX MIN AVE
 -7.38 -54.81 -16.2684

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-12.8	40	-14.63	80	-10.63	120	-13.26	160	-19.99	200	-10.99	240	-12.38	280	-17.42	320	-20.86
1	-11.39	41	-14.13	81	-10.42	121	-12.42	161	-20.06	201	-11.06	241	-12.97	281	-17.71	321	-20.27
2	-11.17	42	-13.69	82	-10.27	122	-11.69	162	-20.03	202	-11.48	242	-13.82	282	-18.23	322	-19.62
3	-11.15	43	-13.33	83	-10.18	123	-11.12	163	-19.86	203	-12.24	243	-14.99	283	-18.78	323	-18.98
4	-11.27	44	-12.88	84	-10.18	124	-10.76	164	-19.56	204	-13.33	244	-16.13	284	-19.28	324	-18.39
5	-11.55	45	-12.48	85	-10.12	125	-10.59	165	-19.57	205	-14.72	245	-17.08	285	-19.57	325	-18.05
6	-12	46	-12.19	86	-10.05	126	-10.44	166	-19.74	206	-16.42	246	-18.05	286	-19.64	326	-17.91
7	-12.66	47	-12.01	87	-9.98	127	-10.48	167	-19.69	207	-18.33	247	-18.58	287	-19.64	327	-17.81
8	-13.53	48	-12.01	88	-9.95	128	-10.86	168	-19.65	208	-19.59	248	-18.6	288	-19.62	328	-17.7
9	-14.45	49	-12.22	89	-9.64	129	-11.26	169	-19.51	209	-19.81	249	-18.78	289	-19.36	329	-17.91
10	-15.46	50	-12.86	90	-9.43	130	-11.39	170	-19.1	210	-19.91	250	-18.99	290	-19.32	330	-18.43
11	-16.41	51	-13.72	91	-9.21	131	-11.53	171	-18.45	211	-19.95	251	-18.76	291	-19.34	331	-18.77
12	-17.33	52	-14.99	92	-8.79	132	-11.88	172	-17.86	212	-20.42	252	-18.08	292	-19.36	332	-18.84
13	-17.99	53	-16.4	93	-8.5	133	-12.15	173	-17.48	213	-21.94	253	-17.19	293	-19.69	333	-18.58
14	-18.48	54	-17.09	94	-8.19	134	-12.35	174	-17.15	214	-24.8	254	-16.2	294	-20.12	334	-18.14
15	-18.81	55	-16.38	95	-7.91	135	-12.86	175	-16.73	215	-29.32	255	-15.6	295	-20.59	335	-17.77
16	-19.28	56	-15.56	96	-7.67	136	-13.56	176	-16.45	216	-41.25	256	-15.25	296	-21.2	336	-17.66
17	-19.92	57	-13.97	97	-7.47	137	-13.9	177	-16.01	217	-30.46	257	-15.18	297	-21.39	337	-17.95
18	-20.6	58	-12.7	98	-7.39	138	-14.13	178	-15.49	218	-26.06	258	-15.31	298	-21.64	338	-18.75
19	-21.56	59	-11.71	99	-7.38	139	-14.25	179	-15.14	219	-23.57	259	-15.55	299	-21.84	339	-20.19
20	-21.8	60	-10.95	100	-7.49	140	-13.99	180	-14.93	220	-21.5	260	-15.86	300	-21.8	340	-22.25
21	-22.81	61	-10.5	101	-7.67	141	-13.6	181	-14.91	221	-20.38	261	-16.15	301	-22.03	341	-24.34
22	-23.38	62	-10.28	102	-7.97	142	-13.46	182	-15.12	222	-19.13	262	-16.52	302	-22.43	342	-22.84
23	-23.78	63	-10.39	103	-8.43	143	-13.39	183	-15.22	223	-17.28	263	-16.89	303	-22.87	343	-20.12
24	-23.59	64	-10.58	104	-9.09	144	-13.34	184	-15.09	224	-15.44	264	-17.03	304	-24.03	344	-18.03
25	-22.77	65	-10.78	105	-9.93	145	-13.56	185	-14.81	225	-13.98	265	-17.24	305	-25.49	345	-16.51
26	-21.53	66	-10.95	106	-10.96	146	-14.17	186	-14.23	226	-12.61	266	-17.3	306	-27.65	346	-15.44
27	-20.39	67	-11.08	107	-11.88	147	-14.89	187	-13.57	227	-11.5	267	-17.2	307	-30.92	347	-14.82
28	-19.29	68	-11.11	108	-12.62	148	-16.09	188	-13.04	228	-10.68	268	-17.07	308	-39.19	348	-14.54
29	-18.43	69	-11.11	109	-13.09	149	-17.77	189	-12.52	229	-10.23	269	-16.92	309	-54.81	349	-14.62
30	-17.98	70	-10.99	110	-13.51	150	-19.85	190	-11.94	230	-9.92	270	-16.63	310	-40.37	350	-15.12
31	-17.94	71	-10.83	111	-13.87	151	-22.9	191	-11.45	231	-9.75	271	-16.45	311	-34.37	351	-16.1
32	-17.95	72	-10.67	112	-14.14	152	-27.19	192	-11.19	232	-9.86	272	-16.28	312	-29.95	352	-17.51
33	-17.68	73	-10.47	113	-14.29	153	-30.19	193	-11.08	233	-10.11	273	-16.2	313	-27.17	353	-18.75
34	-17.31	74	-10.37	114	-14.32	154	-27.98	194	-11.05	234	-10.4	274	-16.25	314	-25.58	354	-19.07
35	-17.02	75	-10.39	115	-14.38	155	-25.14	195	-11.14	235	-10.79	275	-16.38	315	-24.38	355	-17.94
36	-16.77	76	-10.54	116	-14.55	156	-22.84	196	-11.28	236	-11.15	276	-16.49	316	-23.14	356	-16.08
37	-16.3	77	-10.71	117	-14.61	157	-21.54	197	-11.39	237	-11.52	277	-16.61	317	-22.52	357	-14.51
38	-15.68	78	-10.78	118	-14.49	158	-20.82	198	-11.35	238	-11.81	278	-16.8	318	-22.2	358	-13.24
39	-15.16	79	-10.76	119	-14.1	159	-20.18	199	-11.19	239	-12.03	279	-17.07	319	-21.67	359	-12.36

Radiated Pattern : DAX800XR




WiFi 5GHz Lch (ANT1) Hor (XY)

Received Power

MAX MIN AVE
 -0.85 -44.21 -12.3404

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-10.71	40	-5.99	80	-0.85	120	-11.13	160	-7.92	200	-20.33	240	-15.62	280	-10.48	320	-13.68
1	-10.93	41	-5.28	81	-0.92	121	-12.72	161	-7.69	201	-19.8	241	-15.48	281	-10.36	321	-12.87
2	-11.28	42	-4.41	82	-1.07	122	-15.21	162	-7.54	202	-19.43	242	-14.32	282	-10.01	322	-12.08
3	-11.76	43	-3.95	83	-1.34	123	-18.72	163	-7.53	203	-18.54	243	-13.09	283	-9.61	323	-11.57
4	-12.29	44	-3.64	84	-1.73	124	-23.93	164	-7.81	204	-17.61	244	-12.25	284	-9.16	324	-11.24
5	-12.87	45	-3.49	85	-2.17	125	-31.58	165	-8.13	205	-17.06	245	-11.99	285	-8.82	325	-11.26
6	-13.27	46	-3.43	86	-2.79	126	-26.31	166	-8.56	206	-16.67	246	-12.16	286	-8.43	326	-11.54
7	-13.35	47	-3.45	87	-3.45	127	-22.63	167	-8.92	207	-16.38	247	-12.78	287	-8.08	327	-12.33
8	-12.9	48	-3.59	88	-4.15	128	-19.55	168	-9.33	208	-16.42	248	-13.73	288	-7.91	328	-13.58
9	-12.45	49	-3.81	89	-4.78	129	-17.84	169	-9.68	209	-16.67	249	-14.84	289	-7.86	329	-15.29
10	-12.05	50	-4.06	90	-5.52	130	-17.12	170	-10.13	210	-17.15	250	-15.8	290	-7.95	330	-17.55
11	-11.69	51	-4.31	91	-6.32	131	-16.8	171	-10.64	211	-17.55	251	-16.81	291	-8.14	331	-19.31
12	-11.62	52	-4.53	92	-7.18	132	-16.71	172	-11.54	212	-17.52	252	-17.58	292	-8.48	332	-19.39
13	-11.79	53	-4.67	93	-8.04	133	-16.64	173	-12.68	213	-18.15	253	-18.6	293	-8.86	333	-17.41
14	-11.99	54	-4.8	94	-8.66	134	-16.86	174	-14.43	214	-19.39	254	-17.95	294	-9.31	334	-14.99
15	-12.32	55	-4.8	95	-9.08	135	-17.12	175	-16.96	215	-21	255	-15.95	295	-9.7	335	-13.14
16	-12.75	56	-4.71	96	-9.13	136	-17.14	176	-20.79	216	-22.33	256	-13.48	296	-10.11	336	-12.07
17	-13.1	57	-4.58	97	-8.67	137	-17.14	177	-25.09	217	-22.8	257	-11.36	297	-10.4	337	-11.7
18	-13.2	58	-4.41	98	-8.05	138	-16.34	178	-27.86	218	-20.99	258	-9.64	298	-10.81	338	-11.9
19	-13.01	59	-4.25	99	-7.28	139	-15.41	179	-25.84	219	-18.68	259	-8.2	299	-11.49	339	-12.89
20	-12.78	60	-4.09	100	-6.49	140	-14.45	180	-24.38	220	-16.87	260	-7.02	300	-12.37	340	-14.77
21	-12.65	61	-4.01	101	-5.76	141	-13.26	181	-23.02	221	-14.5	261	-6.2	301	-13.52	341	-17.44
22	-12.71	62	-4	102	-5.1	142	-12.17	182	-22.19	222	-12.45	262	-5.56	302	-15.03	342	-21.54
23	-12.86	63	-4.07	103	-4.62	143	-11.43	183	-22.4	223	-10.91	263	-5.16	303	-16.95	343	-31.63
24	-13.07	64	-4.27	104	-4.38	144	-10.44	184	-23.9	224	-9.75	264	-4.9	304	-19.21	344	-32.95
25	-13.15	65	-4.47	105	-4.23	145	-9.84	185	-24.55	225	-8.98	265	-4.8	305	-21.64	345	-24.28
26	-12.99	66	-4.77	106	-4.21	146	-9.35	186	-25.58	226	-8.41	266	-4.87	306	-23.67	346	-21.36
27	-12.69	67	-5.16	107	-4.2	147	-8.84	187	-27.07	227	-7.97	267	-5.23	307	-26.33	347	-20.72
28	-12.37	68	-5.56	108	-4.41	148	-8.49	188	-30.09	228	-7.99	268	-5.48	308	-28.7	348	-22.93
29	-12.06	69	-5.82	109	-4.59	149	-7.96	189	-34.13	229	-8.11	269	-5.85	309	-32.78	349	-24.74
30	-11.65	70	-5.9	110	-4.7	150	-7.65	190	-44.21	230	-8.36	270	-6.3	310	-33.02	350	-29.9
31	-11.28	71	-5.74	111	-4.76	151	-7.69	191	-32.21	231	-8.48	271	-6.79	311	-26.97	351	-25.86
32	-10.89	72	-5.28	112	-4.81	152	-8.1	192	-26.4	232	-8.75	272	-7.36	312	-22.6	352	-19.86
33	-10.47	73	-4.57	113	-4.87	153	-8.53	193	-23.46	233	-9.2	273	-7.95	313	-19.93	353	-15.07
34	-9.99	74	-3.74	114	-5.08	154	-8.94	194	-22.11	234	-10.1	274	-8.54	314	-18.31	354	-13.18
35	-9.48	75	-3	115	-5.42	155	-9.11	195	-21.12	235	-10.99	275	-9.08	315	-16.96	355	-11.95
36	-8.86	76	-2.01	116	-5.81	156	-8.93	196	-20.74	236	-11.86	276	-9.6	316	-15.98	356	-11.25
37	-7.85	77	-1.58	117	-6.93	157	-8.83	197	-20.62	237	-12.58	277	-10.13	317	-15.28	357	-10.9
38	-7.12	78	-1.21	118	-8.07	158	-8.58	198	-20.61	238	-13.45	278	-10.46	318	-14.83	358	-10.77
39	-6.75	79	-0.98	119	-9.42	159	-8.23	199	-20.23	239	-14.74	279	-10.54	319	-14.34	359	-10.67

Radiated Pattern : DAX800XR




WiFi 5GHz Lch (ANT1) Ver (XY)

Received Power

MAX MIN AVE
 -4.12 -38.7 -13.1724

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-6.57	40	-11.89	80	-14.47	120	-15.87	160	-9.01	200	-24.48	240	-13.95	280	-8.17	320	-23.76
1	-6.11	41	-12.7	81	-15.89	121	-16.81	161	-10.39	201	-22.93	241	-14.28	281	-9.03	321	-21.63
2	-6.02	42	-13.73	82	-16.86	122	-18.02	162	-12.01	202	-20.72	242	-14.62	282	-9.74	322	-20.17
3	-6.08	43	-14.94	83	-17.59	123	-19.09	163	-14.54	203	-18.65	243	-15.35	283	-10.38	323	-19.25
4	-6.29	44	-16.43	84	-17.78	124	-20.26	164	-18.09	204	-16.69	244	-16.22	284	-10.8	324	-18.33
5	-6.71	45	-17.79	85	-17.57	125	-20.69	165	-23.81	205	-14.98	245	-17.03	285	-11.2	325	-17.09
6	-7.26	46	-18.37	86	-17.04	126	-20.15	166	-38.7	206	-13.51	246	-17.34	286	-11.51	326	-16.07
7	-7.88	47	-18.28	87	-16.17	127	-19.11	167	-28.86	207	-12.51	247	-17.05	287	-11.75	327	-15.24
8	-8.52	48	-16.98	88	-15.38	128	-18.31	168	-22.7	208	-11.1	248	-16.43	288	-11.99	328	-15.11
9	-9.02	49	-15.33	89	-14.8	129	-17.66	169	-21.07	209	-10.53	249	-15.77	289	-11.95	329	-15.67
10	-9.36	50	-13.84	90	-14.43	130	-17.4	170	-20.61	210	-10.29	250	-15.23	290	-11.83	330	-17.11
11	-9.6	51	-12.28	91	-14.14	131	-17.87	171	-20.15	211	-10.32	251	-14.77	291	-11.69	331	-19.9
12	-9.8	52	-11.11	92	-14	132	-19.03	172	-19.97	212	-10.6	252	-14.12	292	-11.47	332	-26.77
13	-10.01	53	-10.17	93	-13.54	133	-19.45	173	-19.84	213	-11.09	253	-13.34	293	-11.61	333	-33.98
14	-10.23	54	-9.55	94	-12.8	134	-19.49	174	-19.52	214	-11.77	254	-12.5	294	-11.87	334	-21.58
15	-10.59	55	-9.17	95	-11.95	135	-19.5	175	-19.29	215	-12.87	255	-11.89	295	-12.01	335	-16.8
16	-10.95	56	-8.94	96	-11.14	136	-19.7	176	-18.53	216	-14.14	256	-11.66	296	-12.25	336	-14.33
17	-11.19	57	-8.9	97	-10.58	137	-18.3	177	-17.3	217	-14.95	257	-11.66	297	-12.35	337	-13.03
18	-11.28	58	-8.95	98	-10.29	138	-15.88	178	-16.63	218	-14.67	258	-11.8	298	-12.34	338	-12.46
19	-11.27	59	-9.15	99	-9.93	139	-13.51	179	-16.23	219	-13.52	259	-12.02	299	-12.47	339	-12.63
20	-11.24	60	-9.43	100	-9.45	140	-11.47	180	-16.29	220	-12.26	260	-12.13	300	-12.7	340	-13.39
21	-11.3	61	-9.87	101	-9.17	141	-9.87	181	-16.67	221	-11.11	261	-12.24	301	-12.64	341	-14.91
22	-11.31	62	-10.55	102	-8.83	142	-8.59	182	-17.32	222	-10.36	262	-12.31	302	-12.3	342	-16.91
23	-11.26	63	-11.46	103	-8.52	143	-7.48	183	-18.07	223	-9.8	263	-12.4	303	-11.75	343	-19.23
24	-11.17	64	-12.47	104	-8.19	144	-6.61	184	-18.97	224	-9.38	264	-12.43	304	-10.94	344	-20.14
25	-11.14	65	-13.21	105	-7.78	145	-5.81	185	-20.02	225	-9.16	265	-12.43	305	-10.2	345	-18.44
26	-11.11	66	-13.36	106	-7.36	146	-5.24	186	-21.06	226	-9.03	266	-12.17	306	-9.8	346	-16.53
27	-11.11	67	-12.82	107	-7.05	147	-4.89	187	-22.06	227	-8.95	267	-11.79	307	-9.7	347	-14.88
28	-11.17	68	-11.83	108	-6.89	148	-4.6	188	-22.66	228	-8.98	268	-11.27	308	-9.96	348	-13.44
29	-11.28	69	-10.68	109	-7.01	149	-4.39	189	-22.24	229	-9.15	269	-10.57	309	-10.37	349	-12.24
30	-11.4	70	-9.74	110	-7.36	150	-4.23	190	-21.01	230	-9.42	270	-9.85	310	-10.95	350	-11.11
31	-11.61	71	-8.93	111	-7.95	151	-4.12	191	-19.51	231	-9.75	271	-9.12	311	-11.68	351	-9.95
32	-11.66	72	-8.16	112	-8.82	152	-4.14	192	-18.86	232	-10.01	272	-8.49	312	-12.53	352	-8.96
33	-11.6	73	-8.01	113	-9.98	153	-4.23	193	-18.78	233	-10.1	273	-7.94	313	-13.76	353	-8.21
34	-11.42	74	-8.04	114	-11.53	154	-4.43	194	-19.22	234	-10.07	274	-7.61	314	-15.11	354	-7.66
35	-11.28	75	-8.52	115	-13.33	155	-4.79	195	-19.98	235	-10.24	275	-7.44	315	-16.72	355	-7.35
36	-11.1	76	-9.19	116	-14.9	156	-5.24	196	-21.36	236	-10.77	276	-7.46	316	-18.44	356	-7.16
37	-11.08	77	-10.21	117	-15.64	157	-5.91	197	-23.53	237	-11.65	277	-7.47	317	-20.93	357	-6.96
38	-11.29	78	-11.44	118	-15.7	158	-6.77	198	-25.38	238	-12.53	278	-7.7	318	-23.78	358	-6.78
39	-11.45	79	-12.85	119	-15.58	159	-7.82	199	-25.88	239	-13.63	279	-7.83	319	-25.08	359	-6.56

Radiated Pattern : DAX800XR




WiFi 5GHz Cch (ANT1) Hor (XY)

Received Power

MAX MIN AVE
 -2.14 -43.74 -12.7693

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-11.49	40	-8.99	80	-3	120	-6.23	160	-8.41	200	-17.2	240	-11.52	280	-9.3	320	-15.77
1	-11.07	41	-8.13	81	-2.58	121	-7.13	161	-7.91	201	-18.72	241	-12.42	281	-9.46	321	-15.09
2	-11.28	42	-7.32	82	-2.31	122	-8.1	162	-7.53	202	-21.24	242	-13.66	282	-9.55	322	-14.52
3	-11.67	43	-6.5	83	-2.18	123	-9.35	163	-7.21	203	-24.64	243	-15.02	283	-9.53	323	-13.75
4	-12.18	44	-5.8	84	-2.14	124	-10.6	164	-6.91	204	-30.26	244	-15.93	284	-9.52	324	-12.97
5	-12.81	45	-5.23	85	-2.25	125	-12.12	165	-6.83	205	-43.74	245	-15.69	285	-9.52	325	-12.36
6	-13.5	46	-4.82	86	-2.4	126	-14.36	166	-7.01	206	-36.1	246	-15.07	286	-9.49	326	-11.79
7	-14.09	47	-4.51	87	-2.63	127	-17	167	-7.22	207	-29.28	247	-14.56	287	-9.31	327	-11.44
8	-14.49	48	-4.32	88	-2.92	128	-20.33	168	-7.5	208	-26	248	-14.47	288	-9.08	328	-11.44
9	-14.44	49	-4.22	89	-3.35	129	-23.5	169	-7.87	209	-23.53	249	-15.05	289	-8.82	329	-11.81
10	-14.15	50	-4.24	90	-3.83	130	-22.36	170	-8.32	210	-21.63	250	-16.22	290	-8.57	330	-12.58
11	-13.64	51	-4.39	91	-4.35	131	-20.43	171	-8.64	211	-20.38	251	-17.95	291	-8.45	331	-13.72
12	-13.19	52	-4.63	92	-4.96	132	-18.72	172	-9.27	212	-19.5	252	-20.04	292	-8.39	332	-15.27
13	-12.53	53	-4.85	93	-5.57	133	-17.68	173	-10.1	213	-18.88	253	-22.01	293	-8.48	333	-16.99
14	-12.09	54	-5.08	94	-6.25	134	-17.35	174	-11.22	214	-19.09	254	-23.2	294	-8.66	334	-18.49
15	-11.96	55	-5.19	95	-7.09	135	-17.24	175	-12.93	215	-19.7	255	-23.85	295	-9.01	335	-19.03
16	-12.14	56	-5.3	96	-8.04	136	-17.51	176	-15.31	216	-20.96	256	-22.66	296	-9.45	336	-17.42
17	-12.6	57	-5.39	97	-9.02	137	-17.54	177	-18.69	217	-22.58	257	-19.41	297	-9.93	337	-15.16
18	-13.26	58	-5.33	98	-9.89	138	-17.48	178	-22.86	218	-24.17	258	-16.22	298	-10.4	338	-13.45
19	-13.91	59	-5.12	99	-10.48	139	-17.04	179	-26.47	219	-24.06	259	-13.49	299	-10.79	339	-12.08
20	-14.56	60	-4.88	100	-10.72	140	-16.15	180	-24.25	220	-21.33	260	-11.35	300	-11.06	340	-11.78
21	-14.98	61	-4.52	101	-10.5	141	-15	181	-21.69	221	-17.9	261	-9.68	301	-11.31	341	-11.88
22	-15.28	62	-4.23	102	-9.92	142	-13.68	182	-21.23	222	-15.5	262	-8.51	302	-11.96	342	-13.07
23	-15.49	63	-3.98	103	-9.18	143	-12.38	183	-21.78	223	-13.02	263	-7.07	303	-12.78	343	-14.71
24	-15.69	64	-3.79	104	-8.49	144	-11.32	184	-22.69	224	-11.56	264	-6.42	304	-13.94	344	-17.07
25	-15.91	65	-3.66	105	-7.71	145	-10.39	185	-22.63	225	-10.38	265	-5.99	305	-15.43	345	-20.68
26	-16.09	66	-3.68	106	-6.98	146	-9.68	186	-21.09	226	-9.53	266	-5.79	306	-17.28	346	-25.95
27	-16.23	67	-3.8	107	-6.35	147	-9.09	187	-20.74	227	-8.87	267	-5.67	307	-19.3	347	-32.53
28	-16.16	68	-4.06	108	-5.91	148	-8.33	188	-21.24	228	-8.39	268	-5.69	308	-21.31	348	-28.22
29	-15.83	69	-4.4	109	-5.77	149	-7.84	189	-21.85	229	-8.12	269	-5.82	309	-22.94	349	-25.22
30	-15.34	70	-4.85	110	-5.66	150	-7.48	190	-22.31	230	-8.09	270	-6.06	310	-24.69	350	-25.26
31	-14.9	71	-5.34	111	-5.62	151	-7.3	191	-23.47	231	-8.11	271	-6.32	311	-26.96	351	-27.95
32	-14.02	72	-6.04	112	-5.49	152	-7.31	192	-23.81	232	-8.19	272	-6.67	312	-31.15	352	-38.47
33	-13.74	73	-6.23	113	-5.31	153	-7.57	193	-22.41	233	-8.26	273	-7.01	313	-41.33	353	-28.42
34	-13.02	74	-6.44	114	-5.15	154	-8.08	194	-20.22	234	-8.43	274	-7.32	314	-33.03	354	-21.3
35	-12.57	75	-6.05	115	-5.07	155	-8.36	195	-18.42	235	-8.66	275	-7.75	315	-26.34	355	-17.17
36	-12.07	76	-5.45	116	-4.97	156	-8.69	196	-17.16	236	-9.05	276	-8.05	316	-22.61	356	-14.59
37	-11.42	77	-4.73	117	-4.96	157	-8.78	197	-16.6	237	-9.68	277	-8.46	317	-20.03	357	-12.98
38	-10.73	78	-4.16	118	-5.17	158	-8.9	198	-16.49	238	-10.17	278	-8.71	318	-18.14	358	-11.99
39	-9.9	79	-3.54	119	-5.58	159	-8.72	199	-16.84	239	-10.78	279	-9.04	319	-16.81	359	-11.37

Radiated Pattern : DAX800XR




WiFi 5GHz Cch (ANT1) Ver (XY)

Received Power

MAX MIN AVE
 -6.28 -49.43 -14.513

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-7.04	40	-8.93	80	-15.62	120	-25.14	160	-10.59	200	-31.74	240	-14.62	280	-9.89	320	-20.08
1	-7.29	41	-9.13	81	-18.2	121	-25.41	161	-11.92	201	-29.77	241	-15.08	281	-10.05	321	-18.69
2	-7.39	42	-9.86	82	-21.49	122	-26.74	162	-13.53	202	-26.86	242	-15.13	282	-10.13	322	-17.48
3	-7.55	43	-10.21	83	-29.37	123	-27.06	163	-15.49	203	-24.2	243	-15.3	283	-10.33	323	-16.5
4	-7.64	44	-11	84	-34.26	124	-26.34	164	-18.13	204	-22.25	244	-15.74	284	-10.57	324	-16.05
5	-7.93	45	-11.98	85	-27.66	125	-24.37	165	-21.58	205	-20.15	245	-16.33	285	-10.77	325	-15.96
6	-8.23	46	-13.31	86	-23.51	126	-22.21	166	-26.58	206	-17.97	246	-16.82	286	-10.9	326	-15.83
7	-8.64	47	-14.78	87	-21.41	127	-19.93	167	-31.45	207	-16.4	247	-16.92	287	-10.92	327	-15.79
8	-9.14	48	-17.04	88	-20.23	128	-18.16	168	-29.5	208	-15.21	248	-16.47	288	-10.89	328	-15.93
9	-9.58	49	-17.6	89	-19.65	129	-17.29	169	-27.38	209	-14.43	249	-15.65	289	-10.88	329	-16.41
10	-9.97	50	-16.57	90	-19.47	130	-17.08	170	-25.54	210	-14.21	250	-14.72	290	-10.73	330	-17.06
11	-10.17	51	-14.93	91	-18.91	131	-16.85	171	-24.4	211	-14.56	251	-14.05	291	-10.68	331	-18.7
12	-10.42	52	-13.26	92	-17.96	132	-17.03	172	-23.95	212	-15.32	252	-13.49	292	-10.77	332	-22.08
13	-10.77	53	-12.04	93	-16.78	133	-17.35	173	-23.64	213	-16.4	253	-13.06	293	-10.81	333	-26.44
14	-11.27	54	-10.92	94	-15.45	134	-17.1	174	-23.69	214	-17.58	254	-12.54	294	-10.99	334	-21.92
15	-11.82	55	-10.03	95	-14.4	135	-17.01	175	-23.69	215	-18.86	255	-11.91	295	-11.22	335	-16.98
16	-12.36	56	-9.32	96	-13.5	136	-17.7	176	-22.79	216	-19.9	256	-11.43	296	-11.3	336	-13.95
17	-12.7	57	-8.85	97	-12.95	137	-18.9	177	-22.29	217	-20.87	257	-11.21	297	-11.51	337	-12.1
18	-12.91	58	-8.58	98	-12.59	138	-20.38	178	-21.07	218	-20.62	258	-11.19	298	-11.56	338	-11.15
19	-12.99	59	-8.41	99	-12.31	139	-20.17	179	-19.81	219	-18.98	259	-11.44	299	-11.68	339	-10.89
20	-12.89	60	-8.43	100	-11.9	140	-17.56	180	-18.61	220	-16.75	260	-11.85	300	-12.03	340	-11.21
21	-12.7	61	-8.65	101	-11.25	141	-14.59	181	-17.1	221	-14.69	261	-12.2	301	-12.11	341	-12
22	-12.45	62	-9.13	102	-10.55	142	-12.4	182	-16.12	222	-13.19	262	-12.61	302	-11.83	342	-13.48
23	-12.3	63	-9.85	103	-10.02	143	-10.77	183	-15.74	223	-12.18	263	-12.94	303	-11.56	343	-15.57
24	-12.11	64	-10.79	104	-9.42	144	-9.57	184	-15.51	224	-11.44	264	-13.07	304	-11.13	344	-18.92
25	-11.96	65	-11.86	105	-9.06	145	-8.82	185	-15.48	225	-10.91	265	-13.13	305	-10.76	345	-24.24
26	-11.81	66	-12.88	106	-8.74	146	-8.2	186	-15.91	226	-10.61	266	-13.23	306	-10.63	346	-28.82
27	-11.77	67	-13.41	107	-8.56	147	-7.63	187	-16.5	227	-10.41	267	-13.12	307	-10.53	347	-24.27
28	-11.63	68	-13.33	108	-8.42	148	-7.21	188	-17.14	228	-10.18	268	-12.96	308	-10.38	348	-20.03
29	-11.43	69	-12.82	109	-8.42	149	-6.79	189	-17.76	229	-9.97	269	-12.65	309	-10.37	349	-17.36
30	-11.22	70	-12.04	110	-8.67	150	-6.48	190	-18.49	230	-9.93	270	-12.21	310	-10.62	350	-15.09
31	-11.06	71	-11.27	111	-9.14	151	-6.35	191	-19.19	231	-10.31	271	-11.58	311	-10.99	351	-13.16
32	-10.73	72	-10.62	112	-9.85	152	-6.28	192	-20.11	232	-10.54	272	-11.09	312	-11.74	352	-11.27
33	-10.32	73	-10.04	113	-10.91	153	-6.31	193	-21.62	233	-10.95	273	-10.53	313	-12.48	353	-9.72
34	-9.7	74	-9.74	114	-12.5	154	-6.5	194	-24.2	234	-11.1	274	-10.04	314	-13.45	354	-8.54
35	-9.34	75	-9.77	115	-14.48	155	-6.76	195	-27.93	235	-10.92	275	-9.69	315	-14.7	355	-7.37
36	-9.05	76	-10.09	116	-17.05	156	-7.19	196	-30.52	236	-11.08	276	-9.48	316	-16.3	356	-7.05
37	-8.83	77	-10.71	117	-19.99	157	-7.66	197	-36.15	237	-11.71	277	-9.33	317	-18.51	357	-6.96
38	-8.72	78	-11.83	118	-24.21	158	-8.21	198	-49.43	238	-12.67	278	-9.52	318	-20.5	358	-6.99
39	-8.76	79	-13.47	119	-24.88	159	-9.48	199	-40.34	239	-13.73	279	-9.75	319	-21.08	359	-7.09

Radiated Pattern : DAX800XR




WiFi 5GHz Hch (ANT1) Hor (XY)

Received Power

MAX MIN AVE
 -3.01 -40.67 -12.8546

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-12.85	40	-12.5	80	-5.28	120	-5.46	160	-7.96	200	-15.31	240	-9.55	280	-8.53	320	-18.72
1	-11.29	41	-11.3	81	-4.78	121	-5.77	161	-7.64	201	-16.48	241	-9.75	281	-8.67	321	-18.72
2	-11.38	42	-10.07	82	-4.37	122	-6.1	162	-7.16	202	-17.76	242	-10.21	282	-8.62	322	-18.52
3	-11.73	43	-9.03	83	-3.9	123	-6.38	163	-7.07	203	-19.1	243	-11.06	283	-8.76	323	-17.7
4	-12.25	44	-8.03	84	-3.59	124	-6.97	164	-6.9	204	-20.66	244	-12.21	284	-8.57	324	-16.33
5	-12.82	45	-7.18	85	-3.38	125	-7.33	165	-6.91	205	-22.63	245	-13.66	285	-8.51	325	-15.01
6	-13.5	46	-6.48	86	-3.23	126	-8.09	166	-6.95	206	-24.52	246	-14.88	286	-8.43	326	-13.95
7	-14.23	47	-5.94	87	-3.18	127	-8.91	167	-7.08	207	-27.58	247	-15.3	287	-8.37	327	-13.2
8	-14.82	48	-5.54	88	-3.21	128	-10.06	168	-7.21	208	-31.26	248	-15.22	288	-8.34	328	-12.78
9	-15.09	49	-5.3	89	-3.28	129	-11.45	169	-7.42	209	-34.35	249	-15.37	289	-8.36	329	-12.73
10	-15.03	50	-5.25	90	-3.45	130	-12.97	170	-7.72	210	-32.46	250	-16.03	290	-8.32	330	-13.02
11	-14.62	51	-5.28	91	-3.73	131	-14.33	171	-8.14	211	-28.86	251	-16.82	291	-8.3	331	-13.73
12	-14.08	52	-5.41	92	-4.1	132	-16.01	172	-8.61	212	-25.82	252	-18.51	292	-8.23	332	-14.86
13	-13.57	53	-5.57	93	-4.61	133	-17.33	173	-9.43	213	-24.25	253	-21.26	293	-8.23	333	-16.98
14	-13.18	54	-5.8	94	-5.22	134	-18.91	174	-10.49	214	-23.91	254	-21.49	294	-8.32	334	-17.72
15	-12.89	55	-6.02	95	-5.86	135	-19.94	175	-12.28	215	-25.62	255	-20.37	295	-8.45	335	-19.06
16	-12.83	56	-6.2	96	-6.5	136	-21.53	176	-14.93	216	-27.78	256	-18.29	296	-8.81	336	-18.16
17	-13.06	57	-6.3	97	-7.25	137	-23.44	177	-20.13	217	-28.44	257	-16.29	297	-9.11	337	-16.51
18	-13.63	58	-6.38	98	-8.04	138	-25.88	178	-22.2	218	-25.2	258	-14.32	298	-9.48	338	-15
19	-14.37	59	-6.11	99	-9.24	139	-26.57	179	-24.68	219	-21.89	259	-12.36	299	-9.92	339	-13.89
20	-15.36	60	-5.78	100	-9.96	140	-24.78	180	-23.01	220	-19	260	-10.78	300	-10.24	340	-13.12
21	-16.42	61	-5.33	101	-10.56	141	-21.22	181	-21.15	221	-17.17	261	-9.3	301	-10.68	341	-12.83
22	-17.59	62	-4.81	102	-10.92	142	-16.93	182	-20.49	222	-15.46	262	-8.05	302	-11.15	342	-12.93
23	-18.58	63	-4.29	103	-11.04	143	-14.91	183	-19.09	223	-14.21	263	-7.13	303	-11.63	343	-13.53
24	-19.2	64	-3.86	104	-10.95	144	-13.35	184	-17.61	224	-12.95	264	-6.49	304	-12.3	344	-14.73
25	-19.45	65	-3.47	105	-10.63	145	-12.04	185	-16.54	225	-11.88	265	-6.11	305	-13.17	345	-16.7
26	-19.61	66	-3.17	106	-10.16	146	-10.91	186	-15.9	226	-11.01	266	-5.81	306	-14.25	346	-19.61
27	-19.15	67	-3.01	107	-9.76	147	-9.91	187	-15.98	227	-10.22	267	-5.71	307	-15.55	347	-23.68
28	-18.74	68	-3.01	108	-9.39	148	-9.03	188	-16.17	228	-9.68	268	-5.66	308	-17.05	348	-30.29
29	-18.32	69	-3.22	109	-8.92	149	-8.39	189	-17.21	229	-9.14	269	-5.72	309	-18.65	349	-36.33
30	-17.64	70	-3.37	110	-8.53	150	-7.98	190	-18.65	230	-8.98	270	-5.78	310	-20.12	350	-30.42
31	-17.04	71	-3.99	111	-8.12	151	-7.7	191	-20.6	231	-8.71	271	-5.97	311	-21.53	351	-28.52
32	-16.48	72	-4.48	112	-7.61	152	-7.69	192	-21.48	232	-8.57	272	-6.22	312	-23.45	352	-30.45
33	-16.03	73	-5.08	113	-7.17	153	-7.83	193	-20.99	233	-8.5	273	-6.52	313	-26	353	-40.67
34	-15.62	74	-5.65	114	-6.81	154	-8.11	194	-19.34	234	-8.43	274	-6.82	314	-28.7	354	-31.31
35	-15.33	75	-6.16	115	-6.28	155	-8.49	195	-17.75	235	-8.28	275	-7.21	315	-27.73	355	-23.42
36	-15.11	76	-6.49	116	-5.83	156	-8.63	196	-16.53	236	-8.5	276	-7.5	316	-24.55	356	-18.82
37	-14.82	77	-6.5	117	-5.48	157	-8.5	197	-15.69	237	-8.76	277	-7.82	317	-21.76	357	-15.78
38	-14.27	78	-6.26	118	-5.27	158	-8.33	198	-15.35	238	-9.09	278	-8.14	318	-20.13	358	-13.75
39	-13.48	79	-5.81	119	-5.29	159	-8.07	199	-15.13	239	-9.36	279	-8.35	319	-19.24	359	-12.45

Radiated Pattern : DAX800XR




WiFi 5GHz Hch (ANT1) Ver (XY)

Received Power

MAX MIN AVE
 -7.98 -46.63 -14.754

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-8.73	40	-8.09	80	-11.18	120	-27.08	160	-10.74	200	-19.79	240	-10.57	280	-9.97	320	-18.28
1	-9.01	41	-7.98	81	-12.39	121	-25.66	161	-11.34	201	-20.32	241	-11.22	281	-10.07	321	-19.88
2	-9.02	42	-7.99	82	-13.95	122	-24.09	162	-12.04	202	-21.27	242	-11.91	282	-10.14	322	-20.33
3	-8.86	43	-8.13	83	-15.93	123	-23.68	163	-12.96	203	-22.47	243	-12.6	283	-10.2	323	-19.87
4	-8.6	44	-8.42	84	-18.53	124	-24.31	164	-14.49	204	-24.06	244	-13.18	284	-10.18	324	-19.23
5	-8.3	45	-8.84	85	-22.08	125	-25.7	165	-16.33	205	-27.49	245	-13.48	285	-10.18	325	-18.75
6	-8.12	46	-9.5	86	-28.45	126	-27.24	166	-18.49	206	-32.73	246	-13.76	286	-10.19	326	-18.54
7	-8.01	47	-10.39	87	-46.63	127	-27.91	167	-21.18	207	-36.93	247	-14.29	287	-10.09	327	-18.35
8	-8.03	48	-11.62	88	-32.51	128	-25.96	168	-23.46	208	-30.16	248	-14.97	288	-10.08	328	-17.48
9	-8.19	49	-13.22	89	-27.07	129	-23.27	169	-25.49	209	-25.54	249	-15.49	289	-10.06	329	-16.59
10	-8.39	50	-14.96	90	-24.93	130	-20.17	170	-27.06	210	-22.12	250	-15.68	290	-9.86	330	-15.67
11	-8.61	51	-16.7	91	-24.04	131	-17.93	171	-29.67	211	-19.64	251	-15.56	291	-9.76	331	-14.84
12	-8.88	52	-17.34	92	-23.51	132	-17.09	172	-31.59	212	-17.91	252	-14.88	292	-9.59	332	-14.37
13	-9.14	53	-16.56	93	-22.91	133	-16.83	173	-32.72	213	-17.63	253	-14.26	293	-9.52	333	-14.68
14	-9.49	54	-15.14	94	-21.59	134	-16.53	174	-32.18	214	-17.81	254	-13.62	294	-9.61	334	-16.18
15	-9.86	55	-13.76	95	-19.87	135	-16.58	175	-32.87	215	-18.29	255	-13.09	295	-9.72	335	-17.41
16	-10.4	56	-12.73	96	-18.36	136	-16.86	176	-33.18	216	-19.52	256	-12.56	296	-10.1	336	-22.86
17	-11.08	57	-11.93	97	-17.19	137	-17.19	177	-31.2	217	-19.69	257	-12.16	297	-10.26	337	-22.44
18	-11.74	58	-11.3	98	-16.45	138	-17.3	178	-27.08	218	-19.73	258	-11.65	298	-10.58	338	-18.14
19	-12.25	59	-10.84	99	-16.47	139	-18.45	179	-23.85	219	-19.24	259	-11.29	299	-10.76	339	-15.21
20	-12.38	60	-10.41	100	-16.55	140	-18.49	180	-20.83	220	-17.99	260	-11.1	300	-11.03	340	-13.48
21	-12.18	61	-10.05	101	-16.23	141	-19.36	181	-18.68	221	-17.49	261	-11.23	301	-10.92	341	-12.71
22	-11.86	62	-9.84	102	-15.5	142	-19.81	182	-16.74	222	-15.34	262	-11.52	302	-10.78	342	-12.77
23	-11.55	63	-9.79	103	-14.35	143	-17.54	183	-15.24	223	-13.68	263	-11.96	303	-10.5	343	-13.45
24	-11.25	64	-10.02	104	-13.49	144	-15.01	184	-14.08	224	-12.22	264	-12.46	304	-10.24	344	-14.89
25	-11.11	65	-10.5	105	-12.92	145	-13.32	185	-13.32	225	-11.07	265	-12.98	305	-10.18	345	-17.18
26	-11.07	66	-11.15	106	-12.4	146	-11.99	186	-12.88	226	-10.18	266	-13.31	306	-10.22	346	-20.55
27	-11.01	67	-11.87	107	-11.98	147	-11.16	187	-12.96	227	-9.64	267	-13.6	307	-10.24	347	-24.95
28	-10.75	68	-12.7	108	-11.73	148	-10.63	188	-13.38	228	-9.41	268	-13.72	308	-10.37	348	-24.62
29	-10.71	69	-13.57	109	-11.49	149	-10.1	189	-13.89	229	-9.31	269	-13.69	309	-10.32	349	-20.96
30	-10.66	70	-13.75	110	-11.35	150	-9.69	190	-14.53	230	-9.19	270	-13.72	310	-10.18	350	-18.38
31	-10.49	71	-13.6	111	-11.38	151	-9.32	191	-15.27	231	-9.03	271	-13.54	311	-10.08	351	-16.58
32	-10.13	72	-12.97	112	-11.55	152	-8.92	192	-16	232	-8.93	272	-13.25	312	-10.18	352	-14.87
33	-9.75	73	-12.1	113	-12.03	153	-8.86	193	-16.79	233	-9.01	273	-12.83	313	-10.36	353	-13.26
34	-9.41	74	-11.3	114	-12.88	154	-8.92	194	-17.34	234	-9.3	274	-12.16	314	-10.74	354	-11.81
35	-9.12	75	-10.48	115	-14.13	155	-9.12	195	-17.77	235	-9.74	275	-11.62	315	-11.3	355	-10.53
36	-8.8	76	-9.85	116	-16.14	156	-9.49	196	-18.34	236	-10.01	276	-11.19	316	-12.21	356	-9.68
37	-8.59	77	-9.64	117	-18.93	157	-9.72	197	-18.78	237	-10.1	277	-10.71	317	-13.4	357	-9.11
38	-8.43	78	-9.83	118	-22.68	158	-10.06	198	-19.01	238	-10.08	278	-10.39	318	-14.64	358	-8.84
39	-8.29	79	-10.34	119	-26.12	159	-10.41	199	-19.38	239	-10.19	279	-10.09	319	-16.4	359	-8.77

Radiated Pattern : DAX800XR




WiFi 5GHz Lch (ANT1) Hor (ZX)

Received Power

MAX MIN AVE
 -4.27 -39.83 -12.9506

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-14.7	40	-13.71	80	-15.56	120	-10.91	160	-5.87	200	-5.07	240	-25.51	280	-11.68	320	-17.98
1	-15.35	41	-13.78	81	-13.76	121	-10.99	161	-6	201	-5.04	241	-20.36	281	-12.36	321	-17.73
2	-15.92	42	-13.71	82	-12.14	122	-10.95	162	-6.15	202	-5.12	242	-18.55	282	-12.5	322	-17.13
3	-16.7	43	-13.48	83	-10.8	123	-10.34	163	-6.34	203	-5.27	243	-16.95	283	-12.56	323	-16.38
4	-17.72	44	-13.07	84	-9.7	124	-9.94	164	-6.64	204	-5.42	244	-15.33	284	-12.41	324	-15.47
5	-18.88	45	-12.53	85	-8.73	125	-9.4	165	-6.98	205	-5.55	245	-14.18	285	-12.08	325	-14.69
6	-20.01	46	-11.84	86	-8.03	126	-8.99	166	-7.49	206	-5.69	246	-13.37	286	-11.44	326	-14.13
7	-20.38	47	-11.22	87	-7.28	127	-8.81	167	-8.04	207	-5.78	247	-12.77	287	-10.68	327	-13.75
8	-20.16	48	-10.65	88	-6.63	128	-8.7	168	-8.58	208	-5.81	248	-12.62	288	-10.08	328	-13.48
9	-19.66	49	-10.14	89	-6.2	129	-8.59	169	-9.31	209	-5.9	249	-12.92	289	-9.41	329	-13.47
10	-18.92	50	-9.79	90	-5.62	130	-8.52	170	-10.07	210	-6.02	250	-13.15	290	-8.81	330	-13.74
11	-18.12	51	-9.55	91	-5.18	131	-8.52	171	-10.69	211	-6.06	251	-13.36	291	-8.42	331	-14.41
12	-17.65	52	-9.27	92	-4.67	132	-8.6	172	-11.5	212	-6.13	252	-13.71	292	-8.12	332	-15.54
13	-17.39	53	-9.23	93	-4.39	133	-8.69	173	-12.6	213	-6.29	253	-14.19	293	-7.88	333	-17.1
14	-17.39	54	-9.29	94	-4.29	134	-8.77	174	-13.97	214	-6.49	254	-14.73	294	-7.79	334	-19.35
15	-17.68	55	-9.3	95	-4.3	135	-8.92	175	-15.59	215	-6.74	255	-15.24	295	-7.81	335	-22.6
16	-18.19	56	-9.58	96	-4.27	136	-9.11	176	-18.45	216	-7.05	256	-15.52	296	-7.82	336	-26.55
17	-18.99	57	-9.92	97	-4.5	137	-9.25	177	-23.22	217	-7.34	257	-15.64	297	-7.85	337	-26.58
18	-20.19	58	-10.18	98	-4.72	138	-9.52	178	-33.9	218	-7.81	258	-15.69	298	-7.97	338	-22.28
19	-21.4	59	-10.68	99	-5.05	139	-9.74	179	-27.96	219	-8.33	259	-15.72	299	-8.18	339	-19.27
20	-22.25	60	-11.44	100	-5.67	140	-10	180	-21.21	220	-8.66	260	-15.75	300	-8.48	340	-17.21
21	-22.39	61	-11.84	101	-6.39	141	-10.39	181	-17.44	221	-8.99	261	-15.71	301	-8.87	341	-15.88
22	-22.28	62	-12.32	102	-7.33	142	-10.58	182	-15.08	222	-9.11	262	-15.36	302	-9.39	342	-15.01
23	-21.54	63	-12.62	103	-8.64	143	-10.64	183	-13.79	223	-9.14	263	-14.71	303	-10.07	343	-14.56
24	-20.37	64	-12.87	104	-10.3	144	-10.82	184	-12.78	224	-9.38	264	-13.73	304	-10.79	344	-14.59
25	-19.72	65	-13.21	105	-12.06	145	-10.64	185	-12.01	225	-9.56	265	-12.7	305	-11.66	345	-15.03
26	-19.07	66	-13.45	106	-14.63	146	-10.23	186	-11.26	226	-9.81	266	-11.88	306	-12.61	346	-15.9
27	-18.9	67	-13.85	107	-17.78	147	-9.84	187	-10.53	227	-10.46	267	-11.29	307	-13.54	347	-17.32
28	-18.12	68	-14.46	108	-21.43	148	-9.17	188	-9.86	228	-10.53	268	-10.62	308	-14.57	348	-19.43
29	-17.7	69	-14.9	109	-26.37	149	-8.47	189	-9.25	229	-10.77	269	-10.09	309	-15.6	349	-22.88
30	-17.17	70	-15.75	110	-27.67	150	-7.87	190	-8.79	230	-11.19	270	-9.76	310	-16.49	350	-23.71
31	-16.17	71	-16.72	111	-22.56	151	-7.35	191	-8.51	231	-12.08	271	-9.44	311	-17.28	351	-22.68
32	-15.13	72	-17.97	112	-19.28	152	-6.89	192	-8.14	232	-13.37	272	-9.19	312	-17.78	352	-20.82
33	-14.52	73	-19.7	113	-17.21	153	-6.48	193	-7.78	233	-14.3	273	-9.09	313	-18.01	353	-18.98
34	-14.06	74	-21.97	114	-15.09	154	-6.26	194	-7.42	234	-16.46	274	-9.13	314	-18.02	354	-17.4
35	-13.64	75	-23.61	115	-13.7	155	-6.06	195	-6.95	235	-18.93	275	-9.3	315	-17.75	355	-16.25
36	-13.39	76	-25.07	116	-12.66	156	-5.88	196	-6.45	236	-24.8	276	-9.61	316	-17.57	356	-15.55
37	-13.39	77	-23.25	117	-11.67	157	-5.81	197	-5.79	237	-27.91	277	-10.03	317	-17.53	357	-15.18
38	-13.46	78	-20.18	118	-11.21	158	-5.76	198	-5.42	238	-39.83	278	-10.57	318	-17.48	358	-14.88
39	-13.55	79	-17.86	119	-11.05	159	-5.78	199	-5.18	239	-28.94	279	-11.11	319	-17.66	359	-14.76

Radiated Pattern : DAX800XR




WiFi 5GHz Lch (ANT1) Ver (ZX)

Received Power

MAX MIN AVE
 -7.05 -40.44 -15.3424

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-13.82	40	-14.25	80	-10.69	120	-30.74	160	-15.56	200	-26.58	240	-10.76	280	-15.7	320	-20.37
1	-12.69	41	-14.44	81	-10.63	121	-23.63	161	-16.85	201	-29.78	241	-10.63	281	-15.03	321	-20.78
2	-12.57	42	-14.53	82	-10.36	122	-19.35	162	-18.36	202	-36.24	242	-10.51	282	-14.32	322	-21.47
3	-12.65	43	-14.75	83	-10.03	123	-16.62	163	-19.31	203	-40.18	243	-10.6	283	-14.03	323	-22.2
4	-12.89	44	-14.78	84	-9.64	124	-14.75	164	-19.61	204	-30.44	244	-10.71	284	-13.81	324	-22.98
5	-13.22	45	-14.68	85	-9.24	125	-13.42	165	-19.46	205	-25.3	245	-10.78	285	-13.7	325	-23.32
6	-13.61	46	-14.47	86	-8.83	126	-12.6	166	-19.34	206	-22.3	246	-10.76	286	-13.89	326	-22.94
7	-14.07	47	-14.09	87	-8.54	127	-12.2	167	-19.22	207	-20.47	247	-10.53	287	-14.12	327	-21.24
8	-14.6	48	-13.64	88	-8.12	128	-11.87	168	-19.25	208	-19.27	248	-10.12	288	-14.47	328	-20.47
9	-15.1	49	-13.31	89	-7.76	129	-11.55	169	-19.57	209	-18.33	249	-9.74	289	-15.02	329	-19.05
10	-15.65	50	-12.93	90	-7.36	130	-11.19	170	-19.97	210	-17.23	250	-9.62	290	-15.65	330	-17.33
11	-16.22	51	-12.67	91	-7.09	131	-10.92	171	-19.84	211	-15.88	251	-9.66	291	-16.19	331	-16.44
12	-16.68	52	-12.51	92	-7.05	132	-10.71	172	-19.68	212	-14.79	252	-9.95	292	-16.93	332	-15.64
13	-17.17	53	-12.37	93	-7.18	133	-10.32	173	-19.13	213	-13.77	253	-10.4	293	-17.6	333	-15.09
14	-17.69	54	-12.4	94	-7.85	134	-9.96	174	-17.77	214	-12.84	254	-10.92	294	-18.51	334	-14.69
15	-17.93	55	-12.3	95	-8.68	135	-10.06	175	-16.4	215	-12.19	255	-11.36	295	-19.11	335	-14.66
16	-18.24	56	-12.14	96	-9.71	136	-10.29	176	-15.41	216	-11.67	256	-11.8	296	-19.41	336	-15.03
17	-18.44	57	-11.82	97	-10.98	137	-10.6	177	-14.61	217	-11.3	257	-12.3	297	-19.6	337	-15.64
18	-18.18	58	-11.22	98	-12.39	138	-11.55	178	-13.92	218	-11.22	258	-12.96	298	-19.9	338	-16.39
19	-17.45	59	-10.5	99	-13.77	139	-12.78	179	-13.67	219	-11.18	259	-13.68	299	-20.24	339	-17.45
20	-16.39	60	-9.76	100	-15.46	140	-15.43	180	-13.92	220	-11.34	260	-14.53	300	-20.92	340	-18.48
21	-14.94	61	-9.17	101	-17.05	141	-17.54	181	-14.31	221	-11.35	261	-15.27	301	-21.97	341	-18.9
22	-14.3	62	-8.77	102	-18.76	142	-19.61	182	-14.87	222	-11.16	262	-15.72	302	-23.32	342	-18.52
23	-14.15	63	-8.53	103	-18.89	143	-21.23	183	-15.15	223	-10.94	263	-15.75	303	-24.4	343	-17.24
24	-14.37	64	-8.51	104	-17.56	144	-21.23	184	-14.94	224	-10.61	264	-15.38	304	-24.51	344	-15.83
25	-15.07	65	-8.57	105	-15.77	145	-21.01	185	-14.52	225	-10.17	265	-14.97	305	-24.47	345	-14.74
26	-16.28	66	-8.7	106	-13.99	146	-20.55	186	-13.91	226	-9.8	266	-14.54	306	-24.88	346	-14.01
27	-17.85	67	-8.87	107	-12.16	147	-19.68	187	-13.51	227	-9.36	267	-14.38	307	-25.71	347	-13.73
28	-19.88	68	-9.06	108	-11.28	148	-18.99	188	-13.42	228	-9.04	268	-14.39	308	-28.17	348	-13.87
29	-21.76	69	-9.24	109	-10.38	149	-18.31	189	-13.42	229	-8.92	269	-14.46	309	-31.53	349	-14.34
30	-21.25	70	-9.46	110	-9.72	150	-17.63	190	-13.56	230	-8.93	270	-14.71	310	-36.34	350	-15.31
31	-19.37	71	-9.6	111	-9.39	151	-17.11	191	-13.91	231	-9.16	271	-14.85	311	-40.44	351	-16.62
32	-17.38	72	-9.7	112	-9.28	152	-16.03	192	-14.24	232	-9.59	272	-14.96	312	-33.14	352	-18.22
33	-15.91	73	-9.8	113	-9.41	153	-15.3	193	-14.7	233	-9.76	273	-15.2	313	-28.77	353	-19.16
34	-14.83	74	-9.83	114	-9.91	154	-14.79	194	-15.56	234	-9.88	274	-15.43	314	-26.04	354	-19.08
35	-14.21	75	-9.86	115	-10.89	155	-14.17	195	-16.6	235	-10	275	-15.81	315	-24.15	355	-18.21
36	-14.03	76	-10	116	-12.59	156	-13.8	196	-17.87	236	-10.06	276	-16.18	316	-22.75	356	-16.82
37	-14.04	77	-10.2	117	-15.46	157	-13.81	197	-19.56	237	-10.28	277	-16.44	317	-21.58	357	-15.4
38	-14.07	78	-10.43	118	-20.09	158	-13.89	198	-21.55	238	-10.56	278	-16.51	318	-20.77	358	-14.3
39	-14.08	79	-10.62	119	-26.89	159	-14.49	199	-23.64	239	-10.7	279	-16.16	319	-20.48	359	-13.59

Radiated Pattern : DAX800XR




WiFi 5GHz Cch (ANT1)Hor (ZX)

Received Power

MAX MIN AVE
 -3.29 -33.47 -13.4506

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-13.99	40	-12.2	80	-18.69	120	-8.11	160	-11.43	200	-7.28	240	-16.06	280	-15.13	320	-16.04
1	-14.17	41	-12.51	81	-16.59	121	-7.71	161	-11.4	201	-7.43	241	-15	281	-14.85	321	-15.8
2	-14.61	42	-12.94	82	-14.69	122	-7.46	162	-11.38	202	-7.68	242	-14.38	282	-14.05	322	-15.65
3	-15.14	43	-13.31	83	-12.92	123	-7.37	163	-11.68	203	-7.93	243	-14.03	283	-13.09	323	-15.46
4	-15.79	44	-13.74	84	-11.4	124	-7.15	164	-12	204	-8.35	244	-13.75	284	-12.11	324	-15.16
5	-16.72	45	-14.02	85	-10.09	125	-7.16	165	-12.24	205	-8.83	245	-13.61	285	-11.22	325	-14.79
6	-17.72	46	-14.07	86	-8.81	126	-7.37	166	-12.83	206	-9.47	246	-13.62	286	-10.38	326	-14.05
7	-18.38	47	-13.95	87	-7.8	127	-7.32	167	-13.44	207	-10.33	247	-13.99	287	-9.77	327	-13.59
8	-18.7	48	-13.74	88	-6.91	128	-7.47	168	-13.92	208	-11.41	248	-14.24	288	-9.16	328	-13.36
9	-18.31	49	-13.32	89	-5.98	129	-7.71	169	-14.81	209	-12.4	249	-14.76	289	-8.67	329	-13.37
10	-17.5	50	-12.92	90	-5.25	130	-7.64	170	-15.64	210	-13.45	250	-15.32	290	-8.35	330	-13.61
11	-16.87	51	-12.35	91	-4.77	131	-7.72	171	-16.38	211	-13.96	251	-16.23	291	-8.11	331	-14.08
12	-16.29	52	-11.66	92	-4.18	132	-7.87	172	-17.84	212	-14.09	252	-17.54	292	-7.98	332	-14.87
13	-15.86	53	-11.17	93	-3.85	133	-8.02	173	-19.47	213	-14.1	253	-20.28	293	-8.01	333	-16.11
14	-15.74	54	-10.69	94	-3.62	134	-8.2	174	-21.23	214	-13.9	254	-22.47	294	-8.11	334	-18.05
15	-15.69	55	-10.3	95	-3.42	135	-8.39	175	-23.89	215	-13.72	255	-22.98	295	-8.31	335	-20.58
16	-15.72	56	-10.07	96	-3.29	136	-8.67	176	-25.43	216	-13.58	256	-21.39	296	-8.53	336	-24.93
17	-15.83	57	-9.9	97	-3.42	137	-9.02	177	-24.23	217	-13.19	257	-19.7	297	-8.78	337	-33.3
18	-16.06	58	-9.78	98	-3.49	138	-9.37	178	-19.08	218	-12.83	258	-18.25	298	-9.12	338	-33.47
19	-16.63	59	-9.9	99	-3.63	139	-9.74	179	-16.29	219	-12.52	259	-16.96	299	-9.51	339	-25.68
20	-17.63	60	-10.05	100	-3.97	140	-10.11	180	-14	220	-12.5	260	-16.01	300	-9.94	340	-21.5
21	-18.93	61	-10.22	101	-4.78	141	-10.44	181	-12.32	221	-12.62	261	-15.22	301	-10.55	341	-19.28
22	-20.3	62	-10.5	102	-5.35	142	-10.73	182	-11.08	222	-12.73	262	-14.39	302	-11.29	342	-17.81
23	-21.09	63	-10.78	103	-6.16	143	-11.01	183	-10.09	223	-13.04	263	-13.69	303	-12.02	343	-16.95
24	-21.2	64	-11.1	104	-7.23	144	-11.21	184	-9.47	224	-13.17	264	-13.06	304	-13.01	344	-16.79
25	-20.41	65	-11.39	105	-8.34	145	-11.45	185	-9.1	225	-13.18	265	-12.44	305	-14.08	345	-17.16
26	-19.17	66	-11.78	106	-9.8	146	-11.69	186	-8.8	226	-13.58	266	-11.89	306	-15.23	346	-17.77
27	-18.64	67	-12.31	107	-11.64	147	-11.72	187	-8.63	227	-14.09	267	-11.51	307	-16.45	347	-18.89
28	-17.95	68	-12.72	108	-13.91	148	-11.93	188	-8.38	228	-14.69	268	-11.25	308	-17.65	348	-20.74
29	-17.38	69	-12.96	109	-16.36	149	-11.84	189	-8.1	229	-15.75	269	-11.04	309	-18.59	349	-22.83
30	-16.88	70	-13.6	110	-18.64	150	-11.59	190	-7.79	230	-16.99	270	-10.99	310	-19.27	350	-24.3
31	-16.18	71	-14.12	111	-18.31	151	-11.55	191	-7.54	231	-18.39	271	-11.11	311	-19.59	351	-22.88
32	-15.18	72	-14.87	112	-15.9	152	-11.38	192	-7.34	232	-20.13	272	-11.25	312	-19.49	352	-20.21
33	-14.29	73	-15.63	113	-13.65	153	-11.15	193	-7.24	233	-22.07	273	-11.48	313	-19.1	353	-18.16
34	-13.65	74	-16.61	114	-11.95	154	-11.32	194	-7.17	234	-23.75	274	-11.95	314	-18.54	354	-16.66
35	-13.05	75	-17.87	115	-10.56	155	-11.36	195	-7.1	235	-23.92	275	-12.5	315	-17.87	355	-15.52
36	-12.54	76	-19.18	116	-9.79	156	-11.41	196	-7.12	236	-22.96	276	-13.04	316	-17.22	356	-14.74
37	-12.23	77	-20.46	117	-9.21	157	-11.44	197	-7.14	237	-20.84	277	-13.8	317	-16.69	357	-14.27
38	-12.06	78	-21.4	118	-8.63	158	-11.48	198	-7.14	238	-18.99	278	-14.56	318	-16.31	358	-14.08
39	-12.08	79	-20.46	119	-8.26	159	-11.36	199	-7.21	239	-17.37	279	-15.03	319	-16.22	359	-14.05

Radiated Pattern : DAX800XR




WiFi 5GHz Cch (ANT1) Ver (ZX)

Received Power

MAX MIN AVE
 -7.38 -38.71 -16.2616

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-13.44	40	-15.28	80	-10.69	120	-38.71	160	-16.41	200	-22.01	240	-12.18	280	-16.53	320	-23.63
1	-12.46	41	-15.17	81	-10.54	121	-26.3	161	-17.57	201	-23.49	241	-11.69	281	-15.97	321	-24.12
2	-12.34	42	-15.11	82	-10.31	122	-22.55	162	-18.08	202	-25.76	242	-11.48	282	-15.66	322	-24.55
3	-12.41	43	-15.19	83	-9.97	123	-19.67	163	-18.65	203	-28.94	243	-11.39	283	-15.46	323	-24.84
4	-12.6	44	-15.28	84	-9.63	124	-17.34	164	-18.58	204	-32.01	244	-11.39	284	-15.29	324	-25
5	-12.91	45	-15.42	85	-9.33	125	-15.66	165	-18.94	205	-28.71	245	-11.36	285	-15.51	325	-24.91
6	-13.33	46	-15.45	86	-9.02	126	-14.28	166	-19.48	206	-25.75	246	-11.21	286	-15.69	326	-24.66
7	-13.76	47	-15.33	87	-8.78	127	-13.4	167	-20.37	207	-23.84	247	-11.07	287	-15.89	327	-24.04
8	-14.21	48	-15.06	88	-8.54	128	-12.41	168	-21.32	208	-22.85	248	-10.97	288	-16.3	328	-23.22
9	-14.76	49	-14.67	89	-8.24	129	-11.85	169	-21.81	209	-22.4	249	-10.91	289	-16.89	329	-22.14
10	-15.34	50	-14.22	90	-7.91	130	-11.43	170	-22.04	210	-21.64	250	-10.87	290	-17.61	330	-21.2
11	-15.96	51	-13.8	91	-7.49	131	-11.02	171	-21.73	211	-20.75	251	-11.01	291	-18.61	331	-20.64
12	-16.58	52	-13.43	92	-7.39	132	-10.5	172	-20.75	212	-19.78	252	-11.32	292	-19.84	332	-19.87
13	-17.23	53	-13.11	93	-7.38	133	-10.17	173	-19.18	213	-18.5	253	-11.64	293	-21.17	333	-19.09
14	-17.92	54	-12.92	94	-7.74	134	-9.95	174	-17.35	214	-17.37	254	-11.98	294	-22.58	334	-18.58
15	-18.47	55	-12.9	95	-8.29	135	-10.04	175	-16.1	215	-16.64	255	-12.15	295	-23.9	335	-18.13
16	-19.06	56	-12.86	96	-9.06	136	-10.46	176	-14.92	216	-15.86	256	-12.3	296	-24.63	336	-17.66
17	-19.73	57	-12.74	97	-10.23	137	-11.17	177	-14.15	217	-15.45	257	-12.5	297	-24.92	337	-17.28
18	-20.02	58	-12.49	98	-11.43	138	-12.22	178	-13.88	218	-15.45	258	-12.8	298	-24.98	338	-17.07
19	-19.94	59	-11.97	99	-12.65	139	-13.95	179	-13.89	219	-15.69	259	-13.17	299	-25.18	339	-17.12
20	-19.15	60	-11.33	100	-14.37	140	-15.75	180	-14.2	220	-15.73	260	-13.79	300	-25.17	340	-17.48
21	-17.41	61	-10.41	101	-15.82	141	-18.35	181	-14.58	221	-15.46	261	-14.42	301	-25.27	341	-17.63
22	-16.33	62	-9.95	102	-18.02	142	-21.28	182	-14.78	222	-14.93	262	-14.86	302	-24.66	342	-17.7
23	-15.93	63	-9.68	103	-19.98	143	-23.39	183	-14.65	223	-14.27	263	-15.05	303	-23.67	343	-17.36
24	-15.27	64	-9.56	104	-20.83	144	-23.7	184	-14.18	224	-13.51	264	-15.06	304	-22.79	344	-16.49
25	-15.5	65	-9.58	105	-19.99	145	-22.57	185	-13.62	225	-12.9	265	-15.01	305	-22.08	345	-15.53
26	-16.31	66	-9.68	106	-17.18	146	-22.3	186	-13.09	226	-12.28	266	-14.9	306	-22.04	346	-14.62
27	-17.7	67	-9.8	107	-15.21	147	-21.11	187	-12.78	227	-11.69	267	-14.92	307	-22.57	347	-14.05
28	-19.48	68	-9.94	108	-13.41	148	-20.12	188	-12.8	228	-11.35	268	-15.19	308	-23.57	348	-13.79
29	-21.64	69	-10.12	109	-12.04	149	-19.44	189	-13.08	229	-11.2	269	-15.49	309	-24.99	349	-13.91
30	-23.4	70	-10.38	110	-11.32	150	-17.72	190	-13.44	230	-11.25	270	-15.68	310	-27.05	350	-14.56
31	-22.73	71	-10.58	111	-10.82	151	-16.46	191	-13.97	231	-11.78	271	-15.88	311	-29.74	351	-15.64
32	-20.56	72	-10.76	112	-10.64	152	-15.45	192	-14.62	232	-12.09	272	-16.09	312	-31.19	352	-17.01
33	-18.53	73	-10.9	113	-10.74	153	-14.52	193	-15.26	233	-12.28	273	-16.38	313	-30.21	353	-18.16
34	-17.18	74	-10.94	114	-11.01	154	-13.89	194	-16.08	234	-12.48	274	-16.66	314	-28.11	354	-18.25
35	-16.31	75	-10.87	115	-11.72	155	-13.48	195	-17.19	235	-12.61	275	-16.9	315	-26.2	355	-17.42
36	-15.7	76	-10.85	116	-13.18	156	-13.21	196	-18.33	236	-12.77	276	-17.23	316	-24.86	356	-16.2
37	-15.54	77	-10.8	117	-15.5	157	-13.32	197	-19.88	237	-12.98	277	-17.43	317	-23.91	357	-15.02
38	-15.47	78	-10.76	118	-19.89	158	-13.73	198	-20.67	238	-13.06	278	-17.22	318	-23.46	358	-13.96
39	-15.33	79	-10.75	119	-26.95	159	-14.48	199	-21.13	239	-12.74	279	-17.06	319	-23.32	359	-13.23

Radiated Pattern : DAX800XR




WiFi 5GHz Hch (ANT1) Hor (ZX)

Received Power

MAX MIN AVE
 -4.22 -35.12 -13.8136

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-12.9	40	-12.35	80	-18.46	120	-8.89	160	-14.54	200	-6.83	240	-15.31	280	-14.93	320	-12.88
1	-13.51	41	-12.42	81	-16.3	121	-8.38	161	-14.4	201	-6.83	241	-15.11	281	-14.47	321	-12.87
2	-13.77	42	-12.53	82	-14.38	122	-7.94	162	-14.25	202	-6.92	242	-15.06	282	-13.54	322	-12.87
3	-14.19	43	-12.55	83	-12.72	123	-7.8	163	-14.47	203	-7.16	243	-15.07	283	-12.7	323	-12.87
4	-14.79	44	-12.68	84	-11.62	124	-7.4	164	-14.53	204	-7.51	244	-15.12	284	-11.96	324	-12.92
5	-15.44	45	-12.64	85	-10.39	125	-7.4	165	-14.66	205	-7.89	245	-15.39	285	-11.21	325	-12.9
6	-16.34	46	-12.6	86	-9.37	126	-7.6	166	-15.04	206	-8.52	246	-15.79	286	-10.64	326	-12.75
7	-17.38	47	-12.54	87	-8.57	127	-7.71	167	-15.3	207	-9.25	247	-16.38	287	-10.11	327	-12.55
8	-18.57	48	-12.24	88	-7.7	128	-7.91	168	-15.54	208	-10.06	248	-16.9	288	-9.56	328	-12.47
9	-19.72	49	-12.08	89	-7.07	129	-8.1	169	-16.17	209	-10.89	249	-17.43	289	-9.15	329	-12.52
10	-20.16	50	-11.89	90	-6.39	130	-8.22	170	-16.82	210	-11.85	250	-18.2	290	-8.88	330	-12.61
11	-19.72	51	-11.55	91	-5.73	131	-8.42	171	-17.71	211	-12.49	251	-19.13	291	-8.63	331	-12.9
12	-19.2	52	-11.47	92	-5.36	132	-8.71	172	-19.5	212	-13.3	252	-19.82	292	-8.53	332	-13.54
13	-18.62	53	-11.16	93	-4.98	133	-8.98	173	-21.96	213	-13.94	253	-20.16	293	-8.57	333	-14.45
14	-18.23	54	-10.99	94	-4.58	134	-9.44	174	-24.88	214	-14.33	254	-19.52	294	-8.67	334	-15.75
15	-18.07	55	-11	95	-4.41	135	-9.97	175	-31.14	215	-15.13	255	-18.29	295	-8.82	335	-17.66
16	-18.19	56	-10.84	96	-4.22	136	-10.48	176	-33.72	216	-15.83	256	-17.09	296	-9.07	336	-20.22
17	-18.23	57	-11.02	97	-4.25	137	-11.03	177	-26.3	217	-16.19	257	-16.07	297	-9.29	337	-24.12
18	-18	58	-11.25	98	-4.43	138	-11.54	178	-21.65	218	-16.41	258	-15.18	298	-9.56	338	-31.19
19	-17.76	59	-11.44	99	-4.58	139	-11.86	179	-18.38	219	-16.56	259	-14.52	299	-9.86	339	-35.12
20	-17.64	60	-11.94	100	-4.94	140	-12.09	180	-16.06	220	-16.67	260	-13.92	300	-10.18	340	-26.47
21	-17.65	61	-12.31	101	-5.48	141	-12.27	181	-14.5	221	-16.73	261	-13.47	301	-10.52	341	-21.21
22	-17.67	62	-12.68	102	-6.1	142	-12.42	182	-13.11	222	-17.07	262	-12.94	302	-10.94	342	-20.1
23	-17.83	63	-13.02	103	-6.91	143	-12.68	183	-12.15	223	-17.2	263	-12.42	303	-11.31	343	-18.73
24	-17.86	64	-13.39	104	-7.97	144	-12.99	184	-11.57	224	-16.65	264	-11.96	304	-11.72	344	-17.76
25	-17.48	65	-13.67	105	-9.2	145	-13.17	185	-11.01	225	-16.31	265	-11.43	305	-12.16	345	-17.6
26	-16.9	66	-13.93	106	-10.79	146	-13.6	186	-10.6	226	-16.2	266	-10.96	306	-12.74	346	-17.9
27	-16.88	67	-14.31	107	-12.8	147	-14.05	187	-10.26	227	-16.01	267	-10.63	307	-13.17	347	-18.46
28	-16.62	68	-14.55	108	-15.48	148	-14.64	188	-9.82	228	-16.22	268	-10.38	308	-13.51	348	-19.39
29	-16.61	69	-15.07	109	-19.22	149	-15.12	189	-9.31	229	-16.59	269	-10.21	309	-13.75	349	-20.43
30	-16.48	70	-15.64	110	-25.18	150	-15.4	190	-8.95	230	-16.7	270	-10.23	310	-13.96	350	-21.16
31	-16.12	71	-16.2	111	-26.85	151	-15.83	191	-8.56	231	-16.91	271	-10.4	311	-14.08	351	-20.66
32	-15.63	72	-16.89	112	-20.91	152	-15.99	192	-8.2	232	-17.16	272	-10.65	312	-14.16	352	-18.88
33	-14.93	73	-17.78	113	-16.59	153	-15.89	193	-8	233	-17.06	273	-11.03	313	-14.14	353	-16.81
34	-14.27	74	-18.68	114	-13.98	154	-15.88	194	-7.72	234	-17.01	274	-11.56	314	-13.98	354	-15.29
35	-13.79	75	-20.43	115	-12.39	155	-15.74	195	-7.45	235	-16.96	275	-12.17	315	-13.82	355	-14.26
36	-13.33	76	-22.11	116	-10.91	156	-15.19	196	-7.28	236	-16.91	276	-12.97	316	-13.54	356	-13.53
37	-12.87	77	-23.23	117	-10.16	157	-15.27	197	-7.19	237	-16.72	277	-13.88	317	-13.21	357	-13.09
38	-12.68	78	-23.27	118	-9.62	158	-15.04	198	-7.03	238	-16.18	278	-14.58	318	-13.1	358	-12.87
39	-12.5	79	-21.02	119	-9.06	159	-14.52	199	-6.82	239	-15.62	279	-14.93	319	-12.99	359	-12.91

Radiated Pattern : DAX800XR



WiFi 5GHz Hch (ANT1) Ver(ZX)

Received Power

MAX MIN AVE
 -8.93 -39.72 -17.448

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-13.4	40	-13.8	80	-17.8	120	-20.58	160	-13.65	200	-17.4	240	-22.96	280	-23.78	320	-19.87
1	-14.49	41	-14.23	81	-18.41	121	-19.41	161	-12.55	201	-16.6	241	-24.67	281	-23.3	321	-19.2
2	-15.16	42	-14.77	82	-18.51	122	-17.21	162	-11.73	202	-16	242	-24.51	282	-23.44	322	-18.77
3	-15.43	43	-15.42	83	-18.37	123	-15.5	163	-11.36	203	-15.56	243	-24.44	283	-23.92	323	-18.63
4	-15.47	44	-15.89	84	-18.31	124	-12.84	164	-11.2	204	-15.13	244	-25.02	284	-24.38	324	-18.56
5	-15.25	45	-15.91	85	-17.99	125	-11.66	165	-11.17	205	-15.06	245	-26.26	285	-24.78	325	-18.67
6	-15.12	46	-15.63	86	-17.55	126	-11.14	166	-11.2	206	-14.74	246	-27.69	286	-24.65	326	-18.97
7	-15.21	47	-15.08	87	-16.94	127	-10.84	167	-10.85	207	-14.21	247	-29.17	287	-23.84	327	-19.26
8	-15.7	48	-14.4	88	-16.43	128	-10.9	168	-10.21	208	-13.62	248	-28.14	288	-22.37	328	-19.62
9	-16.65	49	-13.75	89	-16.1	129	-11.05	169	-9.73	209	-12.88	249	-27.52	289	-20.74	329	-19.72
10	-18.26	50	-13.36	90	-16.12	130	-11.4	170	-9.27	210	-12.27	250	-25.47	290	-19.45	330	-19.73
11	-20.25	51	-13.18	91	-17.01	131	-11.85	171	-8.99	211	-11.93	251	-23.72	291	-18.66	331	-19.79
12	-22.64	52	-13.17	92	-17.96	132	-12.63	172	-8.93	212	-11.6	252	-22.42	292	-18.45	332	-19.55
13	-24.24	53	-13.29	93	-19.01	133	-13.85	173	-9	213	-11.37	253	-21.33	293	-18.58	333	-18.96
14	-24.34	54	-13.44	94	-20.83	134	-15.32	174	-9.34	214	-11.22	254	-20.21	294	-19.08	334	-18.28
15	-23.69	55	-13.46	95	-22.31	135	-17.67	175	-9.79	215	-10.97	255	-19.04	295	-19.99	335	-17.47
16	-22.95	56	-13.04	96	-23.05	136	-21.31	176	-10.15	216	-10.69	256	-18	296	-21.12	336	-16.83
17	-22.39	57	-12.55	97	-24.74	137	-25.26	177	-10.45	217	-10.52	257	-17.34	297	-22.14	337	-16.5
18	-22.27	58	-11.94	98	-24.5	138	-34.44	178	-10.69	218	-10.38	258	-16.84	298	-23.58	338	-16.52
19	-21.88	59	-11.45	99	-22.48	139	-36.67	179	-10.77	219	-10.26	259	-16.36	299	-25.29	339	-16.75
20	-20.8	60	-11.15	100	-19.29	140	-28.11	180	-11.01	220	-10.26	260	-15.88	300	-26.86	340	-17.02
21	-19.36	61	-11.1	101	-16.75	141	-24.05	181	-11.43	221	-10.21	261	-15.33	301	-28.71	341	-17.56
22	-18.19	62	-11.18	102	-14.81	142	-21.84	182	-11.95	222	-10.14	262	-15.05	302	-30.74	342	-17.73
23	-17.54	63	-11.35	103	-13.07	143	-20.39	183	-12.72	223	-10.17	263	-14.72	303	-32.65	343	-17.67
24	-17.21	64	-11.53	104	-11.94	144	-18.37	184	-13.65	224	-10.28	264	-14.37	304	-35.9	344	-17.65
25	-17.25	65	-11.66	105	-11.15	145	-16.97	185	-14.5	225	-10.49	265	-14.23	305	-39.72	345	-17.5
26	-17.42	66	-11.83	106	-10.75	146	-15.54	186	-15.13	226	-10.87	266	-14.36	306	-35.07	346	-17.43
27	-17.44	67	-12.08	107	-10.77	147	-14.1	187	-15.71	227	-11.34	267	-14.66	307	-31.58	347	-17.58
28	-17.18	68	-12.48	108	-11.01	148	-13.57	188	-15.94	228	-12	268	-15.64	308	-28.58	348	-18.29
29	-16.35	69	-12.98	109	-11.56	149	-13.07	189	-16.19	229	-12.69	269	-16.34	309	-26.26	349	-19.72
30	-15.25	70	-13.55	110	-12.19	150	-13.11	190	-16.74	230	-13.5	270	-17.57	310	-24.86	350	-21.46
31	-14.33	71	-14.29	111	-13.03	151	-13.74	191	-17.13	231	-14.58	271	-18.91	311	-24.15	351	-23.55
32	-13.59	72	-14.73	112	-14.2	152	-14.32	192	-17.05	232	-15.02	272	-21.07	312	-23.51	352	-23.53
33	-13.23	73	-15.05	113	-15.28	153	-15.45	193	-17.17	233	-15.21	273	-23.63	313	-23.15	353	-21.08
34	-13.14	74	-15.16	114	-17.24	154	-16.62	194	-17.05	234	-15.21	274	-26.19	314	-23.36	354	-18.39
35	-13.29	75	-15.25	115	-19.87	155	-18.12	195	-17.14	235	-15.35	275	-29.34	315	-23.33	355	-16.34
36	-13.44	76	-15.48	116	-23.33	156	-19.27	196	-17.56	236	-15.79	276	-30.55	316	-22.99	356	-14.89
37	-13.58	77	-15.82	117	-32.65	157	-18.73	197	-17.83	237	-16.8	277	-28.5	317	-22.59	357	-14.02
38	-13.62	78	-16.44	118	-34.5	158	-17.8	198	-17.98	238	-18.48	278	-26.44	318	-21.77	358	-13.52
39	-13.57	79	-17.13	119	-24.28	159	-15.02	199	-18.11	239	-20.51	279	-24.68	319	-20.69	359	-13.41