



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#2

Date: 2024/10/18  
Time: 下午 08:11:06

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH93  
Note :

Polarization: *Horizontal*  
Power : 120 Va.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #8


Date: 2024/10/18

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 08:14:36

Humidity: 54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH93

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#3

Date: 2024/10/18  
Time: 下午 08:11:49

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH93  
Note :

Polarization: **Horizontal**  
Power : 120 V.a.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#9

Date: 2024/10/18  
Time: 下午 08:15:19

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH93  
Note :

Polarization: Vertical  
Power : 120 V.a.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/10/18

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 08:12:37

Humidity:54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH93

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| *   | 12830.000       | 23.86          | peak     | 17.09               | 40.95           | 74.00          | 150          | 289            | -33.05      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #10


Date: 2024/10/18

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 08:16:07

Humidity: 54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH93

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| *   | 12830.000       | 22.96          | peak     | 17.09               | 40.05           | 74.00          | 150          | 318            | -33.95      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2024/10/18

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 08:12:48

Humidity: 54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH93

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/10/18

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 08:16:18

Humidity:54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH93

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin





Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#6

Date: 2024/10/18  
Time: 下午 08:12:59

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH93  
Note :

Polarization: *Horizontal*  
Power : 120 Va.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#12

Date: 2024/10/18  
Time: 下午 08:16:29

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH93  
Note :

Polarization: Vertical  
Power : 120 Va.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :1\_WiFi 6E\_ant1\_TX 802

Data :#1

Date: 2024/10/19

Temperature:24.1 °C

80.0 dBuV/m

Time: 上午 10:51:07

Humidity:48.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_30-1000MHz

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH1

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| *   | 134.7600        | 52.26          | peak     | -13.33              | 38.93           | 43.50          | 100          | 108            | -4.57       |         |
|     | 205.0850        | 50.05          | peak     | -15.85              | 34.20           | 43.50          | 100          | 208            | -9.30       |         |
|     | 262.8000        | 44.35          | peak     | -13.30              | 31.05           | 46.00          | 100          | 274            | -14.95      |         |
|     | 355.9200        | 47.61          | peak     | -10.98              | 36.63           | 46.00          | 100          | 261            | -9.37       |         |

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kai

File :1\_WiFi 6E\_ant1\_TX 802

Data :#2

Date: 2024/10/19

Temperature:24.1 °C

80.0 dBuV/m

Time: 上午 10:51:51

Humidity:48.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_30-1000MHz

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH1

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| *   | 110.5100        | 53.14          | peak     | -15.57              | 37.57           | 43.50          | 100          | 143            | -5.93       |         |
|     | 129.4250        | 49.92          | peak     | -13.83              | 36.09           | 43.50          | 100          | 237            | -7.41       |         |
|     | 369.0150        | 45.04          | peak     | -10.54              | 34.50           | 46.00          | 100          | 191            | -11.50      |         |
|     | 582.9000        | 41.87          | peak     | -5.59               | 36.28           | 46.00          | 100          | 177            | -9.72       |         |



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/10/18

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 08:21:16

Humidity:54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH1

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#7

Date: 2024/10/18  
Time: 下午 08:24:45

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH1  
Note :

Polarization: Vertical  
Power : 120 Va.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2


Date: 2024/10/18

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 08:21:58

Humidity: 54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH1

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#8

Date: 2024/10/18  
Time: 下午 08:25:28

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH1  
Note :

Polarization: Vertical  
Power : 120 Va.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin





Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#3

Date: 2024/10/18  
Time: 下午 08:22:42

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH1  
Note :

Polarization: *Horizontal*  
Power : 120 Va.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| *   | 11910.000       | 33.96          | peak     | 16.09               | 50.05           | 74.00          | 150          | 200            | -23.95      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Gino

File : 3

Data : #9

Date: 2024/10/18

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 08:26:12

Humidity: 54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH1

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| *   | 11910.000       | 33.55          | peak     | 16.09               | 49.64           | 74.00          | 150          | 189            | -24.36      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/10/18

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 08:23:29

Humidity:54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH1

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#10

Date: 2024/10/18  
Time: 下午 08:26:59

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH1  
Note :

Polarization: Vertical  
Power : 120 Va.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2024/10/18

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 08:23:40

Humidity: 54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH1

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#11

Date: 2024/10/18  
Time: 下午 08:27:10

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH1  
Note :

Polarization: Vertical  
Power : 120 Va.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino  
Temperature:25.0 °C  
Humidity:54.9 %

File :3

Data :#6

Date: 2024/10/18  
Time: 下午 08:23:52

90.0 dBuV/m



Site : 966A Chamber  
Condition : FCC\_part 15E RE\_Above 1GHz\_PK  
EUT : W6M22409-23739  
M/N:  
Test Mode : TX 802.11a CH1  
Note :

Polarization: Horizontal  
Power : 120 Va.c.  
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/10/18

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 08:27:22

Humidity:54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH1

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin





Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/10/18

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 08:30:34

Humidity:54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH45

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/10/18

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 08:34:03

Humidity:54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH45

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/10/18

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 08:31:17

Humidity:54.9 %



Site : 966A Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22409-23739

M/N:

Test Mode : TX 802.11a CH45

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin