





Main Timebase 10.0 ms/div Delay/Pos 0.00000 s
 Channel 1 Sensitivity 5.00 V/div Offset 0.00000 V Probe 10.00 : 1
 Trigger mode : Edge
 On Positive Edge of Chan1
 Trigger Level
 Chan1 = 7.50000 V (noise reject OFF)
 Holdoff = 100.000 ns

Markers
 Vmarker2 (c1) = 19.9991 V
 Vmarker1 (c1) = 0.00000 V
 delta V (c1) = 19.9991 V
 stop = 40.0000 ms
 start = -80.0000 ms
 delta t = 100.000 ms
 1/delta t = 10.0000 Hz


Pulse train over
 100 msecs.

Bus Doc model 0043




Timebase	Delay/Pos	Reference	Mode	Markers
Main	8.00 ms/div	-8.00000 ms	Realtime (EXTENDED)	Marker2 (c1) = 19.9821 V
				Marker1 (c1) = 0.00000 V
				delta V (c1) = 19.9821 V
Channel 1	Sensitivity 5.00 V/div	Offset 0.00000 V	Coupling dc (1M ohm)	stop = 55.0000 ms
				start = 0.00000 s
				delta t = 55.0000 ms
				1/delta t = 17.9871 Hz
Trigger mode : Edge				
On Positive Edge Of Chan1				
Trigger Level				
Chan1 = 7.50000 V (noise reject OFF)				
Holdoff = 40.000 ns				

Sinclair Post
Train



Main	Timebase	Delay/Pos	Reference	Mode	Markers
	2.00 ms/div	-2.00000 ms	Left	Repetitive	Vmarker2 (c1) = 10.9521 V
Channel 1	Sensitivity	Offset	Probe	Coupling	Vmarker1 (c1) = 0.00000 V
	5.00 V/div	0.00000 V	10.00 : 1	dc (1M ohm)	delta V (c1) = 10.9521 V
Trigger mode : Edge					
On Positive Edge Of Chan1					
Trigger Level					
Chan1 = 7.50000 V (noise reject OFF)					
Holdoff = 100.000 ns					
	stop	start	delta t	1/delta t	
	=	=	=	=	
	6.36000 ms	4.56000 ms	1.50000 ms	666.666 Hz	

Long Rise Time
1.8 ms



Main	Timebase	Delay/Pos	Reference	Mode	Markers
	2.00 ms/div	-2.00000 ms	Left	Repetitive	Vmarker2 (c1) = 19.9921 V
Channel 1	Sensitivity	Offset	Probe	Coupling	Vmarker1 (c1) = 0.00000 V
	5.00 V/div	0.00000 V	10.00 : 1	dc (1M ohm)	delta V (c1) = 19.9921 V
Trigger mode : Edge					
On Positive Edge Of Chan1					
Trigger Level					
Chan1 = 7.50000 V (noise reject OFF)					
Holdoff = 100.000 ns					
stop = 7.52000 ms start = 6.88000 ms delta t = 640.000 us 1/delta t = 1.56250 kHz					

Short Pulse
0.64 ms