


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
X6	Updated the FCC artwork	3/8/19	

For art detail reference Indyme control document PS file: 220198-43_A NGHB FCC Label Artwork.eps



Material: Avery - Spec #FAS79098 Clear BOPP

Overlamine: QS800XC 1.3 mil Gloss overlamination

Adhesive: Fasson® S7000

0.125" Radius Minimum, 4 Places



All materials and finishes shall comply with European Union restrictions of hazardous substances. (RoHS)

Alternate materials must have RoHS compliance and be approved by Indyme.

PRE-RELEASE

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
INDYME SOLUTIONS. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
INDYME SOLUTIONS IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED DIMENSION TOLERANCES ARE DECIMAL: IN ANGLES:		
.X	±.05	± 0.5 °
.XX	±.025	
.XXX	±.010	63 µIN
INTERPRET GEOMETRIC TOL PER: ASME Y14.100 - 2000		
MATERIAL	See Notes	
FINISH		
DO NOT SCALE DRAWING		

APPROVALS		DATE
DRAWN	Diane T.	1/29/19
CHECKED	Joe S.	
ENG APPR	Greg K.	
MFG APPR		
COMMENTS		


Indyme Solutions

LABEL,FCC/CE,CB965

SIZE A	CAGE CODE	DWG NO. 220198-43	REV X6
SCALE 4:1			Sheet 1 of 1

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
X3	Updated FCC artwork	3/8/19	

For art detail reference Indyme control document PS file: 220198-44_A CB966 FCC Label Artwork.eps



White Vinyl, Black Print
 Material: RF T -4911
 Overlamine: 1mil Clear Polypropylene,
 RL-TCC-UL2000 or QS800XC
 Adhesive: TS523



All materials and finishes shall comply with European Union restrictions of hazardous substances. (RoHS)

Alternate materials must have RoHS compliance and be approved by Indyme.

PRE-RELEASE

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 INDYME SOLUTIONS. ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 INDYME SOLUTIONS IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED DIMENSION TOLERANCES ARE DECIMAL: IN ANGLES: .X ±.05 ± 0.5 ° .XX ±.025 .XXX ±.010 63 µIN INTERPRET GEOMETRIC TOL PER: ASME Y14.100 - 2000 MATERIAL See Notes FINISH DO NOT SCALE DRAWING	APPROVALS	DATE
	DRAWN Diane T.	1/29/19
	CHECKED Joe S.	
	ENG APPR Greg K.	
	MFG APPR	
COMMENTS		


Indyme Solutions

LABEL,FCC/CE,CB966

SIZE A	CAGE CODE	DWG NO. 220198-44	REV X3
SCALE 4:1			Sheet 1 of 1

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
X3	Updated the FCC artwork	3/8/19	

For art detail reference Indyme control document PS file: 220198-45_A CB967 FCC Label Artwork.eps



White Vinyl, Black Print

Material: RF T -4911

Overlaminates: 1mil Clear Polypropylene,

RL-TCC-UL2000 or QS800XC

Adhesive: TS523

0.125" Radius Minimum, 4 Places



All materials and finishes shall comply with European Union restrictions of hazardous substances. (RoHS)

Alternate materials must have RoHS compliance and be approved by Indyme.

PRE-RELEASE

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
INDYME SOLUTIONS. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
INDYME SOLUTIONS IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED DIMENSION TOLERANCES ARE DECIMAL: IN ANGLES:		
.X	±.05	± 0.5 °
.XX	±.025	
.XXX	±.010	63 µIN
INTERPRET GEOMETRIC TOL PER: ASME Y14.100 - 2000		
MATERIAL	See Notes	
FINISH		
DO NOT SCALE DRAWING		

APPROVALS		DATE
DRAWN	Diane T.	1/29/19
CHECKED	Joe S.	
ENG APPR	Greg K.	
MFG APPR		
COMMENTS		

Indyme Solutions

LABEL,FCC/CE,CB967

SIZE A	CAGE CODE	DWG NO. 220198-45	REV X3
SCALE 4:1	Sheet 1 of 1		