


REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	Release to Manufacture	6/11/09	Fred A
B	Made Label Generic	12/28/98	Fred A
C	Added FCC and IC ID numbers	1/14/11	Andrea B
D	Corrected FCC Statement	9/21/11	Andrea B
E	Moved Graphic Placement	12/7/11	Andrea B
F	Change Model, Added French	12/19/12	Andrea B



White Vinyl, Black Print
 Material: RF T -4911
 Overlamine: 1mil Clear Polypropylene,
 RL-TCC-UL2000 or QS800XC
 Adhesive: TS523

All materials and finishes shall comply with European Union restrictions of hazardous substances. (RoHS)
 Alternate materials must have RoHS compliance and be approved by Indyme.

For Art Work Reference
 220198-12_F CB938 FCC.eps

UNLESS OTHERWISE SPECIFIED DIMENSION TOLERANCES ARE DECIMAL: INCHES: ANGLES: .X ±.5 ±0.5° .XX ±.25 .XXX ±.013 63 µIN INTERPRET GEOMETRIC TOL PER: ASME Y14.100 - 2000 MATERIAL FINISH	APPROVALS		DATE		indyme Solutions CB938 FCC/CE/C-tick Label			
	DRAWN	G King	6/11/09					
	CHECKED	Larry O	6/11/09					
	ENG APPR	Fred A	6/11/09					
	MFG APPR							
	COMMENTS				SIZE	CAGE CODE	DWG NO.	REV
					A		220198-12	F
					SCALE	2:1		Sheet1 OF 1

CB938



Model: CB938

INDYME SOLUTIONS Inc

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

FCC ID: J69TYPEB


IC: 1809A - TYPEB



N11054



P/N 220198-12_F



- minimum radius .1" 4 plcs

All materials and finishes shall comply with European Union restrictions of hazardous substances. (RoHS)
Alternate materials must have RoHS compliance and be approved by Indyme.

UNLESS OTHERWISE SPECIFIED DIMENSION TOLERANCES ARE DECIMAL: INCHES: ANGLES:			APPROVALS		DATE		indyme Solutions CB982 FCC/CE/C-tick Label							
.X ±.5 ± 0.5 °			DRAWN Noah K		12/19/12									
.XX ±.25			CHECKED Greg K		12/19/12									
.XXX ±.013 63 µIN			ENG APPR Andrea B		12/19/12									
INTERPRET GEOMETRIC TOL PER: ASME Y14.100 - 2000			MFG APPR											
MATERIAL			COMMENTS				SIZE		CAGE CODE		DWG NO.		REV	
FINISH							A				220198-32		A	
							SCALE		2:1		Sheet1 OF 1			

Model: CB982
INDYME SOLUTIONS Inc

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

FCC ID: J69TYPEB

IC: 1809A - TYPEB



N11054



P/N 220198-32_A

CB982

