





FR1 n48 / 40MHz / DFT-S OFDM / PI/2 BPSK

Middle Channel

1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / PI/2 BPSK

Highest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / QPSK

Lowest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / QPSK

Middle Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / QPSK

Highest Channel

1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / 16QAM

Lowest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / 16QAM

Middle Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / 16QAM

Highest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / 64QAM

Lowest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / 64QAM

Middle Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / 64QAM

Highest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / 256QAM

Lowest Channel

1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / 256QAM

Middle Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / DFT-S OFDM / 256QAM

Highest Channel


1RB0



1RBmax




Full RB






FR1 n48 / 10MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 15MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 20MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel



Highest Channel






FR1 n48 / 30MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 40MHz / CP OFDM / QPSK / Full RB


Lowest Channel



Middle Channel



Highest Channel







Conducted Spurious Emission

FR1 n48 / 10MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 15MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel




07:55:20 PM 07/11/2024

Middle Channel



07:56:49 PM 07/11/2024

Highest Channel




07:59:56 PM 07/11/2024




FR1 n48 / 20MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel




08:01:32 PM 07/11/2024

Middle Channel



08:03:01 PM 07/11/2024

Highest Channel




08:05:32 PM 07/11/2024




FR1 n48 / 30MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 40MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n48 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0002	PASS
40	Normal Voltage	0.0002	
30	Normal Voltage	0.0002	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0004	
0	Normal Voltage	0.0009	
-10	Normal Voltage	0.0001	
-20	Normal Voltage	0.0004	
-30	Normal Voltage	0.0010	
20	Maximum Voltage	0.0003	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0008	

Note:

1. Normal Voltage = 3.3 V. ; Battery End Point (BEP) = 3.135 V. ; Maximum Voltage = 3.465 V.
2. The frequency fundamental emissions stay within the authorized frequency block.




<MIMO Mode>

<Ant. 0>

Peak-to-Average Ratio

Mode	FR1 n48 / 20MHz / CP OFDM				
Mod.	QPSK	16QAM	64QAM	256QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	6.58	6.50	7.12	8.74	PASS




**26dB Bandwidth**

Mode	FR1 n48 : 26dB BW(MHz) / CP OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	10.19	10.10	15.34	15.40	20.36	20.42	-	-
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	10.33	9.97	15.50	15.38	20.32	20.20	-	-
BW	30MHz		40MHz		-		-	
Mod.	QPSK	16QAM	QPSK	16QAM	-	-	-	-
Middle CH	30.87	30.76	41.08	40.90	-	-	-	-
Mod.	64QAM	256QAM	64QAM	256QAM	-	-	-	-
Middle CH	30.83	30.72	40.96	40.86	-	-	-	-




FR1 n48 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n48 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM




**Occupied Bandwidth**

Mode	FR1 n48 : OB BW(MHz) / CP OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	8.66	8.69	13.65	13.67	18.33	18.38	-	-
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	8.63	8.66	13.67	13.65	18.33	18.27	-	-
BW	30MHz		40MHz		-		-	
Mod.	QPSK	16QAM	QPSK	16QAM	-	-	-	-
Middle CH	28.14	28.26	38.00	38.12	-	-	-	-
Mod.	64QAM	256QAM	64QAM	256QAM	-	-	-	-
Middle CH	28.19	28.25	38.11	38.04	-	-	-	-




FR1 n48 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK



16QAM



64QAM



256QAM

