




802.11ax_40MHz_Chain0_2437MHz




802.11ax_40MHz_Chain0_2437MHz_RU484




802.11ax_40MHz_Chain0_2437MHz_RU242_61




802.11ax_40MHz_Chain0_2452MHz



802.11ax_40MHz_Chain0_2437MHz_RU242_62



802.11ax_40MHz_Chain0_2452MHz_RU242_62




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax_40MHz_Chain0_2452MHz_RU484




802.11ax_40MHz_Chain0_2457MHz_RU484




802.11ax_40MHz_Chain0_2457MHz




802.11ax_40MHz_Chain0_2462MHz



802.11ax_40MHz_Chain0_2457MHz_RU242_62



802.11ax_40MHz_Chain0_2462MHz_RU242_62




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_40MHz_Chain0_2462MHz_RU484



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

11 BANDEGE AND SPURIOUS EMISSION MEASUREMENT

11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.


And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

1. The lower limit shall apply at the transition frequencies.

11.2 Bandedge & Emission




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.3 Radiated Spurious Emission


(A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



(C) Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.4 Measurement Procedure

11.4.1 Bandedge measurements

1. The testing follows FCC KDB 558074 D01.
2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
3. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz, Detector = Peak for Maximum Emission Measurements at frequency above 1 GHz, Sweep time = No faster than coupled (auto) time, Trace mode = max-hold, Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time and number of sweep points may be lengthened for low duty cycle applications.)
4. Set the spectrum analyzer as RBW = 100KHz, VBW = 300KHz, Detector = RMS for Maximum Emission Measurements at frequency above 1 GHz, Sweep time = AUTO
5. Compute the power by integrating the spectrum over 1 MHz using the instrument's band-power measurement function with band limits set equal to the emission frequency (femission) $\pm 0.5\text{MHz}$. If the spectrum analyzer does not have a band-power function, then sum the amplitude levels (in power units) at 100 kHz intervals extending across the 1 MHz spectrum defined by femission $\pm 0.5\text{MHz}$.
6. A correction factor shall be added to the measurement results prior to comparing with the emission limit to compute the emission level that would have been measured had the test been performed at 100% duty cycle.

11.4.2 Spurious Emission measurements

1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
2. The EUT was placed on a turn table with 0.8m for frequency < 1GHz and 1.5m for frequency > 1GHz above ground plane.
3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
5. Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz.
6. Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Maximum Emission Measurements at frequency above 1 GHz.
8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW $\geq 1/T$ (Duty cycle < 98%) for Average Emission Measurements at frequency above 1 GHz.
9. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
12. Repeat above procedures until all default test channel measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

Where *FS* = Field Strength

CL = Cable Attenuation Factor (Cable Loss)

RA = Reading Amplitude

AG = Amplifier Gain

AF = Antenna Factor

The limit of the emission level is expressed in dBuV/m, which converts $20 \cdot \log(\mu V/m)$

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dB/m) + Cable Loss(dB) – Pre_Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.6 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 Measurement Result

Note:

1. *Refer to next page spectrum analyzer data chart and tabular data sheets.*
2. *Measurements are completed at peak and average level, the mark of average is the highest emission in restricted bands*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11b

Channel	Frequency (MHz)	Raw Value(dBm)	Duty factor (dB)	Antenna Peak Gain (dBi)	EIRP (dBm)	Emission Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	
		Chain 0		Chain 0					
1	2412	-39.410	N/A	3.37	-36.04	59.16	-14.84	74	PK
		-48.105	0.00	3.37	-44.74	50.47	-3.54	54	AV
11	2462	-38.580	N/A	3.37	-35.21	59.99	-14.01	74	PK
		-45.887	0.00	3.37	-42.52	52.68	-1.32	54	AV
12	2467	-38.890	N/A	3.37	-35.52	59.68	-14.32	74	PK
		-45.613	0.00	3.37	-42.24	52.96	-1.04	54	AV
13	2472	-40.380	N/A	3.37	-37.01	58.19	-15.81	74	PK
		-45.075	0.00	3.37	-41.71	53.50	-0.51	54	AV

802.11g

Channel	Frequency (MHz)	Raw Value(dBm)	Duty factor (dB)	Antenna Peak Gain (dBi)	EIRP (dBm)	Emission Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	
		Chain 0		Chain 0					
1	2412	-30.070	N/A	3.37	-26.70	68.50	-5.50	74	PK
		-46.139	0.00	3.37	-42.77	52.43	-1.57	54	AV
2	2417	-31.040	N/A	3.37	-27.67	67.53	-6.47	74	PK
		-47.432	0.00	3.37	-44.06	51.14	-2.86	54	AV
3	2422	-30.790	N/A	3.37	-27.42	67.78	-6.22	74	PK
		-46.070	0.00	3.37	-42.70	52.50	-1.50	54	AV
4	2427	-31.790	N/A	3.37	-28.42	66.78	-7.22	74	PK
		-46.839	0.00	3.37	-43.47	51.73	-2.27	54	AV
5	2432	-29.260	N/A	3.37	-25.89	69.31	-4.69	74	PK
		-47.508	0.00	3.37	-44.14	51.06	-2.94	54	AV
7	2442	-28.520	N/A	3.37	-25.15	70.05	-3.95	74	PK
		-47.945	0.00	3.37	-44.58	50.63	-3.38	54	AV
8	2447	-31.070	N/A	3.37	-27.70	67.50	-6.50	74	PK
		-47.764	0.00	3.37	-44.39	50.81	-3.19	54	AV
9	2452	-27.320	N/A	3.37	-23.95	71.25	-2.75	74	PK
		-46.917	0.00	3.37	-43.55	51.65	-2.35	54	AV
10	2457	-28.320	N/A	3.37	-24.95	70.25	-3.75	74	PK
		-45.249	0.00	3.37	-41.88	53.32	-0.68	54	AV
11	2462	-30.500	N/A	3.37	-27.13	68.07	-5.93	74	PK
		-47.221	0.00	3.37	-43.85	51.35	-2.65	54	AV
12	2467	-26.540	N/A	3.37	-23.17	72.03	-1.97	74	PK
		-45.172	0.00	3.37	-41.80	53.40	-0.60	54	AV
13	2472	-35.210	N/A	3.37	-31.84	63.36	-10.64	74	PK
		-46.755	0.00	3.37	-43.39	51.82	-2.19	54	AV

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11n 20M

Channel	Frequency (MHz)	Raw Value(dBm)	Duty factor (dB)	Antenna Peak Gain	EIRP (dBm)	Emission Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	
		Chain 0		Chain 0					
1	2412	-27.940	N/A	3.37	-24.57	70.63	-3.37	74	PK
		-45.635	0.00	3.37	-42.27	52.94	-1.07	54	AV
2	2417	-29.630	N/A	3.37	-26.26	68.94	-5.06	74	PK
		-47.719	0.00	3.37	-44.35	50.85	-3.15	54	AV
3	2422	-25.130	N/A	3.37	-21.76	73.44	-0.56	74	PK
		-45.815	0.00	3.37	-42.45	52.76	-1.25	54	AV
4	2427	-26.380	N/A	3.37	-23.01	72.19	-1.81	74	PK
		-47.014	0.00	3.37	-43.64	51.56	-2.44	54	AV
8	2447	-27.150	N/A	3.37	-23.78	71.42	-2.58	74	PK
		-47.548	0.00	3.37	-44.18	51.02	-2.98	54	AV
9	2452	-26.430	N/A	3.37	-23.06	72.14	-1.86	74	PK
		-46.624	0.00	3.37	-43.25	51.95	-2.05	54	AV
10	2457	-25.550	N/A	3.37	-22.18	73.02	-0.98	74	PK
		-45.429	0.00	3.37	-42.06	53.14	-0.86	54	AV
11	2462	-26.660	N/A	3.37	-23.29	71.91	-2.09	74	PK
		-47.292	0.00	3.37	-43.92	51.28	-2.72	54	AV
12	2467	-29.610	N/A	3.37	-26.24	68.96	-5.04	74	PK
		-46.565	0.00	3.37	-43.20	52.01	-2.00	54	AV
13	2472	-32.890	N/A	3.37	-29.52	65.68	-8.32	74	PK
		-46.760	0.00	3.37	-43.39	51.81	-2.19	54	AV

802.11n 40M

Channel	Frequency (MHz)	Raw Value(dBm)	Duty factor (dB)	Antenna Peak Gain	EIRP (dBm)	Emission Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	
		Chain 0		Chain 0					
3	2422	-34.020	N/A	3.37	-30.65	64.55	-9.45	74	PK
		-46.358	0.13	3.37	-42.86	52.34	-1.66	54	AV
4	2427	-30.710	N/A	3.37	-27.34	67.86	-6.14	74	PK
		-45.250	0.13	3.37	-41.75	53.45	-0.55	54	AV
5	2432	-28.780	N/A	3.37	-25.41	69.79	-4.21	74	PK
		-45.404	0.13	3.37	-41.90	53.30	-0.70	54	AV
6	2437	-29.310	N/A	3.37	-25.94	69.26	-4.74	74	PK
		-46.624	0.13	3.37	-43.12	52.08	-1.92	54	AV
		-28.750	N/A	3.37	-25.38	69.82	-4.18	74	PK
		-48.891	0.13	3.37	-45.39	49.81	-4.19	54	AV
8	2447	-25.170	N/A	3.37	-21.80	73.40	-0.60	74	PK
		-45.234	0.13	3.37	-41.73	53.47	-0.53	54	AV
9	2452	-25.460	N/A	3.37	-22.09	73.11	-0.89	74	PK
		-47.139	0.13	3.37	-43.64	51.56	-2.44	54	AV
10	2457	-26.120	N/A	3.37	-22.75	72.45	-1.55	74	PK
		-45.988	0.13	3.37	-42.49	52.71	-1.29	54	AV
11	2462	-30.740	N/A	3.37	-27.37	67.83	-6.17	74	PK
		-46.387	0.13	3.37	-42.89	52.31	-1.69	54	AV

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax 20M

Channel	Frequency (MHz)	Raw Value(dBm)	Duty factor (dB)	Antenna Peak Gain (dBi)	EIRP (dBm)	Emission Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	
		Chain 0		Chain 0					
1	2412	-25.550	N/A	3.37	-22.18	73.02	-0.98	74	PK
		-45.179	0.00	3.37	-41.81	53.39	-0.61	54	AV
2	2417	-26.900	N/A	3.37	-23.53	71.67	-2.33	74	PK
		-46.539	0.00	3.37	-43.17	52.03	-1.97	54	AV
3	2422	-27.220	N/A	3.37	-23.85	71.35	-2.65	74	PK
		-46.752	0.00	3.37	-43.38	51.82	-2.18	54	AV
4	2427	-26.720	N/A	3.37	-23.35	71.85	-2.15	74	PK
		-47.099	0.00	3.37	-43.73	51.47	-2.53	54	AV
5	2432	-26.940	N/A	3.37	-23.57	71.63	-2.37	74	PK
		-47.693	0.00	3.37	-44.32	50.88	-3.12	54	AV
7	2442	-26.420	N/A	3.37	-23.05	72.15	-1.85	74	PK
		-47.808	0.00	3.37	-44.44	50.76	-3.24	54	AV
8	2447	-25.700	N/A	3.37	-22.33	72.87	-1.13	74	PK
		-47.648	0.00	3.37	-44.28	50.92	-3.08	54	AV
9	2452	-28.310	N/A	3.37	-24.94	70.26	-3.74	74	PK
		-50.050	0.00	3.37	-46.68	48.52	-5.48	54	AV
10	2457	-25.470	N/A	3.37	-22.10	73.10	-0.90	74	PK
		-46.087	0.00	3.37	-42.72	52.48	-1.52	54	AV
11	2462	-27.410	N/A	3.37	-24.04	71.16	-2.84	74	PK
		-47.321	0.00	3.37	-43.95	51.25	-2.75	54	AV
12	2467	-26.540	N/A	3.37	-23.17	72.03	-1.97	74	PK
		-46.253	0.00	3.37	-42.88	52.32	-1.68	54	AV
13	2472	-27.510	N/A	3.37	-24.14	71.06	-2.94	74	PK
		-46.537	0.00	3.37	-43.17	52.03	-1.97	54	AV

802.11ax 40M

Channel	Frequency (MHz)	Raw Value(dBm)	Duty factor (dB)	Antenna Peak Gain (dBi)	EIRP (dBm)	Emission Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	
		Chain 0		Chain 0					
3	2422	-28.740	N/A	3.37	-25.37	69.83	-4.17	74	PK
		-45.450	0.00	3.37	-42.08	53.12	-0.88	54	AV
4	2427	-30.960	N/A	3.37	-27.59	67.61	-6.39	74	PK
		-46.457	0.00	3.37	-43.09	52.11	-1.89	54	AV
5	2432	-27.330	N/A	3.37	-23.96	71.24	-2.76	74	PK
		-46.538	0.00	3.37	-43.17	52.03	-1.97	54	AV
6	2437	-26.280	N/A	3.37	-22.91	72.29	-1.71	74	PK
		-45.802	0.00	3.37	-42.43	52.77	-1.23	54	AV
		-26.070	N/A	3.37	-22.70	72.50	-1.50	74	PK
		-45.342	0.00	3.37	-41.97	53.23	-0.77	54	AV
7	2442	-26.550	N/A	3.37	-23.18	72.02	-1.98	74	PK
		-47.411	0.00	3.37	-44.04	51.16	-2.84	54	AV
8	2447	-28.180	N/A	3.37	-24.81	70.39	-3.61	74	PK
		-47.166	0.00	3.37	-43.80	51.40	-2.60	54	AV
9	2452	-25.680	N/A	3.37	-22.31	72.89	-1.11	74	PK
		-45.853	0.00	3.37	-42.48	52.72	-1.28	54	AV
10	2457	-29.450	N/A	3.37	-26.08	69.12	-4.88	74	PK
		-47.306	0.00	3.37	-43.94	51.26	-2.74	54	AV
11	2462	-25.140	N/A	3.37	-21.77	73.43	-0.57	74	PK
		-47.592	0.00	3.37	-44.22	50.98	-3.02	54	AV

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax 20M RU

Channel	Frequency (MHz)		Raw Value(dBm)	Duty factor (dB)	Antenna Peak Gain Chain 0	EIRP (dBm)	Emission Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	
			Chain 0							
1	2412	242	-29.740	N/A	3.37	-26.37	68.83	-5.17	74	PK
			-48.350	0.18	3.37	-44.80	50.40	-3.60	54	AV
		260	-28.300	N/A	3.37	-24.93	70.27	-3.73	74	PK
			-48.906	0.11	3.37	-45.43	49.77	-4.23	54	AV
		52/37	-30.440	N/A	3.37	-27.07	68.13	-5.87	74	PK
2	2417	242	-50.870	0.00	3.37	-47.50	47.70	-6.30	54	AV
			-30.950	N/A	3.37	-27.58	67.62	-6.38	74	PK
		260	-52.060	0.10	3.37	-48.59	46.61	-7.39	54	AV
			-25.260	N/A	3.37	-21.89	73.31	-0.69	74	PK
		52/37	-46.328	0.18	3.37	-42.78	52.42	-1.58	54	AV
3	2422	242	-26.630	N/A	3.37	-23.26	71.94	-2.06	74	PK
			-45.613	0.11	3.37	-42.13	53.07	-0.93	54	AV
		260	-26.760	N/A	3.37	-23.39	71.81	-2.19	74	PK
			-46.195	0.00	3.37	-42.83	52.38	-1.63	54	AV
		52/37	-25.170	N/A	3.37	-21.80	73.40	-0.60	74	PK
4	2427	242	-47.308	0.10	3.37	-43.84	51.36	-2.64	54	AV
			-25.650	N/A	3.37	-22.28	72.92	-1.08	74	PK
		260	-46.605	0.18	3.37	-43.06	52.15	-1.86	54	AV
			-25.430	N/A	3.37	-22.06	73.14	-0.86	74	PK
		52/37	-46.057	0.11	3.37	-42.58	52.62	-1.38	54	AV
5	2432	242	-27.760	N/A	3.37	-24.39	70.81	-3.19	74	PK
			-46.131	0.00	3.37	-42.76	52.44	-1.56	54	AV
		260	-25.470	N/A	3.37	-22.10	73.10	-0.90	74	PK
			-45.686	0.10	3.37	-42.22	52.98	-1.02	54	AV
		52/37	-25.880	N/A	3.37	-22.52	72.68	-1.32	74	PK
6	2437	242	-47.079	0.18	3.37	-43.53	51.67	-2.33	54	AV
			-25.300	N/A	3.37	-21.93	73.27	-0.73	74	PK
		260	-45.265	0.11	3.37	-41.79	53.42	-0.59	54	AV
			-29.130	N/A	3.37	-25.76	69.44	-4.56	74	PK
		52/37	-46.042	0.00	3.37	-42.67	52.53	-1.47	54	AV
7	2442	242	-31.980	N/A	3.37	-28.61	66.59	-7.41	74	PK
			-54.534	0.10	3.37	-51.06	44.14	-9.86	54	AV
		260	-27.250	N/A	3.37	-23.88	71.32	-2.68	74	PK
			-47.722	0.18	3.37	-44.17	51.03	-2.97	54	AV
		52/37	-27.520	N/A	3.37	-24.15	71.05	-2.95	74	PK
8	2447	242	-45.614	0.11	3.37	-42.13	53.07	-0.93	54	AV
			-27.940	N/A	3.37	-24.57	70.63	-3.37	74	PK
		260	-46.350	0.00	3.37	-42.98	52.22	-1.78	54	AV
			-30.520	N/A	3.37	-27.15	68.05	-5.95	74	PK
		52/37	-54.122	0.11	3.37	-50.64	44.56	-9.44	54	AV
9	2452	242	-35.060	N/A	3.37	-31.69	63.51	-10.49	74	PK
			-57.317	0.11	3.37	-53.84	41.36	-12.64	54	AV
		260	-30.700	N/A	3.37	-27.33	67.87	-6.13	74	PK
			-57.021	0.11	3.37	-53.54	41.66	-12.34	54	AV
		52/37	-30.190	N/A	3.37	-26.82	68.38	-5.62	74	PK
10	2457	242	-50.552	0.11	3.37	-47.07	48.13	-5.87	54	AV
			-29.500	N/A	3.37	-26.13	69.07	-4.93	74	PK
		260	-55.433	0.00	3.37	-52.06	43.14	-10.86	54	AV
			-33.190	N/A	3.37	-29.82	65.38	-8.62	74	PK
		52/37	-52.993	0.00	3.37	-49.62	45.58	-8.42	54	AV
11	2462	242	-26.850	N/A	3.37	-23.48	71.72	-2.28	74	PK
			-47.822	0.18	3.37	-44.27	50.93	-3.07	54	AV
		260	-25.850	N/A	3.37	-22.48	72.72	-1.28	74	PK
			-47.069	0.11	3.37	-43.59	51.61	-2.39	54	AV
		52/37	-26.620	N/A	3.37	-23.25	71.95	-2.05	74	PK
12	2467	242	-46.385	0.00	3.37	-43.03	52.18	-1.76	54	AV
			-26.330	N/A	3.37	-22.96	72.24	-1.76	74	PK
		260	-47.715	0.18	3.37	-44.17	51.04	-2.97	54	AV
			-25.630	N/A	3.37	-22.26	72.94	-1.06	74	PK
		52/37	-46.868	0.11	3.37	-43.39	51.81	-2.19	54	AV
13	2472	242	-29.460	N/A	3.37	-26.09	69.11	-4.89	74	PK
			-45.663	0.00	3.37	-42.29	52.91	-1.09	54	AV
		260	-28.760	N/A	3.37	-25.39	69.81	-4.19	74	PK
			-47.351	0.10	3.37	-43.88	51.32	-2.68	54	AV
		52/37	-25.300	N/A	3.37	-21.93	73.27	-0.73	74	PK
14	2477	242	-46.652	0.18	3.37	-43.10	52.10	-1.90	54	AV
			-27.140	N/A	3.37	-23.77	71.43	-2.57	74	PK
		260	-46.804	0.11	3.37	-43.32	51.88	-2.12	54	AV
			-28.300	N/A	3.37	-24.93	70.27	-3.73	74	PK
		52/37	-45.589	0.00	3.37	-42.22	52.98	-1.02	54	AV
15	2482	242	-28.450	N/A	3.37	-25.08	70.12	-3.88	74	PK
			-45.298	0.10	3.37	-41.83	53.37	-0.63	54	AV
		260	-25.300	N/A	3.37	-21.93	73.27	-0.73	74	PK
			-46.023	0.18	3.37	-42.47	52.73	-1.27	54	AV
		52/37	-27.100	N/A	3.37	-23.73	71.47	-2.53	74	PK
16	2487	242	-46.807	0.11	3.37	-43.33	51.87	-2.13	54	AV
			-28.420	N/A	3.37	-25.05	70.15	-3.85	74	PK
		260	-45.600	0.00	3.37	-42.23	52.97	-1.03	54	AV
			-27.390	N/A	3.37	-24.02	71.18	-2.82	74	PK
		52/37	-46.111	0.10	3.37	-42.64	52.56	-1.44	54	AV
17	2492	242	-25.980	N/A	3.37	-22.61	72.59	-1.41	74	PK
			-47.070	0.18	3.37	-43.52	51.68	-2.32	54	AV
		260	-26.890	N/A	3.37	-23.52	71.68	-2.32	74	PK
			-46.913	0.11	3.37	-43.43	51.77	-2.23	54	AV
		52/37	-26.020	N/A	3.37	-22.65	72.55	-1.45	74	PK
18	2497	242	-47.279	0.00	3.37	-43.91	51.29	-2.71	54	AV
			-28.730	N/A	3.37	-25.36	69.84	-4.16	74	PK
		260	-49.773	0.10	3.37	-46.30	48.90	-5.10	54	AV
			-25.830	N/A	3.37	-22.46	72.74	-1.26	74	PK
		52/37	-52.804	0.18	3.37	-49.25	45.95	-8.05	54	AV
19	2502	242	-25.170	N/A	3.37	-21.80	73.40	-0.60	74	PK
			-54.893	0.11	3.37	-51.41	43.79	-10.21	54	AV
		260	-25.530	N/A	3.37	-22.16	73.04	-0.96	74	PK
			-56.696	0.00	3.37	-53.33	41.87	-12.13	54	AV
		52/37	-25.160	N/A	3.37	-21.79	73.41	-0.59	74	PK
20	2507	242	-55.006	0.10	3.37	-51.54	43.66	-10.34	54	AV
			-25.230	N/A	3.37	-21.86	73.34	-0.66	74	PK
		260	-52.674	0.18	3.37	-49.12	46.08	-7.92	54	AV
			-25.270	N/A	3.37	-21.90	73.30	-0.70	74	PK
		52/37	-49.635	0.11	3.37	-46.16	49.05	-4.96	54	AV
21	2512	242	-25.240	N/A	3.37	-21.87	73.33	-0.67	74	PK
			-50.185	0.00	3.37	-46.82	48.39	-5.62	54	AV
		260	-25.320	N/A	3.37	-21.95	73.25	-0.75	74	PK
			-51.169	0.10	3.37	-47.70	47.50	-6.50	54	AV
		52/37	-46.169	0.10	3.37	-47.70	47.50	-6.50	54	AV

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax 40M RU

Channel	Frequency (MHz)		Raw Value(dBm)	Duty factor (dB)	Antenna Peak Gain	EIRP (dBm)	Emission Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	
			Chain 0		Chain 0					
3	2422	484	-27.530	N/A	3.37	-24.16	71.04	-2.96	74	PK
			-50.827	0.36	3.37	-47.10	48.10	-5.90	54	AV
		242/61	-25.410	N/A	3.37	-22.04	73.16	-0.84	74	PK
			-49.223	0.17	3.37	-45.68	49.52	-4.48	54	AV
4	2427	484	-27.550	N/A	3.37	-24.18	71.02	-2.98	74	PK
			-50.069	0.36	3.37	-46.34	48.86	-5.14	54	AV
		242/61	-26.090	N/A	3.37	-22.72	72.48	-1.52	74	PK
			-51.303	0.17	3.37	-47.76	47.44	-6.56	54	AV
5	2432	484	-25.670	N/A	3.37	-22.30	72.90	-1.10	74	PK
			-46.468	0.36	3.37	-42.74	52.46	-1.54	54	AV
		242/61	-26.080	N/A	3.37	-22.71	72.49	-1.51	74	PK
			-52.468	0.17	3.37	-48.93	46.27	-7.73	54	AV
6	2437	484	-30.600	N/A	3.37	-27.23	67.97	-6.03	74	PK
			-52.250	0.36	3.37	-48.52	46.68	-7.32	54	AV
			-25.850	N/A	3.37	-22.48	72.72	-1.28	74	PK
			-52.411	0.36	3.37	-48.68	46.52	-7.48	54	AV
		242/61	-26.280	N/A	3.37	-22.91	72.29	-1.71	74	PK
			-45.400	0.17	3.37	-41.86	53.34	-0.66	54	AV
			-30.010	N/A	3.37	-26.64	68.56	-5.44	74	PK
			-45.567	0.17	3.37	-42.03	53.17	-0.83	54	AV
		242/62	-30.030	N/A	3.37	-26.66	68.54	-5.46	74	PK
			-47.749	0.17	3.37	-44.21	50.99	-3.01	54	AV
			-25.570	N/A	3.37	-22.20	73.00	-1.00	74	PK
			-50.656	0.17	3.37	-47.12	48.08	-5.92	54	AV
7	2442	484	-25.090	N/A	3.37	-21.72	73.48	-0.52	74	PK
			-51.853	0.36	3.37	-48.12	47.08	-6.92	54	AV
		242/62	-25.220	N/A	3.37	-21.85	73.35	-0.65	74	PK
			-54.308	0.17	3.37	-50.77	44.43	-9.57	54	AV
8	2447	484	-26.220	N/A	3.37	-22.85	72.35	-1.65	74	PK
			-52.908	0.36	3.37	-49.18	46.02	-7.98	54	AV
		242/62	-25.310	N/A	3.37	-21.94	73.26	-0.74	74	PK
			-53.610	0.17	3.37	-50.07	45.13	-8.87	54	AV
9	2452	484	-26.110	N/A	3.37	-22.74	72.46	-1.54	74	PK
			-53.326	0.36	3.37	-49.60	45.60	-8.40	54	AV
		242/62	-25.680	N/A	3.37	-22.31	72.89	-1.11	74	PK
			-51.888	0.17	3.37	-48.35	46.85	-7.15	54	AV
10	2457	484	-26.570	N/A	3.37	-23.20	72.00	-2.00	74	PK
			-53.046	0.36	3.37	-49.32	45.88	-8.12	54	AV
		242/62	-25.090	N/A	3.37	-21.72	73.48	-0.52	74	PK
			-51.041	0.17	3.37	-47.50	47.70	-6.30	54	AV
11	2462	484	-27.730	N/A	3.37	-24.36	70.84	-3.16	74	PK
			-55.010	0.36	3.37	-51.28	43.92	-10.08	54	AV
		242/62	-27.220	N/A	3.37	-23.85	71.35	-2.65	74	PK
			-52.941	0.17	3.37	-49.40	45.80	-8.20	54	AV

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

SISO_802.11b_20MHz_Chain0_2412MHz




SISO_802.11b_20MHz_Chain0_2472MHz




SISO_802.11b_20MHz_Chain0_2462MHz




SISO_802.11g_20MHz_Chain0_2412MHz



SISO_802.11b_20MHz_Chain0_2467MHz



SISO_802.11g_20MHz_Chain0_2417MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SISO_802.11g_20MHz_Chain0_2422MHz




SISO_802.11g_20MHz_Chain0_2442MHz




SISO_802.11g_20MHz_Chain0_2427MHz




SISO_802.11g_20MHz_Chain0_2447MHz



SISO_802.11g_20MHz_Chain0_2432MHz



SISO_802.11g_20MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SISO_802.11g_20MHz_Chain0_2457MHz



SISO_802.11g_20MHz_Chain0_2472MHz



SISO_802.11g_20MHz_Chain0_2462MHz



SISO_802.11n_20MHz_Chain0_2412MHz



SISO_802.11g_20MHz_Chain0_2467MHz



SISO_802.11n_20MHz_Chain0_2417MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SISO_802.11n_20MHz_Chain0_2422MHz



SISO_802.11n_20MHz_Chain0_2452MHz




SISO_802.11n_20MHz_Chain0_2427MHz



SISO_802.11n_20MHz_Chain0_2457MHz



SISO_802.11n_20MHz_Chain0_2447MHz



SISO_802.11n_20MHz_Chain0_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SISO_802.11n_20MHz_Chain0_2467MHz



SISO_802.11n_40MHz_Chain0_2427MHz




SISO_802.11n_20MHz_Chain0_2472MHz



SISO_802.11n_40MHz_Chain0_2432MHz



SISO_802.11n_40MHz_Chain0_2422MHz



SISO_802.11n_40MHz_Chain0_2437MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SISO_802.11n_40MHz_Chain0_2447MHz



SISO_802.11n_40MHz_Chain0_2462MHz



SISO_802.11n_40MHz_Chain0_2452MHz



SISO_802.11ax_20MHz_Chain0_2412MHz



SISO_802.11n_40MHz_Chain0_2457MHz



SISO_802.11ax_20MHz_Chain0_2412MHz_RU106_53



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SISO_802.11ax_20MHz_Chain0_2412MHz_RU242



SISO_802.11ax_20MHz_Chain0_2417MHz



SISO_802.11ax_20MHz_Chain0_2412MHz_RU26_0



SISO_802.11ax_20MHz_Chain0_2417MHz_RU106_53



SISO_802.11ax_20MHz_Chain0_2412MHz_RU52_37



SISO_802.11ax_20MHz_Chain0_2417MHz_RU242



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SISO_802.11ax_20MHz_Chain0_2417MHz_RU26_0




SISO_802.11ax_20MHz_Chain0_2422MHz_RU106_53



SISO_802.11ax_20MHz_Chain0_2417MHz_RU52_37



SISO_802.11ax_20MHz_Chain0_2422MHz_RU242



SISO_802.11ax_20MHz_Chain0_2422MHz



SISO_802.11ax_20MHz_Chain0_2422MHz_RU26_0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.