

802.11ax (HE20) - Channel 36


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3437.5	57.72 PK	68.2	-10.48	-49.8	-47.85	8.17	-37.54
2	#6895.31	61.77 PK	68.2	-6.43	-44.2	-45.19	8.17	-33.49
3	#10343.75	60.25 PK	68.2	-7.95	-45.05	-47.75	8.17	-35.01
4	15552.75	54.3 PK	74	-19.7	-52.38	-51.91	8.17	-40.96
5	15538.37	42.88 AV	54	-11.12	-63.35	-63.78	8.17	-52.38


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.75	70.05 PK	74	-3.95	-36.13	-33.44	6.36	-25.21
2	5149.85	55.51 AV	54	! 1.51	-49.87	-48.48	6.36	-39.75


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE20) - Channel 40


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3467.18	57.34 PK	68.2	-10.86	-49.06	-49.15	8.17	-37.92
2	#6948.43	62.02 PK	68.2	-6.18	-43.96	-44.94	8.17	-33.24
3	#10392.18	60.28 PK	68.2	-7.92	-46.31	-46.01	8.17	-34.98
4	15601.62	54.58 PK	74	-19.42	-51.94	-51.79	8.17	-40.68
5	15601.62	43.19 AV	54	-10.81	-63.37	-63.14	8.17	-52.07


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.02	64.32 PK	74	-9.68	-39.36	-41.52	6.36	-30.94
2	5149.92	50.09 AV	54	-3.91	-54.62	-54.46	6.36	-45.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 48


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3510.93	56.9 PK	74	-17.1	-49.35	-49.73	8.17	-38.36
2	3506.25	46.09 AV	54	-7.91	-60.26	-60.44	8.17	-49.17
3	#6990.62	63.39 PK	68.2	-4.81	-42	-44.43	8.17	-31.87
4	#10489.06	60.95 PK	68.2	-7.25	-45.05	-45.99	8.17	-34.31
5	15719.5	54.08 PK	74	-19.92	-52.27	-52.45	8.17	-41.18
6	15720.93	43.45 AV	54	-10.55	-63.2	-62.79	8.17	-51.81


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5140.2	60.53 PK	74	-13.47	-42.91	-45.76	6.36	-34.73
2	5149.92	46.66 AV	54	-7.34	-57.93	-58.01	6.36	-48.60



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 52


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3506.25	57.34 PK	74	-16.66	-48.59	-49.68	8.17	-37.92
2	3504.68	46.02 AV	54	-7.98	-60.38	-60.46	8.17	-49.24
3	#6998.43	62.34 PK	68.2	-5.86	-44.78	-43.52	8.17	-32.92
4	#10528.12	60.99 PK	68.2	-7.21	-45.68	-45.24	8.17	-34.27
5	15771.25	54.61 PK	74	-19.39	-53.42	-50.67	8.17	-40.65
6	15772.68	43.82 AV	54	-10.18	-62.9	-62.36	8.17	-51.44


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5357.22	60.95 PK	74	-13.05	-45.32	-42.6	6.43	-34.31
2	5350	47.47 AV	54	-6.53	-57.35	-57.12	6.43	-47.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 60


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3515.62	57.82 PK	74	-16.18	-47.79	-49.65	8.17	-37.44
2	3545.31	46.14 AV	54	-7.86	-60.36	-60.24	8.17	-49.12
3	#7056.25	59.54 PK	68.2	-8.66	-48.37	-45.81	8.17	-35.72
4	10609.37	60.85 PK	74	-13.15	-44.92	-46.38	8.17	-34.41
5	10603.12	49.55 AV	54	-4.45	-56.92	-56.86	8.17	-45.71
6	15903.5	54.86 PK	74	-19.14	-52.06	-51.15	8.17	-40.40
7	15894.87	42.96 AV	54	-11.04	-63.58	-63.38	8.17	-52.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5351.77	66.17 PK	74	-7.83	-37.33	-40.2	6.43	-29.09
2	5350	51.45 AV	54	-2.55	-53.37	-53.13	6.43	-43.81


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 64


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3531.25	57.33 PK	74	-16.67	-48.7	-49.57	8.17	-37.93
2	3565.62	46.27 AV	54	-7.73	-60.08	-60.27	8.17	-48.99
3	#7101.56	60.03 PK	68.2	-8.17	-48.43	-45.03	8.17	-35.23
4	10640.62	60.36 PK	74	-13.64	-45.78	-46.4	8.17	-34.90
5	10620.31	49.57 AV	54	-4.43	-56.96	-56.78	8.17	-45.69
6	15949.5	52.63 PK	74	-21.37	-52.96	-54.87	8.17	-42.63
7	15962.43	41.9 AV	54	-12.1	-64.6	-64.48	8.17	-53.36


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.62	69.74 PK	74	-4.26	-41.43	-32.47	6.43	-25.52
2	5350	54.21 AV	54	! 0.21	-53.5	-48.73	6.43	-41.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE20) - Channel 100


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3664.06	57.27 PK	74	-16.73	-49.79	-48.63	8.17	-37.99
2	3646.87	46.19 AV	54	-7.81	-60.21	-60.29	8.17	-49.07
3	7329.68	59.52 PK	74	-14.48	-45.85	-48.35	8.17	-35.74
4	7326.56	48.27 AV	54	-5.73	-57.89	-58.48	8.17	-46.99
5	11010.93	60.4 PK	74	-13.6	-45.08	-47.28	8.17	-34.86
6	11000	49.06 AV	54	-4.94	-57.1	-57.68	8.17	-46.20
7	#16513	54.64 PK	68.2	-13.56	-54.85	-50.03	8.17	-40.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.87	66.1 PK	74	-7.9	-43.1	-38.2	7.82	-29.16
2	5460	51.5 AV	54	-2.5	-55.46	-53.86	7.82	-43.76
3	#5467.46	70.27 PK	68.2	! 2.07	-40.45	-33.63	7.82	-24.99


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE20) - Channel 116


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3731.25	57.61 PK	74	-16.39	-48.35	-49.38	8.17	-37.65
2	3739.06	46.46 AV	54	-7.54	-59.82	-60.14	8.17	-48.80
3	7432.81	59.5 PK	74	-14.5	-47.43	-46.5	8.17	-35.76
4	7439.06	47.92 AV	54	-6.08	-58.41	-58.64	8.17	-47.34
5	11164.06	61.73 PK	74	-12.27	-45.08	-44.37	8.17	-33.53
6	11154.68	49.69 AV	54	-4.31	-56.67	-56.84	8.17	-45.57
7	#16735.81	53.91 PK	68.2	-14.29	-52.15	-52.95	8.17	-41.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5450	66 PK	74	-8	-37.85	-44.96	7.82	-29.26
2	5459.78	47.7 AV	54	-6.3	-58.47	-58.32	7.82	-47.56
3	#5463.03	63.16 PK	68.2	-5.04	-45.35	-41.38	7.82	-32.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 140


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3790.62	58.17 PK	74	-15.83	-47.94	-48.62	8.17	-37.09
2	3804.68	46.64 AV	54	-7.36	-59.42	-60.22	8.17	-48.62
3	7614.06	59.39 PK	74	-14.61	-47.66	-46.51	8.17	-35.87
4	7614.06	48.23 AV	54	-5.77	-57.9	-58.55	8.17	-47.03
5	11409.37	60.99 PK	74	-13.01	-46.01	-44.95	8.17	-34.27
6	11385.93	49.6 AV	54	-4.4	-56.64	-57.04	8.17	-45.66
7	#17085.12	53.11 PK	68.2	-15.09	-53.16	-53.5	8.17	-42.15


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.95	71.81 PK	68.2	! 3.61	-35.68	-33.23	7.82	-23.45


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE20) - Channel 144


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3801.56	57.74 PK	74	-16.26	-47.83	-49.79	8.17	-37.52
2	3825	46.47 AV	54	-7.53	-59.91	-60.03	8.17	-48.79
3	7643.75	59.1 PK	74	-14.9	-47.03	-47.67	8.17	-36.16
4	7637.5	48.1 AV	54	-5.9	-58.36	-58.32	8.17	-47.16
5	11434.37	60.23 PK	74	-13.77	-46.37	-46.05	8.17	-35.03
6	11420.31	49.15 AV	54	-4.85	-57.12	-57.46	8.17	-46.11
7	#17171.37	53.93 PK	68.2	-14.27	-52.97	-52.1	8.17	-41.33


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5855.8	61.78 PK	68.2	-6.42	-46.59	-42.82	7.82	-33.48


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) – Channel 149


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3850	58 PK	74	-16	-48.11	-48.8	8.17	-37.26
2	3846.87	46.42 AV	54	-7.58	-59.94	-60.1	8.17	-48.84
3	7656.25	60.09 PK	74	-13.91	-45.32	-47.71	8.17	-35.17
4	7646.87	47.96 AV	54	-6.04	-58.3	-58.66	8.17	-47.30
5	11492.18	60.05 PK	74	-13.95	-46	-46.81	8.17	-35.21
6	11495.31	48.85 AV	54	-5.15	-57.48	-57.71	8.17	-46.41
7	#17241.81	53.41 PK	68.2	-14.79	-53.83	-52.35	8.17	-41.85


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



802.11ax (HE20) – Channel 157


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3865.62	58.17 PK	74	-15.83	-48.63	-47.93	8.17	-37.09
2	3859.37	46.57 AV	54	-7.43	-59.9	-59.84	8.17	-48.69
3	7696.87	58.66 PK	74	-15.34	-48	-47.57	8.17	-36.60
4	7718.75	47.51 AV	54	-6.49	-58.79	-59.08	8.17	-47.75
5	11573.43	61.34 PK	74	-12.66	-44.27	-46.12	8.17	-33.92
6	11582.81	49.41 AV	54	-4.59	-56.7	-57.39	8.17	-45.85
7	#17366.87	53.22 PK	68.2	-14.98	-52.35	-54.3	8.17	-42.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



802.11ax (HE20) – Channel 165


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3878.12	57.04 PK	74	-16.96	-50.81	-48.33	8.17	-38.22
2	3893.75	46.67 AV	54	-7.33	-59.8	-59.74	8.17	-48.59
3	#7759.37	59.26 PK	68.2	-8.94	-47.25	-47.11	8.17	-36.00
4	11648.43	60.92 PK	74	-13.08	-45.35	-45.7	8.17	-34.34
5	11651.56	50.05 AV	54	-3.95	-56.5	-56.28	8.17	-45.21
6	#17477.56	54.06 PK	68.2	-14.14	-53.71	-51.37	8.17	-41.20


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



802.11ax (HE40) - Channel 38


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3479.68	57.29 PK	68.2	-10.91	-49.59	-48.75	8.17	-37.97
2	#6917.18	62.04 PK	68.2	-6.16	-43.34	-45.81	8.17	-33.22
3	#10393.75	60.43 PK	68.2	-7.77	-44.93	-47.45	8.17	-34.83
4	15561.37	54.21 PK	74	-19.79	-51.2	-53.59	8.17	-41.05
5	15552.75	42.64 AV	54	-11.36	-63.58	-64.04	8.17	-52.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.47	69.94 PK	74	-4.06	-36.99	-33.2	6.36	-25.32
2	5149.92	55.3 AV	54	! 1.3	-49.95	-48.79	6.36	-39.96


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE40) - Channel 46


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3496.87	57.5 PK	68.2	-10.7	-48.28	-49.72	8.17	-37.76
2	#6981.25	62.29 PK	68.2	-5.91	-45.65	-43.04	8.17	-32.97
3	#10475	60.85 PK	68.2	-7.35	-45.6	-45.59	8.17	-34.41
4	15692.18	53.76 PK	74	-20.24	-52.24	-53.17	8.17	-41.50
5	15700.81	42.82 AV	54	-11.18	-63.63	-63.62	8.17	-52.44


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.25	63.51 PK	74	-10.49	-41.95	-40.42	6.36	-31.75
2	5149.72	49.61 AV	54	-4.39	-55.39	-54.68	6.36	-45.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE40) - Channel 54


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3507.81	57.18 PK	74	-16.82	-48.3	-50.5	8.17	-38.08
2	3514.06	46.08 AV	54	-7.92	-60.42	-60.31	8.17	-49.18
3	#7023.43	60.64 PK	68.2	-7.56	-45.56	-46.06	8.17	-34.62
4	#10554.68	61.12 PK	68.2	-7.08	-45.68	-44.98	8.17	-34.14
5	15828.75	53.85 PK	74	-20.15	-51.8	-53.55	8.17	-41.41
6	15810.06	43 AV	54	-11	-63.38	-63.51	8.17	-52.26


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5351.87	63.18 PK	74	-10.82	-44.46	-39.78	6.43	-32.08
2	5350.2	49.56 AV	54	-4.44	-56.03	-54.4	6.43	-45.70


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE40) - Channel 62


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3535.93	57.34 PK	74	-16.66	-49.78	-48.52	8.17	-37.92
2	3545.31	46.16 AV	54	-7.84	-60.18	-60.38	8.17	-49.10
3	#7090.62	59.36 PK	68.2	-8.84	-47.64	-46.58	8.17	-35.90
4	10610.93	61.06 PK	74	-12.94	-45.23	-45.53	8.17	-34.20
5	10618.75	49.57 AV	54	-4.43	-56.99	-56.76	8.17	-45.69
6	15912.12	52.63 PK	74	-21.37	-54.38	-53.3	8.17	-42.63
7	15910.68	42.06 AV	54	-11.94	-64.18	-64.58	8.17	-53.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.85	70.95 PK	74	-3.05	-33.49	-34.02	6.43	-24.31
2	5350.07	57.22 AV	54	! 3.22	-48.42	-46.71	6.43	-38.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE40) - Channel 102


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3678.12	57.31 PK	74	-16.69	-50.67	-47.99	8.17	-37.95
2	3692.18	46.24 AV	54	-7.76	-60.32	-60.08	8.17	-49.02
3	7328.12	58.99 PK	74	-15.01	-48.69	-46.48	8.17	-36.27
4	7331.25	48.07 AV	54	-5.93	-58.16	-58.6	8.17	-47.19
5	11004.68	60.56 PK	74	-13.44	-45.64	-46.13	8.17	-34.70
6	11039.06	49.22 AV	54	-4.78	-56.94	-57.52	8.17	-46.04
7	#16515.87	53.91 PK	68.2	-14.29	-51.96	-53.19	8.17	-41.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.56	67.87 PK	74	-6.13	-38.67	-37.81	7.82	-27.39
2	5460	53.38 AV	54	-0.62	-53.67	-51.92	7.82	-41.88
3	#5466.68	72.02 PK	68.2	! 3.82	-32.94	-35.59	7.82	-23.24


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE40) - Channel 110


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3695.31	57.61 PK	74	-16.39	-47.86	-50.08	8.17	-37.65
2	3709.37	46.26 AV	54	-7.74	-60.23	-60.13	8.17	-49.00
3	7382.81	58.67 PK	74	-15.33	-46.9	-48.85	8.17	-36.59
4	7398.43	47.91 AV	54	-6.09	-58.41	-58.65	8.17	-47.35
5	11089.06	61.46 PK	74	-12.54	-45.68	-44.38	8.17	-33.80
6	11085.93	49.43 AV	54	-4.57	-56.81	-57.22	8.17	-45.83
7	#16662.5	52.91 PK	68.2	-15.29	-54.23	-52.93	8.17	-42.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5450.28	62.22 PK	74	-11.78	-44.12	-43.63	7.82	-33.04
2	5459.96	49 AV	54	-5	-57.15	-57.04	7.82	-46.26
3	#5466.9	63.09 PK	68.2	-5.11	-44.77	-41.74	7.82	-32.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 134


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3765.62	57.51 PK	74	-16.49	-48.22	-49.77	8.17	-37.75
2	3778.12	46.53 AV	54	-7.47	-59.89	-59.93	8.17	-48.73
3	7550	59.98 PK	74	-14.02	-45.51	-47.67	8.17	-35.28
4	7579.68	48.09 AV	54	-5.91	-58.36	-58.34	8.17	-47.17
5	11339.06	61.25 PK	74	-12.75	-45.1	-45.28	8.17	-34.01
6	11346.87	50.05 AV	54	-3.95	-56.25	-56.54	8.17	-45.21
7	#16991.68	53.71 PK	68.2	-14.49	-51.49	-54.47	8.17	-41.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.5	69.97 PK	68.2	! 1.77	-42.45	-33.65	7.82	-25.29


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE40) - Channel 142


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3826.56	57.5 PK	74	-16.5	-49.81	-48.22	8.17	-37.76
2	3793.75	46.49 AV	54	-7.51	-59.95	-59.96	8.17	-48.77
3	7620.31	59.68 PK	74	-14.32	-46.94	-46.59	8.17	-35.58
4	7614.06	48.23 AV	54	-5.77	-58.12	-58.31	8.17	-47.03
5	11406.25	60.86 PK	74	-13.14	-45.01	-46.23	8.17	-34.40
6	11400	49.6 AV	54	-4.4	-56.81	-56.87	8.17	-45.66
7	#17136.87	54.03 PK	68.2	-14.17	-50.81	-54.97	8.17	-41.23


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5855.2	61.93 PK	68.2	-6.27	-44.66	-43.72	7.82	-33.33



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) – Channel 151


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3839.06	57.51 PK	74	-16.49	-49.99	-48.08	8.17	-37.75
2	3820.31	46.63 AV	54	-7.37	-59.63	-60	8.17	-48.63
3	7682.81	58.84 PK	74	-15.16	-46.19	-49.7	8.17	-36.42
4	7654.68	47.82 AV	54	-6.18	-58.45	-58.79	8.17	-47.44
5	11496.87	60.95 PK	74	-13.05	-44.93	-46.13	8.17	-34.31
6	11495.31	48.99 AV	54	-5.01	-57.36	-57.55	8.17	-46.27
7	#17257.62	53.64 PK	68.2	-14.56	-51.86	-54	8.17	-41.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



802.11ax (HE40) – Channel 159


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3862.5	58.25 PK	74	-15.75	-48.63	-47.8	8.17	-37.01
2	3846.87	46.62 AV	54	-7.38	-59.81	-59.83	8.17	-48.64
3	7717.18	58.54 PK	74	-15.46	-47.37	-48.51	8.17	-36.72
4	7743.75	47.65 AV	54	-6.35	-58.7	-58.89	8.17	-47.61
5	11590.62	61.56 PK	74	-12.44	-44.81	-44.96	8.17	-33.70
6	11609.37	49.76 AV	54	-4.24	-56.48	-56.88	8.17	-45.50
7	#17391.31	53.33 PK	68.2	-14.87	-52.6	-53.7	8.17	-41.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



802.11ax (HE80) - Channel 42


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3465.62	57.48 PK	68.2	-10.72	-50.17	-48.01	8.17	-37.78
2	#6943.75	62.26 PK	68.2	-5.94	-45.12	-43.41	8.17	-33.00
3	#10437.5	60.67 PK	68.2	-7.53	-46.45	-45.19	8.17	-34.59
4	15623.18	52.84 PK	74	-21.16	-53.54	-53.67	8.17	-42.42
5	15616	41.86 AV	54	-12.14	-64.37	-64.81	8.17	-53.40


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5141.35	69.27 PK	74	-4.73	-34.02	-37.32	6.36	-25.99
2	5148.27	54.94 AV	54	! 0.94	-50.35	-49.12	6.36	-40.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE80) - Channel 58


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3521.87	57.36 PK	74	-16.64	-48.3	-50.02	8.17	-37.90
2	3523.43	46.15 AV	54	-7.85	-60.28	-60.31	8.17	-49.11
3	#7060.93	59.81 PK	68.2	-8.39	-48.1	-45.53	8.17	-35.45
4	#10581.25	61.11 PK	68.2	-7.09	-44.99	-45.71	8.17	-34.15
5	15881.93	53.58 PK	74	-20.42	-52.87	-52.86	8.17	-41.68
6	15871.87	42.74 AV	54	-11.26	-63.59	-63.82	8.17	-52.52


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.4	70.36 PK	74	-3.64	-32.43	-37.84	6.43	-24.90
2	5350	56.23 AV	54	! 2.23	-46.86	-51.04	6.43	-39.03


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE80) - Channel 106


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3706.25	57.19 PK	74	-16.81	-49.08	-49.43	8.17	-38.07
2	3706.25	46.22 AV	54	-7.78	-60.32	-60.12	8.17	-49.04
3	7379.68	59.35 PK	74	-14.65	-46.06	-48.44	8.17	-35.91
4	7360.93	48.07 AV	54	-5.93	-58.45	-58.3	8.17	-47.19
5	11065.62	60.56 PK	74	-13.44	-45.74	-46.02	8.17	-34.70
6	11079.68	49.3 AV	54	-4.7	-57.09	-57.19	8.17	-45.96
7	#16596.37	53.47 PK	68.2	-14.73	-52.37	-53.66	8.17	-41.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.46	70.55 PK	74	-3.45	-35.8	-35.29	7.82	-24.71
2	5459.62	57.24 AV	54	! 3.24	-49.04	-48.67	7.82	-38.02
3	#5469.65	71.16 PK	68.2	! 2.96	-35.09	-34.78	7.82	-24.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE80) - Channel 122


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3746.87	57.93 PK	74	-16.07	-48.26	-48.78	8.17	-37.33
2	3756.25	46.57 AV	54	-7.43	-59.83	-59.92	8.17	-48.69
3	7465.62	59.01 PK	74	-14.99	-47.43	-47.43	8.17	-36.25
4	7484.37	47.78 AV	54	-6.22	-58.52	-58.8	8.17	-47.48
5	11223.43	61.18 PK	74	-12.82	-44.92	-45.64	8.17	-34.08
6	11204.68	49.53 AV	54	-4.47	-56.67	-57.17	8.17	-45.73
7	#16820.62	53.71 PK	68.2	-14.49	-53.47	-52.09	8.17	-41.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5727.85	70.71 PK	68.2	! 2.51	-39.49	-33.31	7.82	-24.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE80) - Channel 138


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3746.87	58.07 PK	74	-15.93	-49.32	-47.59	8.17	-37.19
2	3759.37	46.61 AV	54	-7.39	-59.81	-59.86	8.17	-48.65
3	7462.5	59.16 PK	74	-14.84	-46.65	-48.01	8.17	-36.10
4	7500	47.8 AV	54	-6.2	-58.44	-58.86	8.17	-47.46
5	11232.81	60.86 PK	74	-13.14	-46.38	-44.9	8.17	-34.40
6	11212.5	49.68 AV	54	-4.32	-56.88	-56.65	8.17	-45.58
7	#16846.5	53.66 PK	68.2	-14.54	-53.44	-52.2	8.17	-41.60


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5850.77	67.12 PK	68.2	-1.08	-39.54	-38.46	7.82	-28.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1

