

Channel 140

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1492.18 PK	54.33	74	-19.67	-53.4	-51.11	8.17	-40.93
2	1498.43 AV	43.19	54	-10.81	-63.21	-63.29	8.17	-52.07
3	7595.31 PK	58.28	74	-15.72	-47.98	-48.35	8.17	-36.98
4	7596.87 AV	47.48	54	-6.52	-58.83	-59.09	8.17	-47.78
5	11396.87 PK	60.44	74	-13.56	-46.69	-45.4	8.17	-34.82
6	11392.18 AV	48.8	54	-5.2	-57.45	-57.83	8.17	-46.46
7	17109.56 PK	62.46	68.2	-5.74	-43.64	-44.35	8.17	-32.8


Note :

1. Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

2. # : Non-restricted frequency, no limit for average emission.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5725.1 PK	68.94	68.2	*0.74	-35.3	-40.42	7.82	-26.32


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 144

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1510.93 PK	54.25	74	-19.75	-52.57	-51.85	8.17	-41.01
2	1520.31 AV	43.34	54	-10.66	-63.11	-63.1	8.17	-51.92
3	7625 PK	58.96	74	-15.04	-46.58	-48.61	8.17	-36.3
4	7629.68 AV	47.41	54	-6.59	-59.08	-58.98	8.17	-47.85
5	11440.62 PK	59.84	74	-14.16	-46.99	-46.25	8.17	-35.42
6	11432.81 AV	48.18	54	-5.82	-58.37	-58.16	8.17	-47.08
7	17158.43 PK	62.73	68.2	-5.47	-44.36	-43.15	8.17	-32.53


Note :

1. Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

2. # : Non-restricted frequency, no limit for average emission.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5948.83 PK	60.97	68.2	-7.23	-45.81	-44.53	7.82	-34.29


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8
d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1548.43 PK	54.11	74	-19.89	-52.76	-51.94	8.17	-41.15
2	1534.37 AV	43.57	54	-10.43	-62.7	-63.05	8.17	-51.69
3	7654.68 PK	58.43	74	-15.57	-48.23	-47.8	8.17	-36.83
4	7650 AV	47.29	54	-6.71	-59.16	-59.14	8.17	-47.97
5	11498.43 PK	59.56	74	-14.44	-47.65	-46.23	8.17	-35.7
6	11492.18 AV	48.38	54	-5.62	-58.03	-58.09	8.17	-46.88
7	17241.81 PK	62.17	68.2	-6.03	-44.07	-44.49	8.17	-33.09


Note :

1. Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

2. # : Non-restricted frequency, no limit for average emission.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 157

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1578.12 PK	54.45	74	-19.55	-51.65	-52.37	8.17	-40.81
2	1584.37 AV	43.43	54	-10.57	-62.79	-63.24	8.17	-51.83
3	7704.68 PK	58.2	74	-15.8	-47.94	-48.56	8.17	-37.06
4	7720.31 AV	46.94	54	-7.06	-59.69	-59.31	8.17	-48.32
5	11565.62 PK	60.25	74	-13.75	-46.47	-45.93	8.17	-35.01
6	11579.68 AV	48.88	54	-5.12	-57.54	-57.59	8.17	-46.38
7	17356.81 PK	62.15	68.2	-6.05	-45.06	-43.63	8.17	-33.11


Note :

1. Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

2. # : Non-restricted frequency, no limit for average emission.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1625 PK	54.34	74	-19.66	-52.95	-51.39	8.17	-40.92
2	1623.43 AV	43.71	54	-10.29	-62.56	-62.9	8.17	-51.55
3	7775 PK	58.45	68.2	-9.75	-48	-47.99	8.17	-36.81
4	11654.68 PK	61.3	74	-12.7	-44.97	-45.32	8.17	-33.96
5	11657.81 AV	49.43	54	-4.57	-56.93	-57.1	8.17	-45.83
6	17477.56 PK	63.13	68.2	-5.07	-43.19	-43.44	8.17	-32.13


Note :

1. Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

2. # : Non-restricted frequency, no limit for average emission.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



RU242

Channel 36

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1009.37 PK	54.29	74	-19.71	-51.87	-52.45	8.17	-40.97
2	1000 AV	42.87	54	-11.13	-63.66	-63.49	8.17	-52.39
3	6904.68 PK	61.5	68.2	-6.7	-44.84	-45.05	8.17	-33.76
4	10357.81 PK	59.78	68.2	-8.42	-46.46	-46.87	8.17	-35.48
5	15539.81 PK	63.22	74	-10.78	-42.78	-43.72	8.17	-32.04
6	15541.25 AV	42.62	54	-11.38	-63.65	-63.99	8.17	-52.64

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.4 PK	74.15	74	! 0.15	-30.28	-30.69	6.36	-21.11
2	5150 AV	56.42	54	! 2.42	-48.23	-48.19	6.36	-38.84


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 40

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1009.37 PK	53.97	74	-20.03	-52.86	-52.11	8.17	-41.29
2	1006.25 AV	43.12	54	-10.88	-63.51	-63.14	8.17	-52.14
3	6935.93 PK	62.36	68.2	-5.84	-44.98	-43.33	8.17	-32.9
4	10406.25 PK	60.18	68.2	-8.02	-45.85	-46.72	8.17	-35.08
5	15590.12 PK	62.94	74	-11.06	-43.54	-43.46	8.17	-32.32
6	15600.18 AV	42.13	54	-11.87	-64.18	-64.45	8.17	-53.13

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.65 PK	68.63	74	-5.37	-36.05	-35.95	6.36	-26.63
2	5150 AV	50.68	54	-3.32	-53.92	-53.98	6.36	-44.58

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 48

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1026.56 PK	53.71	74	-20.29	-52.54	-52.93	8.17	-41.55
2	1034.37 AV	43.26	54	-10.74	-63.19	-63.18	8.17	-52
3	6995.31 PK	62.46	68.2	-5.74	-43.7	-44.28	8.17	-32.8
4	10487.5 PK	60.54	68.2	-7.66	-46.86	-45.12	8.17	-34.72
5	15715.18 PK	63.53	74	-10.47	-42.48	-43.39	8.17	-31.73
6	15728.12 AV	42.81	54	-11.19	-63.74	-63.52	8.17	-52.45

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.27 PK	59.33	74	-14.67	-47.67	-43.78	6.36	-35.93
2	5052.25 AV	45.95	54	-8.05	-58.65	-58.71	6.36	-49.31

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 52

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1045.31 PK	54.64	74	-19.36	-52.57	-51.15	8.17	-40.62
2	1054.68 AV	43.2	54	-10.8	-63.32	-63.17	8.17	-52.06
3	7014.06 PK	60.26	68.2	-7.94	-45.75	-46.66	8.17	-35
4	10515.62 PK	60.98	68.2	-7.22	-45.8	-45.15	8.17	-34.28
5	15771.25 PK	64.01	74	-9.99	-42.09	-42.8	8.17	-31.25
6	15777 AV	43.35	54	-10.65	-62.75	-63.45	8.17	-51.91

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5368.7 PK	59.68	74	-14.32	-43.94	-46.45	6.43	-35.58
2	5352.02 AV	46.03	54	-7.97	-58.66	-58.68	6.43	-49.23

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 60

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1104.68 PK	54.23	74	-19.77	-51.9	-52.54	8.17	-41.03
2	1098.43 AV	43	54	-11	-63.28	-63.6	8.17	-52.26
3	7064.06 PK	59.2	68.2	-9	-46.36	-48.35	8.17	-36.06
4	10604.68 PK	60.04	74	-13.96	-46.41	-46.4	8.17	-35.22
5	15893.43 PK	63.01	74	-10.99	-43.35	-43.52	8.17	-32.25
6	15893.43 AV	42.51	54	-11.49	-64.05	-63.82	8.17	-52.75

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.8 PK	62.83	74	-11.17	-43.42	-40.73	6.43	-32.43
2	5350 AV	47.91	54	-6.09	-56.83	-56.75	6.43	-47.35

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 64

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1109.37 PK	54.59	74	-19.41	-51.29	-52.49	8.17	-40.67
2	1114.06 AV	42.9	54	-11.1	-63.51	-63.57	8.17	-52.36
3	7100 PK	59.65	68.2	-8.55	-47.48	-46.19	8.17	-35.61
4	10634.37 PK	61.06	74	-12.94	-45.54	-45.23	8.17	-34.2
5	10635.93 AV	49.1	54	-4.9	-57.52	-57.16	8.17	-46.16
6	15965.31 PK	62.19	74	-11.81	-43.2	-45.65	8.17	-33.07
7	15959.56 AV	41.56	54	-12.44	-64.82	-64.95	8.17	-53.7

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.15 PK	77.26	74	*3.26	-28.91	-26.35	6.43	-18
2	5350 AV	53.58	54	-0.42	-52.63	-50	6.43	-41.68


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 100

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1301.56 PK	54.54	74	-19.46	-52.49	-51.38	8.17	-40.72
2	1304.68 AV	43.17	54	-10.83	-63.35	-63.2	8.17	-52.09
3	7328.12 PK	59.83	74	-14.17	-47.93	-45.6	8.17	-35.43
4	7335.93 AV	48.03	54	-5.97	-58.44	-58.39	8.17	-47.23
5	11006.25 PK	59.78	74	-14.22	-45.63	-48.01	8.17	-35.48
6	10998.43 AV	48.93	54	-5.07	-57.54	-57.48	8.17	-46.33
7	16495.75 PK	63.49	68.2	-4.71	-42.08	-44.04	8.17	-31.77

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5458.75 PK	64.14	74	-9.86	-41.64	-42.29	7.82	-31.12
2	5460 AV	47.58	54	-6.42	-58.54	-58.48	7.82	-47.68
3	5469.15 PK	69.16	68.2	*0.96	-36.77	-37.09	7.82	-26.1


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 116

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1379.68 PK	54.78	74	-19.22	-50.93	-52.54	8.17	-40.48
2	1370.31 AV	43.51	54	-10.49	-62.79	-63.08	8.17	-51.75
3	7440.62 PK	59.63	74	-14.37	-49.77	-45.07	8.17	-35.63
4	7432.81 AV	47.61	54	-6.39	-58.69	-58.97	8.17	-47.65
5	11168.75 PK	60.71	74	-13.29	-44.7	-47.09	8.17	-34.55
6	11156.25 AV	49.14	54	-4.86	-57.27	-57.34	8.17	-46.12
7	16747.31 PK	62.89	68.2	-5.31	-43.72	-43.39	8.17	-32.37

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5388.9 PK	60.71	74	-13.29	-46.15	-44.73	7.82	-34.55
2	5359.53 AV	47.2	54	-6.8	-58.88	-58.91	7.82	-48.06
3	5462.31 PK	60.18	68.2	-8.02	-46.22	-45.62	7.82	-35.08

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 140

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1495.31 PK	54.98	74	-19.02	-51.07	-51.88	8.17	-40.28
2	1496.87 AV	43.67	54	-10.33	-62.67	-62.87	8.17	-51.59
3	7595.31 PK	59.31	74	-14.69	-48.06	-46.36	8.17	-35.95
4	7601.56 AV	47.88	54	-6.12	-58.53	-58.59	8.17	-47.38
5	11395.31 PK	61.28	74	-12.72	-45.41	-44.92	8.17	-33.98
6	11392.18 AV	49.27	54	-4.73	-57.21	-57.14	8.17	-45.99
7	17096.62 PK	62.15	68.2	-6.05	-43.06	-46.01	8.17	-33.11

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5725.42 PK	72.11	68.2	*3.91	-35.17	-33.05	7.82	-23.15

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8
d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 144

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1523.43 PK	54.98	74	-19.02	-50.94	-52.05	8.17	-40.28
2	1509.37 AV	43.65	54	-10.35	-62.86	-62.73	8.17	-51.61
3	7628.12 PK	59.08	74	-14.92	-47.87	-46.9	8.17	-36.18
4	7621.87 AV	47.93	54	-6.07	-58.46	-58.56	8.17	-47.33
5	11443.75 PK	59.72	74	-14.28	-47.51	-46.06	8.17	-35.54
6	11431.25 AV	48.78	54	-5.22	-57.55	-57.78	8.17	-46.48
7	17168.5 PK	63.31	68.2	-4.89	-42.98	-43.28	8.17	-31.95

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5895.92 PK	60.77	68.2	-7.43	-44.56	-46.24	7.82	-34.49

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 149

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1534.37 PK	54.77	74	-19.23	-51.64	-51.7	8.17	-40.49
2	1539.06 AV	43.63	54	-10.37	-62.84	-62.79	8.17	-51.63
3	7654.68 PK	58.65	74	-15.35	-47.23	-48.43	8.17	-36.61
4	7650 AV	47.82	54	-6.18	-58.55	-58.69	8.17	-47.44
5	11493.75 PK	60.46	74	-13.54	-46.83	-45.27	8.17	-34.8
6	11500 AV	48.86	54	-5.14	-57.68	-57.49	8.17	-46.4
7	17238.93 PK	62.86	68.2	-5.34	-44.05	-43.15	8.17	-32.4

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 157

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1579.68 PK	55.67	74	-18.33	-49.94	-51.79	8.17	-39.59
2	1581.25 AV	43.73	54	-10.27	-62.72	-62.71	8.17	-51.53
3	7706.25 PK	59.02	74	-14.98	-46.64	-48.37	8.17	-36.24
4	7710.93 AV	47.42	54	-6.58	-58.76	-59.3	8.17	-47.84
5	11576.56 PK	60.82	74	-13.18	-44.29	-47.56	8.17	-34.44
6	11578.12 AV	49.14	54	-4.86	-57.25	-57.35	8.17	-46.12
7	17356.81 PK	62.51	68.2	-5.69	-43.23	-44.77	8.17	-32.75

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 165

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1617.18 PK	55.72	74	-18.28	-51.43	-50.11	8.17	-39.54
2	1620.31 AV	43.86	54	-10.14	-62.81	-62.36	8.17	-51.4
3	7759.37 PK	59.09	68.2	-9.11	-46.95	-47.79	8.17	-36.17
4	11650 PK	61.47	74	-12.53	-44.69	-45.28	8.17	-33.79
5	11650 AV	49.96	54	-4.04	-56.59	-56.37	8.17	-45.3
6	17468.93 PK	63.02	68.2	-5.18	-42.31	-44.92	8.17	-32.24

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



40MHz Preamble

RU26

Channel 38

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1009.37 PK	43.88	74	-30.12	-62.67	-62.45	8.17	-51.38
2	1000 AV	32.59	54	-21.41	-73.87	-73.83	8.17	-62.67
3	6920.31 PK	54.39	68.2	-13.81	-50.64	-54.16	8.17	-40.87
4	10384.37 PK	51.93	68.2	-16.27	-57.44	-52.77	8.17	-43.33
5	15572.87 PK	52.88	74	-21.12	-53.9	-53.25	8.17	-42.38
6	15572.87 AV	42.24	54	-11.76	-64.02	-64.38	8.17	-53.02

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.92 PK	79.24	74	*5.24	-25.54	-25.24	6.36	-16.02
2	5071.67 AV	47.81	54	-6.19	-57.24	-56.43	6.36	-47.45


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 46

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1023.43 PK	63.02	74	-10.98	-41.87	-45.86	8.17	-32.24
2	1023.43 AV	49.2	54	-4.8	-55.39	-60.54	8.17	-46.06
3	6973.43 PK	54.66	68.2	-13.54	-50.34	-53.95	8.17	-40.6
4	10453.12 PK	50.22	68.2	-17.98	-57.05	-55.53	8.17	-45.04
5	15697.93 PK	53.57	74	-20.43	-52.47	-53.31	8.17	-41.69
6	15685 AV	41.83	54	-12.17	-64.53	-64.69	8.17	-53.43

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5141.15 PK	60.31	74	-13.69	-43.18	-45.88	6.36	-34.95
2	5075.55 AV	42.5	54	-11.5	-62.45	-61.84	6.36	-52.76

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 54

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1065.62 PK	64.55	74	-9.45	-40.32	-44.36	8.17	-30.71
2	1065.62 AV	51.25	54	-2.75	-53.14	-59.22	8.17	-44.01
3	7026.56 PK	52.4	68.2	-15.8	-53.24	-55.02	8.17	-42.86
4	10543.75 PK	51.89	68.2	-16.31	-53.99	-55.2	8.17	-43.37
5	15815.81 PK	53.67	74	-20.33	-51.26	-55.09	8.17	-41.59
6	15812.93 AV	42.34	54	-11.66	-63.89	-64.33	8.17	-52.92

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5351.82 PK	61.2	74	-12.8	-40.98	-50.18	6.43	-34.06
2	5425 AV	41.45	54	-12.55	-63.2	-63.31	6.43	-53.81

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 62

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1103.12 PK	63.76	74	-10.24	-41.17	-45.01	8.17	-31.5
2	1103.12 AV	50.9	54	-3.1	-53.74	-58.69	8.17	-44.36
3	7079.68 PK	50.74	68.2	-17.46	-55.13	-56.36	8.17	-44.52
4	10629.68 PK	50.56	74	-23.44	-55.4	-56.41	8.17	-44.7
5	10617.18 AV	39.19	54	-14.81	-67.01	-67.51	8.17	-56.07
6	15932.25 PK	52.08	74	-21.92	-53.42	-55.57	8.17	-43.18
7	15926.5 AV	41.2	54	-12.8	-65.08	-65.41	8.17	-54.06

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5351.95 PK	79.07	74	*5.07	-25.71	-25.56	6.43	-16.19
2	5350.55 AV	47.01	54	-6.99	-57.92	-57.48	6.43	-48.25


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 102

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (Db)	Raw Value (dBm)		Correction Factor (Db)	EIRP Level (dBm)
					Chain0	Chain1		
1	1304.68 PK	53.06	74	-20.94	-51.95	-55.54	8.17	-42.2
2	1306.25 AV	39.89	54	-14.11	-65.73	-67.55	8.17	-55.37
3	7339.06 PK	49.45	74	-24.55	-56.39	-57.69	8.17	-45.81
4	7340.62 AV	37.76	54	-16.24	-68.84	-68.52	8.17	-57.5
5	11018.75 PK	49.65	74	-24.35	-57.81	-55.96	8.17	-45.61
6	11021.87 AV	38.96	54	-15.04	-67.02	-67.99	8.17	-56.3
7	16528.81 PK	52.5	68.2	-15.7	-53.97	-53.92	8.17	-42.76

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5458.78 PK	67.46	74	-6.54	-37.48	-40.21	7.82	-27.8
2	5357.25 AV	48.35	54	-5.65	-58.14	-57.37	7.82	-46.91
3	5462.09 PK	70.8	68.2	*2.6	-35.8	-34.84	7.82	-24.46


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 110

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1343.75 PK	53.01	74	-20.99	-53.11	-53.77	8.17	-42.25
2	1343.75 AV	39.2	54	-14.8	-66.11	-68.76	8.17	-56.06
3	7396.87 PK	48.52	74	-25.48	-58.13	-57.72	8.17	-46.74
4	7403.12 AV	37.21	54	-16.79	-69.25	-69.21	8.17	-58.05
5	11101.56 PK	50.18	74	-23.82	-56.78	-55.8	8.17	-45.08
6	11098.43 AV	38.89	54	-15.11	-67.55	-67.55	8.17	-56.37
7	16642.37 PK	52.39	68.2	-15.81	-54.87	-53.36	8.17	-42.87

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5394.93 PK	55.98	74	-18.02	-50.34	-49.89	7.82	-39.28
2	5395.56 AV	44.12	54	-9.88	-62.99	-61.15	7.82	-51.14
3	5467.87 PK	57.34	68.2	-10.86	-47.71	-50.11	7.82	-37.92

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 134

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1465.62 PK	53.16	74	-20.84	-52.45	-54.32	8.17	-42.1
2	1465.62 AV	39.61	54	-14.39	-66.39	-67.33	8.17	-55.65
3	7562.5 PK	48.77	74	-25.23	-57.27	-58.12	8.17	-46.49
4	7551.56 AV	37.41	54	-16.59	-69.05	-69.01	8.17	-57.85
5	11342.18 PK	51.49	74	-22.51	-53.85	-56.44	8.17	-43.77
6	11342.18 AV	40.63	54	-13.37	-64.62	-67.46	8.17	-54.63
7	17011.81 PK	51.73	68.2	-16.47	-54.69	-54.74	8.17	-43.53

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5725.77 PK	64.36	68.2	-3.84	-41.6	-41.86	7.82	-30.9

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 142

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1503.12 PK	53.66	74	-20.34	-51.25	-55.17	8.17	-41.6
2	1503.12 AV	40.39	54	-13.61	-65.06	-67.33	8.17	-54.87
3	7617.18 PK	48.47	74	-25.53	-58.48	-57.51	8.17	-46.79
4	7610.93 AV	37.44	54	-16.56	-69.1	-68.91	8.17	-57.82
5	11418.75 PK	51.58	74	-22.42	-53.69	-56.48	8.17	-43.68
6	11417.18 AV	39.2	54	-14.8	-66.9	-67.61	8.17	-56.06
7	17122.5 PK	52.26	68.2	-15.94	-53.52	-54.96	8.17	-43

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5861.91 PK	52.59	68.2	-15.61	-52.01	-55.78	7.82	-42.67

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 151

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1550 PK	62.07	74	-11.93	-44.13	-44.62	8.17	-33.19
2	1550 AV	50.07	54	-3.93	-56.03	-56.73	8.17	-45.19
3	7665.62 PK	48.49	74	-25.51	-57.03	-59.12	8.17	-46.77
4	7665.62 AV	37.07	54	-16.93	-69.35	-69.4	8.17	-58.19
5	11512.5 PK	52.88	74	-21.12	-55.73	-52.12	8.17	-42.38
6	11512.5 AV	40.46	54	-13.54	-66.59	-65.45	8.17	-54.8
7	17269.12 PK	53.78	68.2	-14.42	-51.68	-53.94	8.17	-41.48


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 159

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1587.5 PK	62.26	74	-11.74	-44.99	-43.5	8.17	-33
2	1587.5 AV	50.85	54	-3.15	-55.97	-55.25	8.17	-44.41
3	7725 PK	48.35	74	-25.65	-57.82	-58.38	8.17	-46.91
4	7731.25 AV	36.93	54	-17.07	-69.53	-69.49	8.17	-58.33
5	11589.06 PK	54.86	74	-19.14	-54.14	-49.98	8.17	-40.4
6	11589.06 AV	43.37	54	-10.63	-65.12	-61.69	8.17	-51.89
7	17379.81 PK	54.17	68.2	-14.03	-50.97	-54.15	8.17	-41.09

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



RU52

Channel 38

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1000 PK	45.35	74	-28.65	-62.84	-59.85	8.17	-49.91
2	1000 AV	32.86	54	-21.14	-73.64	-73.53	8.17	-62.4
3	6920.31 PK	54.53	68.2	-13.67	-52.72	-51.22	8.17	-40.73
4	10385.93 PK	53.09	68.2	-15.11	-52.07	-55.17	8.17	-42.17
5	15575.75 PK	53.94	74	-20.06	-52.13	-52.91	8.17	-41.32
6	15577.18 AV	42.6	54	-11.4	-64.89	-62.99	8.17	-52.66

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5145.42 PK	76.76	74	*2.76	-28.12	-27.63	6.36	-18.5
2	5056.42 AV	55.63	54	*1.63	-49.03	-48.98	6.36	-39.63


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 46

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1021.87 PK	57.25	74	-16.75	-49.14	-49.25	8.17	-38.01
2	1021.87 AV	46.61	54	-7.39	-60.11	-59.56	8.17	-48.65
3	6975 PK	61.68	68.2	-6.52	-45.15	-44.4	8.17	-33.58
4	10454.68 PK	60.3	68.2	-7.9	-46.12	-46.16	8.17	-34.96
5	15685 PK	62.85	74	-11.15	-44.04	-43.18	8.17	-32.41
6	15695.06 AV	51.57	54	-2.43	-54.8	-54.94	8.17	-43.69

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.72 PK	69.19	74	-4.81	-35.72	-35.18	6.36	-26.07
2	5075.5 AV	47.39	54	-6.61	-56.9	-57.61	6.36	-47.87

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 54

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1065.62 PK	63.97	74	-10.03	-42.97	-42.02	8.17	-31.29
2	1067.18 AV	52.37	54	-1.63	-54.64	-53.57	8.17	-42.89
3	7026.56 PK	52.68	68.2	-15.52	-53.59	-53.94	8.17	-42.58
4	10543.75 PK	51.01	68.2	-17.19	-56.75	-54.42	8.17	-44.25
5	15814.37 PK	53.68	74	-20.32	-53.89	-51.86	8.17	-41.58
6	15814.37 AV	42.45	54	-11.55	-64.18	-63.8	8.17	-52.81

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352 PK	64.45	74	-9.55	-45.05	-38.03	6.43	-30.81
2	5350.27 AV	43.06	54	-10.94	-62.37	-61.01	6.43	-52.2

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 62

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1101.56 PK	63.75	74	-10.25	-42.64	-42.75	8.17	-31.51
2	1101.56 AV	51.32	54	-2.68	-56.17	-54.28	8.17	-43.94
3	7079.68 PK	51.58	68.2	-16.62	-56.14	-53.87	8.17	-43.68
4	10615.62 PK	50.65	74	-23.35	-56.08	-55.52	8.17	-44.61
5	10614.06 AV	39.59	54	-14.41	-67.44	-66.34	8.17	-55.67
6	15927.93 PK	51.61	74	-22.39	-55.53	-54.22	8.17	-43.65
7	15920.75 AV	41.29	54	-12.71	-65.25	-65.05	8.17	-53.97

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.05 PK	74.63	74	*0.63	-29.11	-31.3	6.43	-20.63
2	5352.75 AV	55.79	54	*1.79	-48.88	-48.95	6.43	-39.47


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 102

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (Db)	Raw Value (dBm)		Correction Factor (Db)	EIRP Level (dBm)
					Chain0	Chain1		
1	1306.25 PK	55.89	74	-18.11	-49.89	-51.33	8.17	-39.37
2	1306.25 AV	43.79	54	-10.21	-62.11	-63.26	8.17	-51.47
3	7354.68 PK	48.95	74	-25.05	-57.77	-57.23	8.17	-46.31
4	7342.18 AV	37.51	54	-16.49	-68.93	-68.94	8.17	-57.75
5	11026.56 PK	50.56	74	-23.44	-55.15	-56.75	8.17	-44.7
6	11025 AV	39.05	54	-14.95	-67.4	-67.38	8.17	-56.21
7	16524.5 PK	53.36	68.2	-14.84	-51.85	-54.81	8.17	-41.9

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5456.28 PK	68.38	74	-5.62	-36.96	-38.62	7.82	-26.88
2	5359.34 AV	47.95	54	-6.05	-57.9	-58.39	7.82	-47.31
3	5465.28 PK	70.86	68.2	*2.66	-34.98	-35.49	7.82	-24.4


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 110

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1342.18 PK	55.19	74	-18.81	-52.61	-50.21	8.17	-40.07
2	1342.18 AV	42.57	54	-11.43	-64.53	-63.3	8.17	-52.69
3	7395.31 PK	48.72	74	-25.28	-57	-58.58	8.17	-46.54
4	7409.37 AV	37.24	54	-16.76	-69.11	-69.3	8.17	-58.02
5	11095.31 PK	50.88	74	-23.12	-57.94	-54.03	8.17	-44.38
6	11093.75 AV	39.4	54	-14.6	-67.38	-66.72	8.17	-55.86
7	16651 PK	52.73	68.2	-15.47	-53.96	-53.47	8.17	-42.53

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5458.71 PK	60.77	74	-13.23	-45.66	-45.01	7.82	-34.49
2	5395.62 AV	44.4	54	-9.6	-60.83	-62.77	7.82	-50.86
3	5465.43 PK	62.09	68.2	-6.11	-43.44	-44.64	7.82	-33.17

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 134

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1467.18 PK	54.18	74	-19.82	-52.3	-52.23	8.17	-41.08
2	1467.18 AV	43.07	54	-10.93	-63.35	-63.4	8.17	-52.19
3	7557.81 PK	48.6	74	-25.4	-58.34	-57.39	8.17	-46.66
4	7556.25 AV	37.42	54	-16.58	-68.87	-69.17	8.17	-57.84
5	11343.75 PK	51.05	74	-22.95	-56.26	-54.66	8.17	-44.21
6	11343.75 AV	40.01	54	-13.99	-66.98	-65.95	8.17	-55.25
7	17019 PK	53.21	68.2	-14.99	-53.85	-52.69	8.17	-42.05

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5725.6 PK	71.91	68.2	*3.71	-36.37	-32.73	7.82	-23.35

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8
d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 142

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1501.56 PK	56.49	74	-17.51	-50.73	-49.29	8.17	-38.77
2	1501.56 AV	43.78	54	-10.22	-63.5	-61.96	8.17	-51.48
3	7604.68 PK	48.87	74	-25.13	-57.67	-57.48	8.17	-46.39
4	7609.37 AV	37.54	54	-16.46	-68.86	-68.94	8.17	-57.72
5	11414.06 PK	51.24	74	-22.76	-57.05	-53.91	8.17	-44.02
6	11414.06 AV	39.58	54	-14.42	-67.49	-66.31	8.17	-55.68
7	17132.56 PK	53.24	68.2	-14.96	-53.3	-53.1	8.17	-42.02

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5860.18 PK	53.96	68.2	-14.24	-52.81	-51.55	7.82	-41.3

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 151

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1551.56 PK	57.41	74	-16.59	-48.43	-49.72	8.17	-37.85
2	1551.56 AV	44.93	54	-9.07	-61.34	-61.69	8.17	-50.33
3	7668.75 PK	49.5	74	-24.5	-56.57	-57.35	8.17	-45.76
4	7664.06 AV	37.11	54	-16.89	-69.35	-69.31	8.17	-58.15
5	11503.12 PK	50.41	74	-23.59	-55.34	-56.85	8.17	-44.85
6	11514.06 AV	38.82	54	-15.18	-67.41	-67.85	8.17	-56.44
7	17274.87 PK	51.78	68.2	-16.42	-54.09	-55.32	8.17	-43.48

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 159

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1587.5 PK	60.31	74	-13.69	-45.09	-47.49	8.17	-34.95
2	1587.5 AV	48.43	54	-5.57	-56.44	-60.49	8.17	-46.83
3	7723.43 PK	48.46	74	-25.54	-58.73	-57.34	8.17	-46.8
4	7731.25 AV	36.98	54	-17.02	-69.38	-69.54	8.17	-58.28
5	11587.5 PK	51.4	74	-22.6	-54.66	-55.45	8.17	-43.86
6	11585.93 AV	40.39	54	-13.61	-65.36	-66.87	8.17	-54.87
7	17378.37 PK	52.82	68.2	-15.38	-52.25	-55.62	8.17	-42.44

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



RU106

Channel 38

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1006.25 PK	53.66	74	-20.34	-53.52	-52.15	8.17	-41.6
2	1004.68 AV	42.66	54	-11.34	-63.8	-63.77	8.17	-52.6
3	6914.06 PK	61	68.2	-7.2	-45.49	-45.4	8.17	-34.26
4	10373.43 PK	59.58	68.2	-8.62	-46.65	-47.08	8.17	-35.68
5	15568.56 PK	62.94	74	-11.06	-43.15	-43.88	8.17	-32.32
6	15562.81 AV	41.83	54	-12.17	-64.64	-64.58	8.17	-53.43

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.4 PK	77.25	74	*3.25	-27.84	-26.97	6.36	-18.01
2	5113.15 AV	46.85	54	-7.15	-57.46	-58.13	6.36	-48.41


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 46

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1020.31 PK	56.12	74	-17.88	-48.9	-52.45	8.17	-39.14
2	1020.31 AV	45.19	54	-8.81	-60.27	-62.51	8.17	-50.07
3	6970.31 PK	61.85	68.2	-6.35	-44.01	-45.25	8.17	-33.41
4	10451.56 PK	59.94	68.2	-8.26	-45.74	-47.43	8.17	-35.32
5	15695.06 PK	62.61	74	-11.39	-43.12	-44.68	8.17	-32.65
6	15697.93 AV	41.67	54	-12.33	-64.62	-64.92	8.17	-53.59

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.05 PK	71.16	74	-2.84	-31.3	-37.99	6.36	-24.1
2	5075.52 AV	46.56	54	-7.44	-57.95	-58.19	6.36	-48.7

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 54

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1070.31 PK	55.41	74	-18.59	-50.62	-51.49	8.17	-39.85
2	1068.75 AV	44.84	54	-9.16	-60.7	-62.75	8.17	-50.42
3	7023.43 PK	59.47	68.2	-8.73	-47.33	-46.64	8.17	-35.79
4	10540.62 PK	60.81	68.2	-7.39	-44.46	-47.24	8.17	-34.45
5	15807.18 PK	63.81	74	-10.19	-44.24	-41.46	8.17	-31.45
6	15817.25 AV	42.47	54	-11.53	-63.74	-64.21	8.17	-52.79

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.35 PK	68.5	74	-5.5	-34.02	-40.76	6.43	-26.76
2	5359.75 AV	46.96	54	-7.04	-57.3	-58.22	6.43	-48.3

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 62

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1100 PK	54.49	74	-19.51	-51.34	-52.66	8.17	-40.77
2	1101.56 AV	42.65	54	-11.35	-63.7	-63.88	8.17	-52.61
3	7081.25 PK	58.74	68.2	-9.46	-47.57	-47.84	8.17	-36.52
4	10621.87 PK	60.11	74	-13.89	-46.61	-46.06	8.17	-35.15
5	10621.87 AV	48.9	54	-5.1	-57.53	-57.56	8.17	-46.36
6	15933.68 PK	62.45	74	-11.55	-43.04	-45.22	8.17	-32.81
7	15923.62 AV	41.32	54	-12.68	-65.05	-65.2	8.17	-53.94

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352 PK	77.36	74	*3.36	-28.03	-26.75	6.43	-17.9
2	5385 AV	47.17	54	-6.83	-57.84	-57.25	6.43	-48.09

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.


* The unwanted emission was verified and the test result was passed by radiated measurement.

(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 102

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (Db)	Raw Value (dBm)		Correction Factor (Db)	EIRP Level (dBm)
					Chain0	Chain1		
1	1312.5 PK	54.03	74	-19.97	-52.54	-52.29	8.17	-41.23
2	1309.37 AV	43	54	-11	-63.34	-63.55	8.17	-52.26
3	7356.25 PK	58.46	74	-15.54	-47.87	-48.09	8.17	-36.8
4	7351.56 AV	47.51	54	-6.49	-58.87	-58.99	8.17	-47.75
5	11021.87 PK	59.84	74	-14.16	-47.36	-45.96	8.17	-35.42
6	11012.5 AV	48.49	54	-5.51	-58	-57.9	8.17	-46.77
7	16534.56 PK	62.44	68.2	-5.76	-43.52	-44.54	8.17	-32.82

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5458.12 PK	67.92	74	-6.08	-37.79	-38.58	7.82	-27.34
2	5364.25 AV	47.71	54	-6.29	-58.22	-58.54	7.82	-47.55
3	5467.78 PK	70.85	68.2	*2.65	-34.99	-35.5	7.82	-24.41


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1

