

Channel 107

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4339.06 PK	58.14	74	-15.86	-48.71	-47.92	8.17	-37.12
2	4332.81 AV	36.43	54	-17.57	-70.19	-69.83	8.17	-58.83
3	8660.93 PK	58.85	88.2	-29.35	-48.39	-46.91	8.17	-36.41
4	8646.87 AV	46.34	68.2	-21.86	-59.98	-60.22	8.17	-48.92
5	12954.68 PK	59.72	88.2	-28.48	-45.88	-47.76	8.17	-35.54
6	12970.31 AV	38.52	68.2	-29.68	-67.81	-68.03	8.17	-56.74
7	19458.43 PK	54.48	74	-19.52	-51.98	-51.94	8.17	-40.78
8	19468.5 AV	43.43	54	-10.57	-62.88	-63.14	8.17	-51.83

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 115

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4353.12 PK	58.03	74	-15.97	-48.12	-48.73	8.17	-37.23
2	4339.06 AV	36.4	54	-17.6	-70.18	-69.9	8.17	-58.86
3	8693.75 PK	59.03	88.2	-29.17	-48.23	-46.72	8.17	-36.23
4	8700 AV	40.48	68.2	-27.72	-65.74	-66.19	8.17	-54.78
5	13046.87 PK	60.35	88.2	-27.85	-46.49	-45.72	8.17	-34.91
6	13068.75 AV	38.74	68.2	-29.46	-67.79	-67.62	8.17	-56.52
7	19564.81 PK	53.96	74	-20.04	-51.65	-53.52	8.17	-41.3
8	19556.18 AV	42.89	54	-11.11	-63.59	-63.52	8.17	-52.37

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 123

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4359.37 PK	58.22	74	-15.78	-47.08	-49.76	8.17	-37.04
2	4362.5 AV	36.57	54	-17.43	-69.77	-69.98	8.17	-58.69
3	8753.12 PK	59.72	88.2	-28.48	-45.55	-48.34	8.17	-35.54
4	8753.12 AV	39.73	68.2	-28.47	-66.69	-66.73	8.17	-55.53
5	13123.43 PK	60.61	88.2	-27.59	-45.32	-46.41	8.17	-34.65
6	13128.12 AV	38.98	68.2	-29.22	-67.47	-67.46	8.17	-56.28
7	19710 PK	51.96	74	-22.04	-55.15	-53.9	8.17	-43.3
8	19684.12 AV	40.92	54	-13.08	-65.51	-65.54	8.17	-54.34

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 155

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4495.31 PK	57.58	88.2	-30.62	-49.52	-48.28	8.17	-37.68
2	4470.31 AV	36.3	68.2	-31.9	-70.01	-70.28	8.17	-58.96
3	8951.56 PK	59.01	88.2	-29.19	-47.06	-47.83	8.17	-36.25
4	8967.18 AV	38.01	68.2	-30.19	-68.53	-68.34	8.17	-57.25
5	13459.37 PK	60.64	88.2	-27.56	-45.95	-45.66	8.17	-34.62
6	13467.18 AV	39.06	68.2	-29.14	-67.41	-67.35	8.17	-56.2
7	20181.5 PK	51.84	74	-22.16	-54.46	-54.74	8.17	-43.42
8	20170 AV	41.44	54	-12.56	-65.01	-65	8.17	-53.82

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 179

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4564.06 PK	57.93	74	-16.07	-49.46	-47.73	8.17	-37.33
2	4564.06 AV	36.53	54	-17.47	-70.05	-69.77	8.17	-58.73
3	9125 PK	59.41	74	-14.59	-47.11	-46.95	8.17	-35.85
4	9126.56 AV	39.01	54	-14.99	-67.45	-67.42	8.17	-56.25
5	13698.37 PK	50.6	88.2	-37.6	-57.8	-54.5	8.17	-44.66
6	13689.75 AV	39.11	68.2	-29.09	-67.45	-67.22	8.17	-56.15
7	20543.75 PK	51.74	74	-22.26	-54.1	-55.4	8.17	-43.52
8	20540.87 AV	40.39	54	-13.61	-65.97	-66.13	8.17	-54.87

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 187

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4601.56 PK	58.26	74	-15.74	-49.19	-47.36	8.17	-37
2	4595.31 AV	36.78	54	-17.22	-69.68	-69.64	8.17	-58.48
3	9192.18 PK	60.02	74	-13.98	-45.87	-47.06	8.17	-35.24
4	9179.68 AV	38.65	54	-15.35	-67.81	-67.77	8.17	-56.61
5	13758.75 PK	50.77	88.2	-37.43	-55.33	-56.05	8.17	-44.49
6	13768.81 AV	39.37	68.2	-28.83	-67.31	-66.85	8.17	-55.89
7	20648.68 PK	52.87	74	-21.13	-56.57	-51.81	8.17	-42.39
8	20638.62 AV	41.25	54	-12.75	-65.09	-65.29	8.17	-54.01

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 211

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4657.81 PK	58.22	74	-15.78	-47.33	-49.34	8.17	-37.04
2	4670.31 AV	37.24	54	-16.76	-69.26	-69.14	8.17	-58.02
3	9335.93 PK	59.24	74	-14.76	-48.16	-46.42	8.17	-36.02
4	9329.68 AV	37.94	54	-16.06	-68.59	-68.42	8.17	-57.32
5	13997.37 PK	49.82	88.2	-38.38	-56.62	-56.62	8.17	-45.44
6	14008.87 AV	39.21	68.2	-28.99	-67.28	-67.18	8.17	-56.05
7	21028.18 PK	51.76	74	-22.24	-54.68	-54.68	8.17	-43.5
8	21016.68 AV	40.42	54	-13.58	-65.97	-66.08	8.17	-54.84

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 227

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4740.62 PK	58.6	74	-15.4	-49	-46.93	8.17	-36.66
2	4737.5 AV	37.06	54	-16.94	-69.41	-69.35	8.17	-58.2
3	9459.37 PK	60.36	74	-13.64	-45.56	-46.68	8.17	-34.9
4	9460.93 AV	37.82	54	-16.18	-68.57	-68.67	8.17	-57.44
5	14185.68 PK	51.69	88.2	-36.51	-53.37	-56.79	8.17	-43.57
6	14182.81 AV	39.85	68.2	-28.35	-66.7	-66.49	8.17	-55.41
7	21252.43 PK	51.86	74	-22.14	-55.64	-53.73	8.17	-43.4
8	21236.62 AV	40.64	54	-13.36	-65.87	-65.73	8.17	-54.62

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7202 PK	51.62	88.2	-36.58	-53.68	-56.26	8.13	-43.64
2	7203.07 AV	36.93	68.2	-31.27	-69.45	-69.5	8.13	-58.33

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



RU52

Channel 3

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3990.62 PK	57.76	74	-16.24	-47.93	-49.58	8.17	-37.5
2	3992.18 AV	36.64	54	-17.36	-69.82	-69.79	8.17	-58.62
3	7934.37 PK	59.26	88.2	-28.94	-46.67	-47.77	8.17	-36
4	7953.12 AV	44.37	68.2	-23.83	-61.59	-62.6	8.17	-50.89
5	11920.31 PK	59.98	74	-14.02	-46.85	-46.11	8.17	-35.28
6	11940.62 AV	38.53	54	-15.47	-67.94	-67.88	8.17	-56.73
7	17875.75 PK	53.82	74	-20.18	-51.6	-53.97	8.17	-41.44
8	17890.12 AV	42.6	54	-11.4	-64.04	-63.64	8.17	-52.66

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5882.57 PK	51.77	88.2	-36.43	-54.87	-54.44	8.15	-43.49
2	5885.02 AV	37.8	68.2	-30.4	-68.65	-68.59	8.15	-57.46

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 43

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4098.43 PK	57.74	74	-16.26	-48.88	-48.52	8.17	-37.52
2	4129.68 AV	36.31	54	-17.69	-70	-70.26	8.17	-58.95
3	8204.68 PK	58.61	74	-15.39	-47.47	-48.23	8.17	-36.65
4	8220.31 AV	44.05	54	-9.95	-61.21	-64.01	8.17	-51.21
5	12314.06 PK	60.35	74	-13.65	-46.15	-46.04	8.17	-34.91
6	12314.06 AV	38.81	54	-15.19	-67.75	-67.51	8.17	-56.45
7	18480.93 PK	53.38	74	-20.62	-52.06	-54.37	8.17	-41.88
8	18503.93 AV	41.71	54	-12.29	-64.69	-64.78	8.17	-53.55

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 91

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4282.81 PK	57.92	74	-16.08	-48.69	-48.35	8.17	-37.34
2	4279.68 AV	36.13	54	-17.87	-70.51	-70.11	8.17	-59.13
3	8540.62 PK	59.96	88.2	-28.24	-46.94	-46.07	8.17	-35.3
4	8540.62 AV	45.12	68.2	-23.08	-58.9	-67.26	8.17	-50.14
5	12798.43 PK	60.64	88.2	-27.56	-44.61	-47.45	8.17	-34.62
6	12829.68 AV	39.17	68.2	-29.03	-67.36	-67.19	8.17	-56.09
7	19222.68 PK	54.25	74	-19.75	-51.66	-52.79	8.17	-41.01
8	19215.5 AV	43.43	54	-10.57	-63.23	-62.81	8.17	-51.83

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 99

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4312.5 PK	57.91	74	-16.09	-47.64	-49.66	8.17	-37.35
2	4306.25 AV	36.43	54	-17.57	-70.08	-69.95	8.17	-58.83
3	8606.25 PK	58.78	88.2	-29.42	-47.18	-48.19	8.17	-36.48
4	8593.75 AV	45.88	68.2	-22.32	-57.97	-67.95	8.17	-49.38
5	12878.12 PK	60.94	88.2	-27.26	-44.92	-46.16	8.17	-34.32
6	12890.62 AV	39.52	68.2	-28.68	-66.87	-66.97	8.17	-55.74
7	19327.62 PK	54.22	74	-19.78	-51.37	-53.28	8.17	-41.04
8	19317.56 AV	42.79	54	-11.21	-63.82	-63.49	8.17	-52.47

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 107

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4334.37 PK	57.53	74	-16.47	-49.37	-48.49	8.17	-37.73
2	4321.87 AV	36.48	54	-17.52	-70.09	-69.83	8.17	-58.78
3	8654.68 PK	59.67	88.2	-28.53	-47.3	-46.29	8.17	-35.59
4	8646.87 AV	45.71	68.2	-22.49	-58.15	-67.95	8.17	-49.55
5	12954.68 PK	60.5	88.2	-27.7	-45.92	-45.96	8.17	-34.76
6	12970.31 AV	38.37	68.2	-29.83	-68.01	-68.13	8.17	-56.89
7	19458.43 PK	54.62	74	-19.38	-53.44	-50.64	8.17	-40.64
8	19474.25 AV	43.36	54	-10.64	-63.11	-63.06	8.17	-51.9

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 115

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4348.43 PK	58.3	74	-15.7	-48.55	-47.76	8.17	-36.96
2	4356.25 AV	36.48	54	-17.52	-69.99	-69.93	8.17	-58.78
3	8710.93 PK	59.31	88.2	-28.89	-48.05	-46.37	8.17	-35.95
4	8700 AV	44.87	68.2	-23.33	-59.09	-67.96	8.17	-50.39
5	13051.56 PK	60.33	88.2	-27.87	-45.14	-47.35	8.17	-34.93
6	13065.62 AV	38.64	68.2	-29.56	-67.71	-67.9	8.17	-56.62
7	19559.06 PK	53.49	74	-20.51	-52.68	-53.24	8.17	-41.77
8	19556.18 AV	42.93	54	-11.07	-63.59	-63.44	8.17	-52.33

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 123

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4370.31 PK	58.02	74	-15.98	-48.7	-48.15	8.17	-37.24
2	4360.93 AV	36.48	54	-17.52	-69.85	-70.07	8.17	-58.78
3	8770.31 PK	59.55	88.2	-28.65	-47.37	-46.46	8.17	-35.71
4	8753.12 AV	43.18	68.2	-25.02	-61.14	-67.59	8.17	-52.08
5	13142.18 PK	60.78	88.2	-27.42	-44.63	-47.02	8.17	-34.48
6	13115.62 AV	39	68.2	-29.2	-67.59	-67.3	8.17	-56.26
7	19714.31 PK	52.03	74	-21.97	-55.58	-53.49	8.17	-43.23
8	19679.81 AV	40.86	54	-13.14	-65.8	-65.37	8.17	-54.4

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 155

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4489.06 PK	57.85	88.2	-30.35	-49.64	-47.74	8.17	-37.41
2	4475 AV	36.42	68.2	-31.78	-69.81	-70.25	8.17	-58.84
3	8965.62 PK	59.24	88.2	-28.96	-46.21	-48.48	8.17	-36.02
4	8967.18 AV	38.63	68.2	-29.57	-66.95	-68.88	8.17	-56.63
5	13435.93 PK	60.07	88.2	-28.13	-46.08	-46.68	8.17	-35.19
6	13457.81 AV	39	68.2	-29.2	-67.44	-67.44	8.17	-56.26
7	20177.18 PK	53.55	74	-20.45	-55.72	-51.19	8.17	-41.71
8	20191.56 AV	41.3	54	-12.7	-65.21	-65.07	8.17	-53.96

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 179

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4579.68 PK	58.12	74	-15.88	-48.78	-47.9	8.17	-37.14
2	4559.37 AV	36.58	54	-17.42	-69.93	-69.8	8.17	-58.68
3	9135.93 PK	60.03	74	-13.97	-45.32	-47.88	8.17	-35.23
4	9126.56 AV	38.67	54	-15.33	-67.3	-68.29	8.17	-56.59
5	13708.43 PK	50.43	88.2	-37.77	-58.43	-54.47	8.17	-44.83
6	13671.06 AV	39.09	68.2	-29.11	-67.49	-67.21	8.17	-56.17
7	20546.62 PK	51.57	74	-22.43	-56.05	-53.94	8.17	-43.69
8	20542.31 AV	40.47	54	-13.53	-66	-65.94	8.17	-54.79

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 187

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4589.06 PK	58.79	74	-15.21	-46.67	-48.92	8.17	-36.47
2	4590.62 AV	36.87	54	-17.13	-69.35	-69.81	8.17	-58.39
3	9184.37 PK	60.67	74	-13.33	-44.45	-47.69	8.17	-34.59
4	9179.68 AV	38.68	54	-15.32	-67.56	-67.96	8.17	-56.58
5	13770.25 PK	50.18	88.2	-38.02	-55.41	-57.32	8.17	-45.08
6	13768.81 AV	39.43	68.2	-28.77	-67.39	-66.66	8.17	-55.83
7	20664.5 PK	52.28	74	-21.72	-53.54	-54.89	8.17	-42.98
8	20635.75 AV	41.26	54	-12.74	-65.4	-64.98	8.17	-54

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 211

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4676.56 PK	57.88	74	-16.12	-49.91	-47.53	8.17	-37.38
2	4670.31 AV	37.12	54	-16.88	-68.91	-69.77	8.17	-58.14
3	9337.5 PK	59.66	74	-14.34	-46.3	-47.32	8.17	-35.6
4	9340.62 AV	37.97	54	-16.03	-68.15	-68.82	8.17	-57.29
5	14000.25 PK	50.63	88.2	-37.57	-54.69	-57.33	8.17	-44.63
6	14008.87 AV	39.71	68.2	-28.49	-67.42	-66.13	8.17	-55.55
7	21032.5 PK	51.93	74	-22.07	-54.83	-54.21	8.17	-43.33
8	21032.5 AV	40.43	54	-13.57	-66.39	-65.66	8.17	-54.83

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 227

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4712.5 PK	58.84	74	-15.16	-48.86	-46.63	8.17	-36.42
2	4742.18 AV	37.01	54	-16.99	-69.35	-69.52	8.17	-58.25
3	9431.25 PK	59.19	74	-14.81	-46.98	-47.54	8.17	-36.07
4	9429.68 AV	37.82	54	-16.18	-68.87	-68.39	8.17	-57.44
5	14181.37 PK	51.13	88.2	-37.07	-56.15	-54.6	8.17	-44.13
6	14169.87 AV	40.05	68.2	-28.15	-66.68	-66.11	8.17	-55.21
7	21243.81 PK	51.87	74	-22.13	-54.37	-54.79	8.17	-43.39
8	21238.06 AV	40.7	54	-13.3	-65.64	-65.84	8.17	-54.56

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7217.3 PK	50.39	88.2	-37.81	-56.23	-55.81	8.13	-44.87
2	7199.82 AV	36.96	68.2	-31.24	-69.44	-69.44	8.13	-58.3

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



RU106

Channel 3

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3984.37 PK	58.47	74	-15.53	-48.54	-47.47	8.17	-36.79
2	3992.18 AV	36.93	54	-17.07	-69.52	-69.5	8.17	-58.33
3	7940.62 PK	60.17	88.2	-28.03	-47.67	-45.21	8.17	-35.09
4	7953.12 AV	45.98	68.2	-22.22	-58.91	-62.9	8.17	-49.28
5	11928.12 PK	60.91	74	-13.09	-44.79	-46.42	8.17	-34.35
6	11945.31 AV	39.08	54	-14.92	-67.53	-67.2	8.17	-56.18
7	17898.75 PK	54.28	74	-19.72	-52.54	-51.82	8.17	-40.98
8	17893 AV	42.99	54	-11.01	-63.4	-63.51	8.17	-52.27

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5885.27 PK	52.99	88.2	-35.21	-53.2	-53.68	8.15	-42.27
2	5845 AV	38.66	68.2	-29.54	-67.53	-68.01	8.15	-56.6

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 43

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4125 PK	57.73	74	-16.27	-49.15	-48.32	8.17	-37.53
2	4109.37 AV	36.85	54	-17.15	-69.86	-69.33	8.17	-58.41
3	8235.93 PK	59.92	74	-14.08	-45.91	-47.24	8.17	-35.34
4	8220.31 AV	45.3	54	-8.7	-59.21	-64.7	8.17	-49.96
5	12348.43 PK	60.47	74	-13.53	-45.25	-46.84	8.17	-34.79
6	12328.12 AV	39.24	54	-14.76	-67.37	-67.04	8.17	-56.02
7	18495.31 PK	53.34	74	-20.66	-51.95	-54.67	8.17	-41.92
8	18496.75 AV	42.1	54	-11.9	-64.17	-64.52	8.17	-53.16

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 91

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4289.06 PK	58.44	74	-15.56	-47.47	-48.6	8.17	-36.82
2	4289.06 AV	36.69	54	-17.31	-69.71	-69.8	8.17	-58.57
3	8545.31 PK	59.39	88.2	-28.81	-46.96	-47.14	8.17	-35.87
4	8540.62 AV	48.98	68.2	-19.22	-54.66	-67.81	8.17	-46.28
5	12806.25 PK	60.94	88.2	-27.26	-45.32	-45.69	8.17	-34.32
6	12823.43 AV	39.78	68.2	-28.42	-66.42	-66.92	8.17	-55.48
7	19232.75 PK	54.26	74	-19.74	-51.73	-52.69	8.17	-41
8	19234.18 AV	43.83	54	-10.17	-62.62	-62.61	8.17	-51.43

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 99

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4304.68 PK	58.68	74	-15.32	-49.05	-46.77	8.17	-36.58
2	4304.68 AV	36.79	54	-17.21	-69.61	-69.7	8.17	-58.47
3	8604.68 PK	59.86	88.2	-28.34	-47.55	-45.79	8.17	-35.4
4	8593.75 AV	47.44	68.2	-20.76	-56.24	-68.44	8.17	-47.82
5	12884.37 PK	61.46	88.2	-26.74	-44.41	-45.63	8.17	-33.8
6	12878.12 AV	39.92	68.2	-28.28	-66.4	-66.64	8.17	-55.34
7	19326.18 PK	54.56	74	-19.44	-51.04	-52.92	8.17	-40.7
8	19330.5 AV	43.19	54	-10.81	-63.2	-63.31	8.17	-52.07

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 107

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4335.93 PK	58.44	74	-15.56	-49.57	-46.85	8.17	-36.82
2	4325 AV	36.95	54	-17.05	-69.7	-69.29	8.17	-58.31
3	8634.37 PK	60.22	88.2	-27.98	-46.81	-45.71	8.17	-35.04
4	8646.87 AV	47.63	68.2	-20.57	-56.09	-67.74	8.17	-47.63
5	12970.31 PK	60.31	88.2	-27.89	-48.15	-44.75	8.17	-34.95
6	12964.06 AV	38.71	68.2	-29.49	-67.66	-67.8	8.17	-56.55
7	19465.62 PK	54.91	74	-19.09	-51.35	-51.71	8.17	-40.35
8	19472.81 AV	43.68	54	-10.32	-62.75	-62.77	8.17	-51.58

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 115

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4345.31 PK	58.56	74	-15.44	-46.97	-49.03	8.17	-36.7
2	4343.75 AV	36.82	54	-17.18	-69.62	-69.63	8.17	-58.44
3	8706.25 PK	60.12	88.2	-28.08	-45.25	-47.73	8.17	-35.14
4	8700 AV	46.69	68.2	-21.51	-57.08	-68.03	8.17	-48.57
5	13035.93 PK	60.41	88.2	-27.79	-45.53	-46.6	8.17	-34.85
6	13065.62 AV	39.25	68.2	-28.95	-67.24	-67.14	8.17	-56.01
7	19564.81 PK	54.31	74	-19.69	-52.5	-51.79	8.17	-40.95
8	19556.18 AV	43.34	54	-10.66	-63.06	-63.15	8.17	-51.92

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 123

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4389.06 PK	58.05	74	-15.95	-47.11	-50.22	8.17	-37.21
2	4359.37 AV	36.91	54	-17.09	-69.62	-69.44	8.17	-58.35
3	8753.12 PK	59.94	88.2	-28.26	-45.42	-47.94	8.17	-35.32
4	8753.12 AV	45.39	68.2	-22.81	-58.59	-67.32	8.17	-49.87
5	13129.68 PK	61.38	88.2	-26.82	-45.06	-45.06	8.17	-33.88
6	13114.06 AV	39.47	68.2	-28.73	-67.1	-66.84	8.17	-55.79
7	19678.37 PK	52.24	74	-21.76	-55.14	-53.43	8.17	-43.02
8	19676.93 AV	41.3	54	-12.7	-65.34	-64.94	8.17	-53.96

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 155

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4495.31 PK	58.72	88.2	-29.48	-46.85	-48.8	8.17	-36.54
2	4470.31 AV	36.74	68.2	-31.46	-69.68	-69.72	8.17	-58.52
3	8950 PK	59.36	88.2	-28.84	-46.67	-47.54	8.17	-35.9
4	8967.18 AV	41.08	68.2	-27.12	-63.56	-68.48	8.17	-54.18
5	13468.75 PK	60.52	88.2	-27.68	-46.02	-45.83	8.17	-34.74
6	13454.68 AV	39.31	68.2	-28.89	-67.05	-67.21	8.17	-55.95
7	20177.18 PK	52.89	74	-21.11	-54.99	-52.47	8.17	-42.37
8	20185.81 AV	41.83	54	-12.17	-64.72	-64.5	8.17	-53.43

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 179

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4581.25 PK	58.54	74	-15.46	-48.42	-47.43	8.17	-36.72
2	4562.5 AV	37.21	54	-16.79	-69.23	-69.23	8.17	-58.05
3	9109.37 PK	60.68	74	-13.32	-46.4	-45.2	8.17	-34.58
4	9126.56 AV	39.78	54	-14.22	-65.62	-68.03	8.17	-55.48
5	13673.93 PK	50.55	88.2	-37.65	-54.66	-57.62	8.17	-44.71
6	13688.31 AV	39.66	68.2	-28.54	-67.06	-66.51	8.17	-55.6
7	20516.43 PK	51.96	74	-22.04	-54.22	-54.75	8.17	-43.3
8	20550.93 AV	40.8	54	-13.2	-65.73	-65.56	8.17	-54.46

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 187

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4601.56 PK	58.86	74	-15.14	-47.38	-47.78	8.17	-36.4
2	4609.37 AV	37.25	54	-16.75	-69.15	-69.24	8.17	-58.01
3	9175 PK	60.13	74	-13.87	-46.92	-45.77	8.17	-35.13
4	9179.68 AV	39.43	54	-14.57	-66.37	-67.76	8.17	-55.83
5	13764.5 PK	50.57	88.2	-37.63	-57.25	-54.82	8.17	-44.69
6	13768.81 AV	39.76	68.2	-28.44	-66.73	-66.63	8.17	-55.5
7	20638.62 PK	52.58	74	-21.42	-53.99	-53.74	8.17	-42.68
8	20645.81 AV	41.8	54	-12.2	-64.55	-64.73	8.17	-53.46

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 211

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4650 PK	58.44	74	-15.56	-47.67	-48.35	8.17	-36.82
2	4670.31 AV	37.5	54	-16.5	-68.61	-69.3	8.17	-57.76
3	9320.31 PK	60.5	74	-13.5	-45.62	-46.29	8.17	-34.76
4	9340.62 AV	38.77	54	-15.23	-67.24	-68.15	8.17	-56.49
5	13997.37 PK	50.76	88.2	-37.44	-57.14	-54.59	8.17	-44.5
6	14008.87 AV	39.96	68.2	-28.24	-66.92	-66.09	8.17	-55.3
7	21015.25 PK	52.46	74	-21.54	-55.48	-52.86	8.17	-42.8
8	21015.25 AV	40.94	54	-13.06	-65.53	-65.48	8.17	-54.32

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 227

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4715.62 PK	58.51	74	-15.49	-47.57	-48.32	8.17	-36.75
2	4731.25 AV	37.57	54	-16.43	-69.22	-68.55	8.17	-57.69
3	9462.5 PK	59.39	74	-14.61	-46.13	-48.23	8.17	-35.87
4	9432.81 AV	38.18	54	-15.82	-68.3	-68.23	8.17	-57.08
5	14151.18 PK	51.42	88.2	-36.78	-54.4	-55.74	8.17	-43.84
6	14168.43 AV	40.34	68.2	-27.86	-66.23	-65.98	8.17	-54.92
7	21262.5 PK	52.04	74	-21.96	-55.37	-53.61	8.17	-43.22
8	21272.56 AV	41.16	54	-12.84	-65.28	-65.29	8.17	-54.1

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7167.35 PK	51.83	88.2	-36.37	-54.69	-54.46	8.13	-43.43
2	7199.92 AV	37.86	68.2	-30.34	-68.6	-68.48	8.13	-57.4

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



RU242

Channel 3

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3992.18 PK	58.46	74	-15.54	-47.93	-48.04	8.17	-36.8
2	3993.75 AV	36.87	54	-17.13	-69.5	-69.64	8.17	-58.39
3	7953.12 PK	60.69	88.2	-27.51	-45.35	-46.2	8.17	-34.57
4	7953.12 AV	46.48	68.2	-21.72	-58.21	-62.94	8.17	-48.78
5	11934.37 PK	61.39	74	-12.61	-43.89	-46.64	8.17	-33.87
6	11921.87 AV	39.27	54	-14.73	-67.19	-67.16	8.17	-55.99
7	17895.87 PK	53.76	74	-20.24	-52.72	-52.65	8.17	-41.5
8	17898.75 AV	43.02	54	-10.98	-63.57	-63.27	8.17	-52.24

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5923.35 PK	56.73	88.2	-31.47	-48.41	-51.51	8.15	-38.53
2	5859.55 AV	39.58	68.2	-28.62	-66.45	-67.26	8.15	-55.68

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 43

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4118.75 PK	58.21	74	-15.79	-48.9	-47.65	8.17	-37.05
2	4109.37 AV	37.2	54	-16.8	-69.6	-68.9	8.17	-58.06
3	8204.68 PK	58.95	74	-15.05	-47.39	-47.59	8.17	-36.31
4	8220.31 AV	46.49	54	-7.51	-57.7	-64.87	8.17	-48.77
5	12340.62 PK	61.23	74	-12.77	-45.94	-44.59	8.17	-34.03
6	12343.75 AV	39.35	54	-14.65	-67.21	-66.98	8.17	-55.91
7	18488.12 PK	53.03	74	-20.97	-52.75	-54.18	8.17	-42.23
8	18506.81 AV	42.03	54	-11.97	-64.49	-64.34	8.17	-53.23

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 91

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4260.93 PK	58.24	74	-15.76	-47.35	-49.25	8.17	-37.02
2	4284.37 AV	36.75	54	-17.25	-69.84	-69.54	8.17	-58.51
3	8540.62 PK	59.53	88.2	-28.67	-45.53	-48.96	8.17	-35.73
4	8540.62 AV	49.08	68.2	-19.12	-54.55	-67.81	8.17	-46.18
5	12801.56 PK	60.96	88.2	-27.24	-47.23	-44.23	8.17	-34.3
6	12810.93 AV	39.65	68.2	-28.55	-66.62	-66.97	8.17	-55.61
7	19195.37 PK	55.23	74	-18.77	-53.95	-49.55	8.17	-40.03
8	19224.12 AV	43.89	54	-10.11	-62.54	-62.56	8.17	-51.37

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 99

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4301.56 PK	58.72	74	-15.28	-47.52	-47.93	8.17	-36.54
2	4309.37 AV	36.88	54	-17.12	-69.59	-69.54	8.17	-58.38
3	8576.56 PK	58.71	88.2	-29.49	-48.83	-46.85	8.17	-36.55
4	8593.75 AV	49.3	68.2	-18.9	-54.29	-68.61	8.17	-45.96
5	12885.93 PK	61.9	88.2	-26.3	-43.15	-46.61	8.17	-33.36
6	12890.62 AV	40.01	68.2	-28.19	-66.23	-66.63	8.17	-55.25
7	19327.62 PK	54.27	74	-19.73	-52.11	-52.24	8.17	-40.99
8	19327.62 AV	43.38	54	-10.62	-62.9	-63.22	8.17	-51.88

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 107

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4329.68 PK	58.24	74	-15.76	-47.49	-49.04	8.17	-37.02
2	4323.43 AV	36.93	54	-17.07	-69.52	-69.51	8.17	-58.33
3	8646.87 PK	59.18	88.2	-29.02	-46.82	-47.74	8.17	-36.08
4	8646.87 AV	49.09	68.2	-19.11	-54.53	-67.97	8.17	-46.17
5	12950 PK	60.11	88.2	-28.09	-46.03	-46.66	8.17	-35.15
6	12970.31 AV	38.9	68.2	-29.3	-67.38	-67.7	8.17	-56.36
7	19469.93 PK	54.41	74	-19.59	-51.38	-52.79	8.17	-40.85
8	19474.25 AV	43.79	54	-10.21	-62.68	-62.63	8.17	-51.47

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 115

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4340.62 PK	58.41	74	-15.59	-48.42	-47.67	8.17	-36.85
2	4362.5 AV	36.94	54	-17.06	-69.69	-69.32	8.17	-58.32
3	8717.18 PK	59.71	88.2	-28.49	-46.35	-47.14	8.17	-35.55
4	8700 AV	48.42	68.2	-19.78	-55.21	-68.52	8.17	-46.84
5	13064.06 PK	60.39	88.2	-27.81	-45.61	-46.53	8.17	-34.87
6	13068.75 AV	39.39	68.2	-28.81	-66.91	-67.19	8.17	-55.87
7	19574.87 PK	54.29	74	-19.71	-53.98	-50.87	8.17	-40.97
8	19559.06 AV	43.42	54	-10.58	-63.04	-63.01	8.17	-51.84

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 123

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4382.81 PK	58.49	74	-15.51	-46.62	-49.87	8.17	-36.77
2	4360.93 AV	36.84	54	-17.16	-69.56	-69.65	8.17	-58.42
3	8756.25 PK	59.5	88.2	-28.7	-47.62	-46.36	8.17	-35.76
4	8753.12 AV	47.15	68.2	-21.05	-56.61	-67.57	8.17	-48.11
5	13110.93 PK	61.04	88.2	-27.16	-45.88	-44.97	8.17	-34.22
6	13115.62 AV	39.32	68.2	-28.88	-67.05	-67.2	8.17	-55.94
7	19691.31 PK	53.57	74	-20.43	-54.14	-51.89	8.17	-41.69
8	19675.5 AV	41.39	54	-12.61	-64.93	-65.17	8.17	-53.87

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 155

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4482.81 PK	57.96	88.2	-30.24	-48.73	-48.24	8.17	-37.3
2	4482.81 AV	36.86	68.2	-31.34	-69.47	-69.69	8.17	-58.4
3	8959.37 PK	59.28	88.2	-28.92	-47.1	-47.22	8.17	-35.98
4	8967.18 AV	42.02	68.2	-26.18	-62.34	-68.57	8.17	-53.24
5	13443.75 PK	61.11	88.2	-27.09	-45.88	-44.85	8.17	-34.15
6	13468.75 AV	39.29	68.2	-28.91	-67.07	-67.23	8.17	-55.97
7	20188.68 PK	52.74	74	-21.26	-52.86	-54.75	8.17	-42.52
8	20190.12 AV	41.7	54	-12.3	-64.58	-64.9	8.17	-53.56

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 179

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4579.68 PK	58.75	74	-15.25	-48.44	-47.05	8.17	-36.51
2	4562.5 AV	37.27	54	-16.73	-68.85	-69.51	8.17	-57.99
3	9135.93 PK	60.13	74	-13.87	-46.66	-45.98	8.17	-35.13
4	9126.56 AV	40.38	54	-13.62	-64.65	-68.15	8.17	-54.88
5	13679.68 PK	50.7	88.2	-37.5	-54.79	-56.95	8.17	-44.56
6	13689.75 AV	39.69	68.2	-28.51	-66.74	-66.76	8.17	-55.57
7	20542.31 PK	52.09	74	-21.91	-53.66	-55.17	8.17	-43.17
8	20550.93 AV	40.98	54	-13.02	-65.48	-65.45	8.17	-54.28

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 187

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4592.18 PK	58.34	74	-15.66	-47.27	-49.13	8.17	-36.92
2	4589.06 AV	37.66	54	-16.34	-68.5	-69.07	8.17	-57.6
3	9184.37 PK	60.05	74	-13.95	-45.36	-47.74	8.17	-35.21
4	9179.68 AV	39.9	54	-14.1	-65.61	-67.73	8.17	-55.36
5	13774.56 PK	50.26	88.2	-37.94	-56.75	-55.67	8.17	-45
6	13768.81 AV	39.83	68.2	-28.37	-66.75	-66.48	8.17	-55.43
7	20670.25 PK	52.36	74	-21.64	-54.01	-54.15	8.17	-42.9
8	20658.75 AV	41.63	54	-12.37	-64.95	-64.68	8.17	-53.63

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 211

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4681.25 PK	58.26	74	-15.74	-48.16	-48.2	8.17	-37
2	4668.75 AV	38.38	54	-15.62	-67.31	-68.97	8.17	-56.88
3	9342.18 PK	60.45	74	-13.55	-44.86	-47.51	8.17	-34.81
4	9340.62 AV	38.74	54	-15.26	-67.31	-68.14	8.17	-56.52
5	14000.25 PK	50.49	88.2	-37.71	-54.76	-57.61	8.17	-44.77
6	14008.87 AV	40.37	68.2	-27.83	-66.2	-65.94	8.17	-54.89
7	20999.43 PK	52.09	74	-21.91	-53.99	-54.74	8.17	-43.17
8	21005.18 AV	40.94	54	-13.06	-65.63	-65.38	8.17	-54.32

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 227

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4739.06 PK	58.94	74	-15.06	-46.61	-48.61	8.17	-36.32
2	4740.62 AV	37.41	54	-16.59	-69.04	-69.02	8.17	-57.85
3	9453.12 PK	59.96	74	-14.04	-47.29	-45.8	8.17	-35.3
4	9435.93 AV	38.16	54	-15.84	-68.16	-68.41	8.17	-57.1
5	14184.25 PK	51.51	88.2	-36.69	-56.51	-53.78	8.17	-43.75
6	14169.87 AV	40.6	68.2	-27.6	-66.02	-65.67	8.17	-54.66
7	21251 PK	51.86	74	-22.14	-54.6	-54.57	8.17	-43.4
8	21269.68 AV	41.09	54	-12.91	-65.55	-65.15	8.17	-54.17

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7127 PK	58.66	88.2	-29.54	-49	-46.77	8.13	-36.6
2	7125.92 AV	38.29	68.2	-29.91	-68.3	-67.92	8.13	-56.97

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



RU484

Channel 3

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3979.68 PK	57.85	74	-16.15	-48.71	-48.48	8.17	-37.41
2	3979.68 AV	37.01	54	-16.99	-69.51	-69.36	8.17	-58.25
3	7953.12 PK	60.57	88.2	-27.63	-45.17	-46.71	8.17	-34.69
4	7953.12 AV	46.43	68.2	-21.77	-58.22	-63.12	8.17	-48.83
5	11926.56 PK	61.03	74	-12.97	-45.18	-45.66	8.17	-34.23
6	11914.06 AV	39.12	54	-14.88	-67.45	-67.19	8.17	-56.14
7	17897.31 PK	54.7	74	-19.3	-53.74	-50.37	8.17	-40.56
8	17907.37 AV	43.01	54	-10.99	-63.28	-63.59	8.17	-52.25

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5923.27 PK	65.28	88.2	-22.92	-38.8	-46.59	8.15	-29.98
2	5924.3 AV	49.34	68.2	-18.86	-54.85	-61.91	8.15	-45.92

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 43

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4114.06 PK	58.21	74	-15.79	-48.88	-47.66	8.17	-37.05
2	4129.68 AV	36.98	54	-17.02	-69.59	-69.33	8.17	-58.28
3	8206.25 PK	59.14	74	-14.86	-46.51	-48.27	8.17	-36.12
4	8220.31 AV	45.98	54	-8.02	-58.35	-64.71	8.17	-49.28
5	12317.18 PK	61.16	74	-12.84	-45.58	-45	8.17	-34.1
6	12340.62 AV	39.3	54	-14.7	-67.15	-67.14	8.17	-55.96
7	18478.06 PK	53.35	74	-20.65	-53.99	-52.34	8.17	-41.91
8	18512.56 AV	42.04	54	-11.96	-64.13	-64.69	8.17	-53.22

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 91

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4287.5 PK	58.81	74	-15.19	-48.83	-46.69	8.17	-36.45
2	4279.68 AV	36.69	54	-17.31	-69.7	-69.8	8.17	-58.57
3	8540.62 PK	59.79	88.2	-28.41	-45.43	-48.34	8.17	-35.47
4	8540.62 AV	48.94	68.2	-19.26	-54.68	-68.09	8.17	-46.32
5	12817.18 PK	61.12	88.2	-27.08	-44.47	-46.37	8.17	-34.14
6	12810.93 AV	39.77	68.2	-28.43	-66.47	-66.88	8.17	-55.49
7	19216.93 PK	54.69	74	-19.31	-50.51	-53.48	8.17	-40.57
8	19225.56 AV	43.77	54	-10.23	-62.83	-62.51	8.17	-51.49

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 99

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4293.75 PK	58.2	74	-15.8	-48.84	-47.72	8.17	-37.06
2	4312.5 AV	36.87	54	-17.13	-69.52	-69.62	8.17	-58.39
3	8584.37 PK	59.52	88.2	-28.68	-46.64	-47.23	8.17	-35.74
4	8593.75 AV	48.46	68.2	-19.74	-55.17	-68.46	8.17	-46.8
5	12882.81 PK	62.5	88.2	-25.7	-42.32	-46.55	8.17	-32.76
6	12890.62 AV	40.08	68.2	-28.12	-66.01	-66.74	8.17	-55.18
7	19329.06 PK	53.91	74	-20.09	-52.1	-53	8.17	-41.35
8	19319 AV	43.5	54	-10.5	-63.13	-62.76	8.17	-51.76

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 107

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4326.56 PK	58.29	74	-15.71	-47.46	-48.96	8.17	-36.97
2	4332.81 AV	36.83	54	-17.17	-69.51	-69.72	8.17	-58.43
3	8634.37 PK	59.68	88.2	-28.52	-47.43	-46.18	8.17	-35.58
4	8646.87 AV	48.42	68.2	-19.78	-55.23	-68.13	8.17	-46.84
5	12951.56 PK	60.37	88.2	-27.83	-45.69	-46.49	8.17	-34.89
6	12970.31 AV	38.9	68.2	-29.3	-67.29	-67.8	8.17	-56.36

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 115

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4368.75 PK	58.89	74	-15.11	-47.49	-47.61	8.17	-36.37
2	4360.93 AV	36.87	54	-17.13	-69.5	-69.65	8.17	-58.39
3	8717.18 PK	59.71	88.2	-28.49	-46.36	-47.13	8.17	-35.55
4	8700 AV	47.48	68.2	-20.72	-56.2	-68.47	8.17	-47.78
5	13043.75 PK	60.62	88.2	-27.58	-45.52	-46.14	8.17	-34.64
6	13050 AV	39.51	68.2	-28.69	-67	-66.87	8.17	-55.75
7	19557.62 PK	54.18	74	-19.82	-52.28	-52.24	8.17	-41.08
8	19559.06 AV	43.41	54	-10.59	-63.05	-63.02	8.17	-51.85

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 123

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4357.81 PK	58.42	74	-15.58	-47.21	-49.02	8.17	-36.84
2	4362.5 AV	36.82	54	-17.18	-69.79	-69.46	8.17	-58.44
3	8753.12 PK	60.11	88.2	-28.09	-45.6	-47.22	8.17	-35.15
4	8753.12 AV	46.51	68.2	-21.69	-57.32	-67.45	8.17	-48.75
5	13148.43 PK	61.48	88.2	-26.72	-45.61	-44.39	8.17	-33.78
6	13114.06 AV	39.5	68.2	-28.7	-66.77	-67.12	8.17	-55.76
7	19708.56 PK	53.03	74	-20.97	-54.74	-52.4	8.17	-42.23
8	19681.25 AV	41.24	54	-12.76	-65.13	-65.27	8.17	-54.02

Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1

