

# TEST REPORT

**Applicant:** Afimilk Agricultural Cooperative Ltd.

**Address of Applicant:** Afimilk Ltd. Kibbutz Afikim 1514800, Israel

**Manufacturer:** Bynet Testing Systems Ltd.

**Address of Manufacturer:** 28 Yosef Levi Street Kiryat Bialik 2751132 Israel

**Factory:** Afimilk Agricultural Cooperative Ltd.

**Address of Factory:** Afimilk Ltd. Kibbutz Afikim 1514800, Israel

**Equipment Under Test (EUT)**

Product Name: Afi2Go Wand

Model No.: AWPB100000

Trade Mark: Afimilk®

**FCC ID:** JER-AFI2GOWAND

**Applicable standards:** FCC CFR Title 47 Part 15 Subpart C

**Date of sample receipt:** April 18, 2025

**Date of Test:** April 18, 2025-May 15, 2025

**Date of report issued:** May 15, 2025

**Test Result :** PASS

\* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:




**Robinson Luo**  
**Laboratory Manager**

This results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

## 2 Version

| <b>Version No.</b> | <b>Date</b>  | <b>Description</b> |
|--------------------|--------------|--------------------|
| 00                 | May 15, 2025 | Original           |
|                    |              |                    |
|                    |              |                    |
|                    |              |                    |
|                    |              |                    |

**Prepared By:**




**Date:**

May 15, 2025

**Project Engineer**

**Check By:**



**Date:**

May 15, 2025

**Reviewer**

### 3 Contents

|                                          | Page |
|------------------------------------------|------|
| 1 COVER PAGE .....                       | 1    |
| 2 VERSION .....                          | 2    |
| 3 CONTENTS .....                         | 3    |
| 4 TEST SUMMARY .....                     | 4    |
| 4.1 MEASUREMENT UNCERTAINTY .....        | 4    |
| 5 GENERAL INFORMATION .....              | 5    |
| 5.1 GENERAL DESCRIPTION OF EUT .....     | 5    |
| 5.2 TEST MODE .....                      | 6    |
| 5.3 TEST FACILITY .....                  | 6    |
| 5.4 TEST LOCATION.....                   | 6    |
| 5.5 DESCRIPTION OF SUPPORT UNITS .....   | 6    |
| 6 TEST INSTRUMENTS LIST .....            | 7    |
| 7 TEST RESULTS AND MEASUREMENT DATA..... | 9    |
| 7.1 ANTENNA REQUIREMENT: .....           | 9    |
| 7.2 RADIATED EMISSION .....              | 10   |
| 7.3 OCCUPIED BANDWIDTH.....              | 15   |
| 8 TEST SETUP PHOTO .....                 | 16   |
| 9 EUT CONSTRUCTIONAL DETAILS .....       | 16   |

## 4 Test Summary

| Test Item                        | Section in CFR 47 | Result |
|----------------------------------|-------------------|--------|
| Antenna Requirement              | 15.203            | Pass   |
| AC Power Line Conducted Emission | 15.207            | N/A    |
| Radiated Emission                | 15.209            | Pass   |
| 20dB Emission Bandwidth          | 15.215            | Pass   |

Remark:

1. Pass: The EUT complies with the essential requirements in the standard.
2. N/A: Not applicable.

### 4.1 Measurement Uncertainty

| Test Item                        | Frequency Range | Measurement Uncertainty | Notes |
|----------------------------------|-----------------|-------------------------|-------|
| Radiated Emission                | 9kHz-30MHz      | 3.1dB                   | (1)   |
| Radiated Emission                | 30MHz-200MHz    | 3.8039dB                | (1)   |
| Radiated Emission                | 200MHz-1GHz     | 3.9679dB                | (1)   |
| Radiated Emission                | 1GHz-18GHz      | 4.29dB                  | (1)   |
| AC Power Line Conducted Emission | 0.15MHz ~ 30MHz | 3.44dB                  | (1)   |

Note (1): The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

## 5 General Information

### 5.1 General Description of EUT

|                      |                                |
|----------------------|--------------------------------|
| Product Name:        | Afi2Go Wand                    |
| Model No.:           | AWPB100000                     |
| S/N:                 | T2-004, T2-005                 |
| Test sample(s) ID:   | GTS2025040393-1                |
| Sample(s) Status     | Engineered sample              |
| Operation Frequency: | 134.2kHz                       |
| Channel Number:      | 1                              |
| Modulation:          | ASK                            |
| Antenna type:        | PCB Antenna                    |
| Antenna gain:        | 0dBi(declare by applicant)     |
| Power supply:        | DC 6V(4*1.5V Size“AA” Battery) |

Remark:

1. Antenna gain information provided by the customer
2. The relevant information of the sample is provided by the entrusting company, and the laboratory is not responsible for its authenticity.

## 5.2 Test mode

|                  |                                            |
|------------------|--------------------------------------------|
| Transmitter mode | Keep the EUT in continuously transmitting. |
|------------------|--------------------------------------------|

## 5.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **FCC—Registration No.: 381383**

Designation Number: CN5029

Global United Technology Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in files.

- **ISED—Registration No.: 9079A**

CAB identifier: CN0091

The 3m Semianechoic chamber of Global United Technology Services Co., Ltd. has been registered by Certification and Engineering Bureau of ISED for radio equipment testing

- **NVLAP (LAB CODE:600179-0)**

Global United Technology Services Co., Ltd., is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP).

## 5.4 Test Location

All tests were performed at:

Global United Technology Services Co., Ltd.

Address: No. 123-128, Tower A, Jinyuan Business Building, No.2, Laodong Industrial Zone, Xixiang Road, Baoan District, Shenzhen, Guangdong, China 518102

Tel: 0755-27798480

Fax: 0755-27798960

## 5.5 Description of Support Units

None.

## 6 Test Instruments list

| Radiated Emission: |                                     |                                |                       |               |                     |                         |
|--------------------|-------------------------------------|--------------------------------|-----------------------|---------------|---------------------|-------------------------|
| Item               | Test Equipment                      | Manufacturer                   | Model No.             | Inventory No. | Cal.Date (mm-dd-yy) | Cal.Due date (mm-dd-yy) |
| 1                  | 3m Semi- Anechoic Chamber           | ZhongYu Electron               | 9.2(L)*6.2(W)* 6.4(H) | GTS250        | Apr. 11, 2025       | Apr. 10, 2026           |
| 2                  | Control Room                        | ZhongYu Electron               | 6.2(L)*2.5(W)* 2.4(H) | GTS251        | N/A                 | N/A                     |
| 3                  | EMI Test Receiver                   | Rohde & Schwarz                | ESU26                 | GTS203        | Apr. 12, 2025       | Apr. 11, 2026           |
| 4                  | BiConiLog Antenna                   | SCHWARZBECK<br>MESS-ELEKTRONIK | VULB9168              | GTS640        | Apr. 12, 2025       | Apr. 11, 2026           |
| 5                  | Double -ridged waveguide horn       | SCHWARZBECK<br>MESS-ELEKTRONIK | BBHA 9120 D           | GTS208        | Apr. 11, 2025       | Apr. 10, 2026           |
| 6                  | Wideband Radio Communication Tester | Rohde & Schwarz                | CMW500                | GTS575        | Jul. 02, 2024       | Jul. 01, 2025           |
| 7                  | Loop Antenna                        | ZHINAN                         | ZN30900A              | GTS534        | Nov.16, 2024        | Nov.15, 2025            |
| 8                  | Broadband Preamplifier              | SCHWARZBECK                    | BBV9718               | GTS535        | Apr. 11, 2025       | Apr. 10, 2026           |
| 9                  | Amplifier(1GHz-26.5GHz)             | HP                             | 8449B                 | GTS601        | Apr. 11, 2025       | Apr. 10, 2026           |
| 10                 | Horn Antenna (18GH-40GHz)           | Schwarzbeck                    | BBHA 9170             | GTS691        | Apr. 11, 2025       | Apr. 10, 2026           |
| 11                 | FSV·Signal Analyzer (10Hz-40GHz)    | Keysight                       | FSV-40-N              | GTS666        | Mar. 11, 2025       | Mar. 10, 2026           |
| 12                 | Amplifier                           | /                              | LNA-1000-30S          | GTS650        | Apr. 11, 2025       | Apr. 10, 2026           |
| 13                 | CDNE M2+M3-16A                      | HCT                            | 30MHz-300MHz          | GTS692        | Nov. 13, 2024       | Nov. 12, 2025           |
| 14                 | Wideband Amplifier                  | /                              | WDA-01004000-15P35    | GTS602        | Apr. 11, 2025       | Apr. 10, 2026           |
| 15                 | Thermo meter                        | JINCHUANG                      | GSP-8A                | GTS643        | Apr. 15, 2025       | Apr. 14, 2026           |
| 16                 | RE cable 1                          | GTS                            | N/A                   | GTS675        | Jul. 02, 2024       | Jul. 01, 2025           |
| 17                 | RE cable 2                          | GTS                            | N/A                   | GTS676        | Jul. 02, 2024       | Jul. 01, 2025           |
| 18                 | RE cable 3                          | GTS                            | N/A                   | GTS677        | Jul. 02, 2024       | Jul. 01, 2025           |
| 19                 | RE cable 4                          | GTS                            | N/A                   | GTS678        | Jul. 02, 2024       | Jul. 01, 2025           |
| 20                 | RE cable 5                          | GTS                            | N/A                   | GTS679        | Jul. 02, 2024       | Jul. 01, 2025           |
| 21                 | RE cable 6                          | GTS                            | N/A                   | GTS680        | Jul. 02, 2024       | Jul. 01, 2025           |
| 22                 | RE cable 7                          | GTS                            | N/A                   | GTS681        | Jul. 05, 2024       | Jul. 04, 2025           |
| 23                 | RE cable 8                          | GTS                            | N/A                   | GTS682        | Jul. 05, 2024       | Jul. 04, 2025           |
| 24                 | EMI Test Software                   | AUDIX                          | E3-6.100614a          | GTS725        | N/A                 | N/A                     |

| RF Conducted Test: |                                                |              |                  |            |                     |                         |
|--------------------|------------------------------------------------|--------------|------------------|------------|---------------------|-------------------------|
| Item               | Test Equipment                                 | Manufacturer | Model No.        | Serial No. | Cal.Date (mm-dd-yy) | Cal.Due date (mm-dd-yy) |
| 1                  | MXA Signal Analyzer                            | Agilent      | N9020A           | GTS566     | Apr. 11, 2025       | Apr. 10, 2026           |
| 2                  | EMI Test Receiver                              | R&S          | ESCI 7           | GTS552     | Apr. 12, 2025       | Apr. 11, 2026           |
| 3                  | PSA Series Spectrum Analyzer                   | Agilent      | E4440A           | GTS536     | Apr. 11, 2025       | Apr. 10, 2026           |
| 4                  | MXG vector Signal Generator                    | Agilent      | N5182A           | GTS567     | Apr. 11, 2025       | Apr. 10, 2026           |
| 5                  | ESG Analog Signal Generator                    | Agilent      | E4428C           | GTS568     | Apr. 11, 2025       | Apr. 10, 2026           |
| 6                  | Wideband Power Meter                           | Keysight     | N1924A           | GTS673     | Apr. 11, 2025       | Apr. 10, 2026           |
| 7                  | USB RF Power Sensor                            | DARE         | RPR3006W         | GTS569     | Apr. 11, 2025       | Apr. 10, 2026           |
| 8                  | RF Switch Box                                  | Shongyi      | RFSW3003328      | GTS571     | Apr. 11, 2025       | Apr. 10, 2026           |
| 9                  | Programmable Constant Temp & Humi Test Chamber | WEWON        | WHTH-150L-40-880 | GTS572     | Apr. 11, 2025       | Apr. 10, 2026           |
| 10                 | Thermo meter                                   | JINCHUANG    | GSP-8A           | GTS641     | Apr. 15, 2025       | Apr. 14, 2026           |
| 11                 | EXA Signal Analyzer                            | Keysight     | N9010B           | MY60241168 | Nov. 02, 2024       | Nov. 01, 2025           |


| General used equipment: |                |              |           |               |                     |                         |
|-------------------------|----------------|--------------|-----------|---------------|---------------------|-------------------------|
| Item                    | Test Equipment | Manufacturer | Model No. | Inventory No. | Cal.Date (mm-dd-yy) | Cal.Due date (mm-dd-yy) |
| 1                       | Barometer      | KUMAO        | SF132     | GTS647        | Aug. 17, 2024       | Aug. 16, 2025           |


## 7 Test results and Measurement Data

### 7.1 Antenna requirement:

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| <b>Standard requirement:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                     | FCC Part15 C Section 15.203 |
| <b>15.203 requirement:</b><br>An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. |                             |
| <b>E.U.T Antenna:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                             |
| The antenna is PCB antenna, reference to the appendix II for details                                                                                                                                                                                                                                                                                                                                                                                                             |                             |

## 7.2 Radiated Emission


| Test Requirement:     | FCC Part15.209                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                   |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------------------------|--------|------------------|-----------------|-----------------------------------|-------------------------------|-------------|-------------|-----|-------------|--------------|----|------------|----|----|-------|-------|---|--------|-------|---|---------|-------|---|-----------|-----|---|
| Test Method:          | ANSI C63.10: 2013 & ANSI C63.4: 2014                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                   |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| Test Frequency Range: | 9KHz to 1000MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                   |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| Test site:            | Measurement Distance: 3m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                   |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| Receiver setup:       | Frequency                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Detector                          | RBW                           | VBW    | Remark           |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
|                       | 9kHz-150kHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Quasi-peak                        | 200Hz                         | 300Hz  | Quasi-peak Value |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
|                       | 150kHz-30MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Quasi-peak                        | 9kHz                          | 10kHz  | Quasi-peak Value |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
|                       | 30MHz-1GHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Quasi-peak                        | 120KHz                        | 300KHz | Quasi-peak Value |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| FCC Limit:            | <table><tr><th>Frequency (MHz)</th><th>Field strength (microvolts/meter)</th><th>Measurement distance (meters)</th></tr><tr><td>0.009-0.490</td><td>2400/F(kHz)</td><td>300</td></tr><tr><td>0.490-1.705</td><td>24000/F(kHz)</td><td>30</td></tr><tr><td>1.705-30.0</td><td>30</td><td>30</td></tr><tr><td>30-88</td><td>100**</td><td>3</td></tr><tr><td>88-216</td><td>150**</td><td>3</td></tr><tr><td>216-960</td><td>200**</td><td>3</td></tr><tr><td>Above 960</td><td>500</td><td>3</td></tr></table> |                                   |                               |        |                  | Frequency (MHz) | Field strength (microvolts/meter) | Measurement distance (meters) | 0.009-0.490 | 2400/F(kHz) | 300 | 0.490-1.705 | 24000/F(kHz) | 30 | 1.705-30.0 | 30 | 30 | 30-88 | 100** | 3 | 88-216 | 150** | 3 | 216-960 | 200** | 3 | Above 960 | 500 | 3 |
|                       | Frequency (MHz)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Field strength (microvolts/meter) | Measurement distance (meters) |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| 0.009-0.490           | 2400/F(kHz)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 300                               |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| 0.490-1.705           | 24000/F(kHz)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 30                                |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| 1.705-30.0            | 30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 30                                |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| 30-88                 | 100**                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 3                                 |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| 88-216                | 150**                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 3                                 |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| 216-960               | 200**                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 3                                 |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| Above 960             | 500                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3                                 |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
|                       | <p>The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.</p>                                                                                                                                                                                                           |                                   |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
| Test setup:           | Below 30MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                   |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
|                       |                                                                                                                                                                                                                                                                                                                                                                                                                           |                                   |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |
|                       | Above 30MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                   |                               |        |                  |                 |                                   |                               |             |             |     |             |              |    |            |    |    |       |       |   |        |       |   |         |       |   |           |     |   |

|                   |                                                                                    |       |         |     |         |          |
|-------------------|------------------------------------------------------------------------------------|-------|---------|-----|---------|----------|
|                   |  |       |         |     |         |          |
| Test Instruments: | Refer to section 6.0 for details                                                   |       |         |     |         |          |
| Test mode:        | Refer to section 5.2 for details                                                   |       |         |     |         |          |
| Test results:     | Pass                                                                               |       |         |     |         |          |
| Test environment: | Temp.:                                                                             | 25 °C | Humid.: | 52% | Press.: | 1012mbar |
| Test voltage:     | DC 6V                                                                              |       |         |     |         |          |
| Test results:     | Pass                                                                               |       |         |     |         |          |

Measurement data:

■ 9kHz~30MHz


Test data Coaxial and Coplanar polarity all have been tested, only worse case Coaxial polarity is reported.




| Freq<br>MHz | Reading<br>level<br>dBuV | Antenna<br>factor<br>dB/m | Cable<br>loss<br>dB | Preamp<br>factor<br>dB | level<br>dBuV/m | Limit<br>level<br>dBuV/m | Over<br>limit<br>dB | Remark |
|-------------|--------------------------|---------------------------|---------------------|------------------------|-----------------|--------------------------|---------------------|--------|
| 0.134       | 64.67                    | 19.72                     | 0.19                | 0.00                   | 84.58           | 105.06                   | -20.48              | Peak   |

■ 30MHz~1GHz


Horizontal:



Vertical:




### 7.3 Occupied Bandwidth

|                   |                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | FCC Part15.215                                                                                                                                                                                                                                                                                                                                                                                       |
| Test Method:      | ANSI C63.10:2013                                                                                                                                                                                                                                                                                                                                                                                     |
| Limit:            | N/A                                                                                                                                                                                                                                                                                                                                                                                                  |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1. According to the follow Test-setup, keep the relative position between the artificial antenna and the EUT.</li> <li>2. Set the EUT to proper test channel.</li> <li>3. Max hold the radiated emissions, mark the peak power frequency point and the -20dB upper and lower frequency points.</li> <li>4. Read 20dB bandwidth &amp; 99%bandwidth.</li> </ol> |
| Test setup:       |  <p>The diagram illustrates the test setup. A Spectrum Analyzer is connected to an E.U.T. (Equipment Under Test) via a red cable. Both the Spectrum Analyzer and the E.U.T. are positioned on a Non-Conducted Table. This table is placed on a Ground Reference Plane.</p>                                        |
| Test Instruments: | Refer to section 6.0 for details                                                                                                                                                                                                                                                                                                                                                                     |
| Test mode:        | Refer to section 5.2 for details                                                                                                                                                                                                                                                                                                                                                                     |
| Test results:     | Pass                                                                                                                                                                                                                                                                                                                                                                                                 |

## Measurement Data

| Test frequency(kHz) | 20dB bandwidth(Hz) | Result |
|---------------------|--------------------|--------|
| 134.2               | 778.445            | Pass   |

## Test plot as follows:



## 8 Test Setup Photo

Reference to the **appendix I** for details.

## 9 EUT Constructional Details

Reference to the **appendix II** for details.

----- End -----