REVISIONS				
ECN #	REV.	DESCRIPTION	DATE	APPROVED
	A	PRODUCTION RELEASE	10/1/03	TM
361	B	FCC ID# WAS JIAXTM1	11/5/03	TM



FRONT



BACK

NOTES U.O.S.:
MATERIAL DESIGNATION: 48 ga PET / 98 ga WOPP / .00030 Foil / 1.75 mil PE
FILM SPECIFICATIONS:
48 ga PET, .00048 In., 10.36 lb / ream, +/- 10% Adhesive .0001 In., 1.71 lb / ream, -10% + 25%
98 ga White OPP, .00098 In., 14.74 lb / ream, +/- 10% Adhesive .0001 In., 1.7 lb / ream, -10% + 25%
Aluminum Foil, .00030 In., 12.63 lb / ream,, +/- 10% Adhesive .0001 In., 1.7 lb / ream, -10% + 25%
Peelable Film, .00175 In., 25.2 lb / ream +/- 10% Typical Values: 3.81, 68.14 lb / ream, +/- 10%
Yeild: 6,350 square inches per pound +/- 10%
MOISTURE BARRIER: MVTR = TYPICAL .006 / 100 sq. Inches / 24 Hours / 90 TO 100% R.H. / 100 Degrees F
OXYGEN TRANSMISSION: < 0.01 cc / 100 sq. Inches / 24 Hours / 75 Degrees F / 75% R.H.
PRINTING:
FONT: NEW TIMES ROMAN, 10 PT; (MAIN BODY OF TEXT)
CENTURY GOTHIC, 13 PT; (DO NOT OPEN WARNING)
COLOR: BLACK

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MINI MITTER CO., INC. AND REPRESENTS A PROPRIETARY ARTICLE IN WHICH MINI MITTER RETAINS ANY AND ALL PATENT RIGHTS, INCLUDING EXCLUSIVE RIGHTS OF USE AND/OR MANUFACTURE, AND/OR SALE. POSSESSION OF THIS PRINT DOES NOT CONVEY ANY PERMISSION TO REPRODUCE PRINT OR MANUFACTURE ARTICLE(S) SHOWN HEREIN. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MINI MITTER IS PROHIBITED. SPECIFICATION CANNOT BE CHANGED WITHOUT THE APPROVAL OF MINI MITTER.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
TWO PLACE DECIMAL ± 0.050"
ONE PLACE DECIMAL ± 0.100"
ANGULAR: MACH ± 0.5 DEG
BEND: ±

MATERIAL: --

FINISH: --

	NAME	DATE
DRAWN	Tom Meyer	3/20/03
CHECKED		
ENG APPR.	Florian Bell	Engineering Release

COMMENTS: DO NOT SCALE DRAWING

MINI MITTER CO., INC,
20300 Empire Avenue, Bldg. B-3
Bend, OR 97701

TITLE: PACKAGING ENVELOPE, INNER, CAPSULE SENSOR

SIZE B | DWG. NO. 018-0252-00 | REV B

SCALE: 1:1 | USED ON VitalSense | SHEET 1 OF 1