

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.9GHz

GFSK

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2315.66	52.01	14.91	37.10	74.00	-21.99	347	326	Peak	Horizontal	
2 *	2402.00	102.66	65.29	37.37	74.00	28.66	347	326	Peak	Horizontal	
3	2562.87	54.31	16.43	37.88	74.00	-19.69	347	326	Peak	Horizontal	

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.06	52.18	14.05	37.33	74.00	-21.82	396	360	Peak	Vertical	
2 *	2402.00	101.30	63.93	37.37	74.00	27.30	396	360	Peak	Vertical	
3	2880.18	53.79	15.57	38.22	74.00	-20.21	396	360	Peak	Vertical	

GFSK

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg		
1	2389.53	39.44	2.11	37.33	54.00	-14.56		347	326	Average	Horizontal
2 *	2402.00	102.25	64.88	37.37	54.00	48.25		347	326	Average	Horizontal
3	2840.17	40.95	2.92	38.03	54.00	-13.05		347	326	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg		
1	2383.87	39.34	2.02	37.32	54.00	-14.66		396	360	Average	Vertical
2 *	2402.00	100.86	63.49	37.37	54.00	46.86		396	360	Average	Vertical
3	2860.94	41.00	2.88	38.12	54.00	-13.00		396	360	Average	Vertical

GFSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2316.14	51.17	14.07	37.10	74.00	-22.83	132	175	Peak	Horizontal
2 *	2488.16	100.12	62.56	37.56	74.00	26.12	132	175	Peak	Horizontal
3	2678.51	54.10	16.28	37.82	74.00	-19.90	132	175	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2324.16	51.77	14.64	37.13	74.00	-22.23	370	360	Peak	Vertical
2 *	2488.00	99.79	62.23	37.56	74.00	25.79	370	360	Peak	Vertical
3	2682.17	53.51	15.69	37.82	74.00	-20.49	370	360	Peak	Vertical

GFSK


High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




8DPSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg		
1	2361.09	52.10	14.86	37.24	74.00	-21.90	346	326	Peak	Horizontal	
2 *	2402.00	104.58	67.21	37.37	74.00	30.58	346	326	Peak	Horizontal	
3	2850.44	54.06	15.99	38.07	74.00	-19.94	346	326	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg		
1	2382.81	52.26	14.95	37.31	74.00	-21.74	396	354	Peak	Vertical	
2 *	2402.00	102.46	65.09	37.37	74.00	28.46	396	354	Peak	Vertical	
3	2806.43	54.14	16.21	37.93	74.00	-19.86	396	354	Peak	Vertical	

8DPSK


Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

GFSK

High Channel 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.02	78.84	4.46	74.38	122.94	-44.10	100	290 QP	vertical		
2	0.05	66.38	0.56	65.82	114.17	-47.79	100	262 QP	vertical		
3	0.07	61.58	-0.80	62.38	110.72	-49.14	100	112 QP	vertical		
4	0.09	58.34	-1.84	60.18	108.30	-49.96	100	352 QP	vertical		
5	0.11	56.07	-2.32	58.39	106.39	-50.32	100	335 QP	vertical		
6	0.13	54.12	-3.35	57.47	105.28	-51.16	100	308 QP	vertical		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.52	59.33	12.83	46.50	73.33	-14.00	100	102 QP	vertical		
2	3.53	50.35	12.08	38.27	69.50	-19.15	100	346 QP	vertical		
3	6.32	50.98	12.63	38.35	69.50	-18.52	100	328 QP	vertical		
4	13.79	50.18	12.60	37.58	69.50	-19.32	100	70 QP	vertical		
5	20.65	48.95	12.82	36.13	69.50	-20.55	100	253 QP	vertical		
6	28.18	49.15	13.66	35.49	69.50	-20.35	100	143 QP	vertical		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

GFSK

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	162.58	21.46	28.81	-7.35	43.50	-22.04	336	360	QP	horizontal		
2	285.02	32.61	39.36	-6.75	46.00	-13.39	100	327	QP	horizontal		
3	320.03	37.09	43.20	-6.11	46.00	-8.91	100	327	QP	horizontal		
4	573.10	28.78	30.57	-1.79	46.00	-17.22	200	103	QP	horizontal		
5	658.75	29.96	30.53	-0.57	46.00	-16.04	400	219	QP	horizontal		
6	800.00	35.89	34.20	1.69	46.00	-10.11	200	200	QP	horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	44.74	21.72	29.26	-7.54	40.00	-18.28	100	308	QP	vertical		
2	172.11	21.52	28.95	-7.43	43.50	-21.98	300	285	QP	vertical		
3	423.53	25.50	29.68	-4.18	46.00	-20.50	200	267	QP	vertical		
4	637.90	28.78	29.47	-0.69	46.00	-17.22	211	0	QP	vertical		
5	750.52	31.02	29.90	1.12	46.00	-14.98	205	0	QP	vertical		
6	796.88	31.83	30.17	1.66	46.00	-14.17	300	165	QP	vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


GFSK

Low Channel (Horizontal)



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3683.00	44.48	56.53	-12.05	74.00	-29.52	300	313	Peak	horizontal	
2	4894.00	49.65	59.85	-10.20	54.00	-4.35	100	322	Average	horizontal	
3	4894.00	52.68	62.88	-10.20	74.00	-21.32	100	322	Peak	horizontal	
4	7206.00	53.76	61.41	-7.65	54.00	-0.24	100	297	Average	horizontal	
5	7206.00	58.31	65.96	-7.65	74.00	-15.69	100	297	Peak	horizontal	
6	9608.00	42.57	47.86	-5.29	54.00	-11.43	391	0	Average	horizontal	
7	9608.00	51.50	56.79	-5.29	74.00	-22.50	391	0	Peak	horizontal	

Low Channel (Vertical)




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3683.00	43.24	55.29	-12.05	74.00	-30.76	400	360	Peak	vertical	
2	4894.00	44.86	55.06	-10.20	74.00	-29.14	111	32	Peak	vertical	
3	7206.00	53.03	60.68	-7.65	54.00	-0.97	243	322	Average	vertical	
4	7206.00	57.43	65.08	-7.65	74.00	-16.57	243	322	Peak	vertical	
5	9608.00	52.89	58.18	-5.29	54.00	-1.11	100	300	Average	vertical	
6	9608.00	60.05	65.34	-5.29	74.00	-13.95	100	300	Peak	vertical	
7	12010.00	41.96	42.73	-0.77	54.00	-12.04	109	282	Average	vertical	
8	12010.00	52.72	53.49	-0.77	74.00	-21.28	109	282	Peak	vertical	

GFSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3661.00	43.77	55.51	-11.74	74.00	-30.23	480	138	Peak	horizontal	
2	4882.00	48.57	58.63	-10.06	54.00	-5.43	182	318	Average	horizontal	
3	4882.00	51.94	62.00	-10.06	74.00	-22.06	182	318	Peak	horizontal	
4	7323.00	52.91	60.70	-7.79	54.00	-1.09	109	295	Average	horizontal	
5	7323.00	57.34	65.13	-7.79	74.00	-16.66	109	295	Peak	horizontal	
6	9764.00	42.86	47.02	-4.96	54.00	-11.94	364	355	Average	horizontal	
7	9764.00	51.39	56.35	-4.96	74.00	-22.61	364	355	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3661.00	42.29	54.03	-11.74	74.00	-31.71	375	368	Peak	vertical	
2	4882.00	45.44	55.50	-10.06	74.00	-28.56	300	330	Peak	vertical	
3	7323.00	51.45	59.24	-7.79	54.00	-2.55	114	302	Average	vertical	
4	7323.00	56.04	63.83	-7.79	74.00	-17.96	114	302	Peak	vertical	
5	9764.00	53.80	58.76	-4.96	54.00	-0.20	105	296	Average	vertical	
6	9764.00	60.71	65.67	-4.96	74.00	-13.29	105	296	Peak	vertical	
7	12205.00	41.16	41.59	-0.43	54.00	-12.84	114	282	Average	vertical	
8	12205.00	51.71	52.14	-0.43	74.00	-22.29	114	282	Peak	vertical	

GFSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3720.00	42.66	54.33	-11.67	74.00	-31.34	180	389	Peak	horizontal	
2	4960.00	47.56	57.32	-9.76	74.00	-26.44	280	321	Peak	horizontal	
3	7440.00	52.06	59.78	-7.72	54.00	-1.94	114	295	Average	horizontal	
4	7440.00	56.84	64.56	-7.72	74.00	-17.16	114	295	Peak	horizontal	
5	9920.00	43.25	47.93	-4.68	54.00	-10.75	375	0	Average	horizontal Non-RB	
6	9920.00	52.80	56.68	-4.68	74.00	-22.00	375	0	Peak	horizontal Non-RB	

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3719.00	42.53	54.20	-11.67	74.00	-31.47	480	360	Peak	vertical	
2	4960.00	46.21	55.97	-9.76	74.00	-27.79	180	180	Peak	vertical	
3	7440.00	51.25	58.97	-7.72	54.00	-2.75	112	300	Average	vertical	
4	7440.00	55.94	63.66	-7.72	74.00	-18.06	112	300	Peak	vertical	
5	9920.00	54.43	59.11	-4.68	79.37	-24.94	112	297	Average	vertical	Non_RB
6	9920.00	61.32	66.00	-4.68	79.37	-18.47	112	297	Peak	vertical	Non_RB
7	12400.00	47.82	47.99	-0.17	74.00	-26.18	239	0	Peak	vertical	

8DPSK
Low Channel (Horizontal)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3683.00	44.28	56.33	-12.05	74.00	-29.72	395	368	Peak	horizontal
2	4894.00	47.13	57.33	-10.20	54.00	-6.87	184	318	Average	horizontal
3	4894.00	54.38	64.58	-10.20	74.00	-19.62	104	318	Peak	horizontal
4	7206.00	51.88	59.53	-7.65	54.00	-2.12	107	298	Average	horizontal
5	7206.00	58.92	66.57	-7.65	74.00	-15.08	107	298	Peak	horizontal
6	9608.00	42.95	48.24	-5.29	54.00	-11.05	186	193	Average	horizontal
7	9608.00	52.66	57.95	-5.29	74.00	-21.34	186	193	Peak	horizontal


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3683.00	43.28	55.33	-12.05	74.00	-30.72	400	25	Peak	vertical
2	4894.00	46.06	56.26	-10.20	74.00	-27.94	351	360	Peak	vertical
3	7206.00	50.86	58.51	-7.65	54.00	-3.14	300	310	Average	vertical
4	7206.00	57.99	65.64	-7.65	74.00	-16.01	300	310	Peak	vertical
5	9608.00	53.10	58.39	-5.29	54.00	-0.90	112	298	Average	vertical
6	9608.00	61.61	66.90	-5.29	74.00	-12.39	112	298	Peak	vertical
7	12010.00	40.85	41.62	-0.77	54.00	-13.15	118	278	Average	vertical
8	12010.00	52.42	53.19	-0.77	74.00	-21.58	118	278	Peak	vertical

8DPSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3661.00	43.25	54.99	-11.74	74.00	-30.75	490	139	Peak	horizontal	
2	4882.00	48.66	58.72	-10.06	54.00	-5.34	189	296	Average	horizontal	
3	4882.00	55.68	65.74	-10.06	74.00	-18.32	109	296	Peak	horizontal	
4	7323.00	50.82	58.61	-7.79	54.00	-3.18	111	295	Average	horizontal	
5	7323.00	57.93	65.72	-7.79	74.00	-16.07	111	295	Peak	horizontal	
6	9764.00	42.48	47.44	-4.96	54.00	-11.52	364	347	Average	horizontal	
7	9764.00	52.42	57.38	-4.96	74.00	-21.58	364	347	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3661.00	42.23	53.97	-11.74	74.00	-31.77	300	360	Peak	vertical	
2	4882.00	45.26	55.32	-10.06	74.00	-28.74	300	176	Peak	vertical	
3	7323.00	49.75	57.54	-7.79	54.00	-4.25	114	299	Average	vertical	
4	7323.00	57.04	64.83	-7.79	74.00	-16.96	114	299	Peak	vertical	
5	9764.00	53.93	58.89	-4.96	54.00	-0.07	113	297	Average	vertical	
6	9764.00	62.74	67.70	-4.96	74.00	-11.26	113	297	Peak	vertical	
7	12205.00	40.09	40.52	-0.43	54.00	-13.91	116	303	Average	vertical	
8	12205.00	51.54	51.97	-0.43	74.00	-22.46	116	303	Peak	vertical	

8DPSK

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3720.00	44.50	56.17	-11.67	74.00	-29.50	100	307	Peak	horizontal
2	4960.00	46.37	56.13	-9.76	54.00	-7.63	100	318	Average	horizontal
3	4960.00	54.27	64.03	-9.76	74.00	-19.73	100	318	Peak	horizontal
4	7440.00	49.66	57.38	-7.72	54.00	-4.34	114	293	Average	horizontal
5	7440.00	56.98	64.70	-7.72	74.00	-17.02	114	293	Peak	horizontal
6	9920.00	43.42	48.10	-4.68	54.00	-10.58	324	351	Average	horizontal
7	9920.00	53.12	57.00	-4.68	74.00	-20.88	324	351	Peak	horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	3720.00	43.40	55.07	-11.67	74.00	-30.60	126	65	Peak	vertical
2	4960.00	47.84	57.60	-9.76	74.00	-26.16	300	212	Peak	vertical
3	7440.00	49.38	57.10	-7.72	54.00	-4.62	111	300	Average	vertical
4	7440.00	56.76	64.48	-7.72	74.00	-17.24	111	300	Peak	vertical
5	9920.00	53.95	58.63	-4.68	54.00	-0.05	100	300	Average	vertical
6	9920.00	62.85	67.53	-4.68	74.00	-11.15	100	300	Peak	vertical
7	12400.00	39.33	39.50	-0.17	54.00	-14.67	114	310	Average	vertical
8	12400.00	51.73	51.90	-0.17	74.00	-22.27	114	310	Peak	vertical

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

	Read	Factor	Level	Over		
Freq	Level			Limit	Remark	Poi/Phase
MHz	dBuV	dB	dBuV	dB		Note
1	0.182	36.07	10.11	46.18	-18.21 QP	line1
2	0.182	15.35	10.11	25.46	-28.93 Average	line1
3	0.206	34.74	10.11	44.85	-18.52 QP	line1
4	0.206	13.41	10.11	23.52	-29.85 Average	line1
5	0.370	22.26	10.12	32.38	-26.12 QP	line1
6	0.370	13.85	10.12	23.97	-24.53 Average	line1
7	1.314	11.90	10.15	22.05	-33.95 QP	line1
8	1.314	3.66	10.15	13.81	-32.19 Average	line1
9	7.693	13.01	10.31	23.32	-36.68 QP	line1
10	7.693	2.91	10.31	13.22	-36.78 Average	line1
11	19.141	10.24	10.54	20.78	-39.22 QP	line1
12	19.141	0.77	10.54	11.31	-38.69 Average	line1



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Read	Factor	Level	Over		
Freq	Level			Limit	Remark	Poi/Phase
MHz	dBuV	dB	dBuV	dB		Note
1	0.162	35.91	10.11	46.02	-19.34 QP	neutral
2	0.162	22.17	10.11	32.28	-23.08 Average	neutral
3	0.202	31.48	10.11	41.59	-21.94 QP	neutral
4	0.202	10.98	10.11	21.09	-32.44 Average	neutral
5	0.370	32.37	10.11	42.48	-16.02 QP	neutral
6	0.370	26.87	10.11	36.98	-11.52 Average	neutral
7	4.102	11.46	10.20	21.66	-34.34 QP	neutral
8	4.102	4.79	10.20	14.99	-31.01 Average	neutral
9	7.598	13.07	10.30	24.17	-35.83 QP	neutral
10	7.598	4.52	10.30	14.82	-35.18 Average	neutral
11	18.693	8.38	10.55	18.93	-41.07 QP	neutral
12	18.693	1.00	10.55	11.55	-38.45 Average	neutral