

RF EXPOSURE REPORT

REPORT NO.: SA990810E03

MODEL NO.: A-R0002

FCC ID: JNZAR0002

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT : LOGITECH FAR EAST LTD.

ADDRESS : #2 Creation Rd. 4, Science-Based Ind. Park
Hsinchu Taiwan, R.O.C.

ISSUED BY: Bureau Veritas Consumer Products Services
(H.K.) Ltd., Taoyuan Branch

LAB ADDRESS : No. 81-1, Lu Liao Keng, 9th Ling, Wu Lung Tsuen,
Chiung Lin Hsiang, Hsin Chu Hsien 307, Taiwan

No SAR Evaluation Required if power is below the following threshold:

Tunable Range		60/f SAR Limitation (mW)
F(GHz) Low	F(GHz) High	
2.405	2.477	24.22

Maximum measured transmitter power:

Pout Conducted (dBm)	Pout Conducted (mW)	Maximum Antenna Gain (dBi)	Pout EIRP (mW)
-0.3	0.9	7.7	5.50

Threshold for no SAR evaluation is 24.22 mW

Maximum TX Power is 0.9 mW Conducted and 5.50 mW EIRP

Conclusion: No SAR evaluation required since maximum Transmitter Pout (both conducted and EIRP) is below FCC threshold