




Japan

[11n(HT20)]
W53 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W53_11n(HT20)_Tx_ch:Low

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 23.8[°C] 35.3[%]
Note1 : CH:52 5260MHz
Note2 :



Final Result

No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W53 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1035
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT20)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum,Atm : 23.0[°C] 35.8[%]
 Note1 : ch:52_5260MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]
1	10520.000	H	46.4	10.9	57.3	68.2	10.9	134.0	171.0

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT20)]
W53 / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W53_11n(HT20)_Tx_ch:Mid

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 23.8[°C] 35.3[%]
Note1 : CH:56 5280MHz
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11n(HT20)]
W53 / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W53_11n(HT20)_Tx_Middle

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum,Atm : 23.0[°C] 35.8[%]
Note1 : ch:56_5280MHz
Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10560.000	H	45.2	11.0	56.2	68.2	12.0	177.0	129.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT20)]
W53 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W53_11n(HT20)_Tx_ch:High

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 23.8[°C] 35.3[%]
Note1 : CH:64 5320MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W53 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1035
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT20)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum,Atm : 23.0[°C] 35.8[%]
 Note1 : ch:64_5320MHz
 Note2 :

[dB(μV/m)]



<FCC E_GHz(Peak_Only)_3m>
 Limit(PK)
 <06_GHz_Tx_W53_11n(HT20)_High>
 Peak level(H,PK)
 Peak level(V,PK)
 Emission level(H,PK)
 妨害レベル(H,CAV)

Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	10640.000	H	45.5	33.1	11.2	56.7	44.3	74.0	17.3	9.7	171.0	250.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT20)_Tx_ch:Low

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 23.8[°C] 35.3[%]
Note1 : CH:100 5500MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1035
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT20)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum,Atm : 23.0[°C] 35.8[%]
 Note1 : ch:100_5500MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	5469.900	H	53.5	-----	11.3	64.8	-----	68.2	3.4	-----	197.0	86.0	
2	5464.700	V	50.4	-----	11.3	61.7	-----	68.2	6.5	-----	195.0	326.0	
3	11000.000	H	44.2	32.5	11.9	56.1	44.4	74.0	17.9	9.6	147.0	45.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT20)]
W56 / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT20)_Tx_ch:Mid

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 23.8[°C] 35.3[%]
Note1 : CH:116 5580MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1035
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT20)_Tx_Middle

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum,Atm : 23.0[°C] 35.8[%]
 Note1 : ch:116_5580MHz
 Note2 :

[dB(μV/m)]



<FCC E_GHz(Peak_Only)_3m>
 Limit(PK)
 <08_GHz_Tx_W56_11n(HT20)_Mid>
 Peak level(H,PK)
 Peak level(V,PK)
 Emission level(H,PK)
 妨害レベル(H,CAV)

Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	11160.000	H	45.1	32.9	12.0	57.1	44.9	74.0	16.9	9.1	139.0	161.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1035
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT20)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 24.1[°C] 36.1[%]
 Note1 : CH:140 5700MHz
 Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11n(HT20)]
W56 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT20)_Tx.High

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum,Atm : 23.0[°C] 35.8[%]
Note1 : ch:140_5700MHz
Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	11400.000	H	45.1	33.3	12.1	57.2	45.4	74.0	16.8	8.6	130.0	116.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT40)]
W52 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W52_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 24.1[°C] 36.1[%]
Note1 : CH:38 5190MHz
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11n(HT40)]
W52 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W52_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum,Atm : 23.0[°C] 35.8[%]
Note1 : ch:38_5190MHz
Note2 :



Final Result

No.	Frequency	(P)	Reading	c. f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]		PK [dB(μV)]	[dB(1/m)]	PK [dB(μV/m)]	PK [dB(μV/m)]	PK [dB]	[cm]	[°]	
1	10380.000	H	45.4	10.7	56.1	68.2	12.1	120.0	194.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT40)]
W52 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W52_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 24.1[°C] 36.1[%]
Note1 : CH:46 5230MHz
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11n(HT40)]
W52 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W52_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart C
Operator : T.Watanabe
Temp,Hum,Atm : 22.0[°C] 36.9[%]
Note1 : ch:46_5230MHz
Note2 :

[dB(μV/m)]



<FCC E_GHz(Peak_Only)_3m>
Limit(PK)
<02_GHz_Tx_W52_11n(HT40)_High>
Peak level(H,PK)
Peak level(V,PK)
Emission level(H,PK)

Final Result

No.	Frequency	(P)	Reading	c. f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]		PK [dB(μV)]	[dB(1/m)]	PK [dB(μV/m)]	PK [dB(μV/m)]	PK [dB]	[cm]	[°]	
1	10460.000	H	44.5	10.8	55.3	68.2	12.9	149.0	292.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT40)]
W53 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W53_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 24.1[°C] 36.1[%]
Note1 : CH:54 5270MHz
Note2 :

[dB(μ V/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB (1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1035
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum,Atm : 22.0[°C] 36.9[%]
 Note1 : ch:54_5270MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10540.000	H	45.0	11.0	56.0	68.2	12.2	159.0	152.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT40)]
W53 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W53_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 24.1[°C] 36.1[%]
Note1 : CH:62 5310MHz
Note2 :

[dB(μV/m)]



<FCC B.3m>
Limit(QP)
<11_MHz_Tx_W53_11n(HT40)_High>
Peak level(H,PK)
Peak level(V,PK)

Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1035
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum,Atm : 22.0[°C] 36.9[%]
 Note1 : ch:62_5310MHz
 Note2 :

[dB(μV/m)]



<FCC E GHz(Peak Only) 3m>
 Limit(PK)
 <04_GHz_Tx_W53_11n(HT40)_High>
 Peak level(H,PK)
 Peak level(V,PK)
 Emission level(H,PK)
 妨害レベル(H,CAV)

Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	10620.000	H	44.8	33.0	11.2	56.0	44.2	74.0	18.0	9.8	160.0	269.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT40)]
W56 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 24.1[°C] 36.1[%]
Note1 : CH:102 5510MHz
Note2 :

[dB(μV/m)]



<FCC B_3m>
Limit(QP)
<12_MHz_Tx_W56_11n(HT40)_Low>
Peak level(H,PK)
Peak level(V,PK)

Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1035
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum,Atm : 22.0[°C] 36.9[%]
 Note1 : ch:102_5510MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	5467.900	H	56.3	-----	11.3	67.6	-----	68.2	0.6	-----	114.0	96.0	
2	5469.700	V	50.7	-----	11.3	62.0	-----	68.2	6.2	-----	106.0	207.0	
3	11020.000	H	45.4	33.0	11.9	57.3	44.9	74.0	16.7	9.1	141.0	93.0	

Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT40)]
W56 / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT40)_Tx_ch:Mid

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 24.1[°C] 36.1[%]
Note1 : CH:110 5550MHz
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

[11n(HT40)]
W56 / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz W56_11n(HT40)_Tx.Middle

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum,Atm : 22.0[°C] 36.9[%]
Note1 : ch:110_5550MHz
Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	11100.000	H	44.0	32.9	11.9	55.9	44.8	74.0	18.1	9.2	117.0	168.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11n(HT40)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 24.1[°C] 36.1[%]
Note1 : CH:134 5670MHz
Note2 :

[dB(μV/m)]



<FCC B_3m>
Limit(QP)
<14_MHz_Tx_W56_11n(HT40)_High>
Peak level(H,PK)
Peak level(V,PK)

Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1035
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum,Atm : 22.0[°C] 36.9[%]
Note1 : ch:134_5670MHz
Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading CAV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result CAV [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Margin CAV [dB]	Height [cm]	Angle [°]	Remark
1	11340.000	H	44.8	35.3	12.2	57.0	47.5	74.0	17.0	6.5	100.0	93.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.