




Japan

[11n(HT40)]
W52 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W52_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum : 22.5[°C] 36.7[%]
Note1 : CH:38 5190MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W52 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W52_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 23.7[°C] 39.7[%]
 Note1 : ch:38_5190MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10380.000	H	46.0	11.2	57.2	68.2	11.0	100.0	248.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W52 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : N/A
 Test mode : 5GHz_W52_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpartE
 Operator : C.Kanno
 Temp,Hum : 22.5[°C] 36.7[%]
 Note1 : CH:46 5230MHz
 Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W52 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W52_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 23.7[°C] 39.7[%]
 Note1 : ch:46_5230MHz
 Note2 :



Final Result

No.	Frequency (P)	Reading	c. f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]	PK [dB(μV)]	[dB(1/m)]	PK [dB(μV/m)]	PK [dB(μV/m)]	PK [dB]	[cm]	[°]	
1	10460.000	H 44.8	11.4	56.2	68.2	12.0	100.0	265.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpartE
 Operator : C.Kanno
 Temp,Hum : 22.5[°C] 36.7[%]
 Note1 : CH:54 5270MHz
 Note2 :



Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W53_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:54_5270MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10540.000	H	45.8	11.5	57.3	68.2	10.9	100.0	262.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W53_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum : 22.5[°C] 36.7[%]
Note1 : CH:62 5310MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W53_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:62_5310MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	10620.000	H	45.6	30.6	11.7	57.3	42.3	74.0	54.0	16.7	11.7	100.0	259.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum : 22.5[°C] 36.7[%]
Note1 : CH:102 5510MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W56_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:102_5510MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f. [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5467.650	H	50.3		11.8	62.1		68.2	54.0	6.1		100.0	257.0	
2	5467.980	V	49.2		11.8	61.0		68.2	54.0	7.2		100.0	16.0	
3	11020.000	H	45.2	30.0	12.3	57.5	42.3	74.0	54.0	16.5	11.7	100.0	261.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT40)_Tx_ch:Mid

Standard : FCC Part.15 subpartE
 Operator : C.Kanno
 Temp,Hum : 22.5[°C] 36.7[%]
 Note1 : CH:110 5550MHz
 Note2 :



Final Result

No.	Frequency (P) [MHz]	c.f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	------------------	----------------	--------------	--------


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W56_11n(HT40)_Tx_Mid

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:110_5550MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11100.000	H	45.5	30.6	12.3	57.8	42.9	74.0	54.0	16.2	11.1	100.0	264.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum : 22.5[°C] 36.7[%]
Note1 : CH:134 5670MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W56_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:134_5670MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11340.000	H	45.3	30.4	12.4	57.7	42.8	74.0	54.0	16.3	11.2	100.0	263.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum : 22.5[°C] 36.7[%]
Note1 : CH:142 5710MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W56_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:142_5710MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11420.000	H	45.0	30.5	12.5	57.5	43.0	74.0	54.0	16.5	11.0	100.0	263.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W58 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : N/A
 Test mode : 5GHz_W58_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpartE
 Operator : C.Kanno
 Temp,Hum : 22.5[°C] 36.7[%]
 Note1 : CH:151 5755MHz
 Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W58 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W58_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:151_5755MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f. [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5647.447	H	49.2		11.9	61.1		68.2	54.0	7.1		100.0	259.0	
2	5643.738	V	49.8		11.9	61.7		68.2	54.0	6.5		100.0	54.0	
3	11510.000	H	45.8	30.7	12.5	58.3	43.2	74.0	54.0	15.7	10.8	100.0	268.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W58 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W58_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum : 22.5[°C] 36.7[%]
Note1 : CH:159 5795MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W58 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : 359178870020360
Test mode : WLAN_W58_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
Operator : T.Seino
Temp,Hum,Atm : 22.7[°C] 42.8[%]
Note1 : ch:159_5795MHz
Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11590.000	H	45.6	30.5	12.5	58.1	43.0	74.0	54.0	15.9	11.0	100.0	250.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11ac(VHT80)]
W52
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W52_11ac(VHT80)_Tx

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum : 22.1[°C] 41.6[%]
Note1 : CH:42 5210MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11ac(VHT80)]
W52
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W52_11ac(VHT80)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:42_5210MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10420.000	H	45.3	11.3	56.6	68.2	11.6	100.0	262.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11ac(VHT80)]
W53
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W53_11ac(VHT80)_Tx

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum : 22.1[°C] 41.6[%]
Note1 : CH:58 5290MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11ac(VHT80)]
W53
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W53_11ac(VHT80)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:58_5290MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10580.000	H	45.1	11.6	56.7	68.2	11.5	100.0	274.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11ac(VHT80)]
W56 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W56_11ac(VHT80)_Tx_ch:Low

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum : 22.1[°C] 41.6[%]
Note1 : CH:106 5530MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11ac(VHT80)]
W56 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W56_11ac(VHT80)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:106_5530MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5463.710	H	50.4		11.8	62.2		68.2	54.0	6.0		100.0	267.0	
2	5464.430	V	50.3		11.8	62.1		68.2	54.0	6.1		100.0	14.0	
3	11060.000	H	45.5	30.5	12.3	57.8	42.8	74.0	54.0	16.2	11.2	100.0	264.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11ac(VHT80)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : N/A
 Test mode : 5GHz_W56_11ac(VHT80)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum : 22.1[°C] 41.6[%]
 Note1 : CH:122 5610MHz
 Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11ac(VHT80)]
W56 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : 359178870020360
Test mode : WLAN_W56_11ac(VHT80)_Tx_High

Standard : FCC Part.15 subpart E
Operator : T.Seino
Temp,Hum,Atm : 22.7[°C] 42.8[%]
Note1 : ch:122_5610MHz
Note2 :



Final Result

No.	Frequency (P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11220.000	H	45.5	30.9	12.4	57.9	43.3	74.0	54.0	16.1	10.7	100.0	262.0

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11ac(VHT80)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W56_11ac(VHT80)_Tx_ch:High

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum : 22.1[°C] 41.6[%]
Note1 : CH:138 5690MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11ac(VHT80)]
W56 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W56_11ac(HT80)_Tx

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:138_5690MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11380.000	H	45.1	30.6	12.5	57.6	43.1	74.0	54.0	16.4	10.9	100.0	265.0	

Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

[11ac(VHT80)]
W58
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W58_11ac(VHT80)_Tx

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum : 22.1[°C] 41.6[%]
Note1 : CH:155 5775MHz
Note2 :



Final Result

No.	Frequency (P)	c. f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11ac(VHT80)]
W58
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1084
 Serial No. : 359178870020360
 Test mode : WLAN_W58_11ac(VHT80)_Tx

Standard : FCC Part.15 subpart E
 Operator : T.Seino
 Temp,Hum,Atm : 22.7[°C] 42.8[%]
 Note1 : ch:155_5775MHz
 Note2 :



Final Result


No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f. [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5645.770	H	49.1		11.9	61.0		68.2	54.0	7.2		100.0	269.0	
2	5646.390	V	49.0		11.9	60.9		68.2	54.0	7.3		100.0	48.0	
3	11550.000	H	45.8	30.9	12.5	58.3	43.4	74.0	54.0	15.7	10.6	100.0	271.0	

Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

Receive mode

W52 / Channel Low
BELOW 1GHz



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**W52 / Channel Low
ABOVE 1GHz**

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : WLAN_W52_11a_Rx_Low

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum,Atm : 22.6[°C] 42.6[%]
Note1 : ch:36_5180MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

- Note:
1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**W53 / Channel High
BELOW 1GHz**

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W53_Rx_ch:High

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum : 22.5[°C] 36.7[%]
Note1 : CH:64 5320MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**W53 / Channel High
ABOVE 1GHz**

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : WLAN_W53_11a_Rx_High

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum,Atm : 22.6[°C] 42.6[%]
Note1 : ch:64_5320MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**W56 / Channel Low
BELOW 1GHz**

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W56_Rx_Low

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum,Atm : 22.3[°C] 35.8[%]
Note1 : Ch:100_5500MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**W56 / Channel Low
ABOVE 1GHz**

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : WLAN_W56_11a_Rx_Low

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum,Atm : 22.6[°C] 42.6[%]
Note1 : ch:100_5500MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




Japan

**W56 / Channel High
BELOW 1GHz**

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W56_Rx_High

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum,Atm : 22.3[°C] 35.8[%]
Note1 : Ch:144_5720MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**W56 / Channel High
ABOVE 1GHz**

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : WLAN_W56_11a_Rx_High

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum,Atm : 22.6[°C] 42.6[%]
Note1 : ch:144_5720MHz
Note2 :

**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

W58 / Channel Low BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W58_Rx_Low

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum,Atm : 22.3[°C] 35.8[%]
Note1 : Ch:149_5745MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.




Japan

**W58 / Channel Low
ABOVE 1GHz**

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : WLAN_W58_11a_Rx_Low

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum,Atm : 22.6[°C] 42.6[%]
Note1 : ch:149_5745MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

W58 / Channel High BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : 5GHz_W58_Rx_High

Standard : FCC Part.15 subpartE
Operator : C.Kanno
Temp,Hum,Atm : 22.3[°C] 35.8[%]
Note1 : Ch:165_5825MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

**W58 / Channel High
ABOVE 1GHz**

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : WLAN_W58_11a_Rx_High

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum,Atm : 22.6[°C] 42.6[%]
Note1 : ch:165.5825MHz
Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.