


[11n(HT20)]**5.6 GHz Band / Channel High
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT20)_Tx_ch:High
 [dB(μV/m)]

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:144 5720MHz
 Note2 :

**Final Result**

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]

**5.6 GHz Band / Channel High
ABOVE 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W56_11n(HT20)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 68.1[%]
 Note1 : ch:144_5720MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P) Reading PK	Reading AV	c, f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height [cm]	Angle [°]	Remark
1	11440.000	II 45.5	33.6	12.5	58.0	46.1	74.0	54.0	16.0	7.9	100.0	237.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]**5.8 GHz Band / Channel Low
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11n(HT20)_W58_Tx_ch:Low
 [dB(μ V/m)]

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Illum : 22.2[°C] 64.9[%]
 Note1 : CH:149 5745MHz
 Note2 :


**Final Result**

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	--------------	--------

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]

**5.8 GHz Band / Channel Low
ABOVE 1GHz**


Final Result

No.	Frequency	(P)	Reading	Reading	c. f	Result	Result	Limit	Limit	Margin	Margin	Height	Angle	Remark
	[MHz]		PK	AV		PK	AV	PK	AV	PK	AV	[cm]	[°]	
1	5627.400	H	49.3	-----	11.8	61.1	-----	68.2	54.0	7.1	-----	100.0	337.0	
2	5630.000	V	49.2	-----	11.9	61.1	-----	68.2	54.0	7.1	-----	100.0	337.0	
3	11490.000	H	46.4	32.2	12.5	58.9	44.7	74.0	54.0	15.1	9.3	100.0	258.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
5.8 GHz Band / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11n(HT20)_W58_Tx_ch:Mid

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:157 5785MHz
 Note2 :

**Final Result**

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	--------------	--------


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]**5.8 GHz Band / Channel Middle
ABOVE 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W58_11n(HT20)_Tx_Mid

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 63.2[%]
 Note1 : ch:157_5785MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P) PK	Reading dB(μV)	Reading dB(μV)	c, f	Result dB(1/m)	Result dB(μV/m)	Result dB(μV/m)	Limit PK	Limit AV	Margin PK	Margin AV	Height [cm]	Angle [°]	Remark
1	11570.000	H	47.2	32.8	12.5	59.7	45.3	74.0	54.0	14.3	8.7	100.0	253.0		


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]**5.8 GHz Band / Channel High
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11n(HT20)_W58_Tx_ch:High

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp, Hum : 22.2[°C] 64.9[%]
 Note1 : CH:165 5825MHz
 Note2 :

**Final Result**

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]

5.8 GHz Band / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W58_11n(HT20)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 63.2[%]
 Note1 : ch:165_5825MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P) Reading PK	Reading AV	c, f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height [cm]	Angle [°]	Remark
1	11650.000	H 46.4	32.6	12.5	58.9	45.1	74.0	54.0	15.1	8.9	100.0	253.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]**5.2 GHz Band / Channel Low
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W52_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:38 5190MHz
 Note2 :

**Final Result**

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]

**5.2 GHz Band / Channel Low
ABOVE 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W52_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 21.4[°C] 70.6[%]
 Note1 : ch:38_5190MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P) H	Reading PK [dB(μV)]	c. f. 11.2	Result PK [dB(1/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10380.000		46.0		57.2	68.2	11.0	100.0	252.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]**5.2 GHz Band / Channel High
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W52_11n(HT40)_Tx_ch:High
 [dB(μ V/m)]

Standard : FCC Part.15 subpartC
 Operator : T.Watanabe
 Temp, Hum : 23.3[°C] 65.1[%]
 Note1 : CH:46 5230MHz
 Note2 :

**Final Result**

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]

**5.2 GHz Band / Channel High
ABOVE 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W52_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 21.4[°C] 70.6[%]
 Note1 : ch:46_5230MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P) H	Reading PK [dB(μV)]	c. f 11.4	Result PK [dB(1/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10460.000		46.0		57.4	68.2	10.8	100.0	245.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]**5.3 GHz Band / Channel Low
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp, Hum : 23.3[°C] 65.1[%]
 Note1 : CH:54 5270MHz
 Note2 :

**Final Result**

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]

**5.3 GHz Band / Channel Low
ABOVE 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W53_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 21.4[°C] 70.6[%]
 Note1 : ch:54_5270MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P) H	Reading PK [dB(μV)]	c. f 11.5	Result PK [dB(1/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10540.000		45.7	11.5	57.2	68.2	11.0	100.0	260.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]**5.3 GHz Band / Channel High
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT40)_Tx_ch:High
 [dB(μV/m)]

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp, Hum : 23.3[°C] 65.1[%]
 Note1 : CH:62 5310MHz
 Note2 :

**Final Result**

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	--------------	--------

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]**5.3 GHz Band / Channel High
ABOVE 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W53_11n(HT40)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 21.4[°C] 70.6[%]
 Note1 : ch:62_5310MHz
 Note2 :

[dB(μV/m)]



Final Result

No.	Frequency [MHz]	(P) PK	Reading [dB(μV)]	Reading [dB(μV)]	c. f.	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height [cm]	Angle [°]	Remark
1	10620.000	H	45.2	33.6	11.7	56.9	45.3	74.0	54.0	17.1	8.7	100.0	252.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]**5.6 GHz Band / Channel Low
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp, Hum : 23.3[°C] 65.1[%]
 Note1 : CH:102 5510MHz
 Note2 :

**Final Result**

No.	Frequency (P) [MHz]	c. f [dB(1/m)]	Height [cm]	Angle [°]	Remark
-----	------------------------	-------------------	----------------	--------------	--------

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.