

[Processing Gain for Channel 6]

2430.55	19.3	16.4	0.9	2.0	-59.0	<=8.0
2430.60	19.2	16.4	0.8	2.0	-59.1	<=8.0
2430.65	19.1	16.4	0.7	2.0	-59.2	<=8.0
2430.70	18.7	16.4	0.3	2.0	-59.6	<=8.0
2430.75	18.6	16.4	0.2	2.0	-59.7	<=8.0
2430.80	18.3	16.4	-0.1	2.0	-60.0	<=8.0
2430.85	17.9	16.4	-0.5	2.0	-61.4	<=8.0
2430.90	17.7	16.4	-0.7	2.0	-60.6	<=8.0
2430.95	17.4	16.4	-1.0	2.0	-60.9	<=8.0
2431.00	17.4	16.4	-1.0	2.0	-60.9	<=8.0
2431.05	17.0	16.4	-1.4	2.0	-61.3	<=8.0
2431.10	16.6	16.4	-1.8	2.0	-61.7	<=8.0
2431.15	16.7	16.4	-1.7	2.0	-61.6	<=8.0
2431.20	16.5	16.4	-1.9	2.0	-61.8	<=8.0
2431.25	19.8	16.4	-1.6	2.0	-61.5	<=8.0
2431.30	16.7	16.4	-1.7	2.0	-61.6	<=8.0
2431.35	16.5	16.4	-1.9	2.0	-61.8	<=8.0
2431.40	16.1	16.4	-2.3	2.0	-62.2	<=8.0
2431.45	16.3	16.4	-2.1	2.0	-62.0	<=8.0
2431.50	16.2	16.4	-2.2	2.0	-62.1	<=8.0
2431.55	16.0	16.4	-2.4	2.0	-62.3	<=8.0
2431.60	15.8	16.4	-2.6	2.0	-62.5	<=8.0
2431.65	15.4	16.4	-3.0	2.0	-62.9	<=8.0
2431.70	15.3	16.4	-3.1	2.0	-63.0	<=8.0
2431.75	15.3	16.4	-3.1	2.0	-63.0	<=8.0
2431.80	14.7	16.4	-3.7	2.0	-63.6	<=8.0
2431.85	14.6	16.4	-3.8	2.0	-63.7	<=8.0
2431.90	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2431.95	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2432.00	14.3	16.4	-4.1	2.0	-64.0	<=8.0
2432.05	14.4	16.4	-4.0	2.0	-63.9	<=8.0
2432.10	14.7	16.4	-3.7	2.0	-63.6	<=8.0
2432.15	14.7	16.4	-3.7	2.0	-63.6	<=8.0
2432.20	14.7	16.4	-3.7	2.0	-63.6	<=8.0
2432.25	14.7	16.4	-3.7	2.0	-63.6	<=8.0
2432.30	14.6	16.4	-3.8	2.0	-63.7	<=8.0
2432.35	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2432.40	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2432.45	14.4	16.4	-4.0	2.0	-63.9	<=8.0
2432.50	14.8	16.4	-3.6	2.0	-63.5	<=8.0
2432.55	14.6	16.4	-3.8	2.0	-63.7	<=8.0
2432.60	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2432.65	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2432.70	14.4	16.4	-4.0	2.0	-63.9	<=8.0
2432.75	14.4	16.4	-4.0	2.0	-63.9	<=8.0
2432.80	14.3	16.4	-4.1	2.0	-64.0	<=8.0

[Processing Gain for Channel 6]

2432.85	14.2	16.4	-4.2	2.0	-64.1	<=8.0
2432.90	13.7	16.4	-4.7	2.0	-64.6	<=8.0
2432.95	14.1	16.4	-4.3	2.0	-64.2	<=8.0
2433.00	14.0	16.4	-4.4	2.0	-64.3	<=8.0
2433.05	14.0	16.4	-4.4	2.0	-64.3	<=8.0
2433.10	13.9	16.4	-4.5	2.0	-64.4	<=8.0
2433.15	13.9	16.4	-4.5	2.0	-64.4	<=8.0
2433.20	13.8	16.4	-4.6	2.0	-64.5	<=8.0
2433.25	13.8	16.4	-4.6	2.0	-64.5	<=8.0
2433.30	13.8	16.4	-4.6	2.0	-64.5	<=8.0
2433.35	13.8	16.4	-4.6	2.0	-64.5	<=8.0
2433.40	13.6	16.4	-4.8	2.0	-64.7	<=8.0
2433.45	13.4	16.4	-5.0	2.0	-64.9	<=8.0
2433.50	13.4	16.4	-5.0	2.0	-64.9	<=8.0
2433.55	13.7	16.4	-4.7	2.0	-64.6	<=8.0
2433.60	13.5	16.4	-4.9	2.0	-64.8	<=8.0
2433.65	13.2	16.4	-5.2	2.0	-65.1	<=8.0
2433.70	13.2	16.4	-5.2	2.0	-65.1	<=8.0
2433.75	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2433.80	13.4	16.4	-5.0	2.0	-64.9	<=8.0
2433.85	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2433.90	12.7	16.4	-5.7	2.0	-65.6	<=8.0
2433.95	13.2	16.4	-5.2	2.0	-65.1	<=8.0
2434.00	13.2	16.4	-5.2	2.0	-65.1	<=8.0
2434.05	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2434.10	13.2	16.4	-5.2	2.0	-65.1	<=8.0
2434.15	13.2	16.4	-5.2	2.0	-65.1	<=8.0
2434.20	13.2	16.4	-5.2	2.0	-65.1	<=8.0
2434.25	13.1	16.4	-5.3	2.0	-65.2	<=8.0
2434.30	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2434.35	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2434.40	12.6	16.4	-5.8	2.0	-65.7	<=8.0
2434.45	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2434.50	13.0	16.4	-5.4	2.0	-65.6	<=8.0
2434.55	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2434.60	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2434.65	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2434.70	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2434.75	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2434.80	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2434.85	12.4	16.4	-6.0	2.0	-65.9	<=8.0
2434.90	12.2	16.4	-6.2	2.0	-66.1	<=8.0
2434.95	12.5	16.4	-5.9	2.0	-65.8	<=8.0
2435.00	12.5	16.4	-5.9	2.0	-65.8	<=8.0
2435.05	12.5	16.4	-5.9	2.0	-65.8	<=8.0
2435.10	12.4	16.4	-6.0	2.0	-65.9	<=8.0

[Processing Gain for Channel 6]

2435.15	12.3	16.4	6.1	2.0	-66.0	<=8.0
2435.20	12.3	16.4	6.1	2.0	-66.0	<=8.0
2435.25	12.5	16.4	5.9	2.0	-65.8	<=8.0
2435.30	12.6	16.4	5.8	2.0	-65.7	<=8.0
2435.35	12.9	16.4	5.5	2.0	-65.4	<=8.0
2435.40	12.8	16.4	5.6	2.0	-65.5	<=8.0
2435.45	13.1	16.4	5.3	2.0	-65.2	<=8.0
2435.50	12.9	16.4	5.5	2.0	-65.4	<=8.0
2435.55	12.9	16.4	5.5	2.0	-65.4	<=8.0
2435.60	12.7	16.4	5.7	2.0	-65.6	<=8.0
2435.65	12.5	16.4	5.9	2.0	-65.8	<=8.0
2435.70	12.8	16.4	5.6	2.0	-65.5	<=8.0
2435.75	12.8	16.4	5.6	2.0	-65.5	<=8.0
2435.80	12.8	16.4	5.6	2.0	-65.5	<=8.0
2435.85	12.8	16.4	5.6	2.0	-65.5	<=8.0
2435.90	12.8	16.4	5.6	2.0	-65.5	<=8.0
2435.95	12.8	16.4	5.6	2.0	-65.5	<=8.0
2436.00	12.8	16.4	5.6	2.0	-65.5	<=8.0
2436.05	12.9	16.4	5.5	2.0	-65.4	<=8.0
2436.10	12.9	16.4	5.5	2.0	-65.4	<=8.0
2436.15	12.9	16.4	5.5	2.0	-65.4	<=8.0
2436.20	12.8	16.4	5.6	2.0	-65.5	<=8.0
2436.25	12.9	16.4	5.5	2.0	-65.4	<=8.0
2436.30	12.8	16.4	5.6	2.0	-65.5	<=8.0
2436.35	12.7	16.4	5.7	2.0	-65.6	<=8.0
2436.40	12.3	16.4	6.1	2.0	-66.0	<=8.0
2436.45	12.8	16.4	5.6	2.0	-65.5	<=8.0
2436.50	13.0	16.4	5.4	2.0	-65.3	<=8.0
2436.55	13.0	16.4	5.4	2.0	-65.3	<=8.0
2436.60	12.3	16.4	6.1	2.0	-66.0	<=8.0
2436.65	12.4	16.4	6.0	2.0	-65.9	<=8.0
2436.70	12.9	16.4	5.5	2.0	-65.4	<=8.0
2436.75	13.0	16.4	5.4	2.0	-65.3	<=8.0
2436.80	13.0	16.4	5.4	2.0	-65.3	<=8.0
2436.85	12.8	16.4	5.6	2.0	-65.5	<=8.0
2436.90	12.7	16.4	5.7	2.0	-65.6	<=8.0
2436.95	12.7	16.4	5.7	2.0	-65.6	<=8.0
2437.00	12.6	16.4	5.8	2.0	-65.7	<=8.0
2437.05	12.4	16.4	6.0	2.0	-65.9	<=8.0
2437.10	12.1	16.4	6.3	2.0	-66.2	<=8.0
2437.15	12.1	16.4	6.3	2.0	-66.2	<=8.0
2437.20	12.5	16.4	5.9	2.0	-65.8	<=8.0
2437.25	12.5	16.4	5.9	2.0	-65.8	<=8.0
2437.30	12.7	16.4	5.7	2.0	-65.6	<=8.0
2437.35	12.9	16.4	5.5	2.0	-65.4	<=8.0
2437.40	13.0	16.4	5.4	2.0	-65.3	<=8.0

[Processing Gain for Channel 6]

2437.45	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2437.50	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2437.55	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2437.60	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2437.65	12.5	16.4	-5.9	2.0	-65.8	<=8.0
2437.70	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2437.75	12.6	16.4	-5.8	2.0	-65.7	<=8.0
2437.80	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2437.85	12.7	16.4	-5.7	2.0	-65.6	<=8.0
2437.90	12.1	16.4	-6.3	2.0	-66.2	<=8.0
2437.95	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2438.00	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2438.05	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2438.10	13.1	16.4	-5.3	2.0	-65.2	<=8.0
2438.15	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2438.20	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2438.25	13.1	16.4	-5.3	2.0	-65.2	<=8.0
2438.30	13.1	16.4	-5.3	2.0	-65.2	<=8.0
2438.35	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2438.40	12.2	16.4	-6.2	2.0	-66.1	<=8.0
2438.45	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2438.50	13.1	16.4	-5.3	2.0	-65.2	<=8.0
2438.55	13.1	16.4	-5.3	2.0	-65.2	<=8.0
2438.60	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2438.65	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2438.70	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2438.75	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2438.80	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2438.85	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2438.90	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2438.95	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2439.00	12.7	16.4	-5.7	2.0	-65.6	<=8.0
2439.05	12.7	16.4	-5.7	2.0	-65.6	<=8.0
2439.10	12.5	16.4	-5.9	2.0	-65.8	<=8.0
2439.15	12.4	16.4	-6.0	2.0	-65.9	<=8.0
2439.20	12.4	16.4	-6.0	2.0	-65.9	<=8.0
2439.25	12.5	16.4	-5.9	2.0	-65.8	<=8.0
2439.30	12.7	16.4	-5.7	2.0	-65.6	<=8.0
2439.35	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2439.40	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2439.45	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2439.50	13.1	16.4	-5.3	2.0	-65.2	<=8.0
2439.55	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2439.60	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2439.65	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2439.70	12.8	16.4	-5.6	2.0	-65.5	<=8.0

[Processing Gain for Channel 6]

2439.75	12.5	16.4	-5.9	2.0	-65.8	<=8.0
2439.80	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2439.85	12.3	16.4	-6.1	2.0	-66.0	<=8.0
2439.90	12.7	16.4	-5.7	2.0	-65.6	<=8.0
2439.95	12.7	16.4	-5.7	2.0	-65.6	<=8.0
2440.00	12.5	16.4	-5.9	2.0	-65.8	<=8.0
2440.05	12.6	16.4	-5.8	2.0	-65.7	<=8.0
2440.10	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2440.15	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2440.20	13.0	16.4	-5.4	2.0	-65.3	<=8.0
2440.25	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2440.30	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2440.35	13.1	16.4	-5.3	2.0	-65.2	<=8.0
2440.40	12.8	16.4	-5.6	2.0	-65.5	<=8.0
2440.45	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2440.50	13.2	16.4	-5.2	2.0	-65.1	<=8.0
2440.55	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2440.60	13.4	16.4	-5.0	2.0	-64.9	<=8.0
2440.65	12.6	16.4	-5.8	2.0	-65.7	<=8.0
2440.70	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2440.75	13.4	16.4	-5.0	2.0	-64.9	<=8.0
2440.80	13.5	16.4	-4.9	2.0	-64.8	<=8.0
2440.85	12.7	16.4	-5.7	2.0	-65.6	<=8.0
2440.90	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2440.95	13.4	16.4	-5.0	2.0	-64.9	<=8.0
2441.00	13.4	16.4	-5.0	2.0	-64.9	<=8.0
2441.05	13.5	16.4	-4.9	2.0	-64.8	<=8.0
2441.10	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2441.15	12.9	16.4	-5.5	2.0	-65.4	<=8.0
2441.20	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2441.25	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2441.30	13.3	16.4	-5.1	2.0	-65.0	<=8.0
2441.35	13.5	16.4	-4.9	2.0	-64.8	<=8.0
2441.40	13.5	16.4	-4.9	2.0	-64.8	<=8.0
2441.45	13.5	16.4	-4.9	2.0	-64.8	<=8.0
2441.50	14.0	16.4	-4.4	2.0	-64.3	<=8.0
2441.55	14.1	16.4	-4.3	2.0	-64.2	<=8.0
2441.60	13.9	16.4	-4.5	2.0	-64.4	<=8.0
2441.65	13.8	16.4	-4.6	2.0	-64.5	<=8.0
2441.70	13.7	16.4	-4.7	2.0	-64.6	<=8.0
2441.75	13.9	16.4	-4.5	2.0	-64.4	<=8.0
2441.80	13.8	16.4	-4.6	2.0	-64.5	<=8.0
2441.85	13.9	16.4	-4.5	2.0	-64.4	<=8.0
2441.90	13.8	16.4	-4.6	2.0	-64.5	<=8.0
2441.95	13.8	16.4	-4.6	2.0	-64.5	<=8.0
2442.00	14.0	16.4	-4.4	2.0	-64.3	<=8.0

[Processing Gain for Channel 6]

2442.05	14.0	16.4	-4.4	2.0	-64.3	<=8.0
2442.10	14.0	16.4	-4.4	2.0	-64.3	<=8.0
2442.15	14.1	16.4	-4.3	2.0	-64.2	<=8.0
2442.20	14.2	16.4	-4.2	2.0	-64.1	<=8.0
2442.25	14.3	16.4	-4.1	2.0	-64.0	<=8.0
2442.30	14.3	16.4	-4.1	2.0	-64.0	<=8.0
2442.35	14.2	16.4	-4.2	2.0	-64.1	<=8.0
2442.40	13.9	16.4	-4.5	2.0	-64.4	<=8.0
2442.45	14.6	16.4	-3.8	2.0	-63.7	<=8.0
2442.50	14.8	16.4	-3.6	2.0	-63.5	<=8.0
2442.55	14.9	16.4	-3.5	2.0	-63.4	<=8.0
2442.60	14.6	16.4	-3.8	2.0	-63.7	<=8.0
2442.65	14.6	16.4	-3.8	2.0	-63.7	<=8.0
2442.70	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2442.75	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2442.80	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2442.85	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2442.90	14.6	16.4	-3.8	2.0	-63.7	<=8.0
2442.95	14.5	16.4	-3.9	2.0	-63.8	<=8.0
2443.00	14.6	16.4	-3.8	2.0	-63.7	<=8.0
2443.05	14.6	16.4	-3.8	2.0	-63.7	<=8.0
2443.10	14.8	16.4	-3.6	2.0	-63.5	<=8.0
2443.15	14.8	16.4	-3.6	2.0	-63.5	<=8.0
2443.20	14.9	16.4	-3.5	2.0	-63.4	<=8.0
2443.25	16.3	16.4	-2.1	2.0	-62.0	<=8.0
2443.30	16.8	16.4	-1.6	2.0	-61.5	<=8.0
2443.35	16.9	16.4	-1.5	2.0	-61.4	<=8.0
2443.40	16.8	16.4	-1.6	2.0	-61.5	<=8.0
2443.45	16.6	16.4	-1.8	2.0	-61.7	<=8.0
2443.50	17.6	16.4	-0.8	2.0	-60.7	<=8.0
2443.55	17.9	16.4	-0.5	2.0	-60.4	<=8.0
2443.60	17.9	16.4	-0.5	2.0	-60.4	<=8.0
2443.65	18.2	16.4	-0.2	2.0	-60.1	<=8.0
2443.70	18.5	16.4	0.1	2.0	-59.8	<=8.0
2443.75	18.5	16.4	0.1	2.0	-59.8	<=8.0
2443.80	18.7	16.4	0.3	2.0	-59.6	<=8.0
2443.85	18.7	16.4	0.3	2.0	-59.6	<=8.0
2443.90	18.1	16.4	-0.3	2.0	-60.2	<=8.0
2443.95	18.8	16.4	0.4	2.0	-59.5	<=8.0
2444.00	19.1	16.4	0.7	2.0	-59.2	<=8.0
2444.05	19.3	16.4	0.9	2.0	-59.0	<=8.0
2444.10	19.4	16.4	1.0	2.0	-58.9	<=8.0
2444.15	19.7	16.4	1.3	2.0	-58.6	<=8.0
2444.20	19.9	16.4	1.5	2.0	-58.4	<=8.0
2444.25	20.4	16.4	2.0	2.0	-57.9	<=8.0
2444.30	20.8	16.4	2.4	2.0	-57.5	<=8.0

[Processing Gain for Channel 6]

2444.35	21.1	16.4	2.7	2.0	-57.2	<=8.0
2444.40	21.1	16.4	2.7	2.0	-57.2	<=8.0
2444.45	21.4	16.4	30.	2.0	-56.9	<=8.0
2444.50	21.8	16.4	3.4	2.0	-56.5	<=8.0
2444.55	22.3	16.4	3.9	2.0	-56.0	<=8.0
2444.60	22.5	16.4	4.1	2.0	-55.8	<=8.0
2444.65	22.4	16.4	4.0	2.0	-55.9	<=8.0
2444.70	22.7	16.4	4.3	2.0	-55.6	<=8.0
2444.75	22.9	16.4	4.5	2.0	-55.4	<=8.0
2444.80	23.4	16.4	5.0	2.0	-54.9	<=8.0
2444.85	23.7	16.4	5.3	2.0	-54.6	<=8.0
2444.90	23.4	16.4	5.0	2.0	-54.9	<=8.0
2444.95	24.2	16.4	5.8	2.0	-54.1	<=8.0
2445.00	24.1	16.4	5.7	2.0	-54.2	<=8.0
2445.05	23.7	16.4	5.3	2.0	-54.6	<=8.0
2445.10	23.4	16.4	5.0	2.0	-54.9	<=8.0
2445.15	23.4	16.4	5.0	2.0	-54.9	<=8.0
2445.20	23.4	16.4	5.0	2.0	-54.9	<=8.0
2445.25	23.7	16.4	5.3	2.0	-54.6	<=8.0
2445.30	24.1	16.4	5.7	2.0	-54.2	<=8.0
2445.35	24.5	16.4	6.1	2.0	-53.8	<=8.0
2445.40	24.4	16.4	6.0	2.0	-53.9	<=8.0
2445.45	24.2	16.4	5.8	2.0	-54.1	<=8.0
2445.50	24.3	16.4	5.9	2.0	-54.0	<=8.0

Test Result : Processing Gain = 12.98dB

$$\begin{aligned} \text{Note : 1. } GP &= (S/No) + M_j + L_{sys} \\ &= 7.9\text{dB} + M_j + 2\text{dB} \end{aligned}$$

2. S = Signal Level

4. J = Signal Generator RF Output

X. List of Test Instruments

Instrument	Model No.	Serial No.	Next Cal. Date	Cal. Interval
HP Spectrum	8591A	3225A03039	May 19, 2002	1 Year
R & S LISN	ESH2-Z5	831886/00A	Jan. 30, 2003	1 Year
Kyoritsu LISN	KNW-242	8-837-7	N/A	N/A
R & S Receiver	ESVS30	863342/012	May 25, 2002	1 Year
Spectrum Analyzer	ROHDE & SCHWARZ	FSP 30 100157	Sep. 15, 2002	1 Year
Anritsu Pre-Amp.	MH648A	M15080	Apr. 10, 2003	1 Year
Schaffner Antenna	CBL6112B (30MHz-2GHz)	2655	Jul. 27, 2002	1 Year
COM-Power Horn Ant.	AH-118	10056	Aug. 24, 2002	1 Year
MITEQ Pre-Amp.	JS4-00101800-2 8-5A	829013	Jul. 25, 2002	1 Year

XI. EUT Photos

MODEL NO. : AWL500 ;













