


802.11ac VHT20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5119.50	44.51	1.45	43.06	54.00	-9.49	113	61	Average	Horizontal	
2 *	5200.00	98.74	55.31	43.43	54.00	44.74	113	61	Average	Horizontal	
3	5380.00	45.01	1.22	43.79	54.00	-8.99	113	61	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	44.79	1.71	43.08	54.00	-9.21	272	346	Average	Vertical	
2 *	5200.00	106.54	63.11	43.43	54.00	52.54	272	346	Average	Vertical	
3	5443.50	45.96	2.10	43.86	54.00	-8.04	272	346	Average	Vertical	


802.11ac VHT20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.50	57.02	13.95	43.07	74.00	-16.98	208	258	Peak	Horizontal	
2 *	5240.00	108.57	65.35	43.22	68.20	40.37	208	258	Peak	Horizontal	
3	5428.50	58.19	14.26	43.93	74.00	-15.81	208	258	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.00	57.61	14.54	43.07	74.00	-16.39	182	314	Peak	Vertical	
2 *	5240.00	116.78	73.56	43.22	68.20	48.58	182	314	Peak	Vertical	
3	5353.00	58.77	15.38	43.39	74.00	-15.23	182	314	Peak	Vertical	

802.11ac VHT20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5131.50	44.64	1.57	43.07	54.00	-9.36	288	258 Average	Horizontal	
2 *	5240.00	99.54	56.32	43.22	54.00	45.54	288	258 Average	Horizontal	
3	5380.50	45.05	1.25	43.80	54.00	-8.95	288	258 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5106.50	45.04	1.09	43.05	54.00	-8.96	182	314 Average	Vertical	
2 *	5240.00	107.69	64.47	43.22	54.00	53.69	182	314 Average	Vertical	
3	5402.00	45.94	1.87	44.07	54.00	-8.06	182	314 Average	Vertical	

802.11ac VHT40

CH 38 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	58.29	15.20	43.09	74.00	-15.71	100	325	Peak	Horizontal	
2 *	5190.00	98.21	54.65	43.56	68.20	30.01	100	325	Peak	Horizontal	
3	5415.00	57.17	13.17	44.00	74.00	-16.83	100	325	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	63.40	20.32	43.08	74.00	-10.60	178	181	Peak	Vertical	
2 *	5190.00	100.69	65.33	43.36	68.20	40.49	178	181	Peak	Vertical	
3	5406.00	57.41	13.36	44.05	74.00	-16.59	178	181	Peak	Vertical	

802.11ac VHT40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5190.00	46.54	3.45	43.09	54.00	-7.46	100	325	Average	Horizontal	
2 *	5190.00	89.36	46.00	43.36	54.00	35.36	100	325	Average	Horizontal	
3	5403.50	45.19	1.13	44.06	54.00	-8.81	100	325	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5190.00	50.95	7.06	43.09	54.00	-3.05	178	181	Average	Vertical	
2 *	5190.00	98.78	55.42	43.36	54.00	44.78	178	181	Average	Vertical	
3	5403.50	45.81	1.77	44.04	54.00	-8.19	178	181	Average	Vertical	

802.11ac VHT40

CH 46 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	57.15	14.06	43.09	74.00	-16.85	212	149	Peak	Horizontal	
2 *	5230.00	110.69	67.42	43.27	68.20	42.49	212	149	Peak	Horizontal	
3	5374.50	57.93	14.23	43.70	74.00	-16.07	212	149	Peak	Horizontal	

CH 46 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	63.98	20.09	43.09	74.00	-10.02	295	265	Peak	Vertical	
2 *	5230.00	116.29	73.02	43.27	68.20	48.09	295	265	Peak	Vertical	
3	5365.00	59.02	15.46	43.56	74.00	-14.98	295	265	Peak	Vertical	

802.11ac VHT40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	46.49	3.40	43.09	54.00	-7.51	212	149	Average	Horizontal	
2 *	5230.00	100.70	57.43	43.27	54.00	46.70	212	149	Average	Horizontal	
3	5415.50	45.29	1.29	44.00	54.00	-8.71	212	149	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	49.06	5.07	43.09	54.00	-4.94	295	265	Average	Vertical	
2 *	5230.00	106.90	63.63	43.27	54.00	52.90	295	265	Average	Vertical	
3	5352.00	46.44	3.07	43.37	54.00	-7.56	295	265	Average	Vertical	


802.11ac VHT80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4972.50	58.05	15.18	42.87	74.00	-15.95	256	308	Peak	Horizontal	
2 *	5210.00	95.19	51.82	43.37	68.20	26.99	256	308	Peak	Horizontal	
3	5443.50	57.12	13.26	43.86	74.00	-16.88	256	308	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	63.98	20.90	43.08	74.00	-10.02	176	316	Peak	Vertical	
2 *	5210.00	104.43	61.06	43.37	68.20	36.23	176	316	Peak	Vertical	
3	5380.50	58.60	14.80	43.80	74.00	-15.40	176	316	Peak	Vertical	

802.11ac VHT80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	45.76	2.67	43.09	54.00	-8.24	256	308	Average	Horizontal	
2 *	5210.00	86.45	43.08	43.37	54.00	32.45	256	308	Average	Horizontal	
3	5424.50	45.79	1.84	43.95	54.00	-8.21	256	308	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	50.88	7.79	43.09	54.00	-3.12	176	316	Average	Vertical	
2 *	5210.00	95.45	52.08	43.37	54.00	41.45	176	316	Average	Vertical	
3	5405.00	46.23	2.17	44.06	54.00	-7.77	176	316	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5585.50	58.02	14.16	43.86	68.20	-10.18	100	343	Peak	Horizontal
2	5685.00	57.66	13.76	43.90	94.13	-36.47	100	343	Peak	Horizontal
3	5716.50	62.10	18.04	44.06	109.82	-47.72	100	343	Peak	Horizontal
4	5724.50	67.85	23.71	44.14	132.58	-64.73	100	343	Peak	Horizontal
5	5745.00	106.57	62.26	44.31	135.00	-28.43	100	343	Peak	Horizontal
6	5855.00	57.91	13.56	44.35	110.00	-52.09	100	343	Peak	Horizontal
7	5855.00	57.91	13.56	44.35	110.00	-52.09	100	343	Peak	Horizontal
8	5901.00	58.48	14.01	44.47	85.92	-27.44	100	343	Peak	Horizontal
9	5996.50	58.85	14.02	44.83	68.20	-9.35	100	343	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5694.00	58.40	14.56	43.84	68.20	-9.80	342	270	Peak	Vertical
2	5674.00	57.83	13.93	43.90	86.00	-28.17	342	270	Peak	Vertical
3	5720.00	68.84	24.75	44.09	110.00	-41.96	342	270	Peak	Vertical
4	5725.00	77.77	33.63	44.14	135.00	-57.23	342	270	Peak	Vertical
5	5745.00	113.50	69.19	44.31	135.00	-21.50	342	270	Peak	Vertical
6	5852.00	59.47	15.14	44.33	125.32	-65.85	342	270	Peak	Vertical
7	5857.50	59.19	14.84	44.35	110.10	-50.91	342	270	Peak	Vertical
8	5913.00	59.27	14.79	44.48	77.05	-17.78	342	270	Peak	Vertical
9	5977.00	58.89	14.20	44.69	68.20	-9.31	342	270	Peak	Vertical

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5569.50	58.92	15.03	43.89	68.20	-9.28	198	359 Peak	Horizontal	
2	5656.50	57.92	14.04	43.88	73.03	-15.11	198	359 Peak	Horizontal	
3	5717.50	58.36	14.29	44.07	110.10	-51.74	198	359 Peak	Horizontal	
4	5724.00	57.75	13.63	44.12	130.16	-72.41	198	359 Peak	Horizontal	
5	5785.00	107.32	63.01	44.31	135.00	-27.68	198	359 Peak	Horizontal	
6	5853.00	58.22	13.07	44.35	120.40	-62.26	198	359 Peak	Horizontal	
7	5866.50	59.39	15.01	44.38	107.58	-48.19	198	359 Peak	Horizontal	
8	5882.00	59.11	14.69	44.42	100.00	-40.89	198	359 Peak	Horizontal	
9	5991.00	60.11	15.32	44.79	68.20	-8.09	198	359 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5536.50	58.84	14.00	43.94	68.20	-9.36	199	302 Peak	Vertical	
2	5685.00	58.98	15.08	43.90	94.13	-35.15	199	302 Peak	Vertical	
3	5708.00	58.67	14.69	43.98	107.44	-48.77	199	302 Peak	Vertical	
4	5724.00	58.28	14.16	44.12	130.16	-71.88	199	302 Peak	Vertical	
5	5785.00	116.81	72.50	44.31	135.00	-18.19	199	302 Peak	Vertical	
6	5854.50	58.12	13.77	44.35	113.22	-55.10	199	302 Peak	Vertical	
7	5867.50	59.40	15.11	44.38	107.30	-47.61	199	302 Peak	Vertical	
8	5901.00	58.74	14.27	44.47	85.92	-27.18	199	302 Peak	Vertical	
9	5982.50	59.26	14.52	44.74	68.20	-8.94	199	302 Peak	Vertical	


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5589.50	57.75	13.72	44.03	68.20	-10.45	197	2 Peak	Horizontal	
2	5673.00	57.59	13.70	43.89	85.26	-27.67	197	2 Peak	Horizontal	
3	5712.00	56.48	12.45	44.03	108.56	-52.08	197	2 Peak	Horizontal	
4	5720.50	56.50	12.41	44.09	113.22	-56.72	197	2 Peak	Horizontal	
5	5825.00	108.33	64.02	44.31	135.00	-26.67	197	2 Peak	Horizontal	
6	5850.00	60.14	15.01	44.33	135.00	-74.86	197	2 Peak	Horizontal	
7	5866.50	58.63	14.25	44.38	107.58	-48.95	197	2 Peak	Horizontal	
8	5878.00	57.93	13.52	44.41	102.97	-45.04	197	2 Peak	Horizontal	
9	5993.00	58.69	13.89	44.80	68.20	-9.51	197	2 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5582.00	58.42	14.56	43.86	68.20	-9.78	319	352 Peak	Vertical	
2	5669.00	59.31	15.42	43.89	82.30	-22.99	319	352 Peak	Vertical	
3	5702.00	59.50	15.56	43.94	105.76	-46.26	319	352 Peak	Vertical	
4	5721.50	57.99	13.89	44.10	118.06	-60.07	319	352 Peak	Vertical	
5	5825.00	114.10	69.79	44.31	135.00	-20.90	319	352 Peak	Vertical	
6	5850.00	63.22	18.69	44.33	135.00	-71.78	319	352 Peak	Vertical	
7	5855.00	59.45	15.10	44.35	110.00	-51.35	319	352 Peak	Vertical	
8	5877.00	59.30	14.90	44.40	103.71	-44.41	319	352 Peak	Vertical	
9	5996.50	59.87	15.04	44.83	68.20	-8.33	319	352 Peak	Vertical	

802.11ac VHT20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5520.50	57.70	13.73	43.97	68.20	-10.50	302	138 Peak	Horizontal	
2	5692.50	58.12	14.21	43.91	99.67	-41.55	302	138 Peak	Horizontal	
3	5719.50	59.76	15.67	44.09	110.66	-50.90	302	138 Peak	Horizontal	
4	5724.50	67.27	23.13	44.14	132.58	-65.31	302	138 Peak	Horizontal	
5	5745.00	107.38	63.07	44.31	135.00	-27.62	302	138 Peak	Horizontal	
6	5854.50	58.22	13.07	44.35	113.22	-55.00	302	138 Peak	Horizontal	
7	5859.50	58.37	14.01	44.36	109.54	-51.17	302	138 Peak	Horizontal	
8	5906.50	58.59	14.11	44.48	81.85	-23.26	302	138 Peak	Horizontal	
9	5947.50	60.07	15.56	44.51	68.20	-8.13	302	138 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5500.50	58.47	14.43	44.04	68.20	-9.73	314	352 Peak	Vertical	
2	5685.50	58.14	14.24	43.90	94.50	-36.36	314	352 Peak	Vertical	
3	5719.50	69.35	25.26	44.09	110.66	-41.31	314	352 Peak	Vertical	
4	5725.00	78.97	34.83	44.14	135.00	-56.03	314	352 Peak	Vertical	
5	5745.00	116.06	71.75	44.31	135.00	-18.94	314	352 Peak	Vertical	
6	5850.50	58.64	14.31	44.33	132.58	-73.94	314	352 Peak	Vertical	
7	5874.00	59.67	15.27	44.40	105.48	-45.81	314	352 Peak	Vertical	
8	5917.00	59.16	14.67	44.49	74.10	-14.94	314	352 Peak	Vertical	
9	5986.00	59.90	15.14	44.76	68.20	-8.30	314	352 Peak	Vertical	

802.11ac VHT20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5575.50	58.58	14.71	43.87	68.20	-9.62	204	309 Peak	Horizontal	
2	5671.50	58.56	14.67	43.89	84.15	-25.59	204	309 Peak	Horizontal	
3	5701.50	57.84	13.91	43.93	105.62	-47.78	204	309 Peak	Horizontal	
4	5721.00	57.03	12.93	44.10	115.64	-58.61	204	309 Peak	Horizontal	
5	5785.00	108.36	64.05	44.31	135.00	-26.64	204	309 Peak	Horizontal	
6	5855.00	58.46	14.11	44.35	110.00	-52.34	204	309 Peak	Horizontal	
7	5856.00	59.71	14.36	44.35	110.52	-51.81	204	309 Peak	Horizontal	
8	5877.50	59.31	14.91	44.40	103.34	-44.03	204	309 Peak	Horizontal	
9	5949.50	58.74	14.23	44.51	68.20	-9.46	204	309 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5604.00	58.37	14.53	43.84	68.20	-9.83	242	355 Peak	Vertical	
2	5691.00	57.82	13.91	43.91	98.56	-40.74	242	355 Peak	Vertical	
3	5711.00	58.40	14.39	44.01	108.28	-49.88	242	355 Peak	Vertical	
4	5725.00	57.98	13.84	44.14	135.00	-77.02	242	355 Peak	Vertical	
5	5785.00	114.06	69.75	44.31	135.00	-20.94	242	355 Peak	Vertical	
6	5852.50	57.98	13.65	44.33	122.90	-64.92	242	355 Peak	Vertical	
7	5868.50	59.08	14.69	44.39	107.02	-47.94	242	355 Peak	Vertical	
8	5906.50	59.35	14.87	44.48	81.85	-22.50	242	355 Peak	Vertical	
9	6000.00	59.34	14.49	44.85	68.20	-8.86	242	355 Peak	Vertical	

802.11ac VHT20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5558.50	58.06	14.17	43.89	68.20	-10.14	200	308 Peak	Horizontal	
2	5668.50	58.05	14.16	43.89	81.93	-23.88	200	308 Peak	Horizontal	
3	5712.00	57.51	13.48	44.03	108.56	-51.05	200	308 Peak	Horizontal	
4	5722.00	56.36	12.25	44.11	120.48	-64.12	200	308 Peak	Horizontal	
5	5825.00	107.94	63.63	44.31	135.00	-27.06	200	308 Peak	Horizontal	
6	5850.00	61.10	16.77	44.33	135.00	-73.90	200	308 Peak	Horizontal	
7	5855.00	58.94	14.59	44.35	110.00	-51.86	200	308 Peak	Horizontal	
8	5898.50	58.28	13.81	44.47	87.77	-29.49	200	308 Peak	Horizontal	
9	5963.50	58.73	14.13	44.60	68.20	-9.47	200	308 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5497.00	58.27	14.22	44.05	68.20	-9.93	355	36 Peak	Vertical	
2	5666.50	57.56	13.67	43.89	80.45	-22.89	355	36 Peak	Vertical	
3	5708.00	57.22	13.24	43.98	107.44	-50.22	355	36 Peak	Vertical	
4	5720.00	56.78	12.69	44.09	110.00	-54.02	355	36 Peak	Vertical	
5	5825.00	113.15	68.84	44.31	135.00	-21.85	355	36 Peak	Vertical	
6	5850.00	63.17	18.84	44.33	135.00	-71.83	355	36 Peak	Vertical	
7	5855.50	58.40	14.14	44.35	110.66	-52.17	355	36 Peak	Vertical	
8	5917.50	59.17	14.68	44.49	73.73	-14.56	355	36 Peak	Vertical	
9	5951.00	59.23	14.71	44.52	68.20	-8.97	355	36 Peak	Vertical	


802.11ac VHT40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5614.50	58.15	14.30	43.85	68.20	-10.05	220	12 Peak	Horizontal	
2	5698.00	66.37	22.46	43.91	103.73	-37.36	220	12 Peak	Horizontal	
3	5718.50	81.24	37.16	44.08	110.38	-29.14	220	12 Peak	Horizontal	
4	5723.50	81.51	37.39	44.12	127.74	-46.23	220	12 Peak	Horizontal	
5	5755.00	108.97	64.62	44.35	135.00	-26.03	220	12 Peak	Horizontal	
6	5854.00	59.26	14.91	44.35	115.64	-56.38	220	12 Peak	Horizontal	
7	5871.50	58.23	13.84	44.39	106.18	-47.95	220	12 Peak	Horizontal	
8	5915.50	59.32	14.84	44.48	75.21	-15.89	220	12 Peak	Horizontal	
9	5983.50	58.94	14.20	44.74	68.20	-9.26	220	12 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5514.50	57.39	13.38	44.01	68.20	-10.81	302	34 Peak	Vertical	
2	5696.00	63.68	19.69	43.91	102.25	-38.65	302	34 Peak	Vertical	
3	5718.00	84.43	40.36	44.07	110.24	-25.81	302	34 Peak	Vertical	
4	5721.00	87.18	43.08	44.10	115.64	-28.46	302	34 Peak	Vertical	
5	5755.00	115.25	70.90	44.35	135.00	-19.75	302	34 Peak	Vertical	
6	5850.00	60.38	16.05	44.33	135.00	-74.62	302	34 Peak	Vertical	
7	5859.00	60.28	15.92	44.36	109.68	-49.40	302	34 Peak	Vertical	
8	5877.00	58.87	14.47	44.40	103.71	-44.84	302	34 Peak	Vertical	
9	5986.50	59.08	14.32	44.76	68.20	-9.12	302	34 Peak	Vertical	

802.11ac VHT40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5489.00	58.52	14.51	44.01	68.20	-9.68	222	3 Peak	Horizontal	
2	5675.50	57.90	14.00	43.90	87.11	-29.21	222	3 Peak	Horizontal	
3	5786.50	59.55	15.58	43.97	107.02	-47.47	222	3 Peak	Horizontal	
4	5723.50	61.13	17.01	44.12	127.74	-66.61	222	3 Peak	Horizontal	
5	5795.00	108.69	64.39	44.30	135.00	-26.31	222	3 Peak	Horizontal	
6	5850.00	66.14	21.01	44.33	135.00	-68.06	222	3 Peak	Horizontal	
7	5857.50	64.03	19.68	44.35	110.10	-46.07	222	3 Peak	Horizontal	
8	5876.50	59.85	15.45	44.40	104.09	-44.24	222	3 Peak	Horizontal	
9	5948.00	58.95	14.44	44.51	68.20	-9.25	222	3 Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.00	58.09	14.21	43.88	68.20	-10.11	300	46 Peak	Vertical	
2	5671.00	58.05	14.16	43.89	83.78	-25.73	300	46 Peak	Vertical	
3	5717.50	59.79	15.72	44.07	110.10	-50.31	300	46 Peak	Vertical	
4	5723.50	59.87	15.75	44.12	127.74	-67.87	300	46 Peak	Vertical	
5	5795.00	114.53	70.23	44.30	135.00	-20.47	300	46 Peak	Vertical	
6	5854.00	64.75	20.40	44.35	115.64	-50.89	300	46 Peak	Vertical	
7	5857.50	64.24	19.09	44.35	110.10	-45.86	300	46 Peak	Vertical	
8	5878.50	60.55	16.13	44.42	102.60	-42.05	300	46 Peak	Vertical	
9	5948.50	59.45	14.94	44.51	68.20	-8.75	300	46 Peak	Vertical	

802.11ac VHT80

CH 155 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.00	82.90	19.02	43.88	68.20	-5.30	200	295 Peak	Horizontal	
2	5699.50	77.57	33.65	43.92	104.83	-27.26	200	295 Peak	Horizontal	
3	5719.50	82.46	38.37	44.09	110.66	-28.20	200	295 Peak	Horizontal	
4	5725.00	84.40	40.26	44.14	135.00	-50.60	200	295 Peak	Horizontal	
5	5775.00	107.49	63.17	44.32	135.00	-27.51	200	295 Peak	Horizontal	
6	5852.00	78.14	33.01	44.33	125.32	-47.10	200	295 Peak	Horizontal	
7	5857.00	76.33	31.98	44.35	110.24	-33.91	200	295 Peak	Horizontal	
8	5875.50	69.71	25.31	44.40	104.83	-35.12	200	295 Peak	Horizontal	
9	5926.00	60.21	15.72	44.49	68.20	-7.99	200	295 Peak	Horizontal	

CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	64.35	20.47	43.88	68.20	-3.85	294	344 Peak	Vertical	
2	5692.50	79.35	35.44	43.91	99.67	-20.32	294	344 Peak	Vertical	
3	5719.50	83.94	39.85	44.09	110.66	-26.72	294	344 Peak	Vertical	
4	5724.00	83.07	38.95	44.12	130.16	-47.09	294	344 Peak	Vertical	
5	5775.00	113.28	68.96	44.32	135.00	-21.72	294	344 Peak	Vertical	
6	5853.50	79.66	35.31	44.35	110.06	-30.40	294	344 Peak	Vertical	
7	5856.00	79.24	34.09	44.35	110.52	-31.20	294	344 Peak	Vertical	
8	5875.50	71.10	26.70	44.40	104.83	-33.73	294	344 Peak	Vertical	
9	5942.50	64.35	19.84	44.51	68.20	-3.85	294	344 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-1


802.11ac VHT40

CH 46(Open) (9kHz ~ 150kHz)

CH 46(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	58.86	48.74	18.12	127.68	-68.74	100	283	Peak	Open		
2	0.03	47.74	27.76	19.98	117.92	-79.18	100	241	Peak	Open		
3	0.05	56.36	37.34	19.02	113.73	-57.37	100	222	Peak	Open		
4	0.07	49.31	30.87	18.44	110.36	-61.05	100	241	Peak	Open		
5	0.10	52.38	34.35	18.03	107.66	-55.28	100	233	Peak	Open		
6	0.15	47.48	29.16	18.32	104.17	-56.69	100	214	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.15	60.72	42.38	18.34	104.88	-43.36	100	256	Peak	Open		
2	0.45	54.21	35.51	18.70	94.57	-40.36	100	242	Peak	Open		
3	2.60	40.72	21.79	18.93	69.50	-28.78	100	256	Peak	Open		
4	16.12	36.70	14.72	21.98	69.50	-32.80	100	353	Peak	Open		
5	19.40	37.36	14.55	22.81	69.50	-32.14	100	335	Peak	Open		
6	24.06	37.19	14.61	22.38	69.50	-32.31	100	285	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-1


802.11ac VHT40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	64.92	34.22	41.36	-7.14	40.00	-5.78	224	0 Peak	Horizontal	
2	250.19	42.57	48.85	-6.28	46.00	-3.43	100	194 Peak	Horizontal	
3	296.75	38.33	43.14	-4.81	46.00	-7.67	100	9 Peak	Horizontal	
4	499.48	39.50	40.42	-0.92	46.00	-6.50	200	194 Peak	Horizontal	
5	594.54	38.82	37.48	1.34	46.00	-7.18	200	288 Peak	Horizontal	
6	891.36	40.44	34.46	5.98	46.00	-5.56	300	204 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	64.92	32.91	48.05	-7.14	40.00	-7.09	300	65 Peak	Vertical	
2	191.02	34.52	42.37	-7.85	43.50	-8.98	100	165 Peak	Vertical	
3	438.37	43.31	45.01	-1.70	46.00	-2.69	100	222 Peak	Vertical	
4	499.48	40.00	40.92	-0.92	46.00	-6.00	100	62 Peak	Vertical	
5	624.61	38.16	36.32	1.84	46.00	-7.84	100	22 Peak	Vertical	
6	891.36	37.45	31.47	5.98	46.00	-8.55	100	41 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	56.27	59.02	-2.75	68.20	-11.93	276	99 Peak	Horizontal	
2	15540.00	50.86	46.41	4.45	54.00	-3.14	176	253 Average	Horizontal	
3	15540.00	65.75	61.30	4.45	74.00	-8.25	176	253 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	55.87	58.62	-2.75	68.20	-12.33	400	37 Peak	Vertical	
2	15540.00	46.58	42.13	4.45	54.00	-7.42	217	170 Average	Vertical	
3	15540.00	62.31	57.86	4.45	74.00	-11.69	217	170 Peak	Vertical	


802.11a

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	51.52	53.92	-2.40	60.20	-16.68	180	15	Peak	Horizontal	
2	15720.00	50.51	45.42	5.09	54.00	-3.49	176	252	Average	Horizontal	
3	15720.00	66.12	61.03	5.09	74.00	-7.88	176	252	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	56.86	59.26	-2.40	60.20	-11.34	400	151	Peak	Vertical	
2	15720.00	46.41	41.32	5.09	54.00	-7.59	308	177	Average	Vertical	
3	15720.00	60.52	55.43	5.09	74.00	-13.48	308	177	Peak	Vertical	


802.11ac VHT20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	57.14	59.89	-2.75	68.20	-11.06	273	92	Peak	Horizontal	
2	15540.00	45.80	41.35	4.45	54.00	-8.20	228	252	Average	Horizontal	
3	15540.00	62.03	57.58	4.45	74.00	-11.97	228	252	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	55.62	58.37	-2.75	68.20	-12.58	141	40	Peak	Vertical	
2	15540.00	44.09	39.64	4.45	54.00	-9.91	282	171	Average	Vertical	
3	15540.00	57.79	53.34	4.45	74.00	-16.21	282	171	Peak	Vertical	


802.11ac VHT20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	55.51	58.18	-2.67	68.20	-12.69	270	100 Peak	Horizontal	
2	15600.00	59.50	46.08	4.42	54.00	-3.50	226	252 Average	Horizontal	
3	15600.00	66.65	62.23	4.42	74.00	-7.35	226	252 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	55.46	58.13	-2.67	68.20	-12.74	126	39 Peak	Vertical	
2	15600.00	48.87	44.45	4.42	54.00	-5.13	323	181 Average	Vertical	
3	15600.00	64.36	59.94	4.42	74.00	-9.64	323	181 Peak	Vertical	


802.11ac VHT20

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	49.86	52.57	-2.71	68.20	-18.34	281	98 Peak	Horizontal	
2	15570.00	39.68	35.25	4.43	54.00	-14.32	221	207 Average	Horizontal	
3	15570.00	52.29	47.86	4.43	74.00	-21.71	221	207 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	48.32	51.03	-2.71	68.20	-19.88	100	33 Peak	Vertical	
2	15570.00	37.95	33.52	4.43	54.00	-16.05	100	85 Average	Vertical	
3	15570.00	50.62	46.19	4.43	74.00	-23.38	100	85 Peak	Vertical	


802.11ac VHT40

CH 46 (Horizontal)


CH 46 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.00	44.81	47.41	-2.60	68.20	-23.39	400	34 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.00	44.67	47.27	-2.60	68.20	-23.53	400	360 Peak	Vertical

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	46.67	47.40	-0.73	54.00	-7.33	182	288 Average	Horizontal	
2	11490.00	60.50	61.23	-0.73	74.00	-13.50	182	288 Peak	Horizontal	
3	17235.00	64.98	57.90	7.08	68.20	-3.22	173	283 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	43.13	43.86	-0.73	54.00	-10.87	184	200 Average	Vertical	
2	11490.00	57.27	58.00	-0.73	74.00	-16.73	184	200 Peak	Vertical	
3	17235.00	64.72	57.64	7.08	68.20	-3.48	206	185 Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11570.00	49.34	49.98	-0.64	54.00	-4.66	175	288 Average	Horizontal	
2 11570.00	63.14	63.78	-0.64	74.00	-10.86	175	288 Peak	Horizontal	
3 17355.00	64.61	57.15	7.46	68.20	-3.59	172	285 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11570.00	46.21	46.85	-0.64	54.00	-7.79	201	200 Average	Vertical	
2 11570.00	60.09	60.73	-0.64	74.00	-13.91	201	200 Peak	Vertical	
3 17355.00	63.82	56.36	7.46	68.20	-4.38	202	186 Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	49.66	50.13	-0.47	54.00	-4.34	183	209 Average	Horizontal	
2	11650.00	63.38	63.85	-0.47	74.00	-10.62	183	209 Peak	Horizontal	
3	17475.00	65.07	57.35	7.72	68.20	-3.13	223	253 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	48.56	49.03	-0.47	54.00	-5.44	200	201 Average	Vertical	
2	11650.00	62.00	62.47	-0.47	74.00	-12.00	200	201 Peak	Vertical	
3	17475.00	63.69	55.97	7.72	68.20	-4.51	211	187 Peak	Vertical	


802.11ac VHT20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	43.57	44.30	-0.73	54.00	-10.43	186	254 Average	Horizontal	
2	11490.00	58.44	59.17	-0.73	74.00	-15.56	186	254 Peak	Horizontal	
3	17235.00	65.08	58.00	7.08	68.20	-3.12	216	251 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	41.87	42.60	-0.73	54.00	-12.13	188	200 Average	Vertical	
2	11490.00	56.97	57.70	-0.73	74.00	-17.03	188	200 Peak	Vertical	
3	17235.00	61.06	53.98	7.08	68.20	-7.14	203	151 Peak	Vertical	


802.11ac VHT20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	39.24	39.88	-0.64	54.00	-14.76	361	169 Average	Horizontal	
2	11570.00	53.63	54.27	-0.64	74.00	-20.37	361	169 Peak	Horizontal	
3	17355.00	64.69	57.23	7.46	68.20	-3.51	217	251 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	43.33	43.97	-0.64	54.00	-10.67	244	300 Average	Vertical	
2	11570.00	57.43	58.07	-0.64	74.00	-16.57	244	300 Peak	Vertical	
3	17355.00	62.51	55.05	7.46	68.20	-5.69	205	187 Peak	Vertical	


802.11ac VHT20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	43.07	43.54	-0.47	54.00	-10.93	268	112 Average	Horizontal	
2	11650.00	57.00	57.47	-0.47	74.00	-17.00	268	112 Peak	Horizontal	
3	17475.00	64.29	56.57	7.72	68.20	-3.91	217	250 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	47.33	47.80	-0.47	54.00	-6.67	280	201 Average	Vertical	
2	11650.00	61.04	61.51	-0.47	74.00	-12.96	280	201 Peak	Vertical	
3	17475.00	62.34	54.62	7.72	68.20	-5.86	203	175 Peak	Vertical	


802.11ac VHT40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	42.47	43.18	-0.71	54.00	-11.53	180	131 Average	Horizontal	
2	11510.00	54.75	55.46	-0.71	74.00	-19.25	180	131 Peak	Horizontal	
3	17265.00	64.80	57.71	7.09	68.20	-3.40	165	111 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	42.16	42.87	-0.71	54.00	-11.84	178	263 Average	Vertical	
2	11510.00	53.23	53.94	-0.71	74.00	-20.77	178	263 Peak	Vertical	
3	17265.00	64.48	57.39	7.09	68.20	-3.72	215	188 Peak	Vertical	


802.11ac VHT40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	44.71	45.34	-0.63	54.00	-9.29	246	114	Average	Horizontal	
2	11590.00	56.92	57.55	-0.63	74.00	-17.08	246	114	Peak	Horizontal	
3	17385.00	65.02	57.36	7.66	68.20	-3.18	165	112	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	43.54	44.17	-0.63	54.00	-10.46	223	281	Average	Vertical	
2	11590.00	55.56	56.19	-0.63	74.00	-18.44	223	281	Peak	Vertical	
3	17385.00	64.64	56.98	7.66	68.20	-3.56	186	183	Peak	Vertical	


802.11ac VHT80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	42.07	42.73	-0.66	54.00	-11.93	245	144 Average	Horizontal	
2	11550.00	55.23	55.89	-0.66	74.00	-18.77	245	144 Peak	Horizontal	
3	17325.00	63.74	56.47	7.27	68.20	-4.46	322	245 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	44.58	45.24	-0.66	54.00	-9.42	287	200 Average	Vertical	
2	11550.00	58.08	58.74	-0.66	74.00	-15.92	287	200 Peak	Vertical	
3	17325.00	63.66	56.39	7.27	68.20	-4.54	193	174 Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	25.24	15.62	9.62	55.67	-30.43	Average	line1	
2	0.16	48.18	38.56	9.62	65.67	-17.49	QP	line1	
3	0.33	16.93	7.31	9.62	49.50	-32.57	Average	line1	
4	0.33	38.64	29.02	9.62	59.50	-20.86	QP	line1	
5	0.65	18.14	8.51	9.63	46.00	-27.86	Average	line1	
6	0.65	32.00	23.17	9.63	56.00	-23.20	QP	line1	
7	3.70	25.26	15.58	9.68	46.00	-20.74	Average	line1	
8	3.70	34.90	25.22	9.68	56.00	-21.10	QP	line1	
9	8.33	15.11	5.38	9.73	50.00	-34.89	Average	line1	
10	8.33	20.76	11.03	9.73	60.00	-39.24	QP	line1	
11	22.25	18.97	9.25	9.72	50.00	-31.03	Average	line1	
12	22.25	24.22	14.50	9.72	60.00	-35.78	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	25.09	15.46	9.63	55.50	-30.41	Average	neutral	
2	0.16	48.08	38.45	9.63	65.50	-17.42	QP	neutral	
3	0.24	20.92	11.30	9.62	51.94	-31.02	Average	neutral	
4	0.24	40.08	30.46	9.62	61.94	-21.86	QP	neutral	
5	0.67	20.81	11.18	9.63	46.00	-25.19	Average	neutral	
6	0.67	30.07	20.44	9.63	56.00	-25.93	QP	neutral	
7	0.94	21.51	11.87	9.64	46.00	-24.49	Average	neutral	
8	0.94	29.09	19.45	9.64	56.00	-26.91	QP	neutral	
9	6.03	20.56	10.83	9.73	50.00	-29.44	Average	neutral	
10	6.03	26.48	16.75	9.73	60.00	-33.52	QP	neutral	
11	23.04	20.38	10.52	9.86	50.00	-29.62	Average	neutral	
12	23.04	25.59	15.73	9.86	60.00	-34.41	QP	neutral	