

3. Internal Photographs of EUT

Model Name: V51BBB



Model Name: V51BBB







Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB





Model Name: V51BBB




Model Name: V51BBB






Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB






Model Name: V51BBB




Model Name: V51BBB



Model Name: V51BBB




Model Name: V51BBB






Model Name: V51BBB




Model Name: V51BBB





Model Name: V51BBB





Model Name: V51BBB



Model Name: V51BBB





Model Name: V51BBB



Model Name: V51BBB




Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB





Model Name: V51BBB






Model Name: V51BBB



Model Name: V51BBB




1. WWAN Aux. and WLAN Aux. have Rx signal only.
2. The separation distance between WWAN and Bluetooth antennas are 0.5cm.
3. The closest separation distance from the users in laptop mode is 8.2cm.
4. The closest separation distance from the users in rear face of tablet mode is 3.1cm.
5. The closest separation distance from the users in bottom edge of tablet mode is 6.7cm.

Model Name: V51BBB



Model Name: V51BBB



Model Name: V51BBB

