



KENWOOD TS-2000X FCC ID:K4431201110

Power Conduction Data Sheet and Charts


ANT 1.2G Scan mode

1.2G Scan Mode


Data	Main Band(MHz)	Sub Band(MHz)	FREQ.(MHz)	EAD(dBm)	Amp Gen(dB)	Cable Loss(dB)	Sum(dBm)	Limit(nw)	Data(nw)	Margin(nw)
1	1,268.50000	383.35000	159.98	-66.3	29.9	1.3	-94.9	2.000	0.00032	-1.99968
2	1,299.03000	162.83000	1,163.53	-53.7	37.8	3.9	-87.6	2.000	0.00174	-1.99826
3	1,296.85000	173.83000	2,322.71	-40.7	37.1	5.9	-71.9	2.000	0.06531	-1.93469
4	1,241.15000	173.83000	3,316.96	-41.6	33.6	7.1	-68.1	2.000	0.15621	-1.84379
5	1,286.14000	367.25000	4,602.57	-60.2	36.0	8.5	-87.7	2.000	0.00172	-1.99828
6	1,256.14000	367.25000	5,603.22	-60.8	35.9	9.0	-87.7	2.000	0.00169	-1.99831




Data No.1




Data No.2




Data No.3




Data No.4



Data No.5



Data No. 6




ANT 1.2G Point mode


Point Mode

Data	Main Band(MHz)	Sub Band(MHz)	FREQ.(MHz)	EAB(dBm)	Amp Gen(dB)	Cable Loss(dB)	Sum(dBm)	Limit(nw)	Data(nw)	Margin(nw)
1	1,240.05000	118.05000	3,316.74	-41.0	36.6	7.1	-70.5	2.000	0.08913	-1.91087
2	1,240.05000	146.05000	2,209.11	-48.6	37.0	5.7	-79.9	2.000	0.01033	-1.98967
3	1,270.05000	173.95000	2,269.10	-44.8	37.1	5.7	-76.2	2.000	0.02427	-1.97573
4	1,270.05000	220.05000	3,403.67	-54.9	36.5	7.1	-84.3	2.000	0.00372	-1.99628
5	1,299.95000	366.05000	2,328.91	-39.0	37.1	5.9	-70.2	2.000	0.09482	-1.90518
6	1,299.95000	511.95000	3,493.35	-53.6	36.5	7.1	-83.0	2.000	0.00505	-1.99495


Data No.1




Data No.2




Data No.3



Data No.4



Data No.5



Data No.6

