



1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x -	- -
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			




(1:1)

# NOTES:


FOR DETAILS ON PRINTING,REFER TO THE FILM.  
 COLORS SHALL BE AS FOLLOWS:  
 LETTERS AND LINES:BLACK BACKGROUND:SILVER

PRESURE-SENSITIVE ADHESIVE MUST NOT CAUSE DISCOLORATION.

MUST BE PRINTED WITH FILM.

-	-	-	-	AL EVAPORATION PLATE t0.1 FROSTED SILVER	BACK SURFACE: SUPER STRONG TACKIFIER (LINTEC, FOR HAM)	Y51-5050-10	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	NT: S	DESIGNED	CHECKED	APPROVED	PART NAME	-	
UNIT	: mm				MODEL NAME PLATE	-	
		DATE	2004-09-24		DRAWING NUMBER	-	
JIS Z8310-84	KENWOOD				PART NO.	-	
					SHEET NO.	-	
					REL.	-	
					B72-2295-04 1/1 00	Y	

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x -	- - 200 - -
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



CAUTION:  
Device must be restricted to occupational use to satisfy FCC RF exposure. See instruction manual for specific operating requirements.  
18520

(1:1)

-	-	-	-	AL EVAPORATION SHEET t0.1 FROSTED SILVER	SEAL PRINTING, STRONG TACKFIER, LAMINATE(FROSTING)	Y60-4050-20	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	2:1	DESIGNED	CHECKED	APPROVED	PART NAME		
UNIT	: mm				CAUTION LABEL		
		DATE	2004-09-24		DRAWING NUMBER	MMV -	
JIS Z8310-84	KENWOOD				PART NO.	SHEET NO.	REL.
	KENWOOD CORPORATION				B41-1852-04	1/1	00

DRWN. DATE 2004-07-29

#



