




MATERIAL:PET(AL EVAPORATION PLATE)
THICKNESS:0.1mm
COLOR:FROSTED SILVER

V2

	DESIGN	DATE		MODEL
		JVCKENWOOD Corporation		TK-D740H(K)
				MODEL NAME PLATE

JVCKENWOOD Corporation





MATERIAL:PET(AL EVAPORATION PLATE)
THICKNESS:0.1mm
COLOR:FROSTED SILVER

V2

	DESIGN	DATE		MODEL
		JVCKENWOOD Corporation		TK-D740HV(K)
				MODEL NAME PLATE

JVC KENWOOD Corporation



MATERIAL:PET(AL EVAPORATION PLATE)
THICKNESS:0.1mm
COLOR:FROSTED SILVER

	DESIGN	DATE		MODEL
				TK-D740(M)
		JVCKENWOOD Corporation		MODEL NAME PLATE

JVCKENWOOD Corporation

1	2	3	4	
TOLERANCE (C)		SYMBOL	REVISION NO	ISSUED
~ 6 ±0.15		x -	-	-
6 ~ 30 ±0.20				
30 ~ 80 ±0.30				
80 ~250 ±0.40				
250~500 ±0.55				

23

10

4-R0.5

CAUTION:
DEVICE MUST BE RESTRICTED TO
OCCUPATIONAL USE TO SATISFY FCC
RF EXPOSURE. SEE INSTRUCTION
MANUAL FOR SPECIFIC OPERATING
REQUIREMENTS. 00080

MATERIAL:
LINTEC FNS MATT S100 PAT1

(Al EVAPORATION PLATE t0.05, FORESTED SILVER)
FINISH:

SEAL PRINTING, LAMINATE (FROSTING)
STRONG TACKIFIRE

-	-	-	-	-	-
QTY	No.	PART NUMBER	PART NAME / NOTE	MATERIAL	FINISH
00	GROUP No.	APPROVED	MATERIAL IN THE DRAWING	PART NAME CAUTION STICKER	SCALE 2:1
		CHECKED			REL. mm
		DESIGNED	FINISH IN THE DRAWING		DRAWING NUMBER B4B-0008
DATE				JIS Z8310	

JVCKENWOOD Corporation

TK-D740H-K, TK-D740HV-K, TK-D740-M/ FCC ID: K44475600
TK-D740H-K / IC: 282F-475600



Name Plate (TK-D740H-K)



Name Plate (TK-D740HV-K)

TK-D740H-K, TK-D740HV-K, TK-D740-M/ FCC ID: K44475600
TK-D740H-K / IC: 282F-475600



Name Plate (TK-D740-M)



Caution Label