


Giant (Model: GH4000), Frequency: 2401 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (91°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.114 mW/g, SAR (1g): 0.0601 mW/g, SAR (10g): 0.0313 mW/g, (Worst-case extrapolation)
Penetration depth: 7.8 (7.5, 8.5) [mm]; Powerdrift: 0.05 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.6



Giant (Model: GH4000), Frequency: 2401 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.8 (7.3, 8.8) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.6



Giant (Model: GH4000), Frequency: 2442 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (91°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.100 mW/g, SAR (1g): 0.0511 mW/g, SAR (10g): 0.0266 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (7.0, 8.6) [mm]; Powerdrift: 0.05 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.6



Giant (Model: GH4000), Frequency: 2482 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (91°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0852 mW/g, SAR (1g): 0.0431 mW/g, SAR (10g): 0.0224 mW/g, (Worst-case extrapolation)
Penetration depth: 7.3 (6.9, 8.3) [mm]; Powerdrift: -0.06 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.6



Giant (Model: GH4000), Frequency: 2401 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (106°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0594 mW/g, SAR (1g): 0.0311 mW/g, SAR (10g): 0.0160 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (7.2, 8.1) [mm]; Powerdrift: -0.09 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.6



Giant (Model: GH4000), Frequency: 2442 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (106°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0673 mW/g, SAR (1g): 0.0347 mW/g, SAR (10g): 0.0184 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (6.9, 9.1) [mm]; Powerdrift: -0.04 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.6



Giant (Model: GH4000), Frequency: 2442 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.3 (7.2, 7.8) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.6



Giant (Model: GH4000), Frequency: 2482 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Left Hand Section; Position: (106°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0679 mW/g, SAR (1g): 0.0346 mW/g, SAR (10g): 0.0177 mW/g, (Worst-case extrapolation)
Penetration depth: 7.0 (6.7, 7.8) [mm]; Powerdrift: -0.00 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.6



Giant (Model: GH4000), Frequency: 2401 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97\text{mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00\text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (106°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0765 mW/g, SAR (1g): 0.0410 mW/g, SAR (10g): 0.0239 mW/g, (Worst-case extrapolation)
Penetration depth: 8.5 (7.3, 10.3) [mm]; Powerdrift: -0.07 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.8



Giant (Model: GH4000), Frequency: 2401 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 8.2 (7.7, 9.1) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.8



Giant (Model: GH4000), Frequency: 2442 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (91°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0637 mW/g, SAR (1g): 0.0356 mW/g, SAR (10g): 0.0201 mW/g, (Worst-case extrapolation)
Penetration depth: 8.2 (7.8, 9.0) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.8



Giant (Model: GH4000), Frequency: 2482 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (91°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0655 mW/g, SAR (1g): 0.0348 mW/g, SAR (10g): 0.0181 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (7.2, 7.9) [mm]; Powerdrift: -0.06 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.8



Giant (Model: GH4000), Frequency: 2401 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (106°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0829 mW/g, SAR (1g): 0.0412 mW/g, SAR (10g): 0.0197 mW/g, (Worst-case extrapolation)
Penetration depth: 7.0 (6.6, 7.8) [mm]; Powerdrift: 0.17 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.8



Giant (Model: GH4000), Frequency: 2401 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.1 (6.9, 7.8) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.8



Giant (Model: GH4000), Frequency: 2442 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (106°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0573 mW/g, SAR (1g): 0.0282 mW/g, SAR (10g): 0.0130 mW/g, (Worst-case extrapolation)
Penetration depth: 6.5 (6.3, 6.7) [mm]; Powerdrift: -0.08 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.8



Giant (Model: GH4000), Frequency: 2482 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 39.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-2 Phantom; Righ Hand Section; Position: (106°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.0467 mW/g, SAR (1g): 0.0223 mW/g, SAR (10g): 0.0102 mW/g, (Worst-case extrapolation)
Penetration depth: 6.6 (6.3, 7.3) [mm]; Powerdrift: -0.07 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.8



Giant (Model: GH4000), Frequency: 2401 MHz (Body)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.08 \text{ mho/m}$ $\epsilon_r = 50.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (270°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.293 mW/g, SAR (1g): 0.138 mW/g, SAR (10g): 0.0660 mW/g, (Worst-case extrapolation)
Penetration depth: 6.5 (6.2, 7.3) [mm]; Powerdrift: 0.03 dB
Coarse: Dx = 16.0, Dy = 17.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Giant (Model: GH4000), Frequency: 2401 MHz (Body)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.08 \text{ mho/m}$ $\epsilon_r = 50.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.3 (6.0, 7.2) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Giant (Model: GH4000), Frequency: 2442 MHz (Body)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.08 \text{ mho/m}$ $\epsilon_r = 50.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (270°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.242 mW/g, SAR (1g): 0.114 mW/g, SAR (10g): 0.0541 mW/g, (Worst-case extrapolation)
Penetration depth: 6.6 (6.3, 7.5) [mm]; Powerdrift: -0.09 dB
Coarse: Dx = 16.0, Dy = 17.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Giant (Model: GH4000), Frequency: 2482 MHz (Body)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.08 \text{ mho/m}$ $\epsilon_r = 50.6$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (270°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.292 mW/g, SAR (1g): 0.143 mW/g, SAR (10g): 0.0664 mW/g, (Worst-case extrapolation)
Penetration depth: 7.0 (6.8, 7.5) [mm]; Powerdrift: -0.08 dB
Coarse: Dx = 16.0, Dy = 17.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5

