

Arcadyan

承認書

SPECIFICATION FOR APPROVAL

客戶名稱(CUSTOMER): 智易科技股份有限公司

品名(DESCRIPTION): Tinplate IFA Antenna for 11b/g

Arcadyan 品號(Arcadyan PART NO): 120300014200J

送樣日期(DATE):

承認號碼(APPROVED NO):

研發部 R&D.DEP	品管部 Q.C DEP	採購部 PURCHASER DEP	經理 MANAGER

Arcadyan

INDEX

Item	content	page
1	ANTENNA SPEC.	3
2	ANTENNA COMPLETE DRAWING	4
3	TEST REPORT	5
4	ANTENNA Package information	8

RF ANTENNA CABLE ASSEMBLY


SEPCIFICATION

1. Electrical Properties:

- 1.1 Frequency Rang..... 2.4GHz~2.5GHz
- 1.2 Impedance.....50 Ω Nominal
- 1.3 VSWR.....2.0Max
- 1.4 Return LOSS.....-9.5 dB Maximum
- 1.5 Gain.....Typical 2dBi

2. Physical Properties:

- 2.1 Operating Temp.....-20 $^{\circ}$ C~+65 $^{\circ}$ C
- 2.2 Storage Temp.....-30 $^{\circ}$ C~+75 $^{\circ}$ C
- 2.3 Matterial.....Tinplate



變更尺寸的位置

MADE IN CHINA

單重:3.95g

材質:馬口鐵

電鍍:鍍錫120U"

Unit: mm

公差: $\pm 0.1\text{mm}$


NO	120300010400J DESCRIPTION		QTY
1	Antenna Body	TPE Color:Black-Gray	1
2	Antenna Base	TPE Color:Black-Gray	1
3	Cable	RG113,50 Ohm Gray	1
4	Ground Tube	Brass	1

A0	NEW DWG		04/12/13
REV	ECN.NO:	BY	DATE

-TOLERANCES- UNLESS OTHERWISE SPECIFIED		ARCADUAN TECHNOLOGY CORP.				
		 	TITLE:			
X.X ±0.25	X.X° ±3°	APPD:	DWG NO: T10004016100			
X.XX ±0.15	X.XX° ±1°	CHECK:	DATE	SCALE	UNIT	PAGE
X.XXX ±0.05	X.XXX° ±0.5°	DRAW:	2004.12.13	FREE	mm	1

SWR Test Result

17 Jan 2006 14:29:08



CH1 Markers


1: 1.2745
2.40000 GHz

2: 1.0541
2.45000 GHz


3: 1.2551
2.50000 GHz


5: 2.0167
2.74947 GHz

H-Plane Test Report



E+H-Plane Test Report



	標 題	120300014200J 包裝作業規範		備注：
文件編號		版次：	A/0	作業說明：
包裝作業示意圖：  The diagram illustrates the packaging process in four steps: A: A layout of a vacuum box (真空盒) with 60 slots arranged in 5 rows and 12 columns. A component (成品) is shown being placed into a slot. B: A bundle of 10 vacuum boxes, each containing 20 components, secured with tape (膠帶). C: The bundle of 10 boxes being placed into a shipping box. D: The shipping box is sealed and a label (標籤紙 LABEL) is attached.				1. 將檢驗完的成品依A圖所示放入PVC盒內, 並蓋上上蓋, 用訂書機訂好. 2. 每個格放成品20PCS, 共60個格, 合計每盒放成品1200PCS 3. 每箱裝10盒, 即成品12000PCS. 放入紙箱前將10盒真空盒用膠紙封成一捆. 如圖示 4. 將封好的真空盒放入紙箱, 然後用膠紙將紙箱封好. 在相應位置貼上標籤. 5. 按客戶需要用打包機封好. 然後放到指定位置入庫.