



TX CH151



Date: 2.SEP.2016 14:36:12

TX CH159




Date: 2.SEP.2016 14:37:23

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.42	27.90
CH159	5795	6.34	27.90


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.95	0.00	2.95	14.90
CH40	5200	7.83	0.00	7.83	14.90
CH48	5240	9.46	0.00	9.46	14.90




Date: 2.SEP.2016 14:14:58

CH40



Date: 2.SEP.2016 14:15:49


CH48



Date: 2.SEP.2016 14:17:26


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.74	0.00	4.74	14.90
CH40	5200	9.58	0.00	9.58	14.90
CH48	5240	11.05	0.00	11.05	14.90




Date: 2.SEP.2016 14:21:55

CH40



Date: 2.SEP.2016 14:22:40

CH48



Date: 2.SEP.2016 14:23:39


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.95	14.90
CH40	5200	11.80	14.90
CH48	5240	13.34	14.90

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.78	0.00	-0.78	14.90
CH46	5230	4.95	0.00	4.95	14.90

CH38



Date: 2.SEP.2016 14:39:29

CH46




Date: 2.SEP.2016 14:40:30

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.83	0.00	-1.83	14.90
CH46	5230	3.28	0.00	3.28	14.90

CH38



Date: 2.SEP.2016 14:43:58

CH46



Date: 2.SEP.2016 14:44:59

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.74	14.90
CH46	5230	7.21	14.90


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.41	14.90

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.89	0.00	7.89	27.90
CH157	5785	7.64	0.00	7.64	27.90
CH165	5825	6.85	0.00	6.85	27.90

TX CH149




Date: 2.SEP.2016 14:18:28

TX CH157



Date: 2.SEP.2016 14:19:38

TX CH165




Date: 2.SEP.2016 14:20:35

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.26	0.00	7.26	27.90
CH157	5785	7.16	0.00	7.16	27.90
CH165	5825	6.72	0.00	6.72	27.90

TX CH149




Date: 2.SEP.2016 14:25:02

TX CH157



Date: 2.SEP.2016 14:26:14

TX CH165



Date: 2.SEP.2016 14:27:05


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.60	27.90
CH157	5785	10.42	27.90
CH165	5825	9.80	27.90

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.32	0.00	4.32	27.90
CH159	5795	3.40	0.00	3.40	27.90

TX CH151



Date: 2.SEP.2016 14:41:38

TX CH159




Date: 2.SEP.2016 14:42:46

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.34	0.00	5.34	27.90
CH159	5795	4.90	0.00	4.90	27.90

TX CH151



Date: 2.SEP.2016 14:46:04

TX CH159



Date: 2.SEP.2016 14:47:14

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.87	27.90
CH159	5795	7.22	27.90

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	3.51	27.90

ATTACHMENT-FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0132
120	5180.0128
108	5180.0124
Max. Deviation (MHz)	0.0132
Max. Deviation (ppm)	2.5483

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0124
5	5180.0124
15	5180.0120
25	5180.0116
35	5180.0116
45	5180.0116
50	5180.0116
Max. Deviation (MHz)	0.0124
Max. Deviation (ppm)	2.3938

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0116
120	5745.0112
108	5745.0108
Max. Deviation (MHz)	0.0116
Max. Deviation (ppm)	2.0191

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0108
5	5745.0104
15	5745.0104
25	5745.0100
35	5745.0100
45	5745.0096
50	5745.0096
Max. Deviation (MHz)	0.0108
Max. Deviation (ppm)	1.8799

10. EUT PHOTOS





Adapter: D-Link/2AAJ012F US



Adapter: D-Link /MU12AR120100-A1

