

## DFS Test Report

Applicant : D-Link Corporation

Product Name : 5G NR AX3000 Wi-Fi 6 Router

Trade Name : D-Link

Model Number : G530, G530/X, G530/XX, G530/XXX (X is A-Z and 0-9)

Applicable Standard : FCC 47 CFR PART 15 SUBPART E  
ANSI C63.10:2013

Received Date : Jan. 23, 2025

Test Period : Feb. 04, 2025 ~ Feb. 07, 2025

Issued Date : May 23, 2025

### Issued by

Eurofins E&E Wireless Taiwan Co., Ltd.  
No. 140-1, Changan Street, Bade District,  
Taoyuan City, Taiwan (R.O.C.)  
Tel : +886-3-2710188 / Fax : +886-3-2710190



Taiwan Accreditation Foundation accreditation number: 1330

Bade test site :

Test Firm Registration Number: 226252

Test Firm Designation Number: TW0010

Wugu test site :

Test Firm Registration Number: 191812

Test Firm Designation Number: TW0034

### Note:

1. The test results are valid only for samples provided by customers and under the test conditions described in this report.
2. This report shall not be reproduced except in full, without the written approval of Eurofins E&E Wireless Taiwan Co., Ltd.
3. The relevant information is provided by customers in this test report. According to the correctness, appropriateness or completeness of the information provided by the customer, if there is any doubt or error in the information which affects the validity of the test results, the laboratory does not take the responsibility.

### Revision History

| Rev. | Issued Date  | Description   | Revised By |
|------|--------------|---------------|------------|
| 00   | May 23, 2025 | Initial Issue | Abby Hsu   |
|      |              |               |            |
|      |              |               |            |
|      |              |               |            |

## Verification of Compliance

Applicant : D-Link Corporation

Product Name : 5G NR AX3000 Wi-Fi 6 Router

Trade Name : D-Link

Model Number : G530, G530/X, G530/XX, G530/XXX (X is A-Z and 0-9)

FCC ID : KA2G530B1

Applicable Standard : FCC 47 CFR PART 15 SUBPART E  
ANSI C63.10:2013

Test Result : Complied

Performing Lab. : Eurofins E&E Wireless Taiwan Co., Ltd.  
No. 140-1, Changan Street, Bade District,  
Taoyuan City, Taiwan (R.O.C.)  
Tel : +886-3-2710188 / Fax : +886-3-2710190  
Taiwan Accreditation Foundation accreditation number: 1330



Eurofins E&E Wireless Taiwan Co., Ltd. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by Eurofins E&E Wireless Taiwan Co., Ltd. based on interpretations and/or observations of test results. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Approved By : Kai Yu Yang

## TABLE OF CONTENTS

|          |                                                              |           |
|----------|--------------------------------------------------------------|-----------|
| <b>1</b> | <b>General Information .....</b>                             | <b>5</b>  |
| 1.1.     | Summary of Test Result .....                                 | 5         |
| 1.2.     | Testing Location .....                                       | 6         |
| 1.3.     | Test Site Environment.....                                   | 6         |
| <b>2</b> | <b>EUT Description.....</b>                                  | <b>7</b>  |
| <b>3</b> | <b>Test Methodology .....</b>                                | <b>9</b>  |
| 3.1.     | Mode of Operation .....                                      | 9         |
| 3.2.     | EUT Test Step .....                                          | 9         |
| 3.3.     | Test Instruments .....                                       | 10        |
| <b>4</b> | <b>Dynamic Frequency Selection .....</b>                     | <b>11</b> |
| 4.1.     | Limits .....                                                 | 11        |
| 4.2.     | Test and Measurement System .....                            | 15        |
| <b>5</b> | <b>Test Results .....</b>                                    | <b>17</b> |
| 5.1.     | Radar Waveforms and Traffic .....                            | 17        |
| 5.2.     | Channel Loading .....                                        | 34        |
| 5.3.     | Channel Availability Check Time .....                        | 38        |
| 5.4.     | Channel Move Time and Channel Closing Transmission Time..... | 41        |
| 5.5.     | Non-Occupancy Period .....                                   | 43        |
| 5.6.     | U-NII Detection Bandwidth .....                              | 44        |
| 5.7.     | Statistical Performance check .....                          | 47        |

## Appendix A. Test Setup Photographs

# 1 General Information

## 1.1. Summary of Test Result

| Standard     | Item                              | Result | Remark |
|--------------|-----------------------------------|--------|--------|
| 15.407(h)(2) | Channel Availability Check Time   | PASS   | ---    |
| 15.407(h)(2) | Channel Move Time                 | PASS   | ---    |
| 15.407(h)(2) | Channel Closing Transmission Time | PASS   | ---    |
| 15.407(h)(2) | Non-Occupancy Period              | PASS   | ---    |
| 15.407(h)(2) | U-NII Detection Bandwidth         | PASS   | ---    |
| 15.407(h)(2) | Statistical Performance check     | PASS   | ---    |

### Decision Rule

- ☒ Uncertainty is not included.
- ☐ Uncertainty is included.

| Standard                  | Description                                                                                                                  |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------|
| CFR47, Part 15, Subpart E | Unlicensed National Information Infrastructure Devices                                                                       |
| Canada RSS-247 Issue 3    | Digital Transmission Systems (DTSs), Frequency Hopping Systems (FHSs) and Licence-Exempt Local Area Network (LE-LAN) Devices |
| ANSI C63. 10: 2013        | American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices                               |
| KDB789033: D02            | Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E       |
| KDB 662911 D01 v02r01     | Emissions Testing of Transmitters with Multiple Outputs in the Same Band (e.g., MIMO, Smart Antenna, etc)                    |

## 1.2. Testing Location

Lab Name: Eurofins E&E Wireless Taiwan Co., Ltd.

Site Address: ☐ No. 140-1, Changan Street, Bade District, Taoyuan City, Taiwan (R.O.C.)

Site Address: ☒ No. 2, Wuquan 5th Rd. Wugu Dist., New Taipei City, Taiwan (R.O.C.)

## 1.3. Test Site Environment

| Items            | Required (IEC 60068-1) | Interval(*) |
|------------------|------------------------|-------------|
| Temperature (°C) | 15-35                  | 20-30       |
| Humidity (%RH)   | 25-75                  | 45-75       |

(\*)The measurement ambient temperature is within this range.

## 2 EUT Description

The product specifications of the EUT presented in the report are declared by the manufacturer who shall take full responsibility for the authenticity

|                              |                                                                                         |                    |             |                       |      |
|------------------------------|-----------------------------------------------------------------------------------------|--------------------|-------------|-----------------------|------|
| Applicant                    | D-Link Corporation<br>14420 Myford Road Suite 100 Irvine California United States 92606 |                    |             |                       |      |
| Product Name                 | 5G NR AX3000 Wi-Fi 6 Router                                                             |                    |             |                       |      |
| Trade Name                   | D-Link                                                                                  |                    |             |                       |      |
| Model Number                 | G530, G530/X, G530/XX, G530/XXX (X is A-Z and 0-9)                                      |                    |             |                       |      |
| Models different description | Different model names are for marketing purpose.                                        |                    |             |                       |      |
| FCC ID                       | KA2G530B1                                                                               |                    |             |                       |      |
| Operate Frequency            | Frequency Band                                                                          |                    |             | Frequency Range (MHz) |      |
|                              | 802.11a                                                                                 | U-NII Band 2-A     |             | 5260 – 5320           |      |
|                              |                                                                                         | U-NII Band 2-C     |             | 5500 – 5700           |      |
|                              | 802.11n HT20 /<br>802.11ac VHT20 /<br>802.11ax HE20                                     | U-NII Band 2-A     |             | 5260 – 5320           |      |
|                              |                                                                                         | U-NII Band 2-C     |             | 5500 – 5700           |      |
|                              | 802.11n HT40 /<br>802.11ac VHT40 /<br>802.11ax HE40                                     | U-NII Band 2-A     |             | 5270 – 5310           |      |
|                              |                                                                                         | U-NII Band 2-C     |             | 5510 – 5670           |      |
|                              | 802.11ac VHT80 /<br>802.11ax HE80                                                       | U-NII Band 2-A     |             | 5290                  |      |
|                              |                                                                                         | U-NII Band 2-C     |             | 5530 –5610            |      |
|                              | 802.11ac VHT160 /<br>802.11ax HE160                                                     | U-NII Band 2-A     |             | 5250                  |      |
| U-NII Band 2-C               |                                                                                         | 5570               |             |                       |      |
| Modulation Type              | OFDM/OFDMA                                                                              |                    |             |                       |      |
| Antenna information          | Antenna                                                                                 | Model              | Type        | Max. Gain (dBi)       |      |
|                              | Ant1<br>(ANT-0)                                                                         | ARY196-3277-015-00 | PCB antenna | U-NII Band 2-A        | 2.90 |
|                              |                                                                                         |                    |             | U-NII Band 2-C        | 2.79 |
|                              | Ant2<br>(ANT-1)                                                                         | ARY196-3277-016-00 | PCB antenna | U-NII Band 2-A        | 3.00 |
|                              |                                                                                         |                    |             | U-NII Band 2-C        | 3.08 |
|                              | Ant3<br>(ANT-2)                                                                         | ARY196-3277-017-00 | PCB antenna | U-NII Band 2-A        | 3.09 |
|                              |                                                                                         |                    |             | U-NII Band 2-C        | 3.04 |
| Antenna Delivery             | 3TX                                                                                     |                    |             |                       |      |
| Operate Temp. Range          | 0 ~ +40 ℃                                                                               |                    |             |                       |      |
| EUT Power Rating             | 12 V, 2.0 A                                                                             |                    |             |                       |      |

| Items                          | Description                                                 |                                                  |
|--------------------------------|-------------------------------------------------------------|--------------------------------------------------|
| Communication Mode             | <input checked="" type="checkbox"/> IP Based (Load Based)   | <input type="checkbox"/> Frame Based             |
| TPC Function                   | <input checked="" type="checkbox"/> With TPC                | <input type="checkbox"/> Without TPC             |
| Weather Band (5600 ~ 5650 MHz) | <input checked="" type="checkbox"/> With 5600 ~ 5650 MHz    | <input type="checkbox"/> Without 5600 ~ 5650 MHz |
| Beamforming Function           | <input checked="" type="checkbox"/> With Beamforming        | <input type="checkbox"/> Without Beamforming     |
| Equipment Type                 | <input checked="" type="checkbox"/> Outdoor access point    |                                                  |
|                                | <input type="checkbox"/> Indoor access point                |                                                  |
|                                | <input type="checkbox"/> Fixed point-to-point access points |                                                  |
|                                | <input type="checkbox"/> Client devices                     |                                                  |
| Operating mode                 | <input checked="" type="checkbox"/> Master                  |                                                  |
|                                | <input type="checkbox"/> Client with radar detection        |                                                  |
|                                | <input type="checkbox"/> Client without radar detection     |                                                  |
|                                | <input type="checkbox"/> Ad-Hoc                             |                                                  |
|                                | <input type="checkbox"/> Bridge                             |                                                  |
|                                | <input type="checkbox"/> MESH                               |                                                  |

Note : DFS controls (hardware or software) related to radar detection are NOT accessible to the user.  
Manufacturer statement confirming that information regarding the parameters of the detected Radar Waveforms is not available to the end user.

### 3 Test Methodology

The tests documented in this report were performed in accordance with ANSI C63.10-2013, FCC CFR 47 Part 2, FCC CFR 47 Part 15.

The tests documented in this report were performed in accordance with FCC KDB request:

- FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02
- FCC KDB 905462 D03 UNII Clients Without Radar Detection New Rules v01r02

#### 3.1. Mode of Operation

In the test report use EUT model: G530 to operate testing.

Decision of Test Eurofins has verified the construction and function in typical operation. All the test modes were carried out with the EUT in normal operation, which was shown in this test report and defined as:

| Test Mode      |
|----------------|
| 802.11ax HE20  |
| 802.11ax HE40  |
| 802.11ax HE80  |
| 802.11ax HE160 |

802.11ax HE20:

Unless otherwise noted, all tests were performed with the radar burst at the channel center frequency of 5300 MHz.

802.11ax HE40:

Unless otherwise noted, all tests were performed with the radar burst at the channel center frequency of 5310 MHz.

802.11ax HE80:

Unless otherwise noted, all tests were performed with the radar burst at the channel center frequency of 5290 MHz.

802.11ax HE160:

Unless otherwise noted, all tests were performed with the radar burst at the channel center frequency of 5250 MHz.

#### 3.2. EUT Test Step

|    |                                                                        |
|----|------------------------------------------------------------------------|
| 1. | Setup the EUT shown on 3.2.                                            |
| 2. | Turn on the power of all equipment.                                    |
| 3. | Turn on Wi-Fi function link to Access Point.                           |
| 4. | The EUT is operated in the normal mode to the purposes of measurement. |

### 3.3. Test Instruments

For Conducted

Test Period: Feb. 4 , 2025 ~ Feb. 7 , 2025

Testing Engineer: An Wu

| Test Site                           |                                     | RF02-WG      |              |               |               |             |
|-------------------------------------|-------------------------------------|--------------|--------------|---------------|---------------|-------------|
| Use                                 | Equipment                           | Manufacturer | Model Number | Serial Number | Cal. Date     | Cal. Period |
| <input checked="" type="checkbox"/> | Spectrum Analyzer<br>(10 Hz~44 GHz) | R&S          | FSV3044      | 101255        | Dec. 18, 2024 | 1 year      |
| <input checked="" type="checkbox"/> | Signal Generator                    | R&S          | SMM100A      | 101740        | Jan. 21, 2025 | 1 year      |

Note: N.C.R. = No Calibration Request.

## 4 Dynamic Frequency Selection

### 4.1. Limits

§15.407 (h) and FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02 Compliance measurement procedures for unlicensed-national information infrastructure devcies operating in the 5250-5350 MHZ and 5470-5725 MHZ bands incorporating dynamic frequency selection.

| Table 1: Applicability of DFS Requirements Prior to Use of a Channel |                  |                                        |                                     |
|----------------------------------------------------------------------|------------------|----------------------------------------|-------------------------------------|
| Requirement                                                          | Operational Mode |                                        |                                     |
|                                                                      | Master           | Client<br>(without Radar<br>Detection) | Client<br>(with Radar<br>Detection) |
| Non-Occupancy Period                                                 | Yes              | Not required                           | Yes                                 |
| DFS Detection Threshold                                              | Yes              | Not required                           | Yes                                 |
| Channel Availability Check Time                                      | Yes              | Not required                           | Not required                        |
| U-NII Detection Bandwidth                                            | Yes              | Not required                           | Yes                                 |

| Table 2: Applicability of DFS requirements during normal operation |                                                 |                                |
|--------------------------------------------------------------------|-------------------------------------------------|--------------------------------|
| Requirement                                                        | Operational Mode                                |                                |
|                                                                    | Master Device or Client<br>With Radar Detection | Client without Radar Detection |
| DFS Detection Threshold                                            | Yes                                             | Not required                   |
| Channel Closing Transmission Time                                  | Yes                                             | Yes                            |
| Channel Move Time                                                  | Yes                                             | Yes                            |
| U-NII Detection Bandwidth                                          | Yes                                             | Not required                   |

| Additional requirements for devices with multiple bandwidth modes                                                                                                                                                                                                                                                                                                           | Master Device or Client<br>With Radar Detection | Client without Radar Detection                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|------------------------------------------------------|
| U-NII Detection Bandwidth and Statistical Performance Check                                                                                                                                                                                                                                                                                                                 | All BW modes must be tested                     | Not required                                         |
| Channel Move Time and Channel Closing Transmission Time                                                                                                                                                                                                                                                                                                                     | Test using widest BW mode available             | Test using the widest BW mode available for the link |
| All other tests                                                                                                                                                                                                                                                                                                                                                             | Any single BW mode                              | Not required                                         |
| Note : Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in all 20 MHz channel blocks and a null frequencies between the bonded 20 MHz channel blocks |                                                 |                                                      |

**Table 3: DFS Detection Thresholds for Master Devices and Client Devices With Radar Detection**

| Maximum Transmit Power                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | U-NII Band 2-Aalue (See Notes 1,2 and 3) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| EIRP $\geq$ 200 milliwatt                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | -64 dBm                                  |
| EIRP < 200 milliwatt and<br>Power spectral density < 10 dBm/MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                             | -62 dBm                                  |
| EIRP < 200 milliwatt that do not meet the power spectral<br>density requirement                                                                                                                                                                                                                                                                                                                                                                                                                                             | -64 dBm                                  |
| <p>Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.</p> <p>Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.</p> <p>Note 3: EIRP is based on the highest antenna gain. For MIMO devices refer to FCC KDB Publication 662911 D01.</p> |                                          |

**Table 4: DFS Response Requirement U-NII Band 2-Aalues**

| Parameter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | U-NII Band 2-Aalue                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Non-occupancy period                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Minimum 30 minutes                                                                                           |
| Channel Availability Check Time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 60 seconds                                                                                                   |
| Channel Move Time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 10 seconds<br>See Note 1.                                                                                    |
| Channel Closing Transmission Time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 200 milliseconds + an aggregate of 60 milliseconds over<br>remaining 10 second period.<br>See Notes 1 and 2. |
| U-NII Detection Bandwidth                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Minimum 100 % of the U-NII 99 % transmission power<br>bandwidth. See Note 3.                                 |
| <p>Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.</p> <p>Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.</p> <p>Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.</p> |                                                                                                              |

| Table 5: Short Pulse Radar Test Waveforms                                                                                            |                    |                                                                                                                                                                                                                                                                             |                                                                                                                                      |                                            |                          |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------------|
| Radar Type                                                                                                                           | Pulse Width (μsec) | PRI (μsec)                                                                                                                                                                                                                                                                  | Number of Pulses                                                                                                                     | Minimum Percentage of Successful Detection | Minimum Number of Trials |
| 0                                                                                                                                    | 1                  | 1428                                                                                                                                                                                                                                                                        | 18                                                                                                                                   | See Note 1                                 | See Note 1               |
| 1                                                                                                                                    | 1                  | <p>Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a</p> <hr/> <p>Test B: 15 unique PRI values randomly selected within the range of 518-3066 μsec, with a minimum increment of 1 μsec, excluding PRI values selected in Test A</p> | $\text{Roundup} \left\{ \left( \frac{1}{360} \right) \cdot \left( \frac{19 \cdot 10^6}{\text{PRI}_{\mu\text{sec}}} \right) \right\}$ | 60 %                                       | 30                       |
| 2                                                                                                                                    | 1-5                | 150-230                                                                                                                                                                                                                                                                     | 23-29                                                                                                                                | 60 %                                       | 30                       |
| 3                                                                                                                                    | 6-10               | 200-500                                                                                                                                                                                                                                                                     | 16-18                                                                                                                                | 60 %                                       | 30                       |
| 4                                                                                                                                    | 11-20              | 200-500                                                                                                                                                                                                                                                                     | 12-16                                                                                                                                | 60 %                                       | 30                       |
| Aggregate (Radar Types 1-4)                                                                                                          |                    |                                                                                                                                                                                                                                                                             |                                                                                                                                      | 80 %                                       | 120                      |
| Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests. |                    |                                                                                                                                                                                                                                                                             |                                                                                                                                      |                                            |                          |

**Table 5a: Pulse Repetition Intervals U-NII Band 2-Aalues for Test A**

| Pulse Repetition Frequency Number | Pulse Repetition Frequency (Pulses Per Second) | Pulse Repetition Interval (Microseconds) |
|-----------------------------------|------------------------------------------------|------------------------------------------|
| 1                                 | 1930.5                                         | 518                                      |
| 2                                 | 1858.7                                         | 538                                      |
| 3                                 | 1792.1                                         | 558                                      |
| 4                                 | 1730.1                                         | 578                                      |
| 5                                 | 1672.2                                         | 598                                      |
| 6                                 | 1618.1                                         | 618                                      |
| 7                                 | 1567.4                                         | 638                                      |
| 8                                 | 1519.8                                         | 658                                      |
| 9                                 | 1474.9                                         | 678                                      |
| 10                                | 1432.7                                         | 698                                      |
| 11                                | 1392.8                                         | 718                                      |
| 12                                | 1355                                           | 738                                      |
| 13                                | 1319.3                                         | 758                                      |
| 14                                | 1285.3                                         | 778                                      |
| 15                                | 1253.1                                         | 798                                      |
| 16                                | 1222.5                                         | 818                                      |
| 17                                | 1193.3                                         | 838                                      |
| 18                                | 1165.6                                         | 858                                      |
| 19                                | 1139                                           | 878                                      |
| 20                                | 1113.6                                         | 898                                      |
| 21                                | 1089.3                                         | 918                                      |
| 22                                | 1066.1                                         | 938                                      |
| 23                                | 326.2                                          | 3066                                     |

**Table 6 – Long Pulse Radar Test Signal**

| Radar Waveform | Bursts | Pulses per Burst | Pulse Width (μsec) | Chirp Width (MHz) | PRI (μsec) | Minimum Percentage of Successful Detection | Minimum Trials |
|----------------|--------|------------------|--------------------|-------------------|------------|--------------------------------------------|----------------|
| 5              | 8-20   | 1-3              | 50-100             | 5-20              | 1000-2000  | 80 %                                       | 30             |


**Table 7 – Frequency Hopping Radar Test Signal**

| Radar Waveform | Pulse Width (μsec) | PRI (μsec) | Burst Length (ms) | Pulses per Hop | Hopping Rate (kHz) | Minimum Percentage of Successful Detection | Minimum Trials |
|----------------|--------------------|------------|-------------------|----------------|--------------------|--------------------------------------------|----------------|
| 6              | 1                  | 333        | 300               | 9              | 0.333              | 70 %                                       | 30             |

## 4.2. Test and Measurement System

### 4.2.1. Setup for Master with injection at the Master

Example Radiated Setup where UUT is a Master and Radar Test Waveforms are injected into the Master



### Tested System Details

The types for all equipments, plus descriptions of all cables used in the tested system (including inserted cards) are:

|    | Product     | Manufacturer | Model No. | ID         |
|----|-------------|--------------|-----------|------------|
| 1. | Smart Phone | SAMSUNG      | SM-S9210  | A3LSMS921U |

#### **4.2.2. System Calibration**

The short pulse types 0,1,2, 3 and 4, and the long pulse type 5 parameters are randomized at run-time. The hopping type 6 pulse parameters are fixed while the hopping sequence is based on the May 2014 NTIA Hopping Frequency List. The initial starting point randomized at run-time and each subsequent starting point is incremented by 475. Each frequency in the 100-length segment is compared to the boundaries of the EUT Detection Bandwidth and the software creates a hopping burst pattern in accordance with Section 7.4.1.3 Method #2 Simulated Frequency Hopping Radar Waveform Generating Subsystem of FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02 The frequency of the signal generator is incremented in 1 MHz steps from FL to FH for each successive trial. This incremental sequence is repeated as required to generate a minimum of 30 total trials and to maintain a uniform frequency distribution over the entire Detection Bandwidth.

The signal monitoring equipment consists of a spectrum analyzer. The aggregate ON time is calculated by multiplying the number of bins above a threshold during a particular observation period by the dwell time per bin, with the analyzer set to peak detection and max hold.

#### **4.2.3. System Calibration**

The Interference Radar Detection Threshold Level is (-63 dBm), The above equipment setup was used to calibrate the radiated Radar Waveform. A vector signal generator was utilized to establish the test signal level for each radar type. During this process there were replace 50 ohm terminal form Master and Client device and no transmissions by either the Master or Client Device. The spectrum analyzer was switched to the zero span (Time Domain) at the frequency of the Radar Waveform generator. Peak detection was used. The spectrum analyzer resolution bandwidth (RBW) and video bandwidth (U-NII Band 2-ABW) were set to at least 3 MHz.

The vector signal generator amplitude was set so that the power level measured at the spectrum analyzer was (-63 dBm). Capture the spectrum analyzer plots on short pulse radar types, long pulse radar type and hopping radar waveform.

#### **4.2.4. Adjustment of Displayed Traffic Level**

A link is established between the Master and Slave and the distance between the units is adjusted as needed to provide a suitable received level at the Master and Slave devices. Software to ping the client is permitted to simulate data transfer but must have random ping intervals. The monitoring antenna is adjusted so that the WLAN traffic level, as displayed on the spectrum analyzer, is at lower amplitude than the radar detection threshold.


## 5 Test Results

### 5.1. Radar Waveforms and Traffic




802.11ax HE20\_ 5300 MHz

Short Pulse Radar  
Type 2






802.11ax HE20\_ 5300 MHz

Short Pulse Radar  
Type 3




Short Pulse Radar  
Type 4




| 802.11ax HE20_ 5300 MHz                              |                                                                                      |
|------------------------------------------------------|--------------------------------------------------------------------------------------|
| <div>Long Pulse Radar</div> <div>Type 5</div>        |    |
| <div>Frequency Hopping Radar</div> <div>Type 6</div> |  |

802.11ax HE40\_ 5310 MHz

Short Pulse Radar  
Type 0




Short Pulse Radar  
Type 1




802.11ax HE40\_ 5310 MHz

Short Pulse Radar  
Type 2




802.11ax HE40\_ 5310 MHz

Short Pulse Radar  
Type 3




Short Pulse Radar  
Type 4




802.11ax HE40\_ 5310 MHz

Long Pulse Radar  
Type 5




Frequency Hopping  
Radar  
Type 6




802.11ax HE80\_ 5290 MHz

Short Pulse Radar  
Type 0




Short Pulse Radar  
Type 1




802.11ax HE80\_ 5290 MHz

Short Pulse Radar  
Type 2




802.11ax HE80\_ 5290 MHz

Short Pulse Radar  
Type 3




Short Pulse Radar  
Type 4




802.11ax HE80\_ 5290 MHz

Long Pulse Radar  
Type 5




Frequency Hopping  
Radar  
Type 6




802.11ax HE160\_ 5250 MHz

Short Pulse Radar  
Type 0




Short Pulse Radar  
Type 1




802.11ax HE160\_ 5250 MHz

Short Pulse Radar  
Type 2




802.11ax HE160\_ 5250 MHz

Short Pulse Radar  
Type 3




Short Pulse Radar  
Type 4




802.11ax HE160\_ 5250 MHz

Long Pulse Radar  
Type 5




Frequency Hopping  
Radar  
Type 6



802.11ax HE160\_ 5250 MHz


Traffic



## 5.2. Channel Loading

### ■ Duty cycle $\geq 17\%$

802.11ax HE20



DFS and Adaptivity


Device

|                     |              |                |                    |
|---------------------|--------------|----------------|--------------------|
| Trigger Level(dBm): | MK1 Time(s): | MK2 Time(s):   | Delta Time(s):     |
| -50                 | 0            | 100.00ms       | 100.00ms           |
| On Time Point:      |              | Total Point:   | Sum of On Time(s): |
| 7955                |              | 40000          | 19.89ms            |
| Sweep Time(s):      | Sweep Point: | Duty Cycle(%): |                    |
| 100.00ms            | 40001        | 19.89%         |                    |

eurofins

RUN

# 802.11ax HE40



DFS and Adaptivity


Device

|                     |              |               |                    |
|---------------------|--------------|---------------|--------------------|
| Trigger Level(dBm): | MK1 Time(s): | MK2 Time(s):  | Delta Time(s):     |
| -40                 | 0            | 100.00ms      | 100.00ms           |
| On Time Point:      |              | Total Point:  | Sum of On Time(s): |
| 7044                |              | 40000         | 17.61ms            |
| Sweep Time(s):      | Sweep Point: | Duty Cycle(%) |                    |
| 100.00ms            | 40001        | 17.61%        |                    |

eurofins

RUN

802.11ax HE80



DFS and Adaptivity


Device

|                     |              |               |                    |
|---------------------|--------------|---------------|--------------------|
| Trigger Level(dBm): | MK1 Time(s): | MK2 Time(s):  | Delta Time(s):     |
| -40                 | 0            | 100.00ms      | 100.00ms           |
| On Time Point:      |              | Total Point:  | Sum of On Time(s): |
| 7751                |              | 40000         | 19.38ms            |
| Sweep Time(s):      | Sweep Point: | Duty Cycle(%) |                    |
| 100.00ms            | 40001        | 19.38%        |                    |

eurofins

RUN

802.11ax HE160



DFS and Adaptivity

Device

|                     |              |               |                    |
|---------------------|--------------|---------------|--------------------|
| Trigger Level(dBm): | MK1 Time(s): | MK2 Time(s):  | Delta Time(s):     |
| -40                 | 0            | 100.00ms      | 100.00ms           |
| On Time Point:      |              | Total Point:  | Sum of On Time(s): |
| 7138                |              | 40000         | 17.85ms            |
| Sweep Time(s):      | Sweep Point: | Duty Cycle(%) |                    |
| 100.00ms            | 40001        | 17.84%        |                    |

eurofins

RUN

### 5.3. Channel Availability Check Time

#### 5.3.1. Procedure to Determine Initial Power-Up Cycle Time

A link was established on channel then the EUT was rebooted. The time from the cessation of traffic to the re-initialization of traffic was measured as the time required for the EUT to complete the total power-up cycle. The time to complete the initial power-up period is 60 seconds less than this total power-up time.

#### 5.3.2. Procedure for Timing Of Radar Burst

With a link established on channel, the EUT was rebooted. A radar signal was triggered within 0 to 6 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.


The Non-Occupancy list was cleared. With a link established on channel, the EUT was rebooted. A radar signal was triggered within 54 to 60 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

#### 5.3.3. Qualitative Results


| Timing of Radar Burst         | Display on Control Computer  | Spectrum Analyzer Display                                                                 |
|-------------------------------|------------------------------|-------------------------------------------------------------------------------------------|
| No Radar Triggered            | EUT marks Channel as active  | Transmissions begin on channel after completion of the initial power-up cycle and the CAC |
| Within 0 to 6 second window   | EUT indicates radar detected | No transmissions on channel                                                               |
| Within 54 to 60 second window | EUT indicates radar detected | No transmissions on channel                                                               |


# 802.11ax HE160\_ 5250 MHz

Initial Channel  
Availability Check



Initial Channel  
Availability Check  
Begin





## 5.4. Channel Move Time and Channel Closing Transmission Time

### 5.4.1. Reporting Notes

The reference marker is set at the end of last radar pulse.

The delta marker is set at the end of the last WLAN transmission following the radar pulse.  
This delta is the channel move time.

The aggregate channel closing transmission time is calculated as follows:

Aggregate Transmission Time = (Number of analyzer bins showing transmission) \* (dwell time per bin)

The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.


#### Results

| Frequency<br>(MHz) | Radar Type | Channel Move Time<br>(msec) | Limit<br>(sec) |
|--------------------|------------|-----------------------------|----------------|
|                    |            | Master                      |                |
| 5250               | Type 0     | 1436                        | 10             |

| Frequency<br>(MHz) | Radar Type | Aggregate Channel Closing Transmission Time<br>(msec) | Limit<br>(msec) |
|--------------------|------------|-------------------------------------------------------|-----------------|
|                    |            | Master                                                |                 |
| 5250               | Type 0     | 12.5                                                  | 60              |

Master :

802.11ax HE160\_ 5250 MHz



Channel Move and  
Closing Time

DFS and Adaptivity

Device

Trigger Level(dBm):  MK1 Time(s):  MK2 Time(s):  Delta Time(s):


On Time Point:  Total Point:  Sum of On Time(s):

Sweep Time(s):  Sweep Point:  Duty Cycle(%):

## 5.5. Non-Occupancy Period

802.11ax HE160\_ 5250 MHz

Master



Note: Non-Occupancy Period time is 30 minute during which a Channel will not be utilized after a Radar Waveform is detected on that Channel.

## 5.6. U-NII Detection Bandwidth

### ■ Test Results

| Test Mode       |          |          |                           |                            |                                            |                   |
|-----------------|----------|----------|---------------------------|----------------------------|--------------------------------------------|-------------------|
| 802.11ax HE20   |          |          |                           |                            |                                            |                   |
| Frequency (MHz) | FL (MHz) | FH (MHz) | Detection Bandwidth (MHz) | 99 % Power Bandwidth (MHz) | Ratio of Detection BW to 99 % Power BW (%) | Minimum Limit (%) |
| 5300            | 5290     | 5310     | 20                        | 18.886                     | 105.90                                     | $\geq 100$        |

| Test Mode       |          |          |                           |                            |                                            |                   |
|-----------------|----------|----------|---------------------------|----------------------------|--------------------------------------------|-------------------|
| 802.11ax HE40   |          |          |                           |                            |                                            |                   |
| Frequency (MHz) | FL (MHz) | FH (MHz) | Detection Bandwidth (MHz) | 99 % Power Bandwidth (MHz) | Ratio of Detection BW to 99 % Power BW (%) | Minimum Limit (%) |
| 5310            | 5290     | 5330     | 40                        | 37.608                     | 106.36                                     | $\geq 100$        |

| Test Mode       |          |          |                           |                            |                                            |                   |
|-----------------|----------|----------|---------------------------|----------------------------|--------------------------------------------|-------------------|
| 802.11ax HE80   |          |          |                           |                            |                                            |                   |
| Frequency (MHz) | FL (MHz) | FH (MHz) | Detection Bandwidth (MHz) | 99 % Power Bandwidth (MHz) | Ratio of Detection BW to 99 % Power BW (%) | Minimum Limit (%) |
| 5290            | 5250     | 5330     | 80                        | 75.022                     | 106.64                                     | $\geq 100$        |

| Test Mode       |          |          |                           |                            |                                            |                   |
|-----------------|----------|----------|---------------------------|----------------------------|--------------------------------------------|-------------------|
| 802.11ax HE160  |          |          |                           |                            |                                            |                   |
| Frequency (MHz) | FL (MHz) | FH (MHz) | Detection Bandwidth (MHz) | 99 % Power Bandwidth (MHz) | Ratio of Detection BW to 99 % Power BW (%) | Minimum Limit (%) |
| 5250            | 5250     | 5330     | 80                        | 78.774                     | 101.56                                     | $\geq 100$        |

# Test Graphs

802.11ax HE20\_ 5300 MHz




802.11ax HE40\_ 5310 MHz



802.11ax HE80\_ 5290 MHz



802.11ax HE160\_ 5250 MHz



## 5.7. Statistical Performance check

### ■ Test Results

| Test Mode       |              | 802.11ax HE20 |                    |            |            |             |       |
|-----------------|--------------|---------------|--------------------|------------|------------|-------------|-------|
| Frequency (MHz) | Radar Signal | PRI (Msec)    | Pulse width W (μs) | Pass Times | Fail Times | Probability | Limit |
| 5300            | Type1        | Table 5a      | 1                  | 28         | 2          | 93.33%      | ≥60 % |
|                 | Type2        | Random        | Random             | 27         | 3          | 90.00%      | ≥60 % |
|                 | Type3        | Random        | Random             | 26         | 4          | 86.67%      | ≥60 % |
|                 | Type4        | Random        | Random             | 27         | 3          | 90.00%      | ≥60 % |
|                 | Type1~4      |               |                    |            |            | 90.00%      | ≥80 % |
|                 | Type5        | Random        | Random             | 27         | 3          | 90.00%      | ≥80 % |
|                 | Type6        | Hopping       | 1                  | 30         | 0          | 100.00%     | ≥70 % |

| Test Mode       |              | 802.11ax HE40 |                    |            |            |             |       |
|-----------------|--------------|---------------|--------------------|------------|------------|-------------|-------|
| Frequency (MHz) | Radar Signal | PRI (Msec)    | Pulse width W (μs) | Pass Times | Fail Times | Probability | Limit |
| 5310            | Type1        | Table 5a      | 1                  | 27         | 3          | 90.00%      | ≥60 % |
|                 | Type2        | Random        | Random             | 28         | 2          | 93.33%      | ≥60 % |
|                 | Type3        | Random        | Random             | 26         | 4          | 86.67%      | ≥60 % |
|                 | Type4        | Random        | Random             | 26         | 4          | 86.67%      | ≥60 % |
|                 | Type1~4      |               |                    |            |            | 89.17%      | ≥80 % |
|                 | Type5        | Random        | Random             | 26         | 4          | 86.67%      | ≥80 % |
|                 | Type6        | Hopping       | 1                  | 30         | 0          | 100.00%     | ≥70 % |

| Test Mode       |              | 802.11ax HE80 |                    |            |            |             |       |
|-----------------|--------------|---------------|--------------------|------------|------------|-------------|-------|
| Frequency (MHz) | Radar Signal | PRI (Msec)    | Pulse width W (μs) | Pass Times | Fail Times | Probability | Limit |
| 5290            | Type1        | Table 5a      | 1                  | 29         | 1          | 96.67%      | ≥60 % |
|                 | Type2        | Random        | Random             | 26         | 4          | 86.67%      | ≥60 % |
|                 | Type3        | Random        | Random             | 27         | 3          | 90.00%      | ≥60 % |
|                 | Type4        | Random        | Random             | 28         | 2          | 93.33%      | ≥60 % |
|                 | Type1~4      |               |                    |            |            | 91.67%      | ≥80 % |
|                 | Type5        | Random        | Random             | 27         | 3          | 90.00%      | ≥80 % |
|                 | Type6        | Hopping       | 1                  | 30         | 0          | 100.00%     | ≥70 % |

| Test Mode       |              | 802.11ax HE160 |                    |            |            |             |       |
|-----------------|--------------|----------------|--------------------|------------|------------|-------------|-------|
| Frequency (MHz) | Radar Signal | PRI (Msec)     | Pulse width W (μs) | Pass Times | Fail Times | Probability | Limit |
| 5250            | Type1        | Table 5a       | 1                  | 28         | 2          | 93.33%      | ≥60 % |
|                 | Type2        | Random         | Random             | 28         | 2          | 93.33%      | ≥60 % |
|                 | Type3        | Random         | Random             | 27         | 3          | 90.00%      | ≥60 % |
|                 | Type4        | Random         | Random             | 26         | 4          | 86.67%      | ≥60 % |
|                 | Type1~4      |                |                    |            |            | 90.83%      | ≥80 % |
|                 | Type5        | Random         | Random             | 28         | 2          | 93.33%      | ≥80 % |
|                 | Type6        | Hopping        | 1                  | 30         | 0          | 100.00%     | ≥70 % |

| Test Mode                |                      | 802.11ax HE20    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5300 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 1           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5300                 | 1                | 3066     | 18              | 326      | 1                               |
| 2                        | 5300                 | 1                | 858      | 62              | 1166     | 1                               |
| 3                        | 5300                 | 1                | 538      | 99              | 1859     | 0                               |
| 4                        | 5300                 | 1                | 578      | 92              | 1730     | 1                               |
| 5                        | 5300                 | 1                | 858      | 62              | 1166     | 1                               |
| 6                        | 5300                 | 1                | 718      | 74              | 1393     | 1                               |
| 7                        | 5300                 | 1                | 3066     | 18              | 326      | 1                               |
| 8                        | 5300                 | 1                | 518      | 102             | 1931     | 1                               |
| 9                        | 5300                 | 1                | 618      | 86              | 1618     | 1                               |
| 10                       | 5300                 | 1                | 698      | 76              | 1433     | 1                               |
| 11                       | 5300                 | 1                | 578      | 92              | 1730     | 1                               |
| 12                       | 5300                 | 1                | 558      | 95              | 1792     | 1                               |
| 13                       | 5300                 | 1                | 898      | 59              | 1114     | 0                               |
| 14                       | 5300                 | 1                | 898      | 59              | 1114     | 1                               |
| 15                       | 5300                 | 1                | 658      | 81              | 1520     | 1                               |
| 16                       | 5300                 | 1                | 541      | 98              | 1848     | 1                               |
| 17                       | 5300                 | 1                | 2779     | 19              | 360      | 1                               |
| 18                       | 5300                 | 1                | 2285     | 24              | 438      | 1                               |
| 19                       | 5300                 | 1                | 2571     | 21              | 389      | 1                               |
| 20                       | 5300                 | 1                | 2575     | 21              | 388      | 1                               |
| 21                       | 5300                 | 1                | 2953     | 18              | 339      | 1                               |
| 22                       | 5300                 | 1                | 1157     | 46              | 864      | 1                               |
| 23                       | 5300                 | 1                | 2281     | 24              | 438      | 1                               |
| 24                       | 5300                 | 1                | 1193     | 45              | 838      | 1                               |
| 25                       | 5300                 | 1                | 1511     | 35              | 662      | 1                               |
| 26                       | 5300                 | 1                | 1414     | 38              | 707      | 1                               |
| 27                       | 5300                 | 1                | 2525     | 21              | 396      | 1                               |
| 28                       | 5300                 | 1                | 1274     | 42              | 785      | 1                               |
| 29                       | 5300                 | 1                | 2057     | 26              | 486      | 1                               |
| 30                       | 5300                 | 1                | 2624     | 21              | 381      | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 93.33                           |

| Test Mode                |                      | 802.11ax HE20    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5300 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 2           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5300                 | 5.00             | 204.90   | 27              | 4880     | 0                               |
| 2                        | 5300                 | 3.00             | 205.10   | 27              | 4876     | 1                               |
| 3                        | 5300                 | 3.50             | 204.70   | 28              | 4885     | 1                               |
| 4                        | 5300                 | 3.80             | 193.10   | 24              | 5179     | 1                               |
| 5                        | 5300                 | 4.30             | 224.10   | 27              | 4462     | 1                               |
| 6                        | 5300                 | 3.00             | 168.00   | 29              | 5952     | 1                               |
| 7                        | 5300                 | 3.60             | 223.50   | 27              | 4474     | 1                               |
| 8                        | 5300                 | 2.60             | 166.50   | 28              | 6006     | 0                               |
| 9                        | 5300                 | 4.10             | 166.60   | 23              | 6002     | 1                               |
| 10                       | 5300                 | 1.70             | 151.90   | 25              | 6583     | 1                               |
| 11                       | 5300                 | 1.20             | 160.20   | 24              | 6242     | 1                               |
| 12                       | 5300                 | 3.70             | 159.70   | 26              | 6262     | 1                               |
| 13                       | 5300                 | 3.40             | 171.10   | 28              | 5845     | 1                               |
| 14                       | 5300                 | 1.30             | 182.40   | 24              | 5482     | 1                               |
| 15                       | 5300                 | 3.10             | 162.20   | 26              | 6165     | 1                               |
| 16                       | 5300                 | 3.70             | 201.60   | 28              | 4960     | 1                               |
| 17                       | 5300                 | 3.80             | 222.20   | 28              | 4500     | 1                               |
| 18                       | 5300                 | 1.50             | 176.00   | 29              | 5682     | 1                               |
| 19                       | 5300                 | 3.20             | 161.90   | 24              | 6177     | 1                               |
| 20                       | 5300                 | 2.60             | 192.30   | 29              | 5200     | 1                               |
| 21                       | 5300                 | 2.70             | 153.10   | 24              | 6532     | 1                               |
| 22                       | 5300                 | 1.80             | 170.50   | 29              | 5865     | 0                               |
| 23                       | 5300                 | 1.70             | 198.00   | 27              | 5051     | 1                               |
| 24                       | 5300                 | 1.70             | 207.00   | 23              | 4831     | 1                               |
| 25                       | 5300                 | 4.80             | 192.30   | 24              | 5200     | 1                               |
| 26                       | 5300                 | 4.70             | 216.90   | 26              | 4610     | 1                               |
| 27                       | 5300                 | 4.70             | 192.50   | 28              | 5195     | 1                               |
| 28                       | 5300                 | 2.00             | 168.40   | 25              | 5938     | 1                               |
| 29                       | 5300                 | 2.20             | 203.10   | 29              | 4924     | 1                               |
| 30                       | 5300                 | 4.40             | 221.40   | 24              | 4517     | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 90.00                           |

| Test Mode                |                      | 802.11ax HE20    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5300 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 3           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5300                 | 7.60             | 258.70   | 17              | 3865.48  | 1                               |
| 2                        | 5300                 | 6.10             | 256.10   | 16              | 3904.72  | 1                               |
| 3                        | 5300                 | 7.60             | 277.00   | 18              | 3610.11  | 1                               |
| 4                        | 5300                 | 9.20             | 330.90   | 18              | 3022.06  | 1                               |
| 5                        | 5300                 | 7.00             | 254.60   | 17              | 3927.73  | 1                               |
| 6                        | 5300                 | 9.30             | 369.40   | 18              | 2707.09  | 1                               |
| 7                        | 5300                 | 8.10             | 373.60   | 16              | 2676.66  | 1                               |
| 8                        | 5300                 | 7.60             | 338.10   | 16              | 2957.70  | 1                               |
| 9                        | 5300                 | 8.10             | 208.70   | 16              | 4791.57  | 1                               |
| 10                       | 5300                 | 9.50             | 398.10   | 18              | 2511.93  | 1                               |
| 11                       | 5300                 | 7.80             | 478.90   | 18              | 2088.12  | 1                               |
| 12                       | 5300                 | 7.80             | 486.10   | 18              | 2057.19  | 1                               |
| 13                       | 5300                 | 6.90             | 485.30   | 16              | 2060.58  | 0                               |
| 14                       | 5300                 | 6.90             | 288.20   | 18              | 3469.81  | 1                               |
| 15                       | 5300                 | 9.10             | 358.50   | 16              | 2789.40  | 1                               |
| 16                       | 5300                 | 9.40             | 421.20   | 17              | 2374.17  | 1                               |
| 17                       | 5300                 | 10.00            | 360.40   | 18              | 2774.69  | 1                               |
| 18                       | 5300                 | 6.10             | 500.00   | 17              | 2000.00  | 0                               |
| 19                       | 5300                 | 9.90             | 412.30   | 16              | 2425.42  | 0                               |
| 20                       | 5300                 | 6.20             | 424.20   | 18              | 2357.38  | 1                               |
| 21                       | 5300                 | 7.00             | 244.70   | 16              | 4086.64  | 1                               |
| 22                       | 5300                 | 7.10             | 446.90   | 17              | 2237.64  | 1                               |
| 23                       | 5300                 | 6.90             | 293.30   | 17              | 3409.48  | 1                               |
| 24                       | 5300                 | 9.10             | 240.80   | 17              | 4152.82  | 1                               |
| 25                       | 5300                 | 6.80             | 319.00   | 16              | 3134.80  | 1                               |
| 26                       | 5300                 | 8.90             | 406.80   | 18              | 2458.21  | 0                               |
| 27                       | 5300                 | 7.00             | 200.10   | 18              | 4997.50  | 1                               |
| 28                       | 5300                 | 6.50             | 444.90   | 18              | 2247.70  | 1                               |
| 29                       | 5300                 | 8.10             | 319.20   | 16              | 3132.83  | 1                               |
| 30                       | 5300                 | 7.00             | 389.70   | 16              | 2566.08  | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 86.67                           |

| Test Mode                |                      | 802.11ax HE20    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5300 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 4           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5300                 | 20.00            | 326.50   | 13              | 3063     | 1                               |
| 2                        | 5300                 | 19.20            | 290.70   | 13              | 3440     | 0                               |
| 3                        | 5300                 | 17.80            | 367.70   | 13              | 2720     | 1                               |
| 4                        | 5300                 | 14.00            | 437.50   | 15              | 2286     | 0                               |
| 5                        | 5300                 | 11.00            | 499.30   | 15              | 2003     | 1                               |
| 6                        | 5300                 | 17.60            | 273.30   | 12              | 3659     | 1                               |
| 7                        | 5300                 | 19.20            | 313.10   | 12              | 3194     | 1                               |
| 8                        | 5300                 | 12.70            | 471.20   | 16              | 2122     | 1                               |
| 9                        | 5300                 | 14.60            | 459.60   | 15              | 2176     | 1                               |
| 10                       | 5300                 | 16.30            | 406.50   | 14              | 2460     | 1                               |
| 11                       | 5300                 | 17.40            | 488.10   | 16              | 2049     | 1                               |
| 12                       | 5300                 | 15.20            | 347.90   | 15              | 2874     | 1                               |
| 13                       | 5300                 | 17.40            | 359.50   | 12              | 2782     | 1                               |
| 14                       | 5300                 | 15.70            | 231.00   | 13              | 4329     | 1                               |
| 15                       | 5300                 | 18.60            | 359.80   | 15              | 2779     | 1                               |
| 16                       | 5300                 | 19.30            | 208.60   | 15              | 4794     | 1                               |
| 17                       | 5300                 | 13.50            | 299.50   | 12              | 3339     | 1                               |
| 18                       | 5300                 | 17.20            | 481.40   | 13              | 2077     | 1                               |
| 19                       | 5300                 | 12.40            | 442.70   | 12              | 2259     | 1                               |
| 20                       | 5300                 | 16.70            | 294.60   | 12              | 3394     | 1                               |
| 21                       | 5300                 | 12.00            | 316.10   | 14              | 3164     | 1                               |
| 22                       | 5300                 | 14.80            | 356.30   | 16              | 2807     | 0                               |
| 23                       | 5300                 | 11.90            | 437.60   | 12              | 2285     | 1                               |
| 24                       | 5300                 | 18.40            | 409.20   | 13              | 2444     | 1                               |
| 25                       | 5300                 | 12.50            | 336.20   | 14              | 2974     | 1                               |
| 26                       | 5300                 | 15.30            | 480.00   | 15              | 2083     | 1                               |
| 27                       | 5300                 | 14.00            | 359.70   | 12              | 2780     | 1                               |
| 28                       | 5300                 | 14.00            | 308.30   | 13              | 3244     | 1                               |
| 29                       | 5300                 | 13.80            | 239.60   | 16              | 4174     | 1                               |
| 30                       | 5300                 | 13.30            | 303.10   | 15              | 3299     | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 90.00                           |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 1            | 5296.5               | 1             | 79.5             | 14                | 1357.9   | 3                        | 1                            |
|              | 5293.5               | 2             | 51.1             | 7                 | 1162.2   | 1                        |                              |
|              | 5294.5               | 3             | 77.4             | 11                | 1472.4   | 2                        |                              |
|              | 5292.5               | 4             | 94.8             | 6                 | 1938.7   | 3                        |                              |
|              | 5293.5               | 5             | 83.4             | 7                 | 1441.2   | 3                        |                              |
|              | 5294.5               | 6             | 73.9             | 10                | 1379.4   | 1                        |                              |
|              | 5294.5               | 7             | 52.5             | 10                | 1012.8   | 1                        |                              |
|              | 5297.5               | 8             | 69.4             | 17                | 1461.6   | 3                        |                              |
|              | 5298.5               | 9             | 76.5             | 19                | 1118.1   | 3                        |                              |
|              | 5297.5               | 10            | 77.9             | 18                | 1332.4   | 3                        |                              |
|              | 5293.5               | 11            | 67.5             | 7                 | 1764.0   | 2                        |                              |
| 2            | 5297.5               | 1             | 91.0             | 18                | 1615.8   | 1                        | 1                            |
|              | 5295.5               | 2             | 54.1             | 13                | 1909.6   | 1                        |                              |
|              | 5292.5               | 3             | 79.0             | 5                 | 1831.6   | 1                        |                              |
|              | 5297.5               | 4             | 77.2             | 18                | 1714.5   | 2                        |                              |
|              | 5293.5               | 5             | 89.2             | 7                 | 1978.8   | 3                        |                              |
|              | 5292.5               | 6             | 62.2             | 6                 | 1961.6   | 2                        |                              |
|              | 5294.5               | 7             | 73.0             | 11                | 1274.4   | 2                        |                              |
|              | 5292.5               | 8             | 83.7             | 6                 | 1373.4   | 3                        |                              |
|              | 5294.5               | 9             | 81.3             | 11                | 1115.0   | 1                        |                              |
|              | 5298.5               | 10            | 56.8             | 20                | 1804.4   | 1                        |                              |
|              | 5294.5               | 11            | 94.6             | 9                 | 1408.4   | 2                        |                              |
|              | 5298.5               | 12            | 59.9             | 19                | 1382.5   | 1                        |                              |
| 3            | 5296.5               | 1             | 83.2             | 14                | 1014.6   | 3                        | 1                            |
|              | 5295.5               | 2             | 65.8             | 13                | 1628.4   | 1                        |                              |
|              | 5292.5               | 3             | 96.2             | 6                 | 1334.0   | 2                        |                              |
|              | 5294.5               | 4             | 90.5             | 9                 | 1394.6   | 2                        |                              |
|              | 5295.5               | 5             | 92.5             | 12                | 1569.8   | 2                        |                              |
|              | 5298.5               | 6             | 53.8             | 20                | 1900.0   | 2                        |                              |
|              | 5293.5               | 7             | 92.4             | 7                 | 1685.9   | 2                        |                              |
|              | 5297.5               | 8             | 80.4             | 17                | 1563.2   | 3                        |                              |
|              | 5294.5               | 9             | 58.9             | 9                 | 1373.2   | 3                        |                              |
|              | 5294.5               | 10            | 63.2             | 11                | 1926.0   | 2                        |                              |
|              | 5297.5               | 11            | 81.8             | 17                | 1671.2   | 2                        |                              |
|              | 5298.5               | 12            | 89.3             | 20                | 1223.1   | 2                        |                              |
|              | 5296.5               | 13            | 71.7             | 15                | 1010.6   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 4            | 5297.5               | 1             | 70.3             | 17                | 1728.0   | 1                        | 1                            |
|              | 5298.5               | 2             | 59.9             | 19                | 1575.7   | 3                        |                              |
|              | 5295.5               | 3             | 57.5             | 13                | 1480.7   | 2                        |                              |
|              | 5297.5               | 4             | 70.5             | 18                | 1423.8   | 3                        |                              |
|              | 5294.5               | 5             | 60.6             | 9                 | 1215.7   | 3                        |                              |
|              | 5297.5               | 6             | 84.5             | 17                | 1189.9   | 3                        |                              |
|              | 5297.5               | 7             | 98.2             | 18                | 1799.6   | 3                        |                              |
|              | 5297.5               | 8             | 97.0             | 17                | 1576.5   | 2                        |                              |
|              | 5296.5               | 9             | 76.7             | 15                | 1991.1   | 2                        |                              |
| 5            | 5295.5               | 1             | 68.9             | 13                | 1458.3   | 3                        | 1                            |
|              | 5295.5               | 2             | 66.3             | 13                | 1991.1   | 1                        |                              |
|              | 5294.5               | 3             | 66.7             | 9                 | 1219.2   | 3                        |                              |
|              | 5298.5               | 4             | 80.1             | 20                | 1152.7   | 3                        |                              |
|              | 5294.5               | 5             | 68.6             | 9                 | 1054.2   | 2                        |                              |
|              | 5294.5               | 6             | 69.9             | 10                | 1050.8   | 3                        |                              |
|              | 5298.5               | 7             | 67.2             | 19                | 1302.5   | 1                        |                              |
|              | 5293.5               | 8             | 60.3             | 8                 | 1219.2   | 2                        |                              |
|              | 5297.5               | 9             | 99.5             | 17                | 1388.4   | 2                        |                              |
|              | 5298.5               | 10            | 83.8             | 20                | 1950.5   | 2                        |                              |
|              | 5295.5               | 11            | 58.4             | 13                | 1015.4   | 1                        |                              |
|              | 5295.5               | 12            | 54.9             | 12                | 1480.1   | 1                        |                              |
|              | 5298.5               | 13            | 59.6             | 20                | 1479.0   | 3                        |                              |
|              | 5297.5               | 14            | 96.1             | 18                | 1965.9   | 1                        |                              |
|              | 5295.5               | 15            | 82.9             | 12                | 1948.7   | 1                        |                              |
| 6            | 5298.5               | 1             | 70.6             | 20                | 1665.6   | 1                        | 1                            |
|              | 5294.5               | 2             | 69.2             | 11                | 1360.1   | 3                        |                              |
|              | 5295.5               | 3             | 59.3             | 12                | 1237.3   | 1                        |                              |
|              | 5292.5               | 4             | 92.8             | 6                 | 1627.5   | 1                        |                              |
|              | 5297.5               | 5             | 66.2             | 17                | 1584.8   | 1                        |                              |
|              | 5298.5               | 6             | 59.2             | 19                | 1740.3   | 3                        |                              |
|              | 5297.5               | 7             | 94.6             | 17                | 1976.7   | 2                        |                              |
|              | 5295.5               | 8             | 55.7             | 13                | 1486.1   | 2                        |                              |
|              | 5297.5               | 9             | 99.4             | 17                | 1212.2   | 1                        |                              |
|              | 5295.5               | 10            | 69.2             | 13                | 1192.5   | 1                        |                              |
|              | 5293.5               | 11            | 74.9             | 8                 | 1829.2   | 2                        |                              |
|              | 5294.5               | 12            | 85.5             | 10                | 1052.9   | 2                        |                              |
|              | 5298.5               | 13            | 84.9             | 19                | 1475.0   | 3                        |                              |
|              | 5292.5               | 14            | 86.6             | 5                 | 1442.9   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 7            | 5296.5               | 1             | 74.4             | 15                | 1915.4   | 1                        | 1                            |
|              | 5296.5               | 2             | 61.7             | 15                | 1299.6   | 3                        |                              |
|              | 5293.5               | 3             | 59.0             | 7                 | 1715.4   | 1                        |                              |
|              | 5294.5               | 4             | 54.9             | 11                | 1470.9   | 1                        |                              |
|              | 5294.5               | 5             | 61.1             | 11                | 1116.7   | 3                        |                              |
|              | 5294.5               | 6             | 92.2             | 11                | 1152.0   | 2                        |                              |
|              | 5294.5               | 7             | 96.3             | 9                 | 1704.4   | 2                        |                              |
|              | 5298.5               | 8             | 71.3             | 20                | 1340.8   | 2                        |                              |
|              | 5297.5               | 9             | 64.2             | 18                | 1119.6   | 2                        |                              |
|              | 5295.5               | 10            | 72.9             | 13                | 1946.3   | 3                        |                              |
|              | 5296.5               | 11            | 74.3             | 15                | 1416.1   | 3                        |                              |
|              | 5295.5               | 12            | 54.8             | 13                | 1812.3   | 2                        |                              |
|              | 5294.5               | 13            | 88.2             | 9                 | 1877.3   | 2                        |                              |
|              | 5295.5               | 14            | 51.7             | 12                | 1921.7   | 2                        |                              |
|              | 5292.5               | 15            | 59.1             | 6                 | 1446.5   | 2                        |                              |
|              | 5296.5               | 16            | 63.9             | 16                | 1461.6   | 3                        |                              |
|              | 5296.5               | 17            | 75.9             | 15                | 1563.4   | 1                        |                              |
| 8            | 5293.5               | 1             | 51.3             | 8                 | 1024.0   | 1                        | 1                            |
|              | 5297.5               | 2             | 89.7             | 17                | 1887.7   | 2                        |                              |
|              | 5298.5               | 3             | 69.6             | 19                | 1732.2   | 3                        |                              |
|              | 5295.5               | 4             | 60.0             | 12                | 1786.7   | 1                        |                              |
|              | 5296.5               | 5             | 98.7             | 15                | 1155.5   | 2                        |                              |
|              | 5293.5               | 6             | 94.5             | 7                 | 1551.4   | 3                        |                              |
|              | 5298.5               | 7             | 61.8             | 19                | 1954.7   | 1                        |                              |
|              | 5294.5               | 8             | 91.4             | 9                 | 1003.2   | 3                        |                              |
|              | 5295.5               | 9             | 79.0             | 13                | 1658.0   | 3                        |                              |
|              | 5296.5               | 10            | 76.4             | 16                | 1547.9   | 3                        |                              |
|              | 5292.5               | 11            | 67.7             | 6                 | 1141.5   | 1                        |                              |
|              | 5292.5               | 12            | 64.1             | 6                 | 1162.9   | 3                        |                              |
|              | 5296.5               | 13            | 88.6             | 14                | 1152.7   | 3                        |                              |
|              | 5295.5               | 14            | 62.2             | 13                | 1510.6   | 3                        |                              |
|              | 5297.5               | 15            | 72.9             | 17                | 1202.3   | 2                        |                              |
|              | 5298.5               | 16            | 95.2             | 19                | 1340.4   | 3                        |                              |
|              | 5296.5               | 17            | 68.2             | 16                | 1219.0   | 2                        |                              |
|              | 5298.5               | 18            | 64.1             | 19                | 1774.0   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 9            | 5295.5               | 1             | 99.9             | 13                | 1147.4   | 3                        | 1                            |
|              | 5295.5               | 2             | 70.9             | 12                | 1748.5   | 2                        |                              |
|              | 5295.5               | 3             | 66.5             | 13                | 1707.2   | 2                        |                              |
|              | 5297.5               | 4             | 51.5             | 18                | 1864.9   | 1                        |                              |
|              | 5295.5               | 5             | 92.6             | 12                | 1385.4   | 1                        |                              |
|              | 5296.5               | 6             | 63.0             | 14                | 1590.6   | 2                        |                              |
|              | 5295.5               | 7             | 61.2             | 12                | 1461.3   | 1                        |                              |
|              | 5292.5               | 8             | 95.6             | 6                 | 1538.6   | 2                        |                              |
|              | 5295.5               | 9             | 79.9             | 13                | 1888.7   | 2                        |                              |
|              | 5292.5               | 10            | 58.9             | 5                 | 1025.6   | 3                        |                              |
|              | 5295.5               | 11            | 81.1             | 12                | 1226.9   | 1                        |                              |
|              | 5294.5               | 12            | 95.6             | 11                | 1313.9   | 2                        |                              |
|              | 5297.5               | 13            | 63.0             | 18                | 1345.7   | 2                        |                              |
|              | 5295.5               | 14            | 62.4             | 13                | 1749.1   | 2                        |                              |
|              | 5298.5               | 15            | 98.2             | 20                | 1781.7   | 1                        |                              |
|              | 5294.5               | 16            | 52.4             | 10                | 1313.7   | 1                        |                              |
|              | 5294.5               | 17            | 64.0             | 9                 | 1864.1   | 3                        |                              |
|              | 5294.5               | 18            | 89.5             | 9                 | 1624.5   | 3                        |                              |
|              | 5294.5               | 19            | 50.2             | 9                 | 1424.1   | 1                        |                              |
| 10           | 5294.5               | 1             | 88.0             | 9                 | 1305.9   | 1                        | 0                            |
|              | 5294.5               | 2             | 71.1             | 9                 | 1798.0   | 1                        |                              |
|              | 5294.5               | 3             | 86.4             | 11                | 1267.4   | 2                        |                              |
|              | 5294.5               | 4             | 90.0             | 11                | 1271.8   | 3                        |                              |
|              | 5292.5               | 5             | 99.0             | 5                 | 1775.0   | 3                        |                              |
|              | 5294.5               | 6             | 74.4             | 10                | 1665.6   | 3                        |                              |
|              | 5297.5               | 7             | 87.3             | 17                | 1913.6   | 2                        |                              |
|              | 5295.5               | 8             | 88.4             | 13                | 1760.6   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 11           | 5300                 | 1             | 66.2             | 16                | 1491.0   | 3                        | 1                            |
|              | 5300                 | 2             | 98.0             | 17                | 1070.5   | 1                        |                              |
|              | 5300                 | 3             | 58.5             | 19                | 1883.1   | 1                        |                              |
|              | 5300                 | 4             | 83.7             | 12                | 1027.7   | 3                        |                              |
|              | 5300                 | 5             | 57.2             | 12                | 1472.2   | 3                        |                              |
|              | 5300                 | 6             | 60.5             | 9                 | 1876.2   | 1                        |                              |
|              | 5300                 | 7             | 68.3             | 16                | 1127.8   | 1                        |                              |
|              | 5300                 | 8             | 84.0             | 18                | 1219.0   | 3                        |                              |
|              | 5300                 | 9             | 66.6             | 9                 | 1082.5   | 2                        |                              |
|              | 5300                 | 10            | 81.1             | 12                | 1640.4   | 1                        |                              |
|              | 5300                 | 11            | 68.9             | 9                 | 1595.3   | 2                        |                              |
|              | 5300                 | 12            | 53.0             | 6                 | 1605.8   | 1                        |                              |
|              | 5300                 | 13            | 65.7             | 18                | 1223.0   | 2                        |                              |
|              | 5300                 | 14            | 61.4             | 15                | 1072.8   | 2                        |                              |
|              | 5300                 | 15            | 61.1             | 17                | 1647.3   | 1                        |                              |
|              | 5300                 | 16            | 65.6             | 13                | 1439.1   | 1                        |                              |
| 12           | 5300                 | 1             | 71.5             | 16                | 1855.3   | 2                        | 1                            |
|              | 5300                 | 2             | 81.5             | 20                | 1540.2   | 2                        |                              |
|              | 5300                 | 3             | 66.6             | 8                 | 1145.3   | 2                        |                              |
|              | 5300                 | 4             | 63.2             | 7                 | 1361.8   | 2                        |                              |
|              | 5300                 | 5             | 54.4             | 19                | 1651.9   | 2                        |                              |
|              | 5300                 | 6             | 98.3             | 6                 | 1012.3   | 2                        |                              |
|              | 5300                 | 7             | 77.4             | 7                 | 1663.4   | 3                        |                              |
|              | 5300                 | 8             | 59.3             | 11                | 1731.8   | 1                        |                              |
|              | 5300                 | 9             | 96.3             | 10                | 1971.5   | 1                        |                              |
|              | 5300                 | 10            | 70.4             | 14                | 1490.0   | 1                        |                              |
|              | 5300                 | 11            | 74.8             | 6                 | 1169.0   | 2                        |                              |
|              | 5300                 | 12            | 56.4             | 15                | 1339.9   | 2                        |                              |
|              | 5300                 | 13            | 85.5             | 6                 | 1792.6   | 1                        |                              |
|              | 5300                 | 14            | 91.0             | 17                | 1386.1   | 1                        |                              |
|              | 5300                 | 15            | 94.0             | 6                 | 1099.6   | 1                        |                              |
|              | 5300                 | 16            | 90.5             | 6                 | 1579.1   | 2                        |                              |
|              | 5300                 | 17            | 94.4             | 19                | 1448.0   | 2                        |                              |
|              | 5300                 | 18            | 59.8             | 11                | 1705.0   | 3                        |                              |
|              | 5300                 | 19            | 63.4             | 9                 | 1648.0   | 1                        |                              |
|              | 5300                 | 20            | 95.3             | 20                | 1312.2   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 13           | 5300                 | 1             | 59.3             | 8                 | 1576.6   | 3                        | 1                            |
|              | 5300                 | 2             | 55.8             | 15                | 1175.2   | 2                        |                              |
|              | 5300                 | 3             | 61.8             | 7                 | 1137.2   | 1                        |                              |
|              | 5300                 | 4             | 72.9             | 7                 | 1865.4   | 2                        |                              |
|              | 5300                 | 5             | 83.3             | 5                 | 1092.9   | 2                        |                              |
|              | 5300                 | 6             | 60.8             | 18                | 1000.8   | 2                        |                              |
|              | 5300                 | 7             | 71.5             | 13                | 1873.3   | 2                        |                              |
|              | 5300                 | 8             | 67.0             | 14                | 1254.2   | 3                        |                              |
|              | 5300                 | 9             | 87.6             | 10                | 1661.1   | 3                        |                              |
|              | 5300                 | 10            | 98.0             | 15                | 1577.5   | 2                        |                              |
| 14           | 5300                 | 1             | 93.5             | 16                | 1617.0   | 1                        | 1                            |
|              | 5300                 | 2             | 78.5             | 13                | 1371.8   | 2                        |                              |
|              | 5300                 | 3             | 84.3             | 5                 | 1484.0   | 2                        |                              |
|              | 5300                 | 4             | 53.2             | 8                 | 1320.1   | 1                        |                              |
|              | 5300                 | 5             | 92.9             | 16                | 1227.8   | 2                        |                              |
|              | 5300                 | 6             | 83.9             | 17                | 1553.3   | 2                        |                              |
|              | 5300                 | 7             | 96.2             | 13                | 1083.4   | 3                        |                              |
|              | 5300                 | 8             | 67.4             | 17                | 1426.1   | 2                        |                              |
|              | 5300                 | 9             | 98.9             | 11                | 1176.4   | 3                        |                              |
|              | 5300                 | 10            | 79.8             | 14                | 1252.3   | 3                        |                              |
|              | 5300                 | 11            | 74.9             | 15                | 1776.8   | 3                        |                              |
|              | 5300                 | 12            | 84.6             | 16                | 1148.0   | 1                        |                              |
|              | 5300                 | 13            | 79.0             | 18                | 1937.7   | 1                        |                              |
|              | 5300                 | 14            | 62.6             | 8                 | 1584.4   | 1                        |                              |
|              | 5300                 | 15            | 51.9             | 16                | 1206.4   | 1                        |                              |
|              | 5300                 | 16            | 58.9             | 19                | 1672.8   | 3                        |                              |
|              | 5300                 | 17            | 63.8             | 19                | 1125.0   | 2                        |                              |
|              | 5300                 | 18            | 62.8             | 13                | 1313.1   | 1                        |                              |
|              | 5300                 | 19            | 52.8             | 11                | 1769.8   | 2                        |                              |
|              | 5300                 | 20            | 70.4             | 18                | 1154.5   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 15           | 5300                 | 1             | 51.9             | 16                | 1074.9   | 1                        | 0                            |
|              | 5300                 | 2             | 92.1             | 9                 | 1469.6   | 3                        |                              |
|              | 5300                 | 3             | 74.7             | 17                | 1711.2   | 1                        |                              |
|              | 5300                 | 4             | 88.3             | 11                | 1758.0   | 1                        |                              |
|              | 5300                 | 5             | 95.7             | 11                | 1610.1   | 2                        |                              |
|              | 5300                 | 6             | 67.0             | 18                | 1897.7   | 2                        |                              |
|              | 5300                 | 7             | 62.8             | 7                 | 1826.6   | 2                        |                              |
|              | 5300                 | 8             | 89.8             | 14                | 1403.8   | 2                        |                              |
|              | 5300                 | 9             | 83.8             | 13                | 1018.4   | 2                        |                              |
|              | 5300                 | 10            | 97.5             | 7                 | 1413.0   | 1                        |                              |
|              | 5300                 | 11            | 59.8             | 7                 | 1487.6   | 3                        |                              |
|              | 5300                 | 12            | 75.6             | 15                | 1963.1   | 1                        |                              |
|              | 5300                 | 13            | 65.5             | 9                 | 1068.5   | 2                        |                              |
|              | 5300                 | 14            | 79.7             | 19                | 1795.6   | 2                        |                              |
|              | 5300                 | 15            | 85.0             | 5                 | 1673.2   | 1                        |                              |
|              | 5300                 | 16            | 96.8             | 9                 | 1246.5   | 3                        |                              |
|              | 5300                 | 17            | 79.7             | 16                | 1670.4   | 2                        |                              |
|              | 5300                 | 18            | 61.5             | 17                | 1195.6   | 2                        |                              |
|              | 5300                 | 19            | 83.7             | 18                | 1492.5   | 2                        |                              |
| 16           | 5300                 | 1             | 77.7             | 16                | 1903.3   | 2                        | 1                            |
|              | 5300                 | 2             | 58.8             | 17                | 1691.3   | 1                        |                              |
|              | 5300                 | 3             | 93.4             | 7                 | 1010.1   | 3                        |                              |
|              | 5300                 | 4             | 63.3             | 10                | 1948.5   | 2                        |                              |
|              | 5300                 | 5             | 59.0             | 12                | 1584.2   | 2                        |                              |
|              | 5300                 | 6             | 90.1             | 14                | 1637.3   | 3                        |                              |
|              | 5300                 | 7             | 93.7             | 13                | 1714.2   | 1                        |                              |
|              | 5300                 | 8             | 75.4             | 16                | 1040.5   | 1                        |                              |
|              | 5300                 | 9             | 86.4             | 6                 | 1965.7   | 3                        |                              |
|              | 5300                 | 10            | 97.4             | 6                 | 1936.4   | 2                        |                              |
|              | 5300                 | 11            | 53.4             | 14                | 1213.2   | 1                        |                              |
|              | 5300                 | 12            | 92.7             | 9                 | 1935.9   | 2                        |                              |
|              | 5300                 | 13            | 58.3             | 19                | 1114.9   | 3                        |                              |
|              | 5300                 | 14            | 100.0            | 9                 | 1527.7   | 1                        |                              |
|              | 5300                 | 15            | 81.0             | 13                | 1794.8   | 2                        |                              |
|              | 5300                 | 16            | 52.0             | 7                 | 1721.8   | 1                        |                              |
|              | 5300                 | 17            | 66.9             | 11                | 1068.9   | 1                        |                              |
|              | 5300                 | 18            | 65.2             | 9                 | 1130.0   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 17           | 5300                 | 1             | 87.2             | 19                | 1881.6   | 3                        | 1                            |
|              | 5300                 | 2             | 93.6             | 14                | 1500.5   | 2                        |                              |
|              | 5300                 | 3             | 98.0             | 17                | 1934.9   | 1                        |                              |
|              | 5300                 | 4             | 83.6             | 12                | 1666.0   | 1                        |                              |
|              | 5300                 | 5             | 89.2             | 16                | 1500.5   | 1                        |                              |
|              | 5300                 | 6             | 81.3             | 18                | 1365.4   | 3                        |                              |
|              | 5300                 | 7             | 86.0             | 5                 | 1720.2   | 1                        |                              |
|              | 5300                 | 8             | 59.9             | 20                | 1454.9   | 2                        |                              |
|              | 5300                 | 9             | 84.5             | 13                | 1026.5   | 2                        |                              |
|              | 5300                 | 10            | 87.5             | 15                | 1005.7   | 2                        |                              |
|              | 5300                 | 11            | 95.8             | 10                | 1518.3   | 1                        |                              |
|              | 5300                 | 12            | 51.7             | 7                 | 1648.9   | 3                        |                              |
|              | 5300                 | 13            | 60.7             | 5                 | 1914.4   | 1                        |                              |
|              | 5300                 | 14            | 54.6             | 6                 | 1726.9   | 3                        |                              |
|              | 5300                 | 15            | 61.2             | 11                | 1034.4   | 1                        |                              |
|              | 5300                 | 16            | 86.3             | 11                | 1891.3   | 1                        |                              |
|              | 5300                 | 17            | 92.8             | 9                 | 1840.5   | 1                        |                              |
| 18           | 5300                 | 1             | 92.7             | 19                | 1335.7   | 2                        | 1                            |
|              | 5300                 | 2             | 75.7             | 7                 | 1490.8   | 2                        |                              |
|              | 5300                 | 3             | 61.7             | 17                | 1061.8   | 1                        |                              |
|              | 5300                 | 4             | 87.1             | 13                | 1585.5   | 2                        |                              |
|              | 5300                 | 5             | 82.6             | 7                 | 1833.7   | 2                        |                              |
|              | 5300                 | 6             | 61.6             | 11                | 1305.8   | 2                        |                              |
|              | 5300                 | 7             | 79.9             | 19                | 1419.3   | 2                        |                              |
|              | 5300                 | 8             | 65.5             | 6                 | 1122.4   | 2                        |                              |
|              | 5300                 | 9             | 84.4             | 19                | 1366.6   | 2                        |                              |
|              | 5300                 | 10            | 55.2             | 19                | 1841.0   | 2                        |                              |
|              | 5300                 | 11            | 82.3             | 17                | 1306.1   | 3                        |                              |
|              | 5300                 | 12            | 58.8             | 7                 | 1693.5   | 1                        |                              |
|              | 5300                 | 13            | 67.8             | 5                 | 1309.0   | 1                        |                              |
|              | 5300                 | 14            | 65.8             | 11                | 1274.4   | 3                        |                              |
|              | 5300                 | 15            | 53.7             | 8                 | 1900.0   | 3                        |                              |
|              | 5300                 | 1             | 87.2             | 19                | 1881.6   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 19           | 5300                 | 1             | 99.5             | 14                | 1231.8   | 2                        | 1                            |
|              | 5300                 | 2             | 71.9             | 7                 | 1721.6   | 2                        |                              |
|              | 5300                 | 3             | 94.5             | 13                | 1603.2   | 1                        |                              |
|              | 5300                 | 4             | 81.2             | 17                | 1233.4   | 1                        |                              |
|              | 5300                 | 5             | 79.3             | 14                | 1318.7   | 2                        |                              |
|              | 5300                 | 6             | 79.5             | 14                | 1858.1   | 2                        |                              |
|              | 5300                 | 7             | 61.2             | 6                 | 1339.6   | 1                        |                              |
|              | 5300                 | 8             | 72.8             | 5                 | 1605.2   | 1                        |                              |
|              | 5300                 | 9             | 60.5             | 14                | 1837.5   | 2                        |                              |
|              | 5300                 | 10            | 59.4             | 12                | 1153.3   | 2                        |                              |
|              | 5300                 | 11            | 79.4             | 17                | 1869.7   | 1                        |                              |
|              | 5300                 | 12            | 50.7             | 11                | 1049.0   | 2                        |                              |
|              | 5300                 | 13            | 60.4             | 8                 | 1981.3   | 1                        |                              |
|              | 5300                 | 14            | 60.8             | 18                | 1755.9   | 3                        |                              |
| 20           | 5300                 | 1             | 68.2             | 13                | 1823.2   | 1                        | 1                            |
|              | 5300                 | 2             | 63.9             | 12                | 1562.6   | 3                        |                              |
|              | 5300                 | 3             | 84.3             | 10                | 1418.4   | 3                        |                              |
|              | 5300                 | 4             | 65.9             | 19                | 1688.1   | 2                        |                              |
|              | 5300                 | 5             | 97.2             | 19                | 1605.0   | 2                        |                              |
|              | 5300                 | 6             | 57.6             | 13                | 1956.4   | 2                        |                              |
|              | 5300                 | 7             | 88.3             | 10                | 1497.2   | 1                        |                              |
|              | 5300                 | 8             | 72.9             | 9                 | 1869.7   | 2                        |                              |
|              | 5300                 | 9             | 92.0             | 11                | 1811.8   | 1                        |                              |
|              | 5300                 | 10            | 51.1             | 20                | 1669.3   | 3                        |                              |
| 21           | 5307.5               | 1             | 91.1             | 5                 | 1337.4   | 2                        | 1                            |
|              | 5303.5               | 2             | 88.0             | 15                | 1196.0   | 3                        |                              |
|              | 5302.5               | 3             | 89.5             | 18                | 1296.4   | 1                        |                              |
|              | 5307.5               | 4             | 71.2             | 5                 | 1818.3   | 1                        |                              |
|              | 5305.5               | 5             | 69.1             | 11                | 1249.0   | 3                        |                              |
|              | 5302.5               | 6             | 56.1             | 17                | 1892.3   | 3                        |                              |
|              | 5302.5               | 7             | 71.4             | 18                | 1546.5   | 1                        |                              |
|              | 5305.5               | 8             | 66.8             | 11                | 1900.8   | 2                        |                              |
|              | 5305.5               | 9             | 94.9             | 9                 | 1631.8   | 3                        |                              |
|              | 5304.5               | 10            | 69.8             | 12                | 1364.8   | 3                        |                              |
|              | 5305.5               | 11            | 76.3             | 9                 | 1741.8   | 3                        |                              |
|              | 5305.5               | 12            | 90.7             | 11                | 1715.7   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 22           | 5304.5               | 1             | 94.6             | 12                | 1002.4   | 3                        | 1                            |
|              | 5302.5               | 2             | 95.4             | 18                | 1597.1   | 3                        |                              |
|              | 5301.5               | 3             | 93.4             | 19                | 1188.8   | 1                        |                              |
|              | 5303.5               | 4             | 66.5             | 16                | 1836.1   | 2                        |                              |
|              | 5303.5               | 5             | 51.2             | 15                | 1492.2   | 2                        |                              |
|              | 5307.5               | 6             | 58.6             | 5                 | 1749.8   | 2                        |                              |
|              | 5302.5               | 7             | 81.5             | 18                | 1606.1   | 1                        |                              |
|              | 5304.5               | 8             | 50.1             | 13                | 1741.7   | 1                        |                              |
|              | 5307.5               | 9             | 78.7             | 6                 | 1589.4   | 1                        |                              |
| 23           | 5301.5               | 1             | 60.1             | 19                | 1129.5   | 2                        | 1                            |
|              | 5303.5               | 2             | 78.4             | 15                | 1419.6   | 1                        |                              |
|              | 5302.5               | 3             | 59.5             | 18                | 1062.7   | 2                        |                              |
|              | 5306.5               | 4             | 55.0             | 7                 | 1994.4   | 2                        |                              |
|              | 5306.5               | 5             | 51.6             | 7                 | 1321.4   | 1                        |                              |
|              | 5305.5               | 6             | 59.1             | 9                 | 1831.0   | 1                        |                              |
|              | 5306.5               | 7             | 63.0             | 8                 | 1380.5   | 3                        |                              |
|              | 5302.5               | 8             | 60.4             | 17                | 1094.3   | 2                        |                              |
|              | 5302.5               | 9             | 59.6             | 17                | 1429.6   | 3                        |                              |
|              | 5303.5               | 10            | 52.0             | 16                | 1939.0   | 2                        |                              |
|              | 5302.5               | 11            | 93.8             | 17                | 1877.6   | 1                        |                              |
|              | 5301.5               | 12            | 86.5             | 19                | 1235.5   | 3                        |                              |
|              | 5305.5               | 13            | 58.8             | 9                 | 1234.4   | 1                        |                              |
|              | 5305.5               | 14            | 58.4             | 10                | 1126.0   | 1                        |                              |
|              | 5304.5               | 15            | 53.9             | 12                | 1427.8   | 2                        |                              |
| 24           | 5304.5               | 1             | 95.8             | 13                | 1576.2   | 3                        | 1                            |
|              | 5303.5               | 2             | 87.3             | 16                | 1731.8   | 2                        |                              |
|              | 5302.5               | 3             | 55.5             | 17                | 1723.9   | 1                        |                              |
|              | 5307.5               | 4             | 52.6             | 5                 | 1742.1   | 2                        |                              |
|              | 5303.5               | 5             | 54.9             | 15                | 1991.2   | 3                        |                              |
|              | 5306.5               | 6             | 95.3             | 7                 | 1488.1   | 1                        |                              |
|              | 5306.5               | 7             | 65.9             | 7                 | 1105.5   | 2                        |                              |
|              | 5303.5               | 8             | 58.4             | 16                | 1807.9   | 2                        |                              |
|              | 5305.5               | 9             | 93.5             | 10                | 1446.8   | 2                        |                              |
|              | 5303.5               | 10            | 59.1             | 14                | 1420.8   | 3                        |                              |
|              | 5306.5               | 11            | 70.0             | 7                 | 1048.5   | 1                        |                              |
|              | 5303.5               | 12            | 74.2             | 15                | 1031.7   | 1                        |                              |
|              | 5305.5               | 13            | 80.1             | 11                | 1007.6   | 2                        |                              |
|              | 5301.5               | 14            | 83.4             | 19                | 1803.1   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 25           | 5305.5               | 1             | 67.4             | 10                | 1046.3   | 2                        | 1                            |
|              | 5307.5               | 2             | 68.4             | 5                 | 1190.9   | 2                        |                              |
|              | 5304.5               | 3             | 92.1             | 13                | 1712.9   | 2                        |                              |
|              | 5303.5               | 4             | 67.2             | 14                | 1111.2   | 2                        |                              |
|              | 5304.5               | 5             | 84.7             | 13                | 1718.3   | 1                        |                              |
|              | 5307.5               | 6             | 86.6             | 6                 | 1435.1   | 1                        |                              |
|              | 5301.5               | 7             | 53.4             | 20                | 1667.5   | 1                        |                              |
|              | 5306.5               | 8             | 97.3             | 7                 | 1962.1   | 3                        |                              |
|              | 5306.5               | 9             | 56.4             | 8                 | 1290.1   | 1                        |                              |
|              | 5305.5               | 10            | 81.1             | 10                | 1015.1   | 3                        |                              |
|              | 5306.5               | 11            | 89.8             | 7                 | 1051.3   | 1                        |                              |
|              | 5303.5               | 12            | 85.3             | 14                | 1782.8   | 2                        |                              |
|              | 5305.5               | 13            | 54.5             | 9                 | 1065.0   | 1                        |                              |
|              | 5306.5               | 14            | 52.8             | 7                 | 1859.5   | 3                        |                              |
|              | 5302.5               | 15            | 58.4             | 17                | 1384.7   | 1                        |                              |
|              | 5306.5               | 16            | 66.6             | 7                 | 1847.3   | 1                        |                              |
|              | 5301.5               | 17            | 71.6             | 19                | 1167.3   | 3                        |                              |
|              | 5305.5               | 18            | 65.2             | 11                | 1016.6   | 2                        |                              |
| 26           | 5304.5               | 1             | 80.2             | 12                | 1420.9   | 2                        | 0                            |
|              | 5304.5               | 2             | 60.4             | 13                | 1315.2   | 1                        |                              |
|              | 5307.5               | 3             | 57.5             | 5                 | 1774.2   | 1                        |                              |
|              | 5304.5               | 4             | 70.1             | 12                | 1788.2   | 1                        |                              |
|              | 5302.5               | 5             | 83.2             | 17                | 1877.7   | 2                        |                              |
|              | 5305.5               | 6             | 81.0             | 11                | 1432.5   | 1                        |                              |
|              | 5302.5               | 7             | 80.0             | 17                | 1327.5   | 2                        |                              |
|              | 5302.5               | 8             | 90.7             | 17                | 1200.1   | 1                        |                              |
|              | 5306.5               | 9             | 51.8             | 8                 | 1649.3   | 3                        |                              |
|              | 5301.5               | 10            | 76.3             | 20                | 1775.1   | 3                        |                              |
|              | 5301.5               | 11            | 88.6             | 19                | 1066.0   | 2                        |                              |
|              | 5303.5               | 12            | 71.2             | 16                | 1870.2   | 2                        |                              |
|              | 5304.5               | 13            | 57.2             | 13                | 1748.1   | 3                        |                              |
|              | 5305.5               | 14            | 75.0             | 9                 | 1472.4   | 2                        |                              |
|              | 5304.5               | 15            | 58.7             | 12                | 1688.9   | 2                        |                              |
|              | 5303.5               | 16            | 56.8             | 15                | 1343.8   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 27           | 5304.5               | 1             | 58.7             | 13                | 1318.8   | 1                        | 1                            |
|              | 5304.5               | 2             | 78.4             | 12                | 1242.4   | 1                        |                              |
|              | 5305.5               | 3             | 90.9             | 9                 | 1242.6   | 3                        |                              |
|              | 5305.5               | 4             | 97.2             | 10                | 1055.9   | 3                        |                              |
|              | 5303.5               | 5             | 70.7             | 14                | 1544.8   | 3                        |                              |
|              | 5301.5               | 6             | 63.8             | 20                | 1386.6   | 1                        |                              |
|              | 5301.5               | 7             | 58.5             | 20                | 1464.1   | 1                        |                              |
|              | 5304.5               | 8             | 91.9             | 13                | 1677.6   | 2                        |                              |
|              | 5306.5               | 9             | 95.6             | 7                 | 1956.7   | 3                        |                              |
|              | 5305.5               | 10            | 51.3             | 10                | 1282.7   | 3                        |                              |
|              | 5306.5               | 11            | 73.3             | 7                 | 1457.6   | 3                        |                              |
|              | 5305.5               | 12            | 63.7             | 11                | 1835.3   | 3                        |                              |
|              | 5304.5               | 13            | 81.5             | 13                | 1411.0   | 1                        |                              |
|              | 5303.5               | 14            | 67.5             | 14                | 1867.1   | 3                        |                              |
|              | 5305.5               | 15            | 51.3             | 9                 | 1513.8   | 2                        |                              |
|              | 5304.5               | 16            | 80.6             | 12                | 1363.5   | 3                        |                              |
|              | 5306.5               | 17            | 85.2             | 8                 | 1485.0   | 3                        |                              |
|              | 5305.5               | 18            | 60.2             | 9                 | 1283.5   | 3                        |                              |
|              | 5301.5               | 19            | 69.3             | 20                | 1441.7   | 2                        |                              |
|              | 5307.5               | 20            | 99.9             | 5                 | 1694.6   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 28           | 5307.5               | 1             | 61.5             | 5                 | 1638.9   | 2                        | 1                            |
|              | 5305.5               | 2             | 89.0             | 11                | 1556.1   | 1                        |                              |
|              | 5301.5               | 3             | 84.7             | 20                | 1400.3   | 1                        |                              |
|              | 5306.5               | 4             | 53.4             | 7                 | 1690.6   | 1                        |                              |
|              | 5306.5               | 5             | 80.0             | 8                 | 1597.3   | 1                        |                              |
|              | 5306.5               | 6             | 51.0             | 7                 | 1493.7   | 1                        |                              |
|              | 5303.5               | 7             | 54.0             | 16                | 1712.1   | 3                        |                              |
|              | 5306.5               | 8             | 75.0             | 7                 | 1213.2   | 2                        |                              |
|              | 5305.5               | 9             | 52.6             | 9                 | 1299.3   | 1                        |                              |
|              | 5304.5               | 10            | 66.4             | 12                | 1565.9   | 3                        |                              |
|              | 5304.5               | 11            | 75.2             | 13                | 1781.7   | 1                        |                              |
|              | 5307.5               | 12            | 65.2             | 6                 | 1067.2   | 2                        |                              |
|              | 5305.5               | 13            | 50.6             | 9                 | 1126.3   | 2                        |                              |
|              | 5303.5               | 14            | 88.0             | 14                | 1635.5   | 3                        |                              |
|              | 5301.5               | 15            | 78.8             | 19                | 1780.3   | 3                        |                              |
|              | 5301.5               | 16            | 58.9             | 19                | 1800.7   | 3                        |                              |
|              | 5305.5               | 17            | 96.5             | 9                 | 1791.7   | 3                        |                              |
|              | 5304.5               | 18            | 72.4             | 12                | 1379.5   | 2                        |                              |
|              | 5305.5               | 19            | 64.9             | 9                 | 1721.6   | 1                        |                              |
|              | 5306.5               | 20            | 99.2             | 7                 | 1219.7   | 2                        |                              |

| Test Mode                |                      | 802.11ax HE20 |                  |                   |          |                          |                              |
|--------------------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency                |                      | 5300 MHz      |                  |                   |          |                          |                              |
| Radar Signal             |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #                  | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 29                       | 5303.5               | 1             | 99.2             | 14                | 1176.0   | 3                        | 1                            |
|                          | 5303.5               | 2             | 88.5             | 15                | 1389.2   | 3                        |                              |
|                          | 5302.5               | 3             | 54.5             | 18                | 1428.6   | 2                        |                              |
|                          | 5305.5               | 4             | 76.6             | 10                | 1608.2   | 3                        |                              |
|                          | 5302.5               | 5             | 78.6             | 17                | 1670.8   | 3                        |                              |
|                          | 5302.5               | 6             | 61.9             | 17                | 1181.6   | 2                        |                              |
|                          | 5301.5               | 7             | 66.0             | 19                | 1343.1   | 2                        |                              |
|                          | 5302.5               | 8             | 61.4             | 18                | 1010.3   | 2                        |                              |
|                          | 5303.5               | 9             | 55.1             | 16                | 1947.8   | 1                        |                              |
|                          | 5301.5               | 10            | 89.4             | 19                | 1012.1   | 3                        |                              |
|                          | 5303.5               | 11            | 94.9             | 16                | 1589.8   | 2                        |                              |
|                          | 5302.5               | 12            | 56.4             | 17                | 1718.1   | 2                        |                              |
|                          | 5302.5               | 13            | 95.3             | 17                | 1588.5   | 1                        |                              |
|                          | 5302.5               | 14            | 80.7             | 18                | 1896.4   | 1                        |                              |
|                          | 5303.5               | 15            | 70.4             | 15                | 1548.8   | 2                        |                              |
|                          | 5307.5               | 16            | 67.4             | 6                 | 1091.4   | 3                        |                              |
|                          | 5303.5               | 17            | 99.9             | 15                | 1767.6   | 2                        |                              |
| 30                       | 5304.5               | 1             | 54.4             | 12                | 1047.6   | 2                        | 1                            |
|                          | 5306.5               | 2             | 80.1             | 8                 | 1106.2   | 3                        |                              |
|                          | 5305.5               | 3             | 89.5             | 10                | 1608.8   | 2                        |                              |
|                          | 5306.5               | 4             | 91.6             | 8                 | 1704.6   | 3                        |                              |
|                          | 5301.5               | 5             | 70.7             | 19                | 1223.2   | 2                        |                              |
|                          | 5305.5               | 6             | 73.0             | 11                | 1949.1   | 3                        |                              |
|                          | 5304.5               | 7             | 67.6             | 13                | 1110.2   | 1                        |                              |
|                          | 5305.5               | 8             | 60.3             | 9                 | 1919.2   | 3                        |                              |
|                          | 5303.5               | 9             | 53.4             | 16                | 1211.2   | 3                        |                              |
|                          | 5306.5               | 10            | 67.6             | 8                 | 1664.7   | 2                        |                              |
|                          | 5305.5               | 11            | 73.6             | 10                | 1100.2   | 3                        |                              |
|                          | 5303.5               | 12            | 99.2             | 16                | 1271.0   | 1                        |                              |
|                          | 5304.5               | 13            | 95.1             | 13                | 1489.0   | 3                        |                              |
|                          | 5301.5               | 14            | 87.1             | 19                | 1414.9   | 1                        |                              |
| Detection Percentage (%) |                      |               |                  |                   |          |                          | 90.00                        |

| Test Mode                |                  | 802.11ax HE20 |              |                    |                              |                              |
|--------------------------|------------------|---------------|--------------|--------------------|------------------------------|------------------------------|
| Frequency                |                  | 5300 MHz      |              |                    |                              |                              |
| Radar Signal             |                  | Type 6        |              |                    |                              |                              |
| Trial #                  | Pulse Width (us) | PRI (us)      | Pulses / Hop | Hopping Rate (kHz) | Hopping Sequence Length (ms) | 1=Detection ; 0=No Detection |
| 1                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 2                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 3                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 4                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 5                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 6                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 7                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 8                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 9                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 10                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 11                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 12                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 13                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 14                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 15                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 16                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 17                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 18                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 19                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 20                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 21                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 22                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 23                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 24                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 25                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 26                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 27                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 28                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 29                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 30                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| Detection Percentage (%) |                  |               |              |                    |                              | 100.00                       |

| Test Mode                |                      | 802.11ax HE40    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5310 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 1           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5310                 | 1                | 758      | 70              | 1319     | 1                               |
| 2                        | 5310                 | 1                | 518      | 102             | 1931     | 1                               |
| 3                        | 5310                 | 1                | 698      | 76              | 1433     | 1                               |
| 4                        | 5310                 | 1                | 698      | 76              | 1433     | 0                               |
| 5                        | 5310                 | 1                | 518      | 102             | 1931     | 1                               |
| 6                        | 5310                 | 1                | 638      | 83              | 1567     | 1                               |
| 7                        | 5310                 | 1                | 618      | 86              | 1618     | 1                               |
| 8                        | 5310                 | 1                | 838      | 63              | 1193     | 1                               |
| 9                        | 5310                 | 1                | 718      | 74              | 1393     | 1                               |
| 10                       | 5310                 | 1                | 658      | 81              | 1520     | 1                               |
| 11                       | 5310                 | 1                | 698      | 76              | 1433     | 1                               |
| 12                       | 5310                 | 1                | 718      | 74              | 1393     | 1                               |
| 13                       | 5310                 | 1                | 678      | 78              | 1475     | 1                               |
| 14                       | 5310                 | 1                | 718      | 74              | 1393     | 1                               |
| 15                       | 5310                 | 1                | 718      | 74              | 1393     | 1                               |
| 16                       | 5310                 | 1                | 1638     | 33              | 611      | 0                               |
| 17                       | 5310                 | 1                | 2843     | 19              | 352      | 1                               |
| 18                       | 5310                 | 1                | 2947     | 18              | 339      | 1                               |
| 19                       | 5310                 | 1                | 543      | 98              | 1842     | 1                               |
| 20                       | 5310                 | 1                | 1046     | 51              | 956      | 1                               |
| 21                       | 5310                 | 1                | 2958     | 18              | 338      | 1                               |
| 22                       | 5310                 | 1                | 2497     | 22              | 400      | 1                               |
| 23                       | 5310                 | 1                | 1060     | 50              | 943      | 1                               |
| 24                       | 5310                 | 1                | 578      | 92              | 1730     | 1                               |
| 25                       | 5310                 | 1                | 544      | 98              | 1838     | 1                               |
| 26                       | 5310                 | 1                | 2630     | 21              | 380      | 1                               |
| 27                       | 5310                 | 1                | 1266     | 42              | 790      | 1                               |
| 28                       | 5310                 | 1                | 1674     | 32              | 597      | 1                               |
| 29                       | 5310                 | 1                | 1799     | 30              | 556      | 0                               |
| 30                       | 5310                 | 1                | 1008     | 53              | 992      | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 90.00                           |

| Test Mode                |                      | 802.11ax HE40    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5310 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 2           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5310                 | 2.20             | 222.70   | 23              | 4490     | 1                               |
| 2                        | 5310                 | 2.20             | 212.70   | 23              | 4701     | 1                               |
| 3                        | 5310                 | 3.60             | 225.30   | 25              | 4439     | 1                               |
| 4                        | 5310                 | 4.20             | 176.10   | 27              | 5679     | 1                               |
| 5                        | 5310                 | 3.00             | 173.60   | 25              | 5760     | 1                               |
| 6                        | 5310                 | 1.00             | 179.60   | 29              | 5568     | 1                               |
| 7                        | 5310                 | 4.50             | 186.40   | 29              | 5365     | 1                               |
| 8                        | 5310                 | 4.50             | 216.90   | 27              | 4610     | 1                               |
| 9                        | 5310                 | 2.30             | 168.60   | 24              | 5931     | 1                               |
| 10                       | 5310                 | 3.70             | 152.90   | 27              | 6540     | 1                               |
| 11                       | 5310                 | 3.80             | 210.60   | 29              | 4748     | 1                               |
| 12                       | 5310                 | 1.90             | 190.70   | 28              | 5244     | 1                               |
| 13                       | 5310                 | 1.70             | 158.50   | 27              | 6309     | 1                               |
| 14                       | 5310                 | 2.80             | 170.70   | 23              | 5858     | 1                               |
| 15                       | 5310                 | 3.30             | 176.70   | 29              | 5659     | 1                               |
| 16                       | 5310                 | 2.60             | 206.10   | 24              | 4852     | 1                               |
| 17                       | 5310                 | 2.70             | 169.00   | 27              | 5917     | 1                               |
| 18                       | 5310                 | 1.50             | 182.60   | 27              | 5476     | 1                               |
| 19                       | 5310                 | 2.90             | 225.70   | 23              | 4431     | 1                               |
| 20                       | 5310                 | 3.10             | 215.20   | 29              | 4647     | 1                               |
| 21                       | 5310                 | 3.70             | 215.40   | 23              | 4643     | 1                               |
| 22                       | 5310                 | 2.80             | 223.10   | 24              | 4482     | 1                               |
| 23                       | 5310                 | 1.20             | 179.10   | 26              | 5583     | 1                               |
| 24                       | 5310                 | 4.60             | 197.50   | 28              | 5063     | 1                               |
| 25                       | 5310                 | 3.60             | 156.60   | 26              | 6386     | 1                               |
| 26                       | 5310                 | 4.90             | 209.20   | 28              | 4780     | 0                               |
| 27                       | 5310                 | 2.70             | 221.00   | 25              | 4525     | 1                               |
| 28                       | 5310                 | 4.30             | 164.60   | 29              | 6075     | 1                               |
| 29                       | 5310                 | 1.10             | 210.40   | 27              | 4753     | 0                               |
| 30                       | 5310                 | 3.80             | 156.20   | 27              | 6402     | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 93.33                           |

| Test Mode                |                      | 802.11ax HE40    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5310 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 3           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5310                 | 9.00             | 291.20   | 16              | 3434.07  | 1                               |
| 2                        | 5310                 | 8.00             | 205.70   | 16              | 4861.45  | 1                               |
| 3                        | 5310                 | 7.70             | 423.50   | 18              | 2361.28  | 1                               |
| 4                        | 5310                 | 8.10             | 493.80   | 17              | 2025.11  | 1                               |
| 5                        | 5310                 | 7.40             | 246.90   | 16              | 4050.22  | 0                               |
| 6                        | 5310                 | 6.40             | 359.90   | 17              | 2778.55  | 1                               |
| 7                        | 5310                 | 8.30             | 286.20   | 17              | 3494.06  | 1                               |
| 8                        | 5310                 | 6.50             | 372.20   | 17              | 2686.73  | 1                               |
| 9                        | 5310                 | 6.60             | 259.70   | 16              | 3850.60  | 0                               |
| 10                       | 5310                 | 8.70             | 315.50   | 17              | 3169.57  | 0                               |
| 11                       | 5310                 | 8.60             | 406.60   | 17              | 2459.42  | 1                               |
| 12                       | 5310                 | 9.90             | 207.50   | 17              | 4819.28  | 1                               |
| 13                       | 5310                 | 8.30             | 250.80   | 18              | 3987.24  | 1                               |
| 14                       | 5310                 | 6.30             | 207.90   | 18              | 4810.00  | 1                               |
| 15                       | 5310                 | 8.70             | 478.60   | 18              | 2089.43  | 1                               |
| 16                       | 5310                 | 8.00             | 299.70   | 16              | 3336.67  | 0                               |
| 17                       | 5310                 | 8.00             | 408.50   | 17              | 2447.98  | 1                               |
| 18                       | 5310                 | 6.10             | 353.60   | 16              | 2828.05  | 1                               |
| 19                       | 5310                 | 9.80             | 455.80   | 16              | 2193.94  | 1                               |
| 20                       | 5310                 | 9.80             | 252.70   | 18              | 3957.26  | 1                               |
| 21                       | 5310                 | 6.70             | 274.20   | 16              | 3646.97  | 1                               |
| 22                       | 5310                 | 10.00            | 354.90   | 18              | 2817.70  | 1                               |
| 23                       | 5310                 | 6.50             | 293.00   | 16              | 3412.97  | 1                               |
| 24                       | 5310                 | 6.70             | 289.00   | 18              | 3460.21  | 1                               |
| 25                       | 5310                 | 7.20             | 401.50   | 18              | 2490.66  | 1                               |
| 26                       | 5310                 | 6.30             | 414.20   | 17              | 2414.29  | 1                               |
| 27                       | 5310                 | 7.20             | 300.20   | 18              | 3331.11  | 1                               |
| 28                       | 5310                 | 9.50             | 444.30   | 17              | 2250.73  | 1                               |
| 29                       | 5310                 | 6.30             | 291.90   | 17              | 3425.83  | 1                               |
| 30                       | 5310                 | 6.10             | 376.90   | 16              | 2653.22  | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 86.67                           |

| Test Mode                |                      | 802.11ax HE40    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5310 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 4           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5310                 | 11.20            | 221.00   | 13              | 4525     | 1                               |
| 2                        | 5310                 | 14.00            | 408.00   | 13              | 2451     | 1                               |
| 3                        | 5310                 | 16.90            | 298.10   | 14              | 3355     | 0                               |
| 4                        | 5310                 | 15.70            | 282.30   | 16              | 3542     | 0                               |
| 5                        | 5310                 | 18.60            | 261.30   | 15              | 3827     | 1                               |
| 6                        | 5310                 | 15.80            | 345.60   | 12              | 2894     | 1                               |
| 7                        | 5310                 | 13.60            | 225.50   | 15              | 4435     | 1                               |
| 8                        | 5310                 | 11.50            | 327.80   | 16              | 3051     | 1                               |
| 9                        | 5310                 | 13.70            | 303.60   | 13              | 3294     | 1                               |
| 10                       | 5310                 | 15.90            | 422.50   | 12              | 2367     | 1                               |
| 11                       | 5310                 | 19.70            | 304.10   | 16              | 3288     | 1                               |
| 12                       | 5310                 | 12.60            | 352.60   | 12              | 2836     | 1                               |
| 13                       | 5310                 | 19.80            | 268.40   | 13              | 3726     | 1                               |
| 14                       | 5310                 | 19.50            | 248.20   | 12              | 4029     | 1                               |
| 15                       | 5310                 | 14.10            | 453.90   | 16              | 2203     | 1                               |
| 16                       | 5310                 | 17.10            | 425.00   | 13              | 2353     | 1                               |
| 17                       | 5310                 | 17.90            | 428.80   | 16              | 2332     | 1                               |
| 18                       | 5310                 | 15.70            | 414.20   | 16              | 2414     | 1                               |
| 19                       | 5310                 | 13.00            | 354.20   | 16              | 2823     | 1                               |
| 20                       | 5310                 | 17.30            | 456.40   | 16              | 2191     | 1                               |
| 21                       | 5310                 | 13.00            | 400.30   | 16              | 2498     | 1                               |
| 22                       | 5310                 | 16.40            | 310.90   | 13              | 3216     | 0                               |
| 23                       | 5310                 | 18.10            | 263.40   | 13              | 3797     | 1                               |
| 24                       | 5310                 | 14.30            | 469.20   | 12              | 2131     | 1                               |
| 25                       | 5310                 | 15.50            | 431.70   | 15              | 2316     | 1                               |
| 26                       | 5310                 | 18.90            | 210.80   | 15              | 4744     | 1                               |
| 27                       | 5310                 | 18.70            | 315.20   | 12              | 3173     | 1                               |
| 28                       | 5310                 | 17.60            | 362.80   | 12              | 2756     | 1                               |
| 29                       | 5310                 | 13.70            | 290.10   | 15              | 3447     | 0                               |
| 30                       | 5310                 | 18.70            | 258.70   | 13              | 3865     | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 86.67                           |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 1            | 5298                 | 1             | 52.2             | 18                | 1174.8   | 2                        | 0                            |
|              | 5295                 | 2             | 81.4             | 10                | 1580.1   | 1                        |                              |
|              | 5293                 | 3             | 96.1             | 6                 | 1692.6   | 1                        |                              |
|              | 5296                 | 4             | 91.4             | 12                | 1568.4   | 3                        |                              |
|              | 5294                 | 5             | 56.1             | 8                 | 1215.0   | 1                        |                              |
|              | 5297                 | 6             | 74.3             | 14                | 1322.8   | 1                        |                              |
|              | 5294                 | 7             | 60.0             | 7                 | 1584.3   | 2                        |                              |
|              | 5295                 | 8             | 66.4             | 11                | 1284.3   | 1                        |                              |
|              | 5295                 | 9             | 86.0             | 11                | 1286.5   | 3                        |                              |
|              | 5295                 | 10            | 73.8             | 11                | 1627.7   | 3                        |                              |
|              | 5293                 | 11            | 86.1             | 5                 | 1522.5   | 1                        |                              |
| 2            | 5298                 | 1             | 67.2             | 17                | 1755.2   | 3                        | 0                            |
|              | 5293                 | 2             | 88.7             | 5                 | 1574.3   | 3                        |                              |
|              | 5298                 | 3             | 79.1             | 18                | 1256.8   | 2                        |                              |
|              | 5295                 | 4             | 87.1             | 10                | 1361.2   | 2                        |                              |
|              | 5298                 | 5             | 81.5             | 17                | 1077.7   | 2                        |                              |
|              | 5295                 | 6             | 57.7             | 11                | 1194.8   | 2                        |                              |
|              | 5293                 | 7             | 97.0             | 6                 | 1641.5   | 2                        |                              |
|              | 5298                 | 8             | 91.7             | 18                | 1818.0   | 3                        |                              |
|              | 5293                 | 9             | 81.2             | 5                 | 1165.4   | 1                        |                              |
|              | 5296                 | 10            | 63.8             | 12                | 1697.6   | 1                        |                              |
|              | 5295                 | 11            | 78.2             | 11                | 1940.6   | 3                        |                              |
|              | 5296                 | 12            | 91.5             | 12                | 1491.0   | 2                        |                              |
| 3            | 5299                 | 1             | 52.0             | 20                | 1215.6   | 1                        | 1                            |
|              | 5297                 | 2             | 68.7             | 14                | 1383.5   | 3                        |                              |
|              | 5293                 | 3             | 52.9             | 5                 | 1578.9   | 3                        |                              |
|              | 5294                 | 4             | 72.3             | 8                 | 1829.2   | 3                        |                              |
|              | 5299                 | 5             | 93.0             | 19                | 1572.3   | 3                        |                              |
|              | 5297                 | 6             | 84.7             | 16                | 1770.9   | 1                        |                              |
|              | 5295                 | 7             | 73.1             | 10                | 1704.7   | 2                        |                              |
|              | 5297                 | 8             | 65.2             | 14                | 1953.3   | 3                        |                              |
|              | 5295                 | 9             | 79.4             | 10                | 1060.1   | 2                        |                              |
|              | 5295                 | 10            | 61.6             | 9                 | 1855.1   | 3                        |                              |
|              | 5297                 | 11            | 74.3             | 15                | 1273.3   | 2                        |                              |
|              | 5295                 | 12            | 52.1             | 9                 | 1788.1   | 3                        |                              |
|              | 5294                 | 13            | 59.9             | 7                 | 1363.6   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 4            | 5294                 | 1             | 71.0             | 7                 | 1526.2   | 2                        | 1                            |
|              | 5293                 | 2             | 58.8             | 6                 | 1363.5   | 1                        |                              |
|              | 5295                 | 3             | 62.5             | 9                 | 1793.6   | 1                        |                              |
|              | 5293                 | 4             | 96.8             | 6                 | 1856.7   | 3                        |                              |
|              | 5298                 | 5             | 77.6             | 17                | 1803.9   | 3                        |                              |
|              | 5295                 | 6             | 62.9             | 9                 | 1863.9   | 1                        |                              |
|              | 5297                 | 7             | 50.4             | 14                | 1368.0   | 2                        |                              |
|              | 5297                 | 8             | 90.8             | 16                | 1564.7   | 3                        |                              |
|              | 5299                 | 9             | 67.0             | 19                | 1193.1   | 1                        |                              |
| 5            | 5295                 | 1             | 66.7             | 10                | 1887.7   | 3                        | 1                            |
|              | 5295                 | 2             | 65.2             | 10                | 1886.5   | 3                        |                              |
|              | 5296                 | 3             | 90.8             | 13                | 1415.3   | 3                        |                              |
|              | 5296                 | 4             | 87.0             | 12                | 1844.5   | 3                        |                              |
|              | 5297                 | 5             | 56.6             | 15                | 1425.6   | 2                        |                              |
|              | 5297                 | 6             | 93.2             | 16                | 1304.4   | 1                        |                              |
|              | 5299                 | 7             | 99.8             | 19                | 1580.8   | 2                        |                              |
|              | 5294                 | 8             | 58.8             | 7                 | 1621.7   | 1                        |                              |
|              | 5296                 | 9             | 88.3             | 13                | 1080.5   | 1                        |                              |
|              | 5297                 | 10            | 55.6             | 14                | 1693.8   | 2                        |                              |
|              | 5296                 | 11            | 78.6             | 12                | 1341.2   | 1                        |                              |
|              | 5296                 | 12            | 52.4             | 12                | 1196.1   | 1                        |                              |
|              | 5295                 | 13            | 87.0             | 10                | 1165.9   | 3                        |                              |
|              | 5295                 | 14            | 56.3             | 9                 | 1703.6   | 1                        |                              |
|              | 5299                 | 15            | 82.2             | 19                | 1722.9   | 2                        |                              |
| 6            | 5295                 | 1             | 58.2             | 11                | 1592.6   | 3                        | 1                            |
|              | 5294                 | 2             | 63.1             | 8                 | 1465.9   | 1                        |                              |
|              | 5298                 | 3             | 70.8             | 18                | 1810.0   | 3                        |                              |
|              | 5297                 | 4             | 95.6             | 14                | 1951.1   | 2                        |                              |
|              | 5295                 | 5             | 70.9             | 10                | 1198.5   | 2                        |                              |
|              | 5295                 | 6             | 81.1             | 9                 | 1654.2   | 2                        |                              |
|              | 5298                 | 7             | 62.8             | 17                | 1495.6   | 2                        |                              |
|              | 5294                 | 8             | 99.8             | 8                 | 1336.0   | 2                        |                              |
|              | 5293                 | 9             | 72.1             | 6                 | 1745.5   | 2                        |                              |
|              | 5294                 | 10            | 84.2             | 8                 | 1665.4   | 1                        |                              |
|              | 5298                 | 11            | 57.2             | 18                | 1062.5   | 1                        |                              |
|              | 5296                 | 12            | 87.3             | 12                | 1182.5   | 2                        |                              |
|              | 5297                 | 13            | 60.8             | 16                | 1704.4   | 2                        |                              |
|              | 5295                 | 14            | 81.9             | 9                 | 1756.0   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 7            | 5294                 | 1             | 82.7             | 7                 | 1474.7   | 1                        | 0                            |
|              | 5293                 | 2             | 71.3             | 5                 | 1379.4   | 1                        |                              |
|              | 5297                 | 3             | 64.3             | 14                | 1853.5   | 1                        |                              |
|              | 5295                 | 4             | 68.3             | 11                | 1182.2   | 3                        |                              |
|              | 5298                 | 5             | 90.1             | 17                | 1359.0   | 3                        |                              |
|              | 5299                 | 6             | 66.0             | 19                | 1102.3   | 1                        |                              |
|              | 5299                 | 7             | 99.2             | 19                | 1629.6   | 3                        |                              |
|              | 5299                 | 8             | 92.7             | 19                | 1098.7   | 1                        |                              |
|              | 5297                 | 9             | 84.9             | 16                | 1931.5   | 2                        |                              |
|              | 5295                 | 10            | 68.3             | 10                | 1164.4   | 1                        |                              |
|              | 5297                 | 11            | 61.2             | 15                | 1513.4   | 2                        |                              |
|              | 5296                 | 12            | 74.4             | 12                | 1265.8   | 2                        |                              |
|              | 5299                 | 13            | 88.1             | 20                | 1881.1   | 1                        |                              |
|              | 5297                 | 14            | 86.8             | 16                | 1514.9   | 3                        |                              |
|              | 5294                 | 15            | 94.1             | 8                 | 1673.7   | 3                        |                              |
|              | 5297                 | 16            | 91.7             | 14                | 1982.0   | 2                        |                              |
|              | 5297                 | 17            | 65.6             | 14                | 1832.9   | 1                        |                              |
| 8            | 5295                 | 1             | 51.6             | 11                | 1407.2   | 3                        | 1                            |
|              | 5296                 | 2             | 75.4             | 12                | 1090.3   | 3                        |                              |
|              | 5298                 | 3             | 88.5             | 18                | 1200.5   | 1                        |                              |
|              | 5297                 | 4             | 60.2             | 15                | 1524.2   | 3                        |                              |
|              | 5297                 | 5             | 54.7             | 16                | 1121.4   | 3                        |                              |
|              | 5295                 | 6             | 84.8             | 9                 | 1902.2   | 1                        |                              |
|              | 5293                 | 7             | 96.3             | 6                 | 1175.3   | 1                        |                              |
|              | 5298                 | 8             | 60.2             | 17                | 1786.0   | 1                        |                              |
|              | 5295                 | 9             | 85.9             | 11                | 1284.1   | 3                        |                              |
|              | 5296                 | 10            | 78.9             | 13                | 1778.9   | 3                        |                              |
|              | 5299                 | 11            | 80.9             | 20                | 1162.0   | 2                        |                              |
|              | 5294                 | 12            | 92.0             | 7                 | 1063.5   | 3                        |                              |
|              | 5295                 | 13            | 58.6             | 9                 | 1809.6   | 3                        |                              |
|              | 5293                 | 14            | 52.9             | 6                 | 1486.6   | 2                        |                              |
|              | 5295                 | 15            | 68.8             | 11                | 1132.8   | 1                        |                              |
|              | 5297                 | 16            | 50.0             | 15                | 1500.1   | 2                        |                              |
|              | 5299                 | 17            | 78.1             | 19                | 1679.3   | 1                        |                              |
|              | 5296                 | 18            | 61.0             | 13                | 1400.3   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 9            | 5298                 | 1             | 85.4             | 17                | 1863.8   | 3                        | 1                            |
|              | 5294                 | 2             | 86.7             | 7                 | 1400.8   | 1                        |                              |
|              | 5294                 | 3             | 91.7             | 8                 | 1317.4   | 2                        |                              |
|              | 5295                 | 4             | 74.4             | 9                 | 1604.7   | 2                        |                              |
|              | 5296                 | 5             | 56.9             | 12                | 1026.5   | 1                        |                              |
|              | 5295                 | 6             | 89.4             | 9                 | 1673.3   | 2                        |                              |
|              | 5297                 | 7             | 93.9             | 15                | 1358.1   | 3                        |                              |
|              | 5296                 | 8             | 65.0             | 12                | 1178.0   | 3                        |                              |
|              | 5298                 | 9             | 70.3             | 17                | 1057.1   | 1                        |                              |
|              | 5295                 | 10            | 69.6             | 10                | 1599.4   | 2                        |                              |
|              | 5294                 | 11            | 85.2             | 8                 | 1642.8   | 2                        |                              |
|              | 5295                 | 12            | 79.0             | 9                 | 1667.2   | 3                        |                              |
|              | 5297                 | 13            | 69.1             | 15                | 1340.1   | 3                        |                              |
|              | 5294                 | 14            | 81.8             | 8                 | 1929.9   | 2                        |                              |
|              | 5294                 | 15            | 66.4             | 7                 | 1544.5   | 1                        |                              |
|              | 5296                 | 16            | 72.0             | 12                | 1857.7   | 2                        |                              |
|              | 5294                 | 17            | 88.6             | 7                 | 1348.6   | 1                        |                              |
|              | 5296                 | 18            | 98.0             | 12                | 1285.1   | 1                        |                              |
|              | 5296                 | 19            | 64.7             | 12                | 1076.9   | 2                        |                              |
| 10           | 5295                 | 1             | 95.0             | 11                | 1623.9   | 2                        | 1                            |
|              | 5293                 | 2             | 68.1             | 6                 | 1891.6   | 3                        |                              |
|              | 5299                 | 3             | 90.1             | 19                | 1878.5   | 3                        |                              |
|              | 5299                 | 4             | 67.8             | 20                | 1174.8   | 1                        |                              |
|              | 5296                 | 5             | 95.4             | 12                | 1660.0   | 1                        |                              |
|              | 5299                 | 6             | 54.0             | 19                | 1600.5   | 1                        |                              |
|              | 5293                 | 7             | 89.6             | 6                 | 1315.5   | 1                        |                              |
|              | 5297                 | 8             | 88.3             | 14                | 1778.1   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 11           | 5310                 | 1             | 92.1             | 17                | 1592.8   | 2                        | 1                            |
|              | 5310                 | 2             | 52.0             | 13                | 1117.3   | 2                        |                              |
|              | 5310                 | 3             | 69.3             | 18                | 1243.2   | 2                        |                              |
|              | 5310                 | 4             | 96.1             | 17                | 1888.7   | 1                        |                              |
|              | 5310                 | 5             | 51.8             | 17                | 1201.1   | 3                        |                              |
|              | 5310                 | 6             | 88.1             | 20                | 1101.0   | 2                        |                              |
|              | 5310                 | 7             | 66.9             | 10                | 1005.7   | 1                        |                              |
|              | 5310                 | 8             | 73.3             | 12                | 1277.7   | 3                        |                              |
|              | 5310                 | 9             | 75.8             | 9                 | 1893.2   | 3                        |                              |
|              | 5310                 | 10            | 84.1             | 15                | 1210.6   | 1                        |                              |
|              | 5310                 | 11            | 53.7             | 18                | 1176.3   | 1                        |                              |
|              | 5310                 | 12            | 88.0             | 18                | 1505.9   | 2                        |                              |
|              | 5310                 | 13            | 77.5             | 6                 | 1889.8   | 3                        |                              |
|              | 5310                 | 14            | 79.6             | 13                | 1102.6   | 3                        |                              |
|              | 5310                 | 15            | 62.6             | 19                | 1773.4   | 2                        |                              |
|              | 5310                 | 16            | 97.1             | 13                | 1308.8   | 2                        |                              |
| 12           | 5310                 | 1             | 72.7             | 13                | 1034.1   | 1                        | 1                            |
|              | 5310                 | 2             | 70.1             | 10                | 1616.3   | 1                        |                              |
|              | 5310                 | 3             | 57.2             | 9                 | 1412.5   | 3                        |                              |
|              | 5310                 | 4             | 62.1             | 18                | 1124.6   | 2                        |                              |
|              | 5310                 | 5             | 77.5             | 18                | 1823.0   | 2                        |                              |
|              | 5310                 | 6             | 94.8             | 17                | 1244.8   | 3                        |                              |
|              | 5310                 | 7             | 80.8             | 12                | 1128.6   | 1                        |                              |
|              | 5310                 | 8             | 74.6             | 12                | 1001.9   | 2                        |                              |
|              | 5310                 | 9             | 67.2             | 15                | 1631.3   | 3                        |                              |
|              | 5310                 | 10            | 95.3             | 9                 | 1381.0   | 3                        |                              |
|              | 5310                 | 11            | 83.5             | 16                | 1591.3   | 3                        |                              |
|              | 5310                 | 12            | 66.0             | 7                 | 1038.9   | 2                        |                              |
|              | 5310                 | 13            | 83.0             | 6                 | 1586.6   | 3                        |                              |
|              | 5310                 | 14            | 54.4             | 10                | 1313.1   | 3                        |                              |
|              | 5310                 | 15            | 68.0             | 6                 | 1693.8   | 2                        |                              |
|              | 5310                 | 16            | 98.6             | 11                | 1654.1   | 1                        |                              |
|              | 5310                 | 17            | 78.5             | 6                 | 1465.3   | 2                        |                              |
|              | 5310                 | 18            | 83.4             | 20                | 1414.2   | 3                        |                              |
|              | 5310                 | 19            | 81.6             | 15                | 1295.1   | 3                        |                              |
|              | 5310                 | 20            | 80.2             | 10                | 1175.9   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 13           | 5310                 | 1             | 66.5             | 19                | 1385.6   | 3                        | 1                            |
|              | 5310                 | 2             | 86.2             | 17                | 1995.2   | 1                        |                              |
|              | 5310                 | 3             | 67.7             | 16                | 1195.2   | 2                        |                              |
|              | 5310                 | 4             | 67.6             | 17                | 1369.0   | 1                        |                              |
|              | 5310                 | 5             | 72.9             | 5                 | 1657.1   | 3                        |                              |
|              | 5310                 | 6             | 80.7             | 14                | 1698.0   | 1                        |                              |
|              | 5310                 | 7             | 80.3             | 19                | 1216.2   | 1                        |                              |
|              | 5310                 | 8             | 69.4             | 9                 | 1657.0   | 3                        |                              |
|              | 5310                 | 9             | 86.4             | 12                | 1199.1   | 2                        |                              |
|              | 5310                 | 10            | 60.8             | 10                | 1240.1   | 3                        |                              |
| 14           | 5310                 | 1             | 74.6             | 17                | 1359.0   | 3                        | 1                            |
|              | 5310                 | 2             | 95.2             | 6                 | 1828.4   | 3                        |                              |
|              | 5310                 | 3             | 64.7             | 8                 | 1571.5   | 3                        |                              |
|              | 5310                 | 4             | 84.9             | 18                | 1502.4   | 1                        |                              |
|              | 5310                 | 5             | 71.0             | 8                 | 1545.7   | 2                        |                              |
|              | 5310                 | 6             | 64.7             | 20                | 1103.3   | 2                        |                              |
|              | 5310                 | 7             | 87.6             | 18                | 1596.7   | 1                        |                              |
|              | 5310                 | 8             | 87.4             | 20                | 1516.9   | 3                        |                              |
|              | 5310                 | 9             | 66.9             | 6                 | 1315.9   | 1                        |                              |
|              | 5310                 | 10            | 80.5             | 7                 | 1368.8   | 2                        |                              |
|              | 5310                 | 11            | 66.1             | 6                 | 1316.9   | 2                        |                              |
|              | 5310                 | 12            | 84.6             | 7                 | 1842.1   | 2                        |                              |
|              | 5310                 | 13            | 91.5             | 11                | 1993.1   | 3                        |                              |
|              | 5310                 | 14            | 98.2             | 7                 | 1322.5   | 2                        |                              |
|              | 5310                 | 15            | 83.3             | 18                | 1825.6   | 1                        |                              |
|              | 5310                 | 16            | 89.7             | 14                | 1430.7   | 3                        |                              |
|              | 5310                 | 17            | 67.0             | 6                 | 1886.3   | 2                        |                              |
|              | 5310                 | 18            | 88.3             | 7                 | 1257.8   | 1                        |                              |
|              | 5310                 | 19            | 92.5             | 9                 | 1209.0   | 3                        |                              |
|              | 5310                 | 20            | 57.3             | 17                | 1284.4   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 15           | 5310                 | 1             | 51.7             | 7                 | 1044.3   | 3                        | 1                            |
|              | 5310                 | 2             | 97.0             | 10                | 1435.9   | 3                        |                              |
|              | 5310                 | 3             | 96.3             | 19                | 1734.7   | 2                        |                              |
|              | 5310                 | 4             | 81.6             | 17                | 1654.8   | 2                        |                              |
|              | 5310                 | 5             | 69.0             | 12                | 1659.8   | 2                        |                              |
|              | 5310                 | 6             | 86.8             | 15                | 1160.3   | 2                        |                              |
|              | 5310                 | 7             | 72.0             | 9                 | 1494.2   | 1                        |                              |
|              | 5310                 | 8             | 56.3             | 16                | 1479.8   | 3                        |                              |
|              | 5310                 | 9             | 51.3             | 12                | 1274.6   | 3                        |                              |
|              | 5310                 | 10            | 92.2             | 16                | 1527.5   | 2                        |                              |
|              | 5310                 | 11            | 68.6             | 6                 | 1120.7   | 3                        |                              |
|              | 5310                 | 12            | 94.4             | 18                | 1241.3   | 3                        |                              |
|              | 5310                 | 13            | 89.8             | 13                | 1926.1   | 1                        |                              |
|              | 5310                 | 14            | 79.6             | 14                | 1750.9   | 2                        |                              |
|              | 5310                 | 15            | 99.5             | 8                 | 1076.5   | 3                        |                              |
|              | 5310                 | 16            | 50.2             | 12                | 1932.9   | 2                        |                              |
|              | 5310                 | 17            | 95.4             | 16                | 1138.6   | 1                        |                              |
|              | 5310                 | 18            | 71.6             | 12                | 1279.6   | 1                        |                              |
|              | 5310                 | 19            | 53.5             | 18                | 1802.3   | 2                        |                              |
| 16           | 5310                 | 1             | 64.1             | 16                | 1049.8   | 2                        | 1                            |
|              | 5310                 | 2             | 65.8             | 14                | 1129.6   | 2                        |                              |
|              | 5310                 | 3             | 71.9             | 16                | 1726.0   | 3                        |                              |
|              | 5310                 | 4             | 50.3             | 14                | 1348.8   | 2                        |                              |
|              | 5310                 | 5             | 69.5             | 7                 | 1960.7   | 2                        |                              |
|              | 5310                 | 6             | 81.1             | 6                 | 1959.6   | 2                        |                              |
|              | 5310                 | 7             | 68.7             | 9                 | 1175.3   | 2                        |                              |
|              | 5310                 | 8             | 97.9             | 12                | 1664.0   | 1                        |                              |
|              | 5310                 | 9             | 68.5             | 6                 | 1766.6   | 1                        |                              |
|              | 5310                 | 10            | 80.5             | 11                | 1722.7   | 2                        |                              |
|              | 5310                 | 11            | 90.7             | 12                | 1585.7   | 1                        |                              |
|              | 5310                 | 12            | 93.9             | 17                | 1787.4   | 2                        |                              |
|              | 5310                 | 13            | 95.0             | 14                | 1953.8   | 1                        |                              |
|              | 5310                 | 14            | 65.7             | 7                 | 1433.6   | 3                        |                              |
|              | 5310                 | 15            | 56.2             | 15                | 1826.3   | 2                        |                              |
|              | 5310                 | 16            | 61.4             | 5                 | 1987.6   | 2                        |                              |
|              | 5310                 | 17            | 56.1             | 15                | 1420.7   | 3                        |                              |
|              | 5310                 | 18            | 78.1             | 8                 | 1963.1   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 17           | 5310                 | 1             | 76.6             | 15                | 1209.5   | 1                        | 1                            |
|              | 5310                 | 2             | 83.3             | 16                | 1826.1   | 2                        |                              |
|              | 5310                 | 3             | 60.7             | 9                 | 1195.8   | 2                        |                              |
|              | 5310                 | 4             | 60.1             | 15                | 1054.5   | 2                        |                              |
|              | 5310                 | 5             | 79.4             | 19                | 1396.0   | 2                        |                              |
|              | 5310                 | 6             | 80.8             | 9                 | 1176.2   | 3                        |                              |
|              | 5310                 | 7             | 78.5             | 9                 | 1552.2   | 3                        |                              |
|              | 5310                 | 8             | 63.8             | 15                | 1045.7   | 3                        |                              |
|              | 5310                 | 9             | 89.5             | 11                | 1880.3   | 1                        |                              |
|              | 5310                 | 10            | 90.5             | 17                | 1270.9   | 1                        |                              |
|              | 5310                 | 11            | 63.6             | 7                 | 1703.8   | 3                        |                              |
|              | 5310                 | 12            | 89.7             | 6                 | 1052.8   | 3                        |                              |
|              | 5310                 | 13            | 87.7             | 11                | 1099.7   | 2                        |                              |
|              | 5310                 | 14            | 62.7             | 17                | 1102.2   | 1                        |                              |
|              | 5310                 | 15            | 83.3             | 16                | 1900.5   | 2                        |                              |
|              | 5310                 | 16            | 96.3             | 19                | 1043.1   | 3                        |                              |
|              | 5310                 | 17            | 59.0             | 6                 | 1736.4   | 3                        |                              |
| 18           | 5310                 | 1             | 84.8             | 16                | 1178.9   | 3                        | 1                            |
|              | 5310                 | 2             | 74.6             | 10                | 1378.4   | 1                        |                              |
|              | 5310                 | 3             | 76.2             | 9                 | 1945.4   | 3                        |                              |
|              | 5310                 | 4             | 54.1             | 14                | 1003.0   | 1                        |                              |
|              | 5310                 | 5             | 69.4             | 19                | 1818.7   | 1                        |                              |
|              | 5310                 | 6             | 87.2             | 15                | 1399.6   | 3                        |                              |
|              | 5310                 | 7             | 58.6             | 19                | 1814.6   | 3                        |                              |
|              | 5310                 | 8             | 87.5             | 16                | 1211.1   | 1                        |                              |
|              | 5310                 | 9             | 63.9             | 10                | 1170.5   | 2                        |                              |
|              | 5310                 | 10            | 70.4             | 8                 | 1081.8   | 3                        |                              |
|              | 5310                 | 11            | 96.6             | 18                | 1728.9   | 3                        |                              |
|              | 5310                 | 12            | 61.0             | 6                 | 1432.6   | 1                        |                              |
|              | 5310                 | 13            | 74.5             | 19                | 1504.6   | 1                        |                              |
|              | 5310                 | 14            | 80.4             | 10                | 1222.9   | 2                        |                              |
|              | 5310                 | 15            | 78.4             | 19                | 1141.5   | 1                        |                              |
|              | 5310                 | 1             | 76.6             | 15                | 1209.5   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 19           | 5310                 | 1             | 97.2             | 5                 | 1093.2   | 3                        | 1                            |
|              | 5310                 | 2             | 57.4             | 16                | 1034.8   | 1                        |                              |
|              | 5310                 | 3             | 50.5             | 18                | 1294.2   | 2                        |                              |
|              | 5310                 | 4             | 92.8             | 9                 | 1371.8   | 2                        |                              |
|              | 5310                 | 5             | 53.0             | 8                 | 1148.3   | 1                        |                              |
|              | 5310                 | 6             | 71.3             | 14                | 1849.1   | 1                        |                              |
|              | 5310                 | 7             | 51.1             | 8                 | 1054.1   | 3                        |                              |
|              | 5310                 | 8             | 87.0             | 14                | 1742.4   | 2                        |                              |
|              | 5310                 | 9             | 56.4             | 8                 | 1168.9   | 1                        |                              |
|              | 5310                 | 10            | 61.1             | 14                | 1255.4   | 2                        |                              |
|              | 5310                 | 11            | 62.3             | 6                 | 1144.9   | 2                        |                              |
|              | 5310                 | 12            | 90.3             | 16                | 1455.0   | 1                        |                              |
|              | 5310                 | 13            | 86.1             | 7                 | 1005.4   | 3                        |                              |
|              | 5310                 | 14            | 65.2             | 18                | 1183.0   | 3                        |                              |
| 20           | 5310                 | 1             | 69.0             | 19                | 1546.0   | 1                        | 1                            |
|              | 5310                 | 2             | 54.9             | 14                | 1179.9   | 2                        |                              |
|              | 5310                 | 3             | 88.0             | 8                 | 1912.4   | 1                        |                              |
|              | 5310                 | 4             | 78.0             | 19                | 1695.2   | 3                        |                              |
|              | 5310                 | 5             | 90.5             | 15                | 1419.8   | 1                        |                              |
|              | 5310                 | 6             | 54.4             | 10                | 1004.0   | 2                        |                              |
|              | 5310                 | 7             | 57.7             | 11                | 1107.0   | 2                        |                              |
|              | 5310                 | 8             | 89.2             | 12                | 1554.5   | 3                        |                              |
|              | 5310                 | 9             | 60.5             | 9                 | 1133.0   | 3                        |                              |
|              | 5310                 | 10            | 89.1             | 13                | 1401.3   | 3                        |                              |
| 21           | 5322                 | 1             | 59.0             | 17                | 1531.0   | 1                        | 1                            |
|              | 5322                 | 2             | 50.1             | 18                | 1115.0   | 2                        |                              |
|              | 5325                 | 3             | 98.2             | 11                | 1600.8   | 3                        |                              |
|              | 5321                 | 4             | 75.6             | 20                | 1073.7   | 3                        |                              |
|              | 5322                 | 5             | 76.5             | 17                | 1714.4   | 1                        |                              |
|              | 5321                 | 6             | 81.9             | 20                | 1349.0   | 1                        |                              |
|              | 5321                 | 7             | 76.3             | 19                | 1695.0   | 2                        |                              |
|              | 5323                 | 8             | 75.8             | 15                | 1172.5   | 1                        |                              |
|              | 5325                 | 9             | 78.7             | 9                 | 1735.1   | 1                        |                              |
|              | 5322                 | 10            | 97.7             | 17                | 1340.5   | 1                        |                              |
|              | 5322                 | 11            | 56.7             | 17                | 1437.3   | 2                        |                              |
|              | 5323                 | 12            | 75.7             | 14                | 1554.1   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 22           | 5324                 | 1             | 58.0             | 12                | 1932.9   | 3                        | 1                            |
|              | 5323                 | 2             | 94.3             | 16                | 1931.5   | 3                        |                              |
|              | 5323                 | 3             | 83.7             | 14                | 1570.0   | 3                        |                              |
|              | 5322                 | 4             | 58.3             | 18                | 1019.5   | 3                        |                              |
|              | 5325                 | 5             | 90.6             | 9                 | 1351.8   | 1                        |                              |
|              | 5327                 | 6             | 90.6             | 6                 | 1916.9   | 2                        |                              |
|              | 5325                 | 7             | 83.9             | 9                 | 1563.1   | 2                        |                              |
|              | 5323                 | 8             | 85.8             | 14                | 1408.3   | 3                        |                              |
|              | 5325                 | 9             | 82.6             | 9                 | 1162.4   | 1                        |                              |
| 23           | 5325                 | 1             | 57.4             | 11                | 1597.0   | 3                        | 1                            |
|              | 5323                 | 2             | 66.5             | 14                | 1224.0   | 1                        |                              |
|              | 5327                 | 3             | 93.5             | 5                 | 1260.7   | 3                        |                              |
|              | 5325                 | 4             | 99.5             | 10                | 1561.1   | 1                        |                              |
|              | 5324                 | 5             | 70.7             | 13                | 1473.1   | 3                        |                              |
|              | 5327                 | 6             | 91.4             | 6                 | 1862.3   | 2                        |                              |
|              | 5321                 | 7             | 68.6             | 19                | 1922.5   | 3                        |                              |
|              | 5327                 | 8             | 69.2             | 5                 | 1405.1   | 3                        |                              |
|              | 5326                 | 9             | 86.3             | 8                 | 1398.2   | 3                        |                              |
|              | 5323                 | 10            | 55.4             | 14                | 1332.1   | 2                        |                              |
|              | 5327                 | 11            | 88.6             | 6                 | 1124.2   | 2                        |                              |
|              | 5321                 | 12            | 95.4             | 19                | 1602.6   | 2                        |                              |
|              | 5323                 | 13            | 89.5             | 14                | 1886.7   | 1                        |                              |
|              | 5325                 | 14            | 69.4             | 10                | 1004.0   | 2                        |                              |
|              | 5324                 | 15            | 71.6             | 12                | 1306.1   | 2                        |                              |
| 24           | 5326                 | 1             | 91.9             | 8                 | 1683.5   | 2                        | 1                            |
|              | 5327                 | 2             | 65.6             | 5                 | 1223.3   | 1                        |                              |
|              | 5323                 | 3             | 51.9             | 14                | 1226.4   | 2                        |                              |
|              | 5324                 | 4             | 87.3             | 13                | 1385.1   | 3                        |                              |
|              | 5325                 | 5             | 87.9             | 11                | 1485.0   | 2                        |                              |
|              | 5325                 | 6             | 76.0             | 11                | 1033.6   | 1                        |                              |
|              | 5321                 | 7             | 79.4             | 20                | 1628.8   | 3                        |                              |
|              | 5327                 | 8             | 71.3             | 5                 | 1812.9   | 1                        |                              |
|              | 5326                 | 9             | 61.0             | 8                 | 1357.7   | 1                        |                              |
|              | 5325                 | 10            | 52.5             | 11                | 1249.3   | 1                        |                              |
|              | 5326                 | 11            | 76.6             | 7                 | 1198.9   | 1                        |                              |
|              | 5324                 | 12            | 77.6             | 13                | 1150.3   | 2                        |                              |
|              | 5322                 | 13            | 99.5             | 17                | 1432.4   | 2                        |                              |
|              | 5325                 | 14            | 63.7             | 11                | 1063.6   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 25           | 5326                 | 1             | 98.9             | 7                 | 1685.5   | 1                        | 1                            |
|              | 5322                 | 2             | 91.5             | 17                | 1131.9   | 1                        |                              |
|              | 5326                 | 3             | 64.7             | 7                 | 1942.3   | 1                        |                              |
|              | 5323                 | 4             | 53.5             | 15                | 1395.8   | 2                        |                              |
|              | 5324                 | 5             | 74.9             | 13                | 1329.2   | 2                        |                              |
|              | 5325                 | 6             | 61.9             | 11                | 1437.9   | 2                        |                              |
|              | 5325                 | 7             | 83.3             | 10                | 1135.2   | 2                        |                              |
|              | 5323                 | 8             | 90.5             | 14                | 1323.2   | 3                        |                              |
|              | 5323                 | 9             | 91.1             | 15                | 1214.7   | 2                        |                              |
|              | 5324                 | 10            | 77.2             | 13                | 1902.4   | 1                        |                              |
|              | 5322                 | 11            | 89.5             | 18                | 1812.4   | 1                        |                              |
|              | 5323                 | 12            | 97.8             | 16                | 1244.1   | 2                        |                              |
|              | 5322                 | 13            | 87.0             | 17                | 1663.0   | 1                        |                              |
|              | 5324                 | 14            | 98.4             | 13                | 1073.8   | 2                        |                              |
|              | 5326                 | 15            | 77.1             | 7                 | 1822.6   | 3                        |                              |
|              | 5323                 | 16            | 62.3             | 15                | 1192.7   | 1                        |                              |
|              | 5323                 | 17            | 91.5             | 15                | 1916.9   | 3                        |                              |
|              | 5323                 | 18            | 96.8             | 16                | 1806.0   | 1                        |                              |
| 26           | 5323                 | 1             | 83.4             | 14                | 1541.2   | 1                        | 1                            |
|              | 5324                 | 2             | 72.4             | 12                | 1722.1   | 1                        |                              |
|              | 5323                 | 3             | 96.8             | 14                | 1357.3   | 1                        |                              |
|              | 5326                 | 4             | 70.4             | 8                 | 1416.4   | 3                        |                              |
|              | 5325                 | 5             | 67.3             | 9                 | 1980.9   | 1                        |                              |
|              | 5324                 | 6             | 61.9             | 12                | 1499.7   | 2                        |                              |
|              | 5321                 | 7             | 97.0             | 20                | 1003.0   | 1                        |                              |
|              | 5324                 | 8             | 86.1             | 13                | 1639.9   | 1                        |                              |
|              | 5323                 | 9             | 53.5             | 15                | 1402.2   | 3                        |                              |
|              | 5323                 | 10            | 96.7             | 14                | 1149.4   | 1                        |                              |
|              | 5321                 | 11            | 90.0             | 20                | 1628.2   | 2                        |                              |
|              | 5326                 | 12            | 70.1             | 8                 | 1632.3   | 2                        |                              |
|              | 5325                 | 13            | 93.6             | 10                | 1425.5   | 3                        |                              |
|              | 5326                 | 14            | 82.1             | 8                 | 1156.9   | 1                        |                              |
|              | 5325                 | 15            | 95.6             | 9                 | 1382.1   | 3                        |                              |
|              | 5322                 | 16            | 83.8             | 17                | 1373.4   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 27           | 5321                 | 1             | 80.7             | 19                | 1309.6   | 1                        | 1                            |
|              | 5325                 | 2             | 55.7             | 9                 | 1957.8   | 2                        |                              |
|              | 5323                 | 3             | 90.2             | 14                | 1519.9   | 3                        |                              |
|              | 5323                 | 4             | 56.9             | 14                | 1303.6   | 2                        |                              |
|              | 5324                 | 5             | 62.6             | 12                | 1741.8   | 3                        |                              |
|              | 5323                 | 6             | 58.1             | 15                | 1926.7   | 1                        |                              |
|              | 5322                 | 7             | 71.5             | 18                | 1132.8   | 1                        |                              |
|              | 5326                 | 8             | 99.6             | 7                 | 1985.8   | 2                        |                              |
|              | 5326                 | 9             | 98.8             | 7                 | 1869.8   | 3                        |                              |
|              | 5321                 | 10            | 98.0             | 19                | 1693.4   | 2                        |                              |
|              | 5324                 | 11            | 60.4             | 13                | 1642.5   | 2                        |                              |
|              | 5325                 | 12            | 99.2             | 10                | 1527.0   | 3                        |                              |
|              | 5324                 | 13            | 78.5             | 13                | 1988.7   | 2                        |                              |
|              | 5326                 | 14            | 50.6             | 7                 | 1644.6   | 3                        |                              |
|              | 5325                 | 15            | 98.6             | 9                 | 1099.4   | 1                        |                              |
|              | 5325                 | 16            | 66.2             | 11                | 1645.5   | 2                        |                              |
|              | 5323                 | 17            | 91.7             | 15                | 1186.3   | 2                        |                              |
|              | 5325                 | 18            | 93.5             | 9                 | 1658.5   | 1                        |                              |
|              | 5323                 | 19            | 59.6             | 15                | 1955.1   | 2                        |                              |
|              | 5323                 | 20            | 90.2             | 14                | 1049.3   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 28           | 5323                 | 1             | 92.0             | 14                | 1461.6   | 3                        | 1                            |
|              | 5326                 | 2             | 74.2             | 8                 | 1183.7   | 2                        |                              |
|              | 5326                 | 3             | 76.7             | 7                 | 1374.8   | 1                        |                              |
|              | 5325                 | 4             | 67.0             | 9                 | 1213.4   | 2                        |                              |
|              | 5327                 | 5             | 82.6             | 5                 | 1692.7   | 1                        |                              |
|              | 5323                 | 6             | 94.7             | 16                | 1915.0   | 3                        |                              |
|              | 5321                 | 7             | 50.1             | 19                | 1308.8   | 1                        |                              |
|              | 5323                 | 8             | 54.0             | 16                | 1624.0   | 1                        |                              |
|              | 5322                 | 9             | 52.5             | 17                | 1888.3   | 3                        |                              |
|              | 5325                 | 10            | 67.8             | 11                | 1916.4   | 3                        |                              |
|              | 5327                 | 11            | 92.4             | 6                 | 1226.0   | 2                        |                              |
|              | 5322                 | 12            | 81.5             | 17                | 1938.5   | 1                        |                              |
|              | 5324                 | 13            | 71.0             | 12                | 1547.8   | 1                        |                              |
|              | 5322                 | 14            | 95.8             | 17                | 1435.9   | 2                        |                              |
|              | 5326                 | 15            | 61.9             | 7                 | 1347.6   | 1                        |                              |
|              | 5327                 | 16            | 60.1             | 6                 | 1514.5   | 1                        |                              |
|              | 5323                 | 17            | 84.8             | 16                | 1215.4   | 2                        |                              |
|              | 5324                 | 18            | 55.4             | 13                | 1233.0   | 3                        |                              |
|              | 5323                 | 19            | 71.9             | 14                | 1266.0   | 2                        |                              |
|              | 5325                 | 20            | 64.3             | 10                | 1171.8   | 1                        |                              |

| Test Mode                |                      | 802.11ax HE40 |                  |                   |          |                          |                              |
|--------------------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency                |                      | 5310 MHz      |                  |                   |          |                          |                              |
| Radar Signal             |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #                  | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 29                       | 5321                 | 1             | 68.5             | 20                | 1326.9   | 1                        | 1                            |
|                          | 5324                 | 2             | 86.6             | 12                | 1301.2   | 2                        |                              |
|                          | 5326                 | 3             | 62.3             | 7                 | 1453.2   | 2                        |                              |
|                          | 5326                 | 4             | 89.7             | 7                 | 1691.0   | 1                        |                              |
|                          | 5327                 | 5             | 83.1             | 5                 | 1592.2   | 3                        |                              |
|                          | 5323                 | 6             | 55.7             | 15                | 1643.1   | 3                        |                              |
|                          | 5324                 | 7             | 70.4             | 13                | 1281.9   | 1                        |                              |
|                          | 5326                 | 8             | 70.6             | 8                 | 1428.2   | 3                        |                              |
|                          | 5323                 | 9             | 86.1             | 14                | 1902.8   | 2                        |                              |
|                          | 5325                 | 10            | 70.5             | 10                | 1059.7   | 1                        |                              |
|                          | 5322                 | 11            | 62.4             | 18                | 1900.4   | 1                        |                              |
|                          | 5323                 | 12            | 84.8             | 16                | 1689.2   | 3                        |                              |
|                          | 5323                 | 13            | 71.1             | 15                | 1615.6   | 3                        |                              |
|                          | 5325                 | 14            | 91.2             | 10                | 1388.7   | 2                        |                              |
|                          | 5321                 | 15            | 88.8             | 20                | 1599.0   | 3                        |                              |
|                          | 5325                 | 16            | 90.6             | 10                | 1562.1   | 2                        |                              |
|                          | 5324                 | 17            | 96.3             | 12                | 1688.3   | 3                        |                              |
| 30                       | 5327                 | 1             | 62.6             | 6                 | 1494.8   | 3                        | 0                            |
|                          | 5326                 | 2             | 82.5             | 8                 | 1679.5   | 1                        |                              |
|                          | 5323                 | 3             | 99.9             | 14                | 1509.1   | 1                        |                              |
|                          | 5325                 | 4             | 81.1             | 9                 | 1274.6   | 2                        |                              |
|                          | 5324                 | 5             | 72.0             | 13                | 1711.7   | 3                        |                              |
|                          | 5323                 | 6             | 60.8             | 15                | 1624.1   | 2                        |                              |
|                          | 5322                 | 7             | 69.5             | 17                | 1624.6   | 1                        |                              |
|                          | 5321                 | 8             | 95.6             | 20                | 1485.6   | 1                        |                              |
|                          | 5326                 | 9             | 84.8             | 7                 | 1008.1   | 2                        |                              |
|                          | 5323                 | 10            | 57.4             | 15                | 1801.5   | 2                        |                              |
|                          | 5327                 | 11            | 52.3             | 5                 | 1197.7   | 2                        |                              |
|                          | 5322                 | 12            | 95.0             | 17                | 1955.7   | 2                        |                              |
|                          | 5321                 | 13            | 77.2             | 19                | 1421.9   | 2                        |                              |
|                          | 5326                 | 14            | 94.2             | 7                 | 1628.2   | 2                        |                              |
| Detection Percentage (%) |                      |               |                  |                   |          |                          | 86.67                        |

| Test Mode                |                  | 802.11ax HE40 |              |                    |                              |                              |
|--------------------------|------------------|---------------|--------------|--------------------|------------------------------|------------------------------|
| Frequency                |                  | 5310 MHz      |              |                    |                              |                              |
| Radar Signal             |                  | Type 6        |              |                    |                              |                              |
| Trial #                  | Pulse Width (us) | PRI (us)      | Pulses / Hop | Hopping Rate (kHz) | Hopping Sequence Length (ms) | 1=Detection ; 0=No Detection |
| 1                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 2                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 3                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 4                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 5                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 6                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 7                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 8                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 9                        | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 10                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 11                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 12                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 13                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 14                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 15                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 16                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 17                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 18                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 19                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 20                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 21                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 22                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 23                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 24                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 25                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 26                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 27                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 28                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 29                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| 30                       | 1                | 333           | 9            | 0.333              | 300                          | 1                            |
| Detection Percentage (%) |                  |               |              |                    |                              | 100.00                       |

| Test Mode                |                      | 802.11ac VHT80   |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5530 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 1           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5290                 | 1                | 878      | 61              | 1139     | 1                               |
| 2                        | 5290                 | 1                | 938      | 57              | 1066     | 1                               |
| 3                        | 5290                 | 1                | 798      | 67              | 1253     | 1                               |
| 4                        | 5290                 | 1                | 818      | 65              | 1222     | 1                               |
| 5                        | 5290                 | 1                | 878      | 61              | 1139     | 1                               |
| 6                        | 5290                 | 1                | 918      | 58              | 1089     | 1                               |
| 7                        | 5290                 | 1                | 578      | 92              | 1730     | 1                               |
| 8                        | 5290                 | 1                | 578      | 92              | 1730     | 1                               |
| 9                        | 5290                 | 1                | 638      | 83              | 1567     | 1                               |
| 10                       | 5290                 | 1                | 758      | 70              | 1319     | 1                               |
| 11                       | 5290                 | 1                | 3066     | 18              | 326      | 1                               |
| 12                       | 5290                 | 1                | 778      | 68              | 1285     | 1                               |
| 13                       | 5290                 | 1                | 778      | 68              | 1285     | 1                               |
| 14                       | 5290                 | 1                | 598      | 89              | 1672     | 1                               |
| 15                       | 5290                 | 1                | 718      | 74              | 1393     | 1                               |
| 16                       | 5290                 | 1                | 3051     | 18              | 328      | 1                               |
| 17                       | 5290                 | 1                | 2253     | 24              | 444      | 1                               |
| 18                       | 5290                 | 1                | 2760     | 20              | 362      | 1                               |
| 19                       | 5290                 | 1                | 1576     | 34              | 635      | 1                               |
| 20                       | 5290                 | 1                | 2790     | 19              | 358      | 1                               |
| 21                       | 5290                 | 1                | 927      | 57              | 1079     | 1                               |
| 22                       | 5290                 | 1                | 917      | 58              | 1091     | 1                               |
| 23                       | 5290                 | 1                | 2723     | 20              | 367      | 1                               |
| 24                       | 5290                 | 1                | 2619     | 21              | 382      | 0                               |
| 25                       | 5290                 | 1                | 2454     | 22              | 407      | 1                               |
| 26                       | 5290                 | 1                | 2405     | 22              | 416      | 1                               |
| 27                       | 5290                 | 1                | 2757     | 20              | 363      | 1                               |
| 28                       | 5290                 | 1                | 2527     | 21              | 396      | 1                               |
| 29                       | 5290                 | 1                | 1990     | 27              | 503      | 1                               |
| 30                       | 5290                 | 1                | 2584     | 21              | 387      | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 96.67                           |

| Test Mode                |                      | 802.11ax HE80    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5530 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 2           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5290                 | 1.90             | 220.30   | 25              | 4539     | 0                               |
| 2                        | 5290                 | 1.50             | 167.90   | 26              | 5956     | 1                               |
| 3                        | 5290                 | 1.60             | 198.80   | 28              | 5030     | 1                               |
| 4                        | 5290                 | 3.60             | 218.10   | 24              | 4585     | 1                               |
| 5                        | 5290                 | 3.20             | 181.20   | 28              | 5519     | 1                               |
| 6                        | 5290                 | 1.90             | 216.50   | 24              | 4619     | 1                               |
| 7                        | 5290                 | 2.40             | 224.60   | 27              | 4452     | 1                               |
| 8                        | 5290                 | 2.10             | 183.70   | 27              | 5444     | 1                               |
| 9                        | 5290                 | 2.70             | 178.00   | 27              | 5618     | 1                               |
| 10                       | 5290                 | 2.40             | 185.60   | 26              | 5388     | 1                               |
| 11                       | 5290                 | 3.50             | 202.50   | 24              | 4938     | 1                               |
| 12                       | 5290                 | 4.60             | 218.00   | 27              | 4587     | 1                               |
| 13                       | 5290                 | 3.80             | 159.60   | 28              | 6266     | 1                               |
| 14                       | 5290                 | 4.90             | 191.80   | 27              | 5214     | 1                               |
| 15                       | 5290                 | 2.90             | 180.30   | 25              | 5546     | 0                               |
| 16                       | 5290                 | 4.20             | 168.60   | 23              | 5931     | 1                               |
| 17                       | 5290                 | 1.40             | 200.60   | 25              | 4985     | 1                               |
| 18                       | 5290                 | 2.30             | 186.60   | 25              | 5359     | 1                               |
| 19                       | 5290                 | 4.30             | 213.40   | 29              | 4686     | 1                               |
| 20                       | 5290                 | 1.20             | 156.70   | 23              | 6382     | 1                               |
| 21                       | 5290                 | 2.90             | 185.10   | 26              | 5402     | 1                               |
| 22                       | 5290                 | 4.40             | 190.50   | 23              | 5249     | 1                               |
| 23                       | 5290                 | 2.80             | 217.70   | 23              | 4593     | 1                               |
| 24                       | 5290                 | 1.00             | 185.40   | 24              | 5394     | 1                               |
| 25                       | 5290                 | 1.50             | 182.90   | 29              | 5467     | 1                               |
| 26                       | 5290                 | 3.10             | 175.40   | 26              | 5701     | 1                               |
| 27                       | 5290                 | 1.20             | 158.30   | 26              | 6317     | 1                               |
| 28                       | 5290                 | 4.40             | 160.50   | 26              | 6231     | 1                               |
| 29                       | 5290                 | 1.30             | 211.40   | 25              | 4730     | 0                               |
| 30                       | 5290                 | 2.80             | 219.20   | 25              | 4562     | 0                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 86.67                           |

| Test Mode                |                      | 802.11ax HE80    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5530 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 3           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5290                 | 6.00             | 462.00   | 17              | 2164.50  | 1                               |
| 2                        | 5290                 | 7.10             | 363.30   | 16              | 2752.55  | 1                               |
| 3                        | 5290                 | 6.00             | 449.90   | 17              | 2222.72  | 1                               |
| 4                        | 5290                 | 8.10             | 431.40   | 16              | 2318.03  | 0                               |
| 5                        | 5290                 | 6.80             | 283.70   | 18              | 3524.85  | 1                               |
| 6                        | 5290                 | 9.60             | 440.80   | 18              | 2268.60  | 1                               |
| 7                        | 5290                 | 9.70             | 266.00   | 18              | 3759.40  | 1                               |
| 8                        | 5290                 | 9.50             | 342.90   | 17              | 2916.30  | 1                               |
| 9                        | 5290                 | 8.40             | 483.50   | 17              | 2068.25  | 1                               |
| 10                       | 5290                 | 7.00             | 417.90   | 16              | 2392.92  | 1                               |
| 11                       | 5290                 | 7.30             | 312.00   | 16              | 3205.13  | 1                               |
| 12                       | 5290                 | 9.20             | 379.50   | 18              | 2635.05  | 1                               |
| 13                       | 5290                 | 8.10             | 294.40   | 17              | 3396.74  | 1                               |
| 14                       | 5290                 | 7.50             | 287.70   | 16              | 3475.84  | 1                               |
| 15                       | 5290                 | 9.60             | 283.00   | 17              | 3533.57  | 1                               |
| 16                       | 5290                 | 7.50             | 314.50   | 16              | 3179.65  | 1                               |
| 17                       | 5290                 | 7.10             | 454.90   | 16              | 2198.29  | 1                               |
| 18                       | 5290                 | 8.30             | 489.60   | 18              | 2042.48  | 1                               |
| 19                       | 5290                 | 6.90             | 223.30   | 17              | 4478.28  | 1                               |
| 20                       | 5290                 | 8.90             | 356.40   | 18              | 2805.84  | 0                               |
| 21                       | 5290                 | 8.30             | 218.50   | 18              | 4576.66  | 0                               |
| 22                       | 5290                 | 8.70             | 205.70   | 17              | 4861.45  | 1                               |
| 23                       | 5290                 | 6.40             | 367.90   | 16              | 2718.13  | 1                               |
| 24                       | 5290                 | 6.40             | 457.40   | 18              | 2186.27  | 1                               |
| 25                       | 5290                 | 9.40             | 225.20   | 16              | 4440.50  | 1                               |
| 26                       | 5290                 | 7.20             | 402.10   | 18              | 2486.94  | 1                               |
| 27                       | 5290                 | 9.20             | 430.60   | 18              | 2322.34  | 1                               |
| 28                       | 5290                 | 9.60             | 234.10   | 16              | 4271.68  | 1                               |
| 29                       | 5290                 | 7.70             | 269.40   | 16              | 3711.95  | 1                               |
| 30                       | 5290                 | 8.60             | 350.20   | 17              | 2855.51  | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 90.00                           |

| Test Mode                |                      | 802.11ax HE80    |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5530 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 4           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5290                 | 16.00            | 481.00   | 15              | 2079     | 1                               |
| 2                        | 5290                 | 18.30            | 387.00   | 15              | 2584     | 1                               |
| 3                        | 5290                 | 15.80            | 478.50   | 14              | 2090     | 1                               |
| 4                        | 5290                 | 17.10            | 398.70   | 14              | 2508     | 1                               |
| 5                        | 5290                 | 15.90            | 242.60   | 16              | 4122     | 1                               |
| 6                        | 5290                 | 12.30            | 406.00   | 14              | 2463     | 0                               |
| 7                        | 5290                 | 13.90            | 285.50   | 14              | 3503     | 1                               |
| 8                        | 5290                 | 13.10            | 442.70   | 13              | 2259     | 1                               |
| 9                        | 5290                 | 16.30            | 395.30   | 15              | 2530     | 1                               |
| 10                       | 5290                 | 19.00            | 257.60   | 13              | 3882     | 1                               |
| 11                       | 5290                 | 12.30            | 459.90   | 14              | 2174     | 1                               |
| 12                       | 5290                 | 19.20            | 373.10   | 15              | 2680     | 1                               |
| 13                       | 5290                 | 19.70            | 370.20   | 12              | 2701     | 1                               |
| 14                       | 5290                 | 11.60            | 445.90   | 14              | 2243     | 1                               |
| 15                       | 5290                 | 13.80            | 336.30   | 13              | 2974     | 1                               |
| 16                       | 5290                 | 15.80            | 353.00   | 12              | 2833     | 1                               |
| 17                       | 5290                 | 12.50            | 300.60   | 15              | 3327     | 1                               |
| 18                       | 5290                 | 17.10            | 342.90   | 13              | 2916     | 1                               |
| 19                       | 5290                 | 19.70            | 227.80   | 15              | 4390     | 1                               |
| 20                       | 5290                 | 13.20            | 340.70   | 14              | 2935     | 1                               |
| 21                       | 5290                 | 18.00            | 299.40   | 13              | 3340     | 1                               |
| 22                       | 5290                 | 16.20            | 257.50   | 15              | 3883     | 1                               |
| 23                       | 5290                 | 14.50            | 403.50   | 12              | 2478     | 1                               |
| 24                       | 5290                 | 19.60            | 336.90   | 15              | 2968     | 1                               |
| 25                       | 5290                 | 15.90            | 282.30   | 13              | 3542     | 1                               |
| 26                       | 5290                 | 15.50            | 223.60   | 12              | 4472     | 1                               |
| 27                       | 5290                 | 14.50            | 349.50   | 15              | 2861     | 0                               |
| 28                       | 5290                 | 16.80            | 284.70   | 15              | 3512     | 1                               |
| 29                       | 5290                 | 12.80            | 404.00   | 12              | 2475     | 1                               |
| 30                       | 5290                 | 14.40            | 396.00   | 16              | 2525     | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 93.33                           |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 1            | 5259                 | 1             | 99.0             | 18                | 1846.2   | 2                        | 1                            |
|              | 5257                 | 2             | 64.2             | 12                | 1005.7   | 3                        |                              |
|              | 5256                 | 3             | 70.4             | 11                | 1477.3   | 1                        |                              |
|              | 5258                 | 4             | 92.9             | 15                | 1922.0   | 1                        |                              |
|              | 5257                 | 5             | 82.1             | 13                | 1135.1   | 2                        |                              |
|              | 5254                 | 6             | 81.1             | 6                 | 1835.7   | 3                        |                              |
|              | 5258                 | 7             | 54.8             | 16                | 1190.3   | 3                        |                              |
|              | 5256                 | 8             | 87.0             | 11                | 1818.6   | 1                        |                              |
|              | 5258                 | 9             | 58.2             | 14                | 1872.8   | 2                        |                              |
|              | 5258                 | 10            | 82.7             | 15                | 1385.8   | 2                        |                              |
|              | 5255                 | 11            | 95.4             | 8                 | 1224.8   | 2                        |                              |
| 2            | 5259                 | 1             | 74.7             | 17                | 1026.9   | 2                        | 1                            |
|              | 5257                 | 2             | 63.1             | 13                | 1010.0   | 1                        |                              |
|              | 5257                 | 3             | 59.6             | 13                | 1035.5   | 3                        |                              |
|              | 5254                 | 4             | 98.5             | 6                 | 1874.2   | 1                        |                              |
|              | 5257                 | 5             | 80.4             | 12                | 1621.3   | 2                        |                              |
|              | 5258                 | 6             | 79.2             | 15                | 1441.9   | 1                        |                              |
|              | 5258                 | 7             | 63.2             | 16                | 1679.7   | 3                        |                              |
|              | 5258                 | 8             | 87.5             | 14                | 1069.8   | 1                        |                              |
|              | 5255                 | 9             | 56.0             | 8                 | 1672.6   | 3                        |                              |
|              | 5258                 | 10            | 76.5             | 14                | 1376.1   | 3                        |                              |
|              | 5260                 | 11            | 98.1             | 20                | 1798.1   | 1                        |                              |
|              | 5260                 | 12            | 60.4             | 20                | 1211.6   | 1                        |                              |
| 3            | 5259                 | 1             | 58.3             | 17                | 1922.8   | 1                        | 1                            |
|              | 5255                 | 2             | 60.5             | 7                 | 1330.5   | 2                        |                              |
|              | 5259                 | 3             | 87.9             | 18                | 1389.1   | 1                        |                              |
|              | 5259                 | 4             | 58.0             | 17                | 1038.4   | 2                        |                              |
|              | 5258                 | 5             | 53.9             | 15                | 1679.3   | 1                        |                              |
|              | 5257                 | 6             | 70.7             | 12                | 1712.1   | 2                        |                              |
|              | 5256                 | 7             | 84.6             | 10                | 1599.9   | 3                        |                              |
|              | 5256                 | 8             | 64.9             | 9                 | 1309.6   | 3                        |                              |
|              | 5255                 | 9             | 89.2             | 7                 | 1776.9   | 1                        |                              |
|              | 5259                 | 10            | 97.0             | 18                | 1591.7   | 2                        |                              |
|              | 5258                 | 11            | 50.3             | 15                | 1466.9   | 1                        |                              |
|              | 5260                 | 12            | 63.4             | 19                | 1426.0   | 2                        |                              |
|              | 5259                 | 13            | 61.1             | 17                | 1480.8   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 4            | 5255                 | 1             | 86.4             | 8                 | 1157.2   | 2                        | 1                            |
|              | 5260                 | 2             | 96.2             | 19                | 1223.7   | 1                        |                              |
|              | 5256                 | 3             | 55.9             | 10                | 1679.9   | 2                        |                              |
|              | 5254                 | 4             | 59.6             | 6                 | 1179.4   | 3                        |                              |
|              | 5260                 | 5             | 73.1             | 19                | 1827.1   | 2                        |                              |
|              | 5258                 | 6             | 82.3             | 15                | 1953.4   | 3                        |                              |
|              | 5259                 | 7             | 52.4             | 18                | 1746.2   | 2                        |                              |
|              | 5258                 | 8             | 88.3             | 15                | 1273.6   | 2                        |                              |
|              | 5258                 | 9             | 51.5             | 14                | 1519.7   | 2                        |                              |
| 5            | 5259                 | 1             | 82.7             | 18                | 1200.8   | 2                        | 1                            |
|              | 5255                 | 2             | 93.6             | 8                 | 1535.1   | 3                        |                              |
|              | 5257                 | 3             | 79.3             | 12                | 1211.4   | 2                        |                              |
|              | 5256                 | 4             | 83.5             | 10                | 1346.7   | 2                        |                              |
|              | 5255                 | 5             | 73.7             | 8                 | 1548.8   | 3                        |                              |
|              | 5258                 | 6             | 88.4             | 14                | 1360.1   | 1                        |                              |
|              | 5258                 | 7             | 53.0             | 14                | 1655.5   | 2                        |                              |
|              | 5257                 | 8             | 68.2             | 13                | 1547.5   | 2                        |                              |
|              | 5255                 | 9             | 71.7             | 8                 | 1645.1   | 3                        |                              |
|              | 5257                 | 10            | 61.9             | 12                | 1683.8   | 1                        |                              |
|              | 5255                 | 11            | 51.8             | 7                 | 1791.9   | 2                        |                              |
|              | 5255                 | 12            | 90.9             | 8                 | 1327.6   | 2                        |                              |
|              | 5257                 | 13            | 75.4             | 13                | 1995.1   | 2                        |                              |
|              | 5254                 | 14            | 80.7             | 6                 | 1367.6   | 2                        |                              |
|              | 5256                 | 15            | 99.3             | 11                | 1924.8   | 2                        |                              |
| 6            | 5259                 | 1             | 61.0             | 17                | 1854.3   | 1                        | 1                            |
|              | 5255                 | 2             | 91.0             | 7                 | 1906.3   | 2                        |                              |
|              | 5257                 | 3             | 71.2             | 12                | 1643.1   | 2                        |                              |
|              | 5255                 | 4             | 52.1             | 8                 | 1629.7   | 1                        |                              |
|              | 5260                 | 5             | 89.6             | 20                | 1726.8   | 2                        |                              |
|              | 5256                 | 6             | 86.0             | 11                | 1517.4   | 1                        |                              |
|              | 5256                 | 7             | 71.7             | 10                | 1009.0   | 3                        |                              |
|              | 5255                 | 8             | 95.6             | 7                 | 1665.8   | 2                        |                              |
|              | 5260                 | 9             | 56.9             | 19                | 1068.7   | 1                        |                              |
|              | 5256                 | 10            | 88.0             | 10                | 1895.6   | 1                        |                              |
|              | 5260                 | 11            | 75.3             | 19                | 1006.5   | 1                        |                              |
|              | 5256                 | 12            | 51.1             | 10                | 1641.1   | 3                        |                              |
|              | 5260                 | 13            | 75.2             | 20                | 1616.9   | 3                        |                              |
|              | 5256                 | 14            | 96.1             | 9                 | 1257.6   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 7            | 5259                 | 1             | 83.2             | 17                | 1654.7   | 2                        | 1                            |
|              | 5259                 | 2             | 90.3             | 18                | 1052.8   | 2                        |                              |
|              | 5259                 | 3             | 84.4             | 18                | 1282.8   | 1                        |                              |
|              | 5258                 | 4             | 80.4             | 14                | 1565.9   | 3                        |                              |
|              | 5258                 | 5             | 78.2             | 16                | 1859.0   | 3                        |                              |
|              | 5256                 | 6             | 66.7             | 11                | 1087.2   | 3                        |                              |
|              | 5255                 | 7             | 75.5             | 7                 | 1331.8   | 1                        |                              |
|              | 5257                 | 8             | 82.5             | 13                | 1521.9   | 1                        |                              |
|              | 5256                 | 9             | 72.2             | 11                | 1976.1   | 3                        |                              |
|              | 5255                 | 10            | 59.1             | 7                 | 1810.2   | 1                        |                              |
|              | 5259                 | 11            | 81.5             | 18                | 1799.5   | 1                        |                              |
|              | 5260                 | 12            | 93.5             | 19                | 1845.3   | 2                        |                              |
|              | 5260                 | 13            | 87.2             | 20                | 1789.2   | 1                        |                              |
|              | 5259                 | 14            | 98.6             | 17                | 1450.0   | 3                        |                              |
|              | 5255                 | 15            | 59.6             | 7                 | 1870.3   | 3                        |                              |
|              | 5256                 | 16            | 54.0             | 10                | 1073.6   | 1                        |                              |
|              | 5259                 | 17            | 92.8             | 18                | 1152.2   | 3                        |                              |
| 8            | 5258                 | 1             | 83.1             | 15                | 1260.2   | 1                        | 1                            |
|              | 5255                 | 2             | 61.4             | 7                 | 1873.4   | 2                        |                              |
|              | 5255                 | 3             | 67.9             | 8                 | 1010.6   | 2                        |                              |
|              | 5255                 | 4             | 54.2             | 7                 | 1761.6   | 2                        |                              |
|              | 5260                 | 5             | 55.6             | 20                | 1279.4   | 2                        |                              |
|              | 5254                 | 6             | 80.3             | 6                 | 1633.1   | 3                        |                              |
|              | 5257                 | 7             | 97.7             | 13                | 1086.1   | 3                        |                              |
|              | 5259                 | 8             | 60.4             | 18                | 1543.2   | 2                        |                              |
|              | 5255                 | 9             | 53.6             | 7                 | 1380.8   | 3                        |                              |
|              | 5257                 | 10            | 97.6             | 12                | 1624.2   | 2                        |                              |
|              | 5256                 | 11            | 79.3             | 11                | 1591.8   | 2                        |                              |
|              | 5260                 | 12            | 67.4             | 19                | 1549.7   | 1                        |                              |
|              | 5255                 | 13            | 93.1             | 8                 | 1241.4   | 3                        |                              |
|              | 5255                 | 14            | 63.6             | 8                 | 1113.2   | 3                        |                              |
|              | 5260                 | 15            | 61.4             | 20                | 1667.6   | 2                        |                              |
|              | 5258                 | 16            | 98.9             | 14                | 1977.2   | 3                        |                              |
|              | 5257                 | 17            | 79.2             | 12                | 1458.0   | 1                        |                              |
|              | 5256                 | 18            | 59.8             | 10                | 1131.5   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 9            | 5255                 | 1             | 89.1             | 7                 | 1653.0   | 3                        | 1                            |
|              | 5254                 | 2             | 65.9             | 6                 | 1452.7   | 1                        |                              |
|              | 5254                 | 3             | 78.2             | 5                 | 1459.3   | 3                        |                              |
|              | 5255                 | 4             | 88.7             | 8                 | 1375.1   | 2                        |                              |
|              | 5258                 | 5             | 87.6             | 16                | 1617.5   | 2                        |                              |
|              | 5254                 | 6             | 78.6             | 5                 | 1596.5   | 1                        |                              |
|              | 5256                 | 7             | 65.8             | 11                | 1139.9   | 3                        |                              |
|              | 5255                 | 8             | 60.8             | 7                 | 1170.0   | 3                        |                              |
|              | 5258                 | 9             | 76.3             | 14                | 1377.6   | 3                        |                              |
|              | 5260                 | 10            | 83.4             | 19                | 1562.1   | 1                        |                              |
|              | 5258                 | 11            | 81.6             | 15                | 1308.9   | 3                        |                              |
|              | 5254                 | 12            | 81.2             | 5                 | 1039.7   | 2                        |                              |
|              | 5255                 | 13            | 79.1             | 7                 | 1690.5   | 1                        |                              |
|              | 5259                 | 14            | 71.7             | 18                | 1899.7   | 1                        |                              |
|              | 5256                 | 15            | 94.1             | 11                | 1807.5   | 3                        |                              |
|              | 5256                 | 16            | 54.9             | 9                 | 1949.8   | 2                        |                              |
|              | 5257                 | 17            | 70.7             | 13                | 1387.1   | 3                        |                              |
|              | 5259                 | 18            | 77.4             | 17                | 1083.0   | 1                        |                              |
|              | 5256                 | 19            | 68.6             | 11                | 1995.8   | 3                        |                              |
| 10           | 5259                 | 1             | 72.6             | 18                | 1180.4   | 3                        | 1                            |
|              | 5260                 | 2             | 91.1             | 19                | 1987.0   | 1                        |                              |
|              | 5256                 | 3             | 82.5             | 11                | 1710.8   | 3                        |                              |
|              | 5256                 | 4             | 94.5             | 9                 | 1808.7   | 1                        |                              |
|              | 5257                 | 5             | 76.2             | 13                | 1555.5   | 1                        |                              |
|              | 5256                 | 6             | 99.8             | 10                | 1140.0   | 2                        |                              |
|              | 5257                 | 7             | 78.4             | 13                | 1051.5   | 3                        |                              |
|              | 5258                 | 8             | 92.6             | 14                | 1123.7   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 11           | 5290                 | 1             | 65.9             | 13                | 1710.3   | 1                        | 1                            |
|              | 5290                 | 2             | 81.0             | 19                | 1406.7   | 3                        |                              |
|              | 5290                 | 3             | 68.4             | 17                | 1725.1   | 1                        |                              |
|              | 5290                 | 4             | 63.7             | 8                 | 1500.0   | 1                        |                              |
|              | 5290                 | 5             | 87.5             | 19                | 1972.9   | 2                        |                              |
|              | 5290                 | 6             | 77.8             | 12                | 1243.5   | 1                        |                              |
|              | 5290                 | 7             | 60.5             | 14                | 1498.7   | 3                        |                              |
|              | 5290                 | 8             | 74.7             | 13                | 1085.2   | 3                        |                              |
|              | 5290                 | 9             | 84.4             | 7                 | 1936.5   | 3                        |                              |
|              | 5290                 | 10            | 51.6             | 15                | 1013.7   | 2                        |                              |
|              | 5290                 | 11            | 62.8             | 16                | 1797.9   | 1                        |                              |
|              | 5290                 | 12            | 96.3             | 10                | 1521.8   | 2                        |                              |
|              | 5290                 | 13            | 59.7             | 8                 | 1741.9   | 3                        |                              |
|              | 5290                 | 14            | 93.4             | 6                 | 1977.0   | 1                        |                              |
|              | 5290                 | 15            | 59.0             | 17                | 1793.1   | 3                        |                              |
|              | 5290                 | 16            | 68.8             | 14                | 1988.8   | 3                        |                              |
| 12           | 5290                 | 1             | 76.8             | 17                | 1304.8   | 1                        | 0                            |
|              | 5290                 | 2             | 76.6             | 7                 | 1164.9   | 2                        |                              |
|              | 5290                 | 3             | 52.5             | 8                 | 1088.2   | 1                        |                              |
|              | 5290                 | 4             | 64.7             | 15                | 1248.0   | 1                        |                              |
|              | 5290                 | 5             | 62.1             | 12                | 1243.6   | 2                        |                              |
|              | 5290                 | 6             | 70.9             | 6                 | 1563.0   | 3                        |                              |
|              | 5290                 | 7             | 92.9             | 14                | 1105.3   | 2                        |                              |
|              | 5290                 | 8             | 79.2             | 13                | 1976.7   | 2                        |                              |
|              | 5290                 | 9             | 63.6             | 12                | 1288.8   | 1                        |                              |
|              | 5290                 | 10            | 97.2             | 7                 | 1725.0   | 3                        |                              |
|              | 5290                 | 11            | 90.5             | 12                | 1197.5   | 2                        |                              |
|              | 5290                 | 12            | 61.3             | 16                | 1324.4   | 2                        |                              |
|              | 5290                 | 13            | 65.4             | 19                | 1710.7   | 1                        |                              |
|              | 5290                 | 14            | 99.5             | 6                 | 1086.8   | 3                        |                              |
|              | 5290                 | 15            | 73.3             | 12                | 1904.2   | 2                        |                              |
|              | 5290                 | 16            | 95.1             | 20                | 1993.7   | 3                        |                              |
|              | 5290                 | 17            | 55.4             | 20                | 1562.4   | 1                        |                              |
|              | 5290                 | 18            | 98.0             | 13                | 1164.4   | 3                        |                              |
|              | 5290                 | 19            | 83.0             | 6                 | 1658.7   | 3                        |                              |
|              | 5290                 | 20            | 92.2             | 9                 | 1539.9   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 13           | 5290                 | 1             | 84.9             | 16                | 1737.5   | 2                        | 1                            |
|              | 5290                 | 2             | 59.6             | 15                | 1377.8   | 3                        |                              |
|              | 5290                 | 3             | 78.6             | 18                | 1858.5   | 1                        |                              |
|              | 5290                 | 4             | 74.5             | 8                 | 1230.4   | 2                        |                              |
|              | 5290                 | 5             | 89.4             | 8                 | 1678.5   | 1                        |                              |
|              | 5290                 | 6             | 64.0             | 12                | 1081.2   | 2                        |                              |
|              | 5290                 | 7             | 89.3             | 18                | 1323.8   | 3                        |                              |
|              | 5290                 | 8             | 87.0             | 18                | 1962.2   | 3                        |                              |
|              | 5290                 | 9             | 88.9             | 6                 | 1019.3   | 1                        |                              |
|              | 5290                 | 10            | 72.3             | 11                | 1934.3   | 2                        |                              |
| 14           | 5290                 | 1             | 54.9             | 8                 | 1398.6   | 2                        | 1                            |
|              | 5290                 | 2             | 91.4             | 19                | 1403.5   | 1                        |                              |
|              | 5290                 | 3             | 83.9             | 18                | 1362.1   | 1                        |                              |
|              | 5290                 | 4             | 52.6             | 16                | 1108.6   | 3                        |                              |
|              | 5290                 | 5             | 79.1             | 17                | 1127.7   | 1                        |                              |
|              | 5290                 | 6             | 73.0             | 14                | 1401.1   | 3                        |                              |
|              | 5290                 | 7             | 81.7             | 17                | 1383.6   | 3                        |                              |
|              | 5290                 | 8             | 60.4             | 8                 | 1654.8   | 3                        |                              |
|              | 5290                 | 9             | 50.5             | 15                | 1838.7   | 1                        |                              |
|              | 5290                 | 10            | 82.8             | 11                | 1189.4   | 1                        |                              |
|              | 5290                 | 11            | 85.6             | 13                | 1270.2   | 2                        |                              |
|              | 5290                 | 12            | 62.1             | 14                | 1223.8   | 3                        |                              |
|              | 5290                 | 13            | 70.0             | 17                | 1967.0   | 3                        |                              |
|              | 5290                 | 14            | 99.8             | 11                | 1972.8   | 2                        |                              |
|              | 5290                 | 15            | 88.8             | 6                 | 1882.8   | 2                        |                              |
|              | 5290                 | 16            | 89.0             | 10                | 1547.0   | 3                        |                              |
|              | 5290                 | 17            | 71.5             | 7                 | 1481.4   | 2                        |                              |
|              | 5290                 | 18            | 82.8             | 19                | 1343.8   | 3                        |                              |
|              | 5290                 | 19            | 58.8             | 7                 | 1027.6   | 1                        |                              |
|              | 5290                 | 20            | 70.6             | 14                | 1269.5   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 15           | 5290                 | 1             | 60.4             | 18                | 1423.0   | 3                        | 1                            |
|              | 5290                 | 2             | 76.0             | 8                 | 1674.5   | 1                        |                              |
|              | 5290                 | 3             | 99.0             | 19                | 1301.7   | 2                        |                              |
|              | 5290                 | 4             | 71.6             | 10                | 1055.4   | 3                        |                              |
|              | 5290                 | 5             | 88.2             | 12                | 1955.5   | 2                        |                              |
|              | 5290                 | 6             | 76.6             | 8                 | 1677.3   | 2                        |                              |
|              | 5290                 | 7             | 69.7             | 17                | 1568.7   | 1                        |                              |
|              | 5290                 | 8             | 74.8             | 14                | 1399.4   | 3                        |                              |
|              | 5290                 | 9             | 81.0             | 13                | 1503.1   | 2                        |                              |
|              | 5290                 | 10            | 87.8             | 10                | 1098.9   | 2                        |                              |
|              | 5290                 | 11            | 69.4             | 20                | 1506.2   | 3                        |                              |
|              | 5290                 | 12            | 79.0             | 12                | 1052.2   | 2                        |                              |
|              | 5290                 | 13            | 97.9             | 19                | 1433.1   | 3                        |                              |
|              | 5290                 | 14            | 87.3             | 17                | 1685.2   | 3                        |                              |
|              | 5290                 | 15            | 89.9             | 6                 | 1878.1   | 3                        |                              |
|              | 5290                 | 16            | 99.1             | 18                | 1647.0   | 1                        |                              |
|              | 5290                 | 17            | 62.9             | 6                 | 1710.2   | 1                        |                              |
|              | 5290                 | 18            | 78.2             | 15                | 1442.8   | 2                        |                              |
|              | 5290                 | 19            | 95.9             | 12                | 1197.5   | 2                        |                              |
| 16           | 5290                 | 1             | 69.7             | 7                 | 1366.9   | 2                        | 1                            |
|              | 5290                 | 2             | 61.3             | 7                 | 1543.2   | 3                        |                              |
|              | 5290                 | 3             | 74.4             | 6                 | 1238.7   | 1                        |                              |
|              | 5290                 | 4             | 59.1             | 20                | 1161.5   | 2                        |                              |
|              | 5290                 | 5             | 71.1             | 10                | 1820.1   | 2                        |                              |
|              | 5290                 | 6             | 70.3             | 6                 | 1190.1   | 2                        |                              |
|              | 5290                 | 7             | 93.5             | 9                 | 1709.5   | 2                        |                              |
|              | 5290                 | 8             | 91.6             | 11                | 1139.6   | 1                        |                              |
|              | 5290                 | 9             | 71.5             | 8                 | 1227.1   | 2                        |                              |
|              | 5290                 | 10            | 76.6             | 14                | 1767.9   | 2                        |                              |
|              | 5290                 | 11            | 67.9             | 9                 | 1479.1   | 3                        |                              |
|              | 5290                 | 12            | 72.8             | 11                | 1813.2   | 3                        |                              |
|              | 5290                 | 13            | 65.7             | 14                | 1146.5   | 3                        |                              |
|              | 5290                 | 14            | 69.7             | 8                 | 1563.7   | 2                        |                              |
|              | 5290                 | 15            | 54.7             | 6                 | 1774.5   | 1                        |                              |
|              | 5290                 | 16            | 98.0             | 15                | 1506.1   | 3                        |                              |
|              | 5290                 | 17            | 87.3             | 15                | 1127.5   | 2                        |                              |
|              | 5290                 | 18            | 62.7             | 17                | 1654.9   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 17           | 5290                 | 1             | 64.4             | 6                 | 1365.9   | 2                        | 1                            |
|              | 5290                 | 2             | 85.2             | 16                | 1795.2   | 2                        |                              |
|              | 5290                 | 3             | 56.9             | 14                | 1065.7   | 1                        |                              |
|              | 5290                 | 4             | 80.0             | 9                 | 1306.5   | 2                        |                              |
|              | 5290                 | 5             | 56.8             | 18                | 1178.9   | 3                        |                              |
|              | 5290                 | 6             | 100.0            | 13                | 1011.3   | 2                        |                              |
|              | 5290                 | 7             | 82.1             | 18                | 1776.1   | 3                        |                              |
|              | 5290                 | 8             | 68.5             | 14                | 1643.3   | 1                        |                              |
|              | 5290                 | 9             | 72.1             | 6                 | 1802.3   | 1                        |                              |
|              | 5290                 | 10            | 67.6             | 11                | 1278.3   | 2                        |                              |
|              | 5290                 | 11            | 75.0             | 9                 | 1513.0   | 3                        |                              |
|              | 5290                 | 12            | 93.7             | 17                | 1473.6   | 2                        |                              |
|              | 5290                 | 13            | 89.0             | 9                 | 1233.8   | 1                        |                              |
|              | 5290                 | 14            | 75.8             | 12                | 1975.1   | 1                        |                              |
|              | 5290                 | 15            | 66.6             | 12                | 1780.2   | 1                        |                              |
|              | 5290                 | 16            | 61.5             | 12                | 1147.3   | 1                        |                              |
|              | 5290                 | 17            | 77.9             | 6                 | 1189.5   | 2                        |                              |
| 18           | 5290                 | 1             | 84.0             | 10                | 1715.8   | 3                        | 1                            |
|              | 5290                 | 2             | 80.3             | 15                | 1425.4   | 1                        |                              |
|              | 5290                 | 3             | 69.8             | 6                 | 1286.9   | 3                        |                              |
|              | 5290                 | 4             | 81.8             | 8                 | 1089.5   | 2                        |                              |
|              | 5290                 | 5             | 90.0             | 12                | 1508.0   | 1                        |                              |
|              | 5290                 | 6             | 60.6             | 10                | 1372.6   | 3                        |                              |
|              | 5290                 | 7             | 94.4             | 15                | 1985.0   | 2                        |                              |
|              | 5290                 | 8             | 65.9             | 14                | 1583.8   | 2                        |                              |
|              | 5290                 | 9             | 67.3             | 20                | 1287.7   | 1                        |                              |
|              | 5290                 | 10            | 86.0             | 15                | 1577.9   | 2                        |                              |
|              | 5290                 | 11            | 95.3             | 9                 | 1493.6   | 2                        |                              |
|              | 5290                 | 12            | 68.2             | 7                 | 1257.2   | 1                        |                              |
|              | 5290                 | 13            | 84.8             | 10                | 1137.6   | 3                        |                              |
|              | 5290                 | 14            | 63.3             | 8                 | 1296.0   | 3                        |                              |
|              | 5290                 | 15            | 66.4             | 15                | 1435.6   | 3                        |                              |
|              | 5290                 | 1             | 64.4             | 6                 | 1365.9   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 19           | 5290                 | 1             | 97.3             | 13                | 1541.9   | 1                        | 1                            |
|              | 5290                 | 2             | 57.9             | 10                | 1318.8   | 3                        |                              |
|              | 5290                 | 3             | 83.7             | 18                | 1943.3   | 2                        |                              |
|              | 5290                 | 4             | 61.6             | 6                 | 1990.4   | 3                        |                              |
|              | 5290                 | 5             | 81.5             | 17                | 1975.3   | 3                        |                              |
|              | 5290                 | 6             | 94.9             | 17                | 1471.5   | 1                        |                              |
|              | 5290                 | 7             | 80.1             | 16                | 1662.2   | 2                        |                              |
|              | 5290                 | 8             | 67.8             | 12                | 1533.6   | 3                        |                              |
|              | 5290                 | 9             | 95.2             | 7                 | 1260.0   | 3                        |                              |
|              | 5290                 | 10            | 87.4             | 8                 | 1692.1   | 3                        |                              |
|              | 5290                 | 11            | 64.1             | 11                | 1799.6   | 1                        |                              |
|              | 5290                 | 12            | 68.9             | 19                | 1941.8   | 2                        |                              |
|              | 5290                 | 13            | 87.8             | 14                | 1588.2   | 1                        |                              |
|              | 5290                 | 14            | 90.3             | 17                | 1114.5   | 3                        |                              |
| 20           | 5290                 | 1             | 88.5             | 19                | 1196.7   | 2                        | 0                            |
|              | 5290                 | 2             | 73.9             | 11                | 1876.2   | 1                        |                              |
|              | 5290                 | 3             | 93.6             | 14                | 1180.2   | 2                        |                              |
|              | 5290                 | 4             | 93.4             | 18                | 1119.9   | 3                        |                              |
|              | 5290                 | 5             | 93.3             | 13                | 1365.8   | 3                        |                              |
|              | 5290                 | 6             | 58.0             | 15                | 1677.5   | 3                        |                              |
|              | 5290                 | 7             | 62.2             | 10                | 1228.2   | 2                        |                              |
|              | 5290                 | 8             | 87.6             | 20                | 1620.6   | 3                        |                              |
|              | 5290                 | 9             | 52.1             | 7                 | 1174.1   | 1                        |                              |
|              | 5290                 | 10            | 53.3             | 17                | 1605.5   | 2                        |                              |
| 21           | 5320                 | 1             | 57.4             | 19                | 1183.4   | 2                        | 1                            |
|              | 5325                 | 2             | 90.0             | 7                 | 1178.2   | 2                        |                              |
|              | 5322                 | 3             | 70.6             | 14                | 1045.1   | 3                        |                              |
|              | 5324                 | 4             | 75.4             | 9                 | 1338.2   | 2                        |                              |
|              | 5322                 | 5             | 100.0            | 16                | 1104.1   | 3                        |                              |
|              | 5322                 | 6             | 54.9             | 16                | 1801.2   | 1                        |                              |
|              | 5321                 | 7             | 91.3             | 18                | 1949.8   | 2                        |                              |
|              | 5320                 | 8             | 73.6             | 19                | 1887.4   | 1                        |                              |
|              | 5323                 | 9             | 82.5             | 12                | 1779.8   | 1                        |                              |
|              | 5322                 | 10            | 92.2             | 14                | 1609.2   | 2                        |                              |
|              | 5324                 | 11            | 54.9             | 9                 | 1129.0   | 3                        |                              |
|              | 5324                 | 12            | 79.6             | 11                | 1382.2   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 22           | 5326                 | 1             | 98.5             | 6                 | 1240.4   | 3                        | 1                            |
|              | 5322                 | 2             | 95.4             | 15                | 1942.6   | 3                        |                              |
|              | 5322                 | 3             | 95.9             | 16                | 1264.4   | 2                        |                              |
|              | 5321                 | 4             | 53.9             | 17                | 1243.4   | 1                        |                              |
|              | 5323                 | 5             | 99.0             | 13                | 1578.5   | 2                        |                              |
|              | 5324                 | 6             | 58.9             | 11                | 1130.5   | 2                        |                              |
|              | 5326                 | 7             | 77.0             | 6                 | 1448.2   | 2                        |                              |
|              | 5325                 | 8             | 61.1             | 8                 | 1135.9   | 2                        |                              |
|              | 5322                 | 9             | 98.1             | 16                | 1384.9   | 2                        |                              |
| 23           | 5321                 | 1             | 93.0             | 17                | 1902.2   | 1                        | 1                            |
|              | 5323                 | 2             | 74.9             | 12                | 1501.0   | 3                        |                              |
|              | 5322                 | 3             | 73.3             | 15                | 1765.0   | 1                        |                              |
|              | 5321                 | 4             | 63.6             | 18                | 1583.9   | 2                        |                              |
|              | 5323                 | 5             | 55.5             | 13                | 1505.9   | 2                        |                              |
|              | 5323                 | 6             | 91.9             | 12                | 1998.4   | 1                        |                              |
|              | 5320                 | 7             | 81.1             | 20                | 1766.6   | 1                        |                              |
|              | 5324                 | 8             | 51.9             | 11                | 1010.8   | 3                        |                              |
|              | 5323                 | 9             | 94.8             | 12                | 1653.4   | 2                        |                              |
|              | 5323                 | 10            | 77.3             | 12                | 1809.5   | 2                        |                              |
|              | 5321                 | 11            | 57.0             | 17                | 1761.9   | 3                        |                              |
|              | 5320                 | 12            | 69.5             | 19                | 1419.7   | 2                        |                              |
|              | 5325                 | 13            | 86.0             | 7                 | 1392.6   | 3                        |                              |
|              | 5321                 | 14            | 70.7             | 18                | 1019.2   | 3                        |                              |
|              | 5321                 | 15            | 54.9             | 18                | 1696.8   | 2                        |                              |
| 24           | 5320                 | 1             | 78.9             | 19                | 1613.1   | 1                        | 1                            |
|              | 5322                 | 2             | 79.9             | 14                | 1340.0   | 2                        |                              |
|              | 5323                 | 3             | 94.4             | 13                | 1958.9   | 1                        |                              |
|              | 5322                 | 4             | 62.3             | 14                | 1637.7   | 1                        |                              |
|              | 5324                 | 5             | 95.1             | 11                | 1500.5   | 3                        |                              |
|              | 5325                 | 6             | 66.6             | 7                 | 1452.7   | 1                        |                              |
|              | 5324                 | 7             | 96.5             | 9                 | 1760.1   | 2                        |                              |
|              | 5323                 | 8             | 79.8             | 13                | 1519.6   | 1                        |                              |
|              | 5325                 | 9             | 98.2             | 7                 | 1227.1   | 2                        |                              |
|              | 5324                 | 10            | 57.3             | 10                | 1407.5   | 3                        |                              |
|              | 5323                 | 11            | 58.3             | 13                | 1514.5   | 3                        |                              |
|              | 5325                 | 12            | 52.1             | 7                 | 1284.9   | 2                        |                              |
|              | 5323                 | 13            | 81.8             | 13                | 1064.6   | 3                        |                              |
|              | 5325                 | 14            | 72.8             | 7                 | 1113.5   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 25           | 5325                 | 1             | 63.2             | 8                 | 1576.9   | 1                        | 1                            |
|              | 5321                 | 2             | 80.1             | 17                | 1332.6   | 3                        |                              |
|              | 5321                 | 3             | 71.6             | 17                | 1657.1   | 2                        |                              |
|              | 5325                 | 4             | 64.6             | 8                 | 1395.6   | 2                        |                              |
|              | 5320                 | 5             | 99.4             | 20                | 1355.2   | 1                        |                              |
|              | 5323                 | 6             | 80.7             | 13                | 1971.7   | 1                        |                              |
|              | 5321                 | 7             | 79.4             | 17                | 1581.0   | 2                        |                              |
|              | 5326                 | 8             | 95.7             | 6                 | 1555.1   | 3                        |                              |
|              | 5322                 | 9             | 52.4             | 15                | 1171.3   | 3                        |                              |
|              | 5323                 | 10            | 80.9             | 12                | 1834.6   | 3                        |                              |
|              | 5323                 | 11            | 57.5             | 13                | 1484.0   | 1                        |                              |
|              | 5321                 | 12            | 94.9             | 17                | 1546.2   | 2                        |                              |
|              | 5325                 | 13            | 81.0             | 8                 | 1872.2   | 2                        |                              |
|              | 5322                 | 14            | 62.4             | 14                | 1667.5   | 3                        |                              |
|              | 5322                 | 15            | 63.7             | 16                | 1843.7   | 2                        |                              |
|              | 5324                 | 16            | 79.6             | 11                | 1993.5   | 1                        |                              |
|              | 5321                 | 17            | 51.4             | 18                | 1901.4   | 1                        |                              |
|              | 5324                 | 18            | 69.1             | 10                | 1462.0   | 3                        |                              |
| 26           | 5326                 | 1             | 70.0             | 6                 | 1162.0   | 3                        | 1                            |
|              | 5324                 | 2             | 86.5             | 10                | 1498.4   | 3                        |                              |
|              | 5326                 | 3             | 63.1             | 6                 | 1442.2   | 1                        |                              |
|              | 5321                 | 4             | 59.9             | 18                | 1863.9   | 1                        |                              |
|              | 5324                 | 5             | 66.5             | 10                | 1866.0   | 2                        |                              |
|              | 5320                 | 6             | 82.8             | 19                | 1247.5   | 3                        |                              |
|              | 5326                 | 7             | 74.5             | 6                 | 1928.3   | 2                        |                              |
|              | 5326                 | 8             | 85.4             | 5                 | 1377.6   | 2                        |                              |
|              | 5325                 | 9             | 73.5             | 8                 | 1072.6   | 3                        |                              |
|              | 5324                 | 10            | 80.8             | 9                 | 1427.7   | 3                        |                              |
|              | 5324                 | 11            | 55.3             | 11                | 1891.5   | 3                        |                              |
|              | 5325                 | 12            | 53.4             | 8                 | 1096.9   | 2                        |                              |
|              | 5325                 | 13            | 69.6             | 7                 | 1500.5   | 1                        |                              |
|              | 5326                 | 14            | 78.0             | 6                 | 1658.3   | 2                        |                              |
|              | 5323                 | 15            | 51.5             | 13                | 1611.8   | 3                        |                              |
|              | 5326                 | 16            | 89.4             | 6                 | 1018.2   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 27           | 5325                 | 1             | 57.4             | 7                 | 1009.7   | 1                        | 0                            |
|              | 5321                 | 2             | 63.1             | 18                | 1391.6   | 2                        |                              |
|              | 5322                 | 3             | 99.0             | 15                | 1259.6   | 3                        |                              |
|              | 5324                 | 4             | 91.4             | 11                | 1568.8   | 1                        |                              |
|              | 5322                 | 5             | 83.5             | 15                | 1594.8   | 2                        |                              |
|              | 5324                 | 6             | 81.5             | 9                 | 1953.7   | 1                        |                              |
|              | 5322                 | 7             | 82.8             | 14                | 1213.5   | 3                        |                              |
|              | 5324                 | 8             | 70.3             | 11                | 1481.3   | 1                        |                              |
|              | 5321                 | 9             | 58.6             | 18                | 1995.2   | 2                        |                              |
|              | 5322                 | 10            | 92.1             | 14                | 1403.9   | 2                        |                              |
|              | 5322                 | 11            | 85.9             | 14                | 1394.8   | 1                        |                              |
|              | 5322                 | 12            | 69.3             | 15                | 1716.0   | 2                        |                              |
|              | 5322                 | 13            | 71.1             | 14                | 1341.0   | 1                        |                              |
|              | 5323                 | 14            | 71.3             | 13                | 1266.9   | 2                        |                              |
|              | 5322                 | 15            | 96.8             | 14                | 1914.6   | 1                        |                              |
|              | 5323                 | 16            | 53.9             | 12                | 1500.7   | 1                        |                              |
|              | 5322                 | 17            | 85.3             | 15                | 1654.8   | 2                        |                              |
|              | 5323                 | 18            | 56.0             | 13                | 1516.5   | 3                        |                              |
|              | 5326                 | 19            | 60.9             | 5                 | 1460.3   | 2                        |                              |
|              | 5322                 | 20            | 63.3             | 16                | 1807.3   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 28           | 5324                 | 1             | 75.6             | 10                | 1164.4   | 1                        | 1                            |
|              | 5322                 | 2             | 51.9             | 16                | 1226.0   | 1                        |                              |
|              | 5320                 | 3             | 88.8             | 19                | 1786.4   | 1                        |                              |
|              | 5321                 | 4             | 74.5             | 18                | 1760.3   | 2                        |                              |
|              | 5326                 | 5             | 85.1             | 5                 | 1995.9   | 3                        |                              |
|              | 5322                 | 6             | 51.2             | 16                | 1011.1   | 3                        |                              |
|              | 5322                 | 7             | 67.7             | 14                | 1796.8   | 3                        |                              |
|              | 5326                 | 8             | 94.1             | 6                 | 1077.4   | 1                        |                              |
|              | 5322                 | 9             | 95.4             | 15                | 1281.2   | 2                        |                              |
|              | 5325                 | 10            | 72.5             | 7                 | 1335.5   | 2                        |                              |
|              | 5322                 | 11            | 65.9             | 16                | 1057.7   | 3                        |                              |
|              | 5323                 | 12            | 80.9             | 12                | 1519.6   | 2                        |                              |
|              | 5325                 | 13            | 66.5             | 8                 | 1261.4   | 1                        |                              |
|              | 5323                 | 14            | 61.9             | 13                | 1847.6   | 2                        |                              |
|              | 5321                 | 15            | 63.4             | 17                | 1294.8   | 3                        |                              |
|              | 5324                 | 16            | 71.8             | 11                | 1977.0   | 1                        |                              |
|              | 5322                 | 17            | 69.4             | 14                | 1902.0   | 1                        |                              |
|              | 5325                 | 18            | 87.2             | 7                 | 1237.3   | 1                        |                              |
|              | 5321                 | 19            | 88.9             | 18                | 1537.4   | 1                        |                              |
|              | 5324                 | 20            | 87.1             | 11                | 1507.9   | 2                        |                              |

| Test Mode                |                      | 802.11ax HE80 |                  |                   |          |                          |                              |
|--------------------------|----------------------|---------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency                |                      | 5530 MHz      |                  |                   |          |                          |                              |
| Radar Signal             |                      | Type 5        |                  |                   |          |                          |                              |
| Trial #                  | Test Frequency (MHz) | Burst#        | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 29                       | 5325                 | 1             | 75.3             | 7                 | 1339.2   | 3                        | 1                            |
|                          | 5323                 | 2             | 53.4             | 12                | 1173.1   | 3                        |                              |
|                          | 5323                 | 3             | 75.2             | 13                | 1303.2   | 3                        |                              |
|                          | 5324                 | 4             | 58.1             | 11                | 1583.8   | 2                        |                              |
|                          | 5323                 | 5             | 75.1             | 13                | 1999.9   | 2                        |                              |
|                          | 5324                 | 6             | 51.8             | 9                 | 1800.3   | 2                        |                              |
|                          | 5322                 | 7             | 77.2             | 16                | 1911.1   | 3                        |                              |
|                          | 5322                 | 8             | 97.1             | 15                | 1611.9   | 2                        |                              |
|                          | 5322                 | 9             | 87.1             | 15                | 1624.2   | 2                        |                              |
|                          | 5322                 | 10            | 92.1             | 16                | 1710.9   | 3                        |                              |
|                          | 5320                 | 11            | 79.3             | 19                | 1497.9   | 1                        |                              |
|                          | 5326                 | 12            | 86.4             | 5                 | 1552.6   | 3                        |                              |
|                          | 5322                 | 13            | 59.2             | 16                | 1557.8   | 3                        |                              |
|                          | 5321                 | 14            | 58.6             | 18                | 1502.2   | 2                        |                              |
|                          | 5324                 | 15            | 69.3             | 11                | 1419.6   | 2                        |                              |
|                          | 5324                 | 16            | 72.8             | 11                | 1599.8   | 1                        |                              |
|                          | 5326                 | 17            | 55.5             | 6                 | 1482.7   | 3                        |                              |
| 30                       | 5322                 | 1             | 76.7             | 14                | 1633.8   | 2                        | 1                            |
|                          | 5324                 | 2             | 65.4             | 11                | 1418.3   | 1                        |                              |
|                          | 5326                 | 3             | 99.1             | 5                 | 1005.5   | 2                        |                              |
|                          | 5324                 | 4             | 87.8             | 9                 | 1169.5   | 3                        |                              |
|                          | 5325                 | 5             | 82.6             | 7                 | 1853.2   | 3                        |                              |
|                          | 5322                 | 6             | 81.5             | 15                | 1758.6   | 1                        |                              |
|                          | 5322                 | 7             | 79.8             | 14                | 1994.9   | 3                        |                              |
|                          | 5321                 | 8             | 66.1             | 17                | 1636.2   | 3                        |                              |
|                          | 5324                 | 9             | 94.8             | 11                | 1833.5   | 2                        |                              |
|                          | 5324                 | 10            | 60.2             | 11                | 1477.9   | 3                        |                              |
|                          | 5325                 | 11            | 62.6             | 8                 | 1985.3   | 1                        |                              |
|                          | 5323                 | 12            | 93.0             | 12                | 1052.1   | 1                        |                              |
|                          | 5324                 | 13            | 54.3             | 9                 | 1575.9   | 2                        |                              |
|                          | 5322                 | 14            | 86.4             | 14                | 1519.0   | 2                        |                              |
| Detection Percentage (%) |                      |               |                  |                   |          |                          | 90.00                        |

| Test Mode                |                  | 802.11ax HE80 |              |                    |                              |                                 |
|--------------------------|------------------|---------------|--------------|--------------------|------------------------------|---------------------------------|
| Frequency                |                  | 5530 MHz      |              |                    |                              |                                 |
| Radar Signal             |                  | Type 6        |              |                    |                              |                                 |
| Trial #                  | Pulse Width (us) | PRI (us)      | Pulses / Hop | Hopping Rate (kHz) | Hopping Sequence Length (ms) | 1=Detection ;<br>0=No Detection |
| 1                        | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 2                        | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 3                        | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 4                        | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 5                        | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 6                        | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 7                        | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 8                        | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 9                        | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 10                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 11                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 12                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 13                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 14                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 15                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 16                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 17                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 18                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 19                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 20                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 21                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 22                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 23                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 24                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 25                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 26                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 27                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 28                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 29                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| 30                       | 1                | 333           | 9            | 0.333              | 300                          | 1                               |
| Detection Percentage (%) |                  |               |              |                    |                              | 100.00                          |

| Test Mode                |                      | 802.11ax HE160   |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5250 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 1           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5250                 | 1                | 798      | 67              | 1253     | 0                               |
| 2                        | 5250                 | 1                | 878      | 61              | 1139     | 0                               |
| 3                        | 5250                 | 1                | 598      | 89              | 1672     | 1                               |
| 4                        | 5250                 | 1                | 678      | 78              | 1475     | 1                               |
| 5                        | 5250                 | 1                | 818      | 65              | 1222     | 1                               |
| 6                        | 5250                 | 1                | 718      | 74              | 1393     | 1                               |
| 7                        | 5250                 | 1                | 778      | 68              | 1285     | 1                               |
| 8                        | 5250                 | 1                | 558      | 95              | 1792     | 1                               |
| 9                        | 5250                 | 1                | 658      | 81              | 1520     | 1                               |
| 10                       | 5250                 | 1                | 778      | 68              | 1285     | 1                               |
| 11                       | 5250                 | 1                | 858      | 62              | 1166     | 1                               |
| 12                       | 5250                 | 1                | 558      | 95              | 1792     | 1                               |
| 13                       | 5250                 | 1                | 758      | 70              | 1319     | 1                               |
| 14                       | 5250                 | 1                | 758      | 70              | 1319     | 1                               |
| 15                       | 5250                 | 1                | 778      | 68              | 1285     | 1                               |
| 16                       | 5250                 | 1                | 2091     | 26              | 478      | 1                               |
| 17                       | 5250                 | 1                | 1493     | 36              | 670      | 1                               |
| 18                       | 5250                 | 1                | 884      | 60              | 1131     | 1                               |
| 19                       | 5250                 | 1                | 948      | 56              | 1055     | 1                               |
| 20                       | 5250                 | 1                | 2955     | 18              | 338      | 1                               |
| 21                       | 5250                 | 1                | 1292     | 41              | 774      | 1                               |
| 22                       | 5250                 | 1                | 1578     | 34              | 634      | 1                               |
| 23                       | 5250                 | 1                | 2549     | 21              | 392      | 1                               |
| 24                       | 5250                 | 1                | 986      | 54              | 1014     | 1                               |
| 25                       | 5250                 | 1                | 1178     | 45              | 849      | 1                               |
| 26                       | 5250                 | 1                | 1635     | 33              | 612      | 1                               |
| 27                       | 5250                 | 1                | 2822     | 19              | 354      | 1                               |
| 28                       | 5250                 | 1                | 3057     | 18              | 327      | 1                               |
| 29                       | 5250                 | 1                | 545      | 97              | 1835     | 1                               |
| 30                       | 5250                 | 1                | 1389     | 38              | 720      | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 93.33                           |

| Test Mode                |                      | 802.11ax HE160   |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5250 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 2           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5250                 | 2.40             | 160.90   | 26              | 6215     | 1                               |
| 2                        | 5250                 | 4.10             | 194.40   | 23              | 5144     | 1                               |
| 3                        | 5250                 | 2.50             | 221.10   | 25              | 4523     | 1                               |
| 4                        | 5250                 | 3.70             | 199.90   | 27              | 5003     | 1                               |
| 5                        | 5250                 | 4.40             | 226.80   | 27              | 4409     | 1                               |
| 6                        | 5250                 | 3.70             | 169.10   | 27              | 5914     | 1                               |
| 7                        | 5250                 | 2.80             | 201.30   | 26              | 4968     | 1                               |
| 8                        | 5250                 | 1.10             | 152.80   | 27              | 6545     | 1                               |
| 9                        | 5250                 | 1.60             | 228.70   | 27              | 4373     | 1                               |
| 10                       | 5250                 | 3.90             | 157.20   | 25              | 6361     | 1                               |
| 11                       | 5250                 | 1.70             | 218.20   | 23              | 4583     | 1                               |
| 12                       | 5250                 | 3.40             | 158.30   | 27              | 6317     | 1                               |
| 13                       | 5250                 | 3.90             | 163.20   | 25              | 6127     | 1                               |
| 14                       | 5250                 | 3.00             | 150.10   | 25              | 6662     | 1                               |
| 15                       | 5250                 | 5.00             | 201.60   | 26              | 4960     | 1                               |
| 16                       | 5250                 | 4.00             | 174.10   | 29              | 5744     | 1                               |
| 17                       | 5250                 | 2.80             | 157.80   | 29              | 6337     | 1                               |
| 18                       | 5250                 | 1.40             | 226.50   | 28              | 4415     | 1                               |
| 19                       | 5250                 | 3.20             | 191.20   | 29              | 5230     | 1                               |
| 20                       | 5250                 | 2.20             | 162.00   | 25              | 6173     | 1                               |
| 21                       | 5250                 | 2.80             | 166.20   | 26              | 6017     | 1                               |
| 22                       | 5250                 | 4.10             | 156.20   | 24              | 6402     | 1                               |
| 23                       | 5250                 | 1.30             | 155.00   | 28              | 6452     | 1                               |
| 24                       | 5250                 | 4.30             | 150.30   | 27              | 6653     | 1                               |
| 25                       | 5250                 | 2.00             | 179.10   | 25              | 5583     | 0                               |
| 26                       | 5250                 | 4.30             | 152.60   | 26              | 6553     | 1                               |
| 27                       | 5250                 | 1.80             | 187.60   | 27              | 5330     | 1                               |
| 28                       | 5250                 | 2.90             | 179.30   | 23              | 5577     | 1                               |
| 29                       | 5250                 | 3.60             | 167.00   | 26              | 5988     | 0                               |
| 30                       | 5250                 | 1.40             | 182.40   | 28              | 5482     | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 93.33                           |

| Test Mode                |                      | 802.11ax HE160   |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5250 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 3           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5250                 | 6.20             | 361.50   | 18              | 2766.25  | 1                               |
| 2                        | 5250                 | 9.50             | 257.10   | 18              | 3889.54  | 1                               |
| 3                        | 5250                 | 7.90             | 415.30   | 16              | 2407.90  | 1                               |
| 4                        | 5250                 | 9.10             | 250.10   | 18              | 3998.40  | 1                               |
| 5                        | 5250                 | 6.50             | 260.10   | 16              | 3844.68  | 1                               |
| 6                        | 5250                 | 6.30             | 460.00   | 17              | 2173.91  | 1                               |
| 7                        | 5250                 | 7.80             | 480.50   | 18              | 2081.17  | 1                               |
| 8                        | 5250                 | 8.50             | 247.10   | 18              | 4046.94  | 1                               |
| 9                        | 5250                 | 8.70             | 448.80   | 16              | 2228.16  | 1                               |
| 10                       | 5250                 | 6.40             | 283.50   | 16              | 3527.34  | 1                               |
| 11                       | 5250                 | 9.60             | 450.70   | 16              | 2218.77  | 1                               |
| 12                       | 5250                 | 8.10             | 208.10   | 16              | 4805.38  | 1                               |
| 13                       | 5250                 | 9.20             | 321.70   | 17              | 3108.49  | 1                               |
| 14                       | 5250                 | 9.70             | 417.00   | 17              | 2398.08  | 0                               |
| 15                       | 5250                 | 9.00             | 213.40   | 17              | 4686.04  | 0                               |
| 16                       | 5250                 | 8.00             | 416.50   | 18              | 2400.96  | 1                               |
| 17                       | 5250                 | 9.80             | 292.50   | 17              | 3418.80  | 1                               |
| 18                       | 5250                 | 6.10             | 316.40   | 16              | 3160.56  | 1                               |
| 19                       | 5250                 | 8.70             | 355.20   | 18              | 2815.32  | 1                               |
| 20                       | 5250                 | 8.60             | 380.10   | 17              | 2630.89  | 1                               |
| 21                       | 5250                 | 6.20             | 247.10   | 16              | 4046.94  | 1                               |
| 22                       | 5250                 | 6.40             | 443.50   | 16              | 2254.79  | 1                               |
| 23                       | 5250                 | 6.90             | 320.10   | 17              | 3124.02  | 1                               |
| 24                       | 5250                 | 9.30             | 302.00   | 18              | 3311.26  | 1                               |
| 25                       | 5250                 | 7.50             | 376.30   | 16              | 2657.45  | 1                               |
| 26                       | 5250                 | 6.30             | 204.80   | 18              | 4882.81  | 1                               |
| 27                       | 5250                 | 6.60             | 406.60   | 16              | 2459.42  | 1                               |
| 28                       | 5250                 | 9.00             | 312.20   | 16              | 3203.07  | 1                               |
| 29                       | 5250                 | 7.90             | 403.50   | 16              | 2478.31  | 0                               |
| 30                       | 5250                 | 9.60             | 357.90   | 16              | 2794.08  | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 90.00                           |

| Test Mode                |                      | 802.11ax HE160   |          |                 |          |                                 |
|--------------------------|----------------------|------------------|----------|-----------------|----------|---------------------------------|
| Frequency                |                      | 5250 MHz         |          |                 |          |                                 |
| Radar Signal             |                      | Type 4           |          |                 |          |                                 |
| Trial #                  | Test Frequency (MHz) | Pulse Width (us) | PRI (us) | Number of Pluse | PRF (Hz) | 1=Detection ;<br>0=No Detection |
| 1                        | 5250                 | 13.10            | 329.90   | 15              | 3031     | 1                               |
| 2                        | 5250                 | 17.90            | 282.50   | 15              | 3540     | 1                               |
| 3                        | 5250                 | 18.60            | 240.00   | 16              | 4167     | 1                               |
| 4                        | 5250                 | 19.40            | 347.30   | 16              | 2879     | 1                               |
| 5                        | 5250                 | 12.90            | 233.90   | 13              | 4275     | 1                               |
| 6                        | 5250                 | 14.30            | 476.80   | 13              | 2097     | 1                               |
| 7                        | 5250                 | 13.70            | 233.20   | 13              | 4288     | 1                               |
| 8                        | 5250                 | 11.20            | 297.90   | 12              | 3357     | 1                               |
| 9                        | 5250                 | 14.60            | 349.60   | 15              | 2860     | 1                               |
| 10                       | 5250                 | 12.70            | 425.40   | 13              | 2351     | 1                               |
| 11                       | 5250                 | 12.60            | 234.70   | 14              | 4261     | 1                               |
| 12                       | 5250                 | 16.50            | 454.50   | 13              | 2200     | 1                               |
| 13                       | 5250                 | 17.60            | 251.70   | 15              | 3973     | 1                               |
| 14                       | 5250                 | 18.60            | 365.50   | 13              | 2736     | 1                               |
| 15                       | 5250                 | 12.30            | 257.60   | 15              | 3882     | 0                               |
| 16                       | 5250                 | 15.50            | 253.50   | 16              | 3945     | 1                               |
| 17                       | 5250                 | 11.60            | 404.80   | 13              | 2470     | 1                               |
| 18                       | 5250                 | 15.00            | 423.80   | 14              | 2360     | 1                               |
| 19                       | 5250                 | 16.30            | 366.30   | 15              | 2730     | 1                               |
| 20                       | 5250                 | 12.70            | 356.30   | 14              | 2807     | 1                               |
| 21                       | 5250                 | 18.80            | 257.50   | 16              | 3883     | 1                               |
| 22                       | 5250                 | 17.80            | 344.20   | 13              | 2905     | 0                               |
| 23                       | 5250                 | 11.80            | 406.60   | 12              | 2459     | 0                               |
| 24                       | 5250                 | 15.50            | 406.30   | 16              | 2461     | 1                               |
| 25                       | 5250                 | 11.20            | 231.70   | 13              | 4316     | 1                               |
| 26                       | 5250                 | 14.90            | 256.50   | 15              | 3899     | 1                               |
| 27                       | 5250                 | 16.60            | 452.90   | 13              | 2208     | 1                               |
| 28                       | 5250                 | 11.10            | 360.60   | 13              | 2773     | 1                               |
| 29                       | 5250                 | 13.50            | 256.90   | 13              | 3893     | 0                               |
| 30                       | 5250                 | 17.40            | 285.70   | 13              | 3500     | 1                               |
| Detection Percentage (%) |                      |                  |          |                 |          | 86.67                           |

| Test Mode    |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 11           | 5250                 | 1              | 81.9             | 9                 | 1839.8   | 2                        | 1                            |
|              | 5250                 | 2              | 52.7             | 10                | 1607.8   | 1                        |                              |
|              | 5250                 | 3              | 99.2             | 10                | 1757.4   | 1                        |                              |
|              | 5250                 | 4              | 55.8             | 11                | 1055.9   | 1                        |                              |
|              | 5250                 | 5              | 89.5             | 8                 | 1407.2   | 3                        |                              |
|              | 5250                 | 6              | 77.4             | 9                 | 1151.5   | 2                        |                              |
|              | 5250                 | 7              | 69.1             | 16                | 1789.5   | 1                        |                              |
|              | 5250                 | 8              | 84.9             | 16                | 1103.7   | 1                        |                              |
|              | 5250                 | 9              | 78.4             | 5                 | 1066.8   | 3                        |                              |
|              | 5250                 | 10             | 78.8             | 18                | 1809.0   | 3                        |                              |
|              | 5250                 | 11             | 86.0             | 11                | 1848.8   | 2                        |                              |
|              | 5250                 | 12             | 57.7             | 10                | 1494.7   | 1                        |                              |
|              | 5250                 | 13             | 59.4             | 17                | 1313.5   | 1                        |                              |
|              | 5250                 | 14             | 84.7             | 19                | 1731.6   | 3                        |                              |
|              | 5250                 | 15             | 53.9             | 11                | 1387.1   | 1                        |                              |
|              | 5250                 | 16             | 99.3             | 18                | 1479.5   | 1                        |                              |
| 12           | 5250                 | 1              | 80.5             | 18                | 1773.6   | 2                        | 1                            |
|              | 5250                 | 2              | 62.4             | 13                | 1123.6   | 3                        |                              |
|              | 5250                 | 3              | 50.6             | 12                | 1146.6   | 2                        |                              |
|              | 5250                 | 4              | 63.7             | 8                 | 1921.3   | 2                        |                              |
|              | 5250                 | 5              | 94.5             | 11                | 1428.4   | 2                        |                              |
|              | 5250                 | 6              | 55.6             | 10                | 1197.3   | 3                        |                              |
|              | 5250                 | 7              | 98.6             | 8                 | 1682.3   | 2                        |                              |
|              | 5250                 | 8              | 62.4             | 17                | 1255.2   | 3                        |                              |
|              | 5250                 | 9              | 83.7             | 20                | 1686.0   | 1                        |                              |
|              | 5250                 | 10             | 85.3             | 14                | 1754.3   | 2                        |                              |
|              | 5250                 | 11             | 89.7             | 12                | 1865.3   | 1                        |                              |
|              | 5250                 | 12             | 98.6             | 6                 | 1236.6   | 1                        |                              |
|              | 5250                 | 13             | 88.2             | 13                | 1009.7   | 1                        |                              |
|              | 5250                 | 14             | 58.0             | 6                 | 1542.5   | 3                        |                              |
|              | 5250                 | 15             | 54.0             | 13                | 1523.5   | 2                        |                              |
|              | 5250                 | 16             | 98.4             | 17                | 1439.9   | 3                        |                              |
|              | 5250                 | 17             | 69.9             | 8                 | 1727.8   | 2                        |                              |
|              | 5250                 | 18             | 74.2             | 8                 | 1313.7   | 2                        |                              |
|              | 5250                 | 19             | 56.8             | 10                | 1941.7   | 3                        |                              |
|              | 5250                 | 20             | 84.7             | 12                | 1589.9   | 1                        |                              |

| Test Mode    |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 13           | 5250                 | 1              | 60.7             | 11                | 1418.7   | 2                        | 1                            |
|              | 5250                 | 2              | 62.2             | 9                 | 1501.5   | 1                        |                              |
|              | 5250                 | 3              | 66.6             | 11                | 1683.6   | 1                        |                              |
|              | 5250                 | 4              | 57.8             | 7                 | 1167.3   | 1                        |                              |
|              | 5250                 | 5              | 61.1             | 10                | 1729.0   | 1                        |                              |
|              | 5250                 | 6              | 53.7             | 11                | 1371.9   | 2                        |                              |
|              | 5250                 | 7              | 87.5             | 15                | 1399.8   | 1                        |                              |
|              | 5250                 | 8              | 66.8             | 11                | 1597.1   | 3                        |                              |
|              | 5250                 | 9              | 95.9             | 7                 | 1986.8   | 1                        |                              |
|              | 5250                 | 10             | 92.3             | 20                | 1821.9   | 2                        |                              |
| 14           | 5250                 | 1              | 63.0             | 14                | 1680.4   | 1                        | 1                            |
|              | 5250                 | 2              | 88.0             | 15                | 1997.2   | 1                        |                              |
|              | 5250                 | 3              | 70.1             | 7                 | 1462.5   | 2                        |                              |
|              | 5250                 | 4              | 86.3             | 13                | 1530.2   | 2                        |                              |
|              | 5250                 | 5              | 75.3             | 15                | 1706.4   | 1                        |                              |
|              | 5250                 | 6              | 89.9             | 10                | 1499.8   | 1                        |                              |
|              | 5250                 | 7              | 65.1             | 11                | 1590.3   | 1                        |                              |
|              | 5250                 | 8              | 84.0             | 7                 | 1734.2   | 1                        |                              |
|              | 5250                 | 9              | 58.7             | 16                | 1789.1   | 3                        |                              |
|              | 5250                 | 10             | 59.5             | 9                 | 1930.3   | 1                        |                              |
|              | 5250                 | 11             | 74.0             | 17                | 1364.7   | 2                        |                              |
|              | 5250                 | 12             | 82.2             | 7                 | 1253.3   | 3                        |                              |
|              | 5250                 | 13             | 66.2             | 17                | 1739.0   | 2                        |                              |
|              | 5250                 | 14             | 85.0             | 5                 | 1121.6   | 3                        |                              |
|              | 5250                 | 15             | 71.0             | 10                | 1267.5   | 3                        |                              |
|              | 5250                 | 16             | 56.1             | 16                | 1587.7   | 1                        |                              |
|              | 5250                 | 17             | 58.7             | 11                | 1945.5   | 2                        |                              |
|              | 5250                 | 18             | 97.8             | 19                | 1934.4   | 1                        |                              |
|              | 5250                 | 19             | 68.6             | 8                 | 1556.8   | 1                        |                              |
|              | 5250                 | 20             | 57.5             | 9                 | 1443.5   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 15           | 5250                 | 1              | 99.1             | 19                | 1206.2   | 1                        | 1                            |
|              | 5250                 | 2              | 59.4             | 17                | 1926.8   | 3                        |                              |
|              | 5250                 | 3              | 54.7             | 18                | 1094.1   | 3                        |                              |
|              | 5250                 | 4              | 68.7             | 7                 | 1921.6   | 2                        |                              |
|              | 5250                 | 5              | 81.3             | 6                 | 1687.4   | 2                        |                              |
|              | 5250                 | 6              | 52.6             | 8                 | 1960.7   | 1                        |                              |
|              | 5250                 | 7              | 80.1             | 15                | 1859.8   | 3                        |                              |
|              | 5250                 | 8              | 95.7             | 15                | 1404.0   | 2                        |                              |
|              | 5250                 | 9              | 60.3             | 15                | 1301.0   | 2                        |                              |
|              | 5250                 | 10             | 68.4             | 18                | 1360.4   | 2                        |                              |
|              | 5250                 | 11             | 87.4             | 6                 | 1779.2   | 2                        |                              |
|              | 5250                 | 12             | 88.1             | 12                | 1997.5   | 2                        |                              |
|              | 5250                 | 13             | 66.6             | 5                 | 1736.3   | 3                        |                              |
|              | 5250                 | 14             | 54.7             | 13                | 1498.3   | 2                        |                              |
|              | 5250                 | 15             | 87.0             | 14                | 1402.3   | 2                        |                              |
|              | 5250                 | 16             | 94.6             | 15                | 1062.4   | 2                        |                              |
|              | 5250                 | 17             | 84.4             | 6                 | 1592.1   | 3                        |                              |
|              | 5250                 | 18             | 74.5             | 16                | 1526.0   | 3                        |                              |
|              | 5250                 | 19             | 56.7             | 13                | 1213.3   | 2                        |                              |
| 16           | 5250                 | 1              | 77.6             | 6                 | 1108.8   | 3                        | 1                            |
|              | 5250                 | 2              | 57.3             | 15                | 1910.9   | 2                        |                              |
|              | 5250                 | 3              | 53.4             | 12                | 1640.9   | 1                        |                              |
|              | 5250                 | 4              | 71.1             | 5                 | 1400.6   | 2                        |                              |
|              | 5250                 | 5              | 85.2             | 10                | 1482.0   | 1                        |                              |
|              | 5250                 | 6              | 66.8             | 7                 | 1653.7   | 1                        |                              |
|              | 5250                 | 7              | 83.1             | 7                 | 1868.5   | 2                        |                              |
|              | 5250                 | 8              | 78.9             | 14                | 1443.7   | 3                        |                              |
|              | 5250                 | 9              | 59.0             | 16                | 1703.8   | 1                        |                              |
|              | 5250                 | 10             | 68.5             | 5                 | 1722.6   | 2                        |                              |
|              | 5250                 | 11             | 69.4             | 11                | 1966.4   | 1                        |                              |
|              | 5250                 | 12             | 50.2             | 11                | 1178.7   | 3                        |                              |
|              | 5250                 | 13             | 78.0             | 16                | 1630.9   | 1                        |                              |
|              | 5250                 | 14             | 92.4             | 18                | 1883.1   | 2                        |                              |
|              | 5250                 | 15             | 98.7             | 13                | 1562.8   | 1                        |                              |
|              | 5250                 | 16             | 59.9             | 20                | 1021.0   | 2                        |                              |
|              | 5250                 | 17             | 64.0             | 17                | 1652.2   | 3                        |                              |
|              | 5250                 | 18             | 85.9             | 14                | 1746.3   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 17           | 5250                 | 1              | 89.0             | 7                 | 1392.0   | 3                        | 1                            |
|              | 5250                 | 2              | 63.0             | 14                | 1393.4   | 2                        |                              |
|              | 5250                 | 3              | 50.8             | 15                | 1486.9   | 2                        |                              |
|              | 5250                 | 4              | 77.9             | 9                 | 1606.5   | 2                        |                              |
|              | 5250                 | 5              | 92.8             | 12                | 1653.7   | 1                        |                              |
|              | 5250                 | 6              | 77.4             | 6                 | 1862.6   | 1                        |                              |
|              | 5250                 | 7              | 64.7             | 15                | 1389.7   | 3                        |                              |
|              | 5250                 | 8              | 82.5             | 13                | 1654.2   | 3                        |                              |
|              | 5250                 | 9              | 67.6             | 7                 | 1594.8   | 2                        |                              |
|              | 5250                 | 10             | 85.8             | 12                | 1856.8   | 3                        |                              |
|              | 5250                 | 11             | 72.6             | 10                | 1554.5   | 2                        |                              |
|              | 5250                 | 12             | 61.7             | 19                | 1246.4   | 2                        |                              |
|              | 5250                 | 13             | 53.7             | 10                | 1870.8   | 3                        |                              |
|              | 5250                 | 14             | 80.1             | 11                | 1086.5   | 3                        |                              |
|              | 5250                 | 15             | 61.2             | 9                 | 1597.1   | 1                        |                              |
|              | 5250                 | 16             | 55.2             | 19                | 1498.5   | 3                        |                              |
|              | 5250                 | 17             | 84.8             | 9                 | 1850.3   | 1                        |                              |
| 18           | 5250                 | 1              | 97.7             | 19                | 1834.8   | 1                        | 1                            |
|              | 5250                 | 2              | 50.9             | 18                | 1770.1   | 1                        |                              |
|              | 5250                 | 3              | 73.4             | 12                | 1624.9   | 3                        |                              |
|              | 5250                 | 4              | 71.1             | 15                | 1965.2   | 2                        |                              |
|              | 5250                 | 5              | 81.1             | 17                | 1720.3   | 1                        |                              |
|              | 5250                 | 6              | 83.9             | 12                | 1683.2   | 2                        |                              |
|              | 5250                 | 7              | 95.0             | 10                | 1747.6   | 3                        |                              |
|              | 5250                 | 8              | 52.2             | 13                | 1379.4   | 1                        |                              |
|              | 5250                 | 9              | 82.4             | 19                | 1859.3   | 1                        |                              |
|              | 5250                 | 10             | 65.6             | 12                | 1628.8   | 3                        |                              |
|              | 5250                 | 11             | 70.8             | 9                 | 1761.8   | 2                        |                              |
|              | 5250                 | 12             | 95.7             | 20                | 1180.2   | 2                        |                              |
|              | 5250                 | 13             | 94.2             | 6                 | 1508.4   | 3                        |                              |
|              | 5250                 | 14             | 81.0             | 11                | 1193.9   | 2                        |                              |
|              | 5250                 | 15             | 83.4             | 12                | 1745.0   | 3                        |                              |

| Test Mode    |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 19           | 5250                 | 1              | 60.9             | 13                | 1539.3   | 3                        | 1                            |
|              | 5250                 | 2              | 77.8             | 9                 | 1071.1   | 1                        |                              |
|              | 5250                 | 3              | 95.5             | 19                | 1304.8   | 3                        |                              |
|              | 5250                 | 4              | 93.7             | 17                | 1067.0   | 3                        |                              |
|              | 5250                 | 5              | 61.3             | 14                | 1376.1   | 1                        |                              |
|              | 5250                 | 6              | 80.7             | 14                | 1309.7   | 3                        |                              |
|              | 5250                 | 7              | 95.3             | 15                | 1658.1   | 1                        |                              |
|              | 5250                 | 8              | 51.4             | 7                 | 1792.7   | 1                        |                              |
|              | 5250                 | 9              | 76.3             | 13                | 1881.8   | 2                        |                              |
|              | 5250                 | 10             | 83.9             | 9                 | 1679.3   | 3                        |                              |
|              | 5250                 | 11             | 94.3             | 6                 | 1226.0   | 3                        |                              |
|              | 5250                 | 12             | 97.7             | 11                | 1016.0   | 2                        |                              |
|              | 5250                 | 13             | 86.6             | 12                | 1614.8   | 2                        |                              |
|              | 5250                 | 14             | 61.3             | 12                | 1288.9   | 3                        |                              |
| 20           | 5250                 | 1              | 80.2             | 18                | 1747.6   | 3                        | 1                            |
|              | 5250                 | 2              | 84.6             | 19                | 1366.1   | 2                        |                              |
|              | 5250                 | 3              | 96.4             | 19                | 1734.4   | 3                        |                              |
|              | 5250                 | 4              | 72.7             | 8                 | 1529.2   | 2                        |                              |
|              | 5250                 | 5              | 79.2             | 12                | 1660.7   | 1                        |                              |
|              | 5250                 | 6              | 51.5             | 6                 | 1515.6   | 2                        |                              |
|              | 5250                 | 7              | 79.7             | 17                | 1683.5   | 2                        |                              |
|              | 5250                 | 8              | 61.3             | 7                 | 1729.6   | 1                        |                              |
|              | 5250                 | 9              | 94.0             | 14                | 1667.6   | 2                        |                              |
|              | 5250                 | 10             | 81.2             | 13                | 1580.7   | 2                        |                              |
| 21           | 5325.5               | 1              | 67.3             | 10                | 1501.6   | 3                        | 1                            |
|              | 5324.5               | 2              | 54.6             | 12                | 1873.3   | 1                        |                              |
|              | 5325.5               | 3              | 78.1             | 11                | 1422.6   | 2                        |                              |
|              | 5327.5               | 4              | 79.7             | 6                 | 1262.5   | 1                        |                              |
|              | 5322.5               | 5              | 97.1             | 18                | 1584.9   | 3                        |                              |
|              | 5324.5               | 6              | 70.2             | 13                | 1155.4   | 2                        |                              |
|              | 5321.5               | 7              | 59.2             | 19                | 1753.5   | 1                        |                              |
|              | 5327.5               | 8              | 96.5             | 6                 | 1782.9   | 1                        |                              |
|              | 5322.5               | 9              | 50.2             | 18                | 1242.2   | 2                        |                              |
|              | 5324.5               | 10             | 69.4             | 12                | 1916.3   | 2                        |                              |
|              | 5323.5               | 11             | 59.4             | 16                | 1347.9   | 3                        |                              |
|              | 5323.5               | 12             | 81.8             | 16                | 1570.2   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 22           | 5324.5               | 1              | 62.0             | 12                | 1416.9   | 3                        | 1                            |
|              | 5323.5               | 2              | 87.0             | 15                | 1347.2   | 2                        |                              |
|              | 5322.5               | 3              | 73.0             | 18                | 1177.1   | 1                        |                              |
|              | 5324.5               | 4              | 59.1             | 12                | 1243.7   | 1                        |                              |
|              | 5323.5               | 5              | 83.8             | 15                | 1510.7   | 1                        |                              |
|              | 5321.5               | 6              | 52.4             | 19                | 1137.6   | 2                        |                              |
|              | 5325.5               | 7              | 67.3             | 10                | 1836.4   | 3                        |                              |
|              | 5325.5               | 8              | 73.0             | 10                | 1427.3   | 1                        |                              |
|              | 5326.5               | 9              | 93.2             | 8                 | 1552.3   | 2                        |                              |
| 23           | 5327.5               | 1              | 55.9             | 6                 | 1127.5   | 2                        | 1                            |
|              | 5323.5               | 2              | 59.9             | 16                | 1059.1   | 3                        |                              |
|              | 5325.5               | 3              | 58.8             | 11                | 1247.3   | 1                        |                              |
|              | 5324.5               | 4              | 90.2             | 13                | 1554.5   | 3                        |                              |
|              | 5323.5               | 5              | 66.8             | 15                | 1640.0   | 2                        |                              |
|              | 5325.5               | 6              | 61.0             | 10                | 1955.1   | 2                        |                              |
|              | 5327.5               | 7              | 79.5             | 6                 | 1066.4   | 2                        |                              |
|              | 5322.5               | 8              | 79.7             | 17                | 1334.7   | 2                        |                              |
|              | 5323.5               | 9              | 74.3             | 15                | 1259.7   | 1                        |                              |
|              | 5323.5               | 10             | 72.3             | 14                | 1732.8   | 2                        |                              |
|              | 5322.5               | 11             | 91.0             | 18                | 1250.3   | 2                        |                              |
|              | 5326.5               | 12             | 89.8             | 8                 | 1580.7   | 3                        |                              |
|              | 5324.5               | 13             | 75.0             | 12                | 1112.0   | 1                        |                              |
|              | 5321.5               | 14             | 86.5             | 19                | 1291.5   | 2                        |                              |
|              | 5325.5               | 15             | 54.6             | 9                 | 1918.0   | 1                        |                              |
| 24           | 5324.5               | 1              | 50.9             | 12                | 1244.9   | 2                        | 1                            |
|              | 5324.5               | 2              | 51.3             | 13                | 1028.9   | 1                        |                              |
|              | 5323.5               | 3              | 78.4             | 15                | 1950.4   | 3                        |                              |
|              | 5324.5               | 4              | 64.1             | 12                | 1626.5   | 3                        |                              |
|              | 5324.5               | 5              | 84.5             | 13                | 1241.1   | 1                        |                              |
|              | 5324.5               | 6              | 71.4             | 13                | 1020.5   | 2                        |                              |
|              | 5323.5               | 7              | 56.2             | 16                | 1123.0   | 2                        |                              |
|              | 5323.5               | 8              | 95.4             | 14                | 1525.1   | 3                        |                              |
|              | 5323.5               | 9              | 51.2             | 14                | 1380.7   | 3                        |                              |
|              | 5325.5               | 10             | 78.7             | 11                | 1931.6   | 1                        |                              |
|              | 5323.5               | 11             | 97.0             | 16                | 1258.4   | 1                        |                              |
|              | 5325.5               | 12             | 59.5             | 10                | 1243.4   | 3                        |                              |
|              | 5324.5               | 13             | 81.3             | 12                | 1970.3   | 1                        |                              |
|              | 5324.5               | 14             | 88.5             | 12                | 1740.0   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 25           | 5322.5               | 1              | 98.2             | 17                | 1348.6   | 3                        | 1                            |
|              | 5326.5               | 2              | 96.8             | 8                 | 1743.8   | 3                        |                              |
|              | 5325.5               | 3              | 58.1             | 11                | 1003.0   | 1                        |                              |
|              | 5324.5               | 4              | 87.3             | 13                | 1692.0   | 3                        |                              |
|              | 5323.5               | 5              | 59.5             | 15                | 1874.5   | 3                        |                              |
|              | 5325.5               | 6              | 57.0             | 9                 | 1701.1   | 3                        |                              |
|              | 5323.5               | 7              | 99.0             | 14                | 1912.9   | 3                        |                              |
|              | 5326.5               | 8              | 79.7             | 7                 | 1328.4   | 2                        |                              |
|              | 5323.5               | 9              | 73.8             | 16                | 1961.1   | 2                        |                              |
|              | 5325.5               | 10             | 90.8             | 10                | 1616.8   | 1                        |                              |
|              | 5321.5               | 11             | 65.7             | 19                | 1706.2   | 1                        |                              |
|              | 5321.5               | 12             | 56.8             | 19                | 1112.4   | 1                        |                              |
|              | 5323.5               | 13             | 84.4             | 16                | 1016.5   | 3                        |                              |
|              | 5322.5               | 14             | 51.0             | 18                | 1525.1   | 1                        |                              |
|              | 5323.5               | 15             | 65.8             | 15                | 1941.1   | 1                        |                              |
|              | 5327.5               | 16             | 85.7             | 5                 | 1444.2   | 3                        |                              |
|              | 5325.5               | 17             | 56.4             | 10                | 1520.5   | 1                        |                              |
|              | 5324.5               | 18             | 64.7             | 12                | 1417.7   | 3                        |                              |
| 26           | 5324.5               | 1              | 90.4             | 12                | 1599.9   | 3                        | 1                            |
|              | 5323.5               | 2              | 82.3             | 14                | 1140.0   | 2                        |                              |
|              | 5326.5               | 3              | 70.5             | 7                 | 1216.0   | 1                        |                              |
|              | 5325.5               | 4              | 72.0             | 9                 | 1741.8   | 2                        |                              |
|              | 5323.5               | 5              | 87.2             | 15                | 1283.1   | 1                        |                              |
|              | 5325.5               | 6              | 95.4             | 11                | 1610.7   | 2                        |                              |
|              | 5324.5               | 7              | 51.3             | 12                | 1667.0   | 3                        |                              |
|              | 5323.5               | 8              | 51.2             | 15                | 1925.8   | 3                        |                              |
|              | 5323.5               | 9              | 93.3             | 15                | 1446.3   | 2                        |                              |
|              | 5321.5               | 10             | 90.3             | 20                | 1907.1   | 2                        |                              |
|              | 5323.5               | 11             | 50.1             | 15                | 1530.3   | 1                        |                              |
|              | 5323.5               | 12             | 94.8             | 14                | 1282.3   | 1                        |                              |
|              | 5321.5               | 13             | 99.0             | 20                | 1224.0   | 1                        |                              |
|              | 5321.5               | 14             | 98.5             | 19                | 1547.7   | 3                        |                              |
|              | 5323.5               | 15             | 60.8             | 16                | 1864.6   | 3                        |                              |
|              | 5324.5               | 16             | 56.5             | 13                | 1130.6   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 27           | 5325.5               | 1              | 71.8             | 10                | 1211.6   | 3                        | 0                            |
|              | 5322.5               | 2              | 96.5             | 17                | 1190.8   | 3                        |                              |
|              | 5325.5               | 3              | 55.7             | 10                | 1642.5   | 1                        |                              |
|              | 5322.5               | 4              | 93.4             | 18                | 1801.1   | 1                        |                              |
|              | 5325.5               | 5              | 95.1             | 10                | 1879.1   | 2                        |                              |
|              | 5324.5               | 6              | 71.2             | 13                | 1593.1   | 3                        |                              |
|              | 5325.5               | 7              | 57.3             | 11                | 1287.5   | 3                        |                              |
|              | 5322.5               | 8              | 93.4             | 18                | 1318.0   | 1                        |                              |
|              | 5324.5               | 9              | 91.8             | 12                | 1109.3   | 3                        |                              |
|              | 5323.5               | 10             | 75.2             | 15                | 1855.5   | 3                        |                              |
|              | 5323.5               | 11             | 61.1             | 14                | 1580.4   | 2                        |                              |
|              | 5322.5               | 12             | 53.5             | 17                | 1709.6   | 3                        |                              |
|              | 5322.5               | 13             | 64.2             | 17                | 1153.1   | 2                        |                              |
|              | 5323.5               | 14             | 96.8             | 14                | 1234.9   | 1                        |                              |
|              | 5322.5               | 15             | 96.3             | 17                | 1096.7   | 2                        |                              |
|              | 5327.5               | 16             | 78.6             | 5                 | 1259.6   | 3                        |                              |
|              | 5323.5               | 17             | 76.1             | 15                | 1774.8   | 1                        |                              |
|              | 5326.5               | 18             | 81.3             | 8                 | 1951.4   | 1                        |                              |
|              | 5323.5               | 19             | 62.4             | 14                | 1122.0   | 3                        |                              |
|              | 5321.5               | 20             | 53.1             | 19                | 1091.5   | 2                        |                              |

| Test Mode    |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency    |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #      | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 28           | 5322.5               | 1              | 74.1             | 17                | 1492.2   | 2                        | 0                            |
|              | 5326.5               | 2              | 56.9             | 7                 | 1101.7   | 3                        |                              |
|              | 5323.5               | 3              | 75.9             | 15                | 1511.4   | 1                        |                              |
|              | 5326.5               | 4              | 95.2             | 8                 | 1729.1   | 3                        |                              |
|              | 5325.5               | 5              | 99.8             | 9                 | 1670.4   | 3                        |                              |
|              | 5322.5               | 6              | 85.1             | 18                | 1069.0   | 2                        |                              |
|              | 5325.5               | 7              | 89.6             | 10                | 1584.1   | 3                        |                              |
|              | 5325.5               | 8              | 54.0             | 11                | 1947.5   | 3                        |                              |
|              | 5321.5               | 9              | 71.0             | 20                | 1088.6   | 2                        |                              |
|              | 5327.5               | 10             | 58.6             | 6                 | 1657.0   | 1                        |                              |
|              | 5326.5               | 11             | 86.0             | 8                 | 1296.4   | 2                        |                              |
|              | 5323.5               | 12             | 72.0             | 16                | 1563.8   | 1                        |                              |
|              | 5321.5               | 13             | 53.1             | 19                | 1886.1   | 1                        |                              |
|              | 5327.5               | 14             | 90.7             | 5                 | 1821.4   | 2                        |                              |
|              | 5324.5               | 15             | 58.0             | 13                | 1768.4   | 1                        |                              |
|              | 5324.5               | 16             | 78.2             | 12                | 1415.1   | 2                        |                              |
|              | 5324.5               | 17             | 73.9             | 13                | 1532.6   | 2                        |                              |
|              | 5321.5               | 18             | 90.7             | 20                | 1951.6   | 2                        |                              |
|              | 5325.5               | 19             | 71.9             | 9                 | 1455.3   | 3                        |                              |
|              | 5321.5               | 20             | 66.5             | 19                | 1470.8   | 2                        |                              |

| Test Mode                |                      | 802.11ax HE160 |                  |                   |          |                          |                              |
|--------------------------|----------------------|----------------|------------------|-------------------|----------|--------------------------|------------------------------|
| Frequency                |                      | 5250 MHz       |                  |                   |          |                          |                              |
| Radar Signal             |                      | Type 5         |                  |                   |          |                          |                              |
| Trial #                  | Test Frequency (MHz) | Burst#         | Pulse Width (us) | Chirp Width (MHz) | PRI (us) | Number of Pulses / Burst | 1=Detection ; 0=No Detection |
| 29                       | 5325.5               | 1              | 65.5             | 9                 | 1705.2   | 1                        | 1                            |
|                          | 5327.5               | 2              | 83.3             | 6                 | 1491.6   | 2                        |                              |
|                          | 5323.5               | 3              | 68.8             | 14                | 1224.3   | 3                        |                              |
|                          | 5325.5               | 4              | 75.8             | 9                 | 1475.8   | 2                        |                              |
|                          | 5325.5               | 5              | 82.4             | 9                 | 1061.3   | 3                        |                              |
|                          | 5325.5               | 6              | 78.4             | 9                 | 1861.4   | 3                        |                              |
|                          | 5323.5               | 7              | 74.1             | 14                | 1164.4   | 3                        |                              |
|                          | 5323.5               | 8              | 94.8             | 15                | 1735.0   | 2                        |                              |
|                          | 5323.5               | 9              | 64.6             | 14                | 1654.9   | 3                        |                              |
|                          | 5324.5               | 10             | 84.2             | 12                | 1237.3   | 3                        |                              |
|                          | 5325.5               | 11             | 98.6             | 11                | 1833.9   | 3                        |                              |
|                          | 5326.5               | 12             | 91.7             | 8                 | 1781.9   | 2                        |                              |
|                          | 5327.5               | 13             | 85.3             | 5                 | 1491.2   | 2                        |                              |
|                          | 5325.5               | 14             | 70.9             | 9                 | 1105.1   | 2                        |                              |
|                          | 5324.5               | 15             | 68.3             | 13                | 1391.1   | 2                        |                              |
|                          | 5327.5               | 16             | 52.1             | 6                 | 1866.3   | 2                        |                              |
|                          | 5323.5               | 17             | 98.6             | 16                | 1118.8   | 2                        |                              |
| 30                       | 5327.5               | 1              | 57.5             | 6                 | 1713.3   | 3                        | 1                            |
|                          | 5323.5               | 2              | 66.2             | 16                | 1002.4   | 2                        |                              |
|                          | 5327.5               | 3              | 91.3             | 6                 | 1325.7   | 2                        |                              |
|                          | 5327.5               | 4              | 83.0             | 6                 | 1732.2   | 1                        |                              |
|                          | 5327.5               | 5              | 52.8             | 6                 | 1931.1   | 2                        |                              |
|                          | 5323.5               | 6              | 96.4             | 15                | 1690.5   | 1                        |                              |
|                          | 5325.5               | 7              | 64.8             | 10                | 1775.5   | 2                        |                              |
|                          | 5325.5               | 8              | 58.9             | 11                | 1838.1   | 1                        |                              |
|                          | 5325.5               | 9              | 68.5             | 11                | 1930.5   | 2                        |                              |
|                          | 5325.5               | 10             | 53.3             | 9                 | 1004.0   | 2                        |                              |
|                          | 5323.5               | 11             | 73.8             | 14                | 1418.3   | 3                        |                              |
|                          | 5323.5               | 12             | 90.0             | 15                | 1966.4   | 3                        |                              |
|                          | 5325.5               | 13             | 88.9             | 11                | 1569.0   | 3                        |                              |
|                          | 5325.5               | 14             | 81.9             | 9                 | 1145.9   | 3                        |                              |
| Detection Percentage (%) |                      |                |                  |                   |          |                          | 93.33                        |

| Test Mode                |                  | 802.11ax HE160 |              |                    |                              |                                 |
|--------------------------|------------------|----------------|--------------|--------------------|------------------------------|---------------------------------|
| Frequency                |                  | 5250 MHz       |              |                    |                              |                                 |
| Radar Signal             |                  | Type 6         |              |                    |                              |                                 |
| Trial #                  | Pulse Width (us) | PRI (us)       | Pulses / Hop | Hopping Rate (kHz) | Hopping Sequence Length (ms) | 1=Detection ;<br>0=No Detection |
| 1                        | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 2                        | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 3                        | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 4                        | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 5                        | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 6                        | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 7                        | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 8                        | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 9                        | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 10                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 11                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 12                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 13                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 14                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 15                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 16                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 17                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 18                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 19                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 20                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 21                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 22                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 23                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 24                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 25                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 26                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 27                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 28                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 29                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| 30                       | 1                | 333            | 9            | 0.333              | 300                          | 1                               |
| Detection Percentage (%) |                  |                |              |                    |                              | 100.00                          |

---END---