

Technical drawing of a D-Link DIR-600 router label, showing dimensions and specifications.

Dimensions:

- Overall width: 99.5
- Overall height: 27.5
- Top margin: 0
- Bottom margin: -0.2
- Radius: R0.75mm
- Corner radius: 4-R2.0mm

Router Label Details:

- D-Link Model: DIR-600**
- Ports:** 4 LAN ports (1-4), 1 INTERNET port, 1 BROADBAND MODEM port.
- Buttons:** RESET, ON/OFF, Power Button, Broadband Modem.
- LED Indicators:** Power (Solid Green (Connected)), Internet (Solid Green (Connected)), Blinking Green (Traffic).
- Default router settings:** IP: 192.168.0.1, User name: "Admin", Password: "" (leave the field blank).
- Power:** 12V DC IN, Input: 12V ±0.5A.
- FCC ID:** KA2IR300D1
- Made in China**

Color: Y100

NOTES(技术要求):

- 彩色印刷, 无边框 (Color printing, no frame)
- 材料: 50# 亮白PET, 过哑膜, 背胶 (Material: 50# bright white PET with matte film, adhesive)
- 原材料及后处理工艺均能满足我司《环保技术标准》要求. (Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards)

来料方式: 卷装

TOL±		DIM				△		□		◇		CUSTOMER:		T&W 同维	
RANGE		C1	C2	C3	C4	TITLE:		MODEL:		PART NO:		D-Link		SHENZHEN GONGJIN ELECTRONICS CO., LTD.	
0~6	0.1	0.1	0.15	0.2	BOTTOM LABEL		DIR-600		608000017852						
6~30	0.2	0.3	0.4	0.5	UNITS	mm	VER:	A0	DRAW	徐志娟	DATE: 20130321				
30~80	0.25	0.5	0.9	1.2	MAT'L	/	SCALE	1:1	CHECK	覃安					
80~180	0.3	0.8	1.2	1.5	FINISH	/	SHEET	1 / 1	PDE	刘欢					
180~315	0.5	1.3	1.8	3											
315~500	0.7	1.5	2.5	4											
500~800	0.9	1.8	3	5											
ANG.TOL±		0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°											

Label location

Engineering Sample



[illegible]



This equipment complies with Part 15 of the FCC rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may that may cause undesired operation.