


Test Mode	UNII-1_TX AX (HE20) Mode	RU configuration	242/61
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	44.05	19.90
40	5200	27.15	19.20
48	5240	24.89	19.20

CH36




Date: 17.OCT.2019 11:58:43

CH40



Date: 17.OCT.2019 14:05:36

CH48




Date: 17.OCT.2019 18:17:52

Test Mode	UNII-1_TX AX (HE40) Mode	RU configuration	106/53
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.90	38.00
46	5230	41.02	37.80

CH38



Date: 17.OCT.2019 15:48:46


CH46



Date: 17.OCT.2019 15:55:25


Test Mode	UNII-1_TX AX (HE40) Mode	RU configuration	242/61
-----------	--------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	50.00	37.60
46	5230	54.99	37.80



Test Mode	UNII-1_TX AX (HE40) Mode	RU configuration	484/65
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	76.90	39.40
46	5230	78.19	40.60



Test Mode	UNII-1_TX AX (HE80) Mode	RU configuration	242/61
-----------	--------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	81.40	77.60

CH42




Date: 17.OCT.2019 16:17:54

Test Mode	UNII-1_TX AX (HE80) Mode	RU configuration	484/65
-----------	--------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	92.40	77.60


CH42



Date: 17.OCT.2019 16:26:18


Test Mode	UNII-1_TX AX (HE80) Mode	RU configuration	996/67
-----------	--------------------------	------------------	--------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	143.00	78.40



Date: 17.OCT.2019 16:32:38

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.09	500	Complies
157	5785	17.05	500	Complies
165	5825	17.15	500	Complies



Date: 18.OCT.2019 15:11:11


[illegible]

Date: 18.OCT.2019 14:51:01

Test Mode	UNII-3_TX AX (HE20) Mode	RU configuration	242/61
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	18.80	500	Complies
157	5785	18.80	500	Complies
165	5825	18.85	500	Complies

CH149




Date: 18.OCT.2019 11:35:13

CH157



Date: 18.OCT.2019 11:47:47


CH165



Date: 18.OCT.2019 11:58:30


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
149	5745	19.20	Complies
157	5785	19.20	Complies
165	5825	19.20	Complies

CH149




Date: 18.OCT.2019 14:47:15

CH157



Date: 18.OCT.2019 14:50:06

CH165




Date: 18.OCT.2019 14:52:18

Test Mode	UNII-3_TX AX (HE40) Mode	RU configuration	106/53
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.80	500	Complies
159	5795	36.70	500	Complies

CH151



Date: 18.OCT.2019 12:01:56


CH159



Date: 18.OCT.2019 15:17:05


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
151	5755	38.00	Complies
159	5795	38.20	Complies

CH151



Date: 18.OCT.2019 14:54:02

CH159




Date: 18.OCT.2019 14:56:20

Test Mode	UNII-3_TX AX (HE40) Mode	RU configuration	242/61
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.80	500	Complies
159	5795	36.60	500	Complies

CH151



Date: 18.OCT.2019 17:37:43


CH159



Date: 18.OCT.2019 17:32:30


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
151	5755	37.80	Complies
159	5795	37.80	Complies

CH151



Date: 18.OCT.2019 14:54:47

CH159




Date: 18.OCT.2019 14:56:56

Test Mode	UNII-3_TX AX (HE40) Mode	RU configuration	484/65
-----------	--------------------------	------------------	--------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	37.59	500	Complies
159	5795	37.51	500	Complies

CH151



Date: 18.OCT.2019 12:23:48


CH159



Date: 18.OCT.2019 14:16:45


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
151	5755	38.40	Complies
159	5795	38.40	Complies

CH151



Date: 18.OCT.2019 14:55:23

CH159



Date: 18.OCT.2019 14:57:34

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.80	500	Complies




Date: 18.OCT.2019 15:00:40

Test Mode	UNII-3_TX AX (HE80) Mode	RU configuration	484/65
-----------	--------------------------	------------------	--------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.80	500	Complies


CH155



Date: 18.OCT.2019 14:26:08

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
155	5775	76.80	Complies

CH155




Date: 18.OCT.2019 15:02:44

Test Mode	UNII-3_TX AX (HE80) Mode	RU configuration	996/67
-----------	--------------------------	------------------	--------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.40	500	Complies


CH155



Date: 18.OCT.2019 14:36:08

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
155	5775	77.60	Complies

CH155



Date: 18.OCT.2019 15:03:39

APPENDIX F - CONDUCTED OUTPUT POWER

Non-Beamforming

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	17.74	0.00	17.74	30.00	1.00	Complies
		52/38	19.33	0.00	19.33	30.00	1.00	Complies
		52/40	19.21	0.00	19.21	30.00	1.00	Complies
		106/53	21.73	0.00	21.73	30.00	1.00	Complies
		106/54	21.58	0.00	21.58	30.00	1.00	Complies
		242/61	19.87	0.00	19.87	30.00	1.00	Complies
40	5200	52/37	18.67	0.00	18.67	30.00	1.00	Complies
		52/38	19.23	0.00	19.23	30.00	1.00	Complies
		52/40	19.22	0.00	19.22	30.00	1.00	Complies
		106/53	21.77	0.00	21.77	30.00	1.00	Complies
		106/54	21.99	0.00	21.99	30.00	1.00	Complies
		242/61	21.31	0.00	21.31	30.00	1.00	Complies
48	5240	52/37	18.65	0.00	18.65	30.00	1.00	Complies
		52/38	18.23	0.00	18.23	30.00	1.00	Complies
		52/40	17.33	0.00	17.33	30.00	1.00	Complies
		106/53	21.55	0.00	21.55	30.00	1.00	Complies
		106/54	21.34	0.00	21.34	30.00	1.00	Complies
		242/61	22.13	0.00	22.13	30.00	1.00	Complies

Test Mode		UNII-1_TX AX (HE20) Mode_Ant. 2						
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	16.33	0.00	16.33	30.00	1.00	Complies
		52/38	17.86	0.00	17.86	30.00	1.00	Complies
		52/40	17.83	0.00	17.83	30.00	1.00	Complies
		106/53	20.41	0.00	20.41	30.00	1.00	Complies
		106/54	20.66	0.00	20.66	30.00	1.00	Complies
		242/61	19.17	0.00	19.17	30.00	1.00	Complies
40	5200	52/37	17.57	0.00	17.57	30.00	1.00	Complies
		52/38	17.92	0.00	17.92	30.00	1.00	Complies
		52/40	17.88	0.00	17.88	30.00	1.00	Complies
		106/53	20.57	0.00	20.57	30.00	1.00	Complies
		106/54	20.74	0.00	20.74	30.00	1.00	Complies
		242/61	21.67	0.00	21.67	30.00	1.00	Complies
48	5240	52/37	17.83	0.00	17.83	30.00	1.00	Complies
		52/38	18.15	0.00	18.15	30.00	1.00	Complies
		52/40	17.95	0.00	17.95	30.00	1.00	Complies
		106/53	20.61	0.00	20.61	30.00	1.00	Complies
		106/54	20.78	0.00	20.78	30.00	1.00	Complies
		242/61	22.16	0.00	22.16	30.00	1.00	Complies

Test Mode		UNII-1_TX AX (HE20) Mode_Total				
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	20.10	30.00	1.00	Complies
		52/38	21.67	30.00	1.00	Complies
		52/40	21.58	30.00	1.00	Complies
		106/53	24.13	30.00	1.00	Complies
		106/54	24.15	30.00	1.00	Complies
		242/61	22.54	30.00	1.00	Complies
40	5200	52/37	21.17	30.00	1.00	Complies
		52/38	21.63	30.00	1.00	Complies
		52/40	21.61	30.00	1.00	Complies
		106/53	24.22	30.00	1.00	Complies
		106/54	24.42	30.00	1.00	Complies
		242/61	24.50	30.00	1.00	Complies
48	5240	52/37	21.27	30.00	1.00	Complies
		52/38	21.20	30.00	1.00	Complies
		52/40	20.66	30.00	1.00	Complies
		106/53	24.12	30.00	1.00	Complies
		106/54	24.08	30.00	1.00	Complies
		242/61	25.16	30.00	1.00	Complies

Test Mode UNII-1_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	106/53	18.04	0.12	18.16	30.00	1.00	Complies
		106/54	21.33	0.12	21.45	30.00	1.00	Complies
		106/56	19.76	0.12	19.88	30.00	1.00	Complies
		242/61	20.14	0.12	20.26	30.00	1.00	Complies
		242/62	20.21	0.12	20.33	30.00	1.00	Complies
		484/65	18.27	0.12	18.39	30.00	1.00	Complies
46	5230	106/53	21.71	0.12	21.83	30.00	1.00	Complies
		106/54	22.01	0.12	22.13	30.00	1.00	Complies
		106/56	23.05	0.12	23.17	30.00	1.00	Complies
		242/61	22.88	0.12	23.00	30.00	1.00	Complies
		242/62	23.23	0.12	23.35	30.00	1.00	Complies
		484/65	21.47	0.12	21.59	30.00	1.00	Complies

Test Mode UNII-1_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	106/53	17.73	0.12	17.85	30.00	1.00	Complies
		106/54	20.36	0.12	20.48	30.00	1.00	Complies
		106/56	18.68	0.12	18.80	30.00	1.00	Complies
		242/61	18.92	0.12	19.04	30.00	1.00	Complies
		242/62	19.12	0.12	19.24	30.00	1.00	Complies
		484/65	17.26	0.12	17.38	30.00	1.00	Complies
46	5230	106/53	21.16	0.12	21.28	30.00	1.00	Complies
		106/54	21.81	0.12	21.93	30.00	1.00	Complies
		106/56	23.83	0.12	23.95	30.00	1.00	Complies
		242/61	23.84	0.12	23.96	30.00	1.00	Complies
		242/62	22.77	0.12	22.89	30.00	1.00	Complies
		484/65	20.96	0.12	21.08	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	106/53	21.02	30.00	1.00	Complies
		106/54	24.00	30.00	1.00	Complies
		106/56	22.38	30.00	1.00	Complies
		242/61	22.70	30.00	1.00	Complies
		242/62	22.83	30.00	1.00	Complies
		484/65	20.92	30.00	1.00	Complies
46	5230	106/53	24.57	30.00	1.00	Complies
		106/54	25.04	30.00	1.00	Complies
		106/56	26.59	30.00	1.00	Complies
		242/61	26.52	30.00	1.00	Complies
		242/62	26.14	30.00	1.00	Complies
		484/65	24.35	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	242/61	18.51	1.25	19.76	30.00	1.00	Complies
		242/63	18.42	1.25	19.67	30.00	1.00	Complies
		242/64	18.04	1.25	19.29	30.00	1.00	Complies
		484/65	19.11	1.25	20.36	30.00	1.00	Complies
		484/66	17.42	1.25	18.67	30.00	1.00	Complies
		996/67	18.37	1.25	19.62	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	242/61	16.26	1.25	17.51	30.00	1.00	Complies
		242/63	17.31	1.25	18.56	30.00	1.00	Complies
		242/64	18.33	1.25	19.58	30.00	1.00	Complies
		484/65	18.01	1.25	19.26	30.00	1.00	Complies
		484/66	16.69	1.25	17.94	30.00	1.00	Complies
		996/67	17.17	1.25	18.42	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	242/61	21.79	30.00	1.00	Complies
		242/63	22.16	30.00	1.00	Complies
		242/64	22.45	30.00	1.00	Complies
		484/65	22.86	30.00	1.00	Complies
		484/66	21.33	30.00	1.00	Complies
		996/67	22.07	30.00	1.00	Complies

Test Mode		UNII-3_TX AX (HE20) Mode_Ant. 1						
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	20.49	0.00	20.49	30.00	1.00	Complies
		52/38	21.12	0.00	21.12	30.00	1.00	Complies
		52/40	21.27	0.00	21.27	30.00	1.00	Complies
		106/53	22.58	0.00	22.58	30.00	1.00	Complies
		106/54	22.32	0.00	22.32	30.00	1.00	Complies
		242/61	22.52	0.00	22.52	30.00	1.00	Complies
157	5785	52/37	23.35	0.00	23.35	30.00	1.00	Complies
		52/38	23.49	0.00	23.49	30.00	1.00	Complies
		52/40	23.16	0.00	23.16	30.00	1.00	Complies
		106/53	23.89	0.00	23.89	30.00	1.00	Complies
		106/54	23.75	0.00	23.75	30.00	1.00	Complies
		242/61	22.74	0.00	22.74	30.00	1.00	Complies
165	5825	52/37	22.85	0.00	22.85	30.00	1.00	Complies
		52/38	22.44	0.00	22.44	30.00	1.00	Complies
		52/40	22.68	0.00	22.68	30.00	1.00	Complies
		106/53	23.44	0.00	23.44	30.00	1.00	Complies
		106/54	23.52	0.00	23.52	30.00	1.00	Complies
		242/61	23.51	0.00	23.51	30.00	1.00	Complies

Test Mode		UNII-3_TX AX (HE20) Mode_Ant. 2						
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	20.06	0.00	20.06	30.00	1.00	Complies
		52/38	20.31	0.00	20.31	30.00	1.00	Complies
		52/40	20.40	0.00	20.40	30.00	1.00	Complies
		106/53	21.44	0.00	21.44	30.00	1.00	Complies
		106/54	21.22	0.00	21.22	30.00	1.00	Complies
		242/61	21.16	0.00	21.16	30.00	1.00	Complies
157	5785	52/37	21.91	0.00	21.91	30.00	1.00	Complies
		52/38	22.16	0.00	22.16	30.00	1.00	Complies
		52/40	21.66	0.00	21.66	30.00	1.00	Complies
		106/53	22.55	0.00	22.55	30.00	1.00	Complies
		106/54	22.44	0.00	22.44	30.00	1.00	Complies
		242/61	21.51	0.00	21.51	30.00	1.00	Complies
165	5825	52/37	21.28	0.00	21.28	30.00	1.00	Complies
		52/38	21.11	0.00	21.11	30.00	1.00	Complies
		52/40	21.08	0.00	21.08	30.00	1.00	Complies
		106/53	21.85	0.00	21.85	30.00	1.00	Complies
		106/54	21.72	0.00	21.72	30.00	1.00	Complies
		242/61	22.04	0.00	22.04	30.00	1.00	Complies

Test Mode		UNII-3_TX AX (HE20) Mode_Total				
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	23.29	30.00	1.00	Complies
		52/38	23.74	30.00	1.00	Complies
		52/40	23.87	30.00	1.00	Complies
		106/53	25.06	30.00	1.00	Complies
		106/54	24.82	30.00	1.00	Complies
		242/61	24.90	30.00	1.00	Complies
157	5785	52/37	25.70	30.00	1.00	Complies
		52/38	25.89	30.00	1.00	Complies
		52/40	25.48	30.00	1.00	Complies
		106/53	26.28	30.00	1.00	Complies
		106/54	26.15	30.00	1.00	Complies
		242/61	25.18	30.00	1.00	Complies
165	5825	52/37	25.15	30.00	1.00	Complies
		52/38	24.84	30.00	1.00	Complies
		52/40	24.96	30.00	1.00	Complies
		106/53	25.73	30.00	1.00	Complies
		106/54	25.72	30.00	1.00	Complies
		242/61	25.85	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	106/53	23.01	0.12	23.13	30.00	1.00	Complies
		106/54	22.31	0.12	22.43	30.00	1.00	Complies
		106/56	22.22	0.12	22.34	30.00	1.00	Complies
		242/61	23.21	0.12	23.33	30.00	1.00	Complies
		242/62	23.01	0.12	23.13	30.00	1.00	Complies
		484/65	25.90	0.12	26.02	30.00	1.00	Complies
159	5795	106/53	22.78	0.12	22.90	30.00	1.00	Complies
		106/54	22.64	0.12	22.76	30.00	1.00	Complies
		106/56	22.78	0.12	22.90	30.00	1.00	Complies
		242/61	23.43	0.12	23.55	30.00	1.00	Complies
		242/62	23.39	0.12	23.51	30.00	1.00	Complies
		484/65	26.01	0.12	26.13	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	106/53	20.81	0.12	20.93	30.00	1.00	Complies
		106/54	20.98	0.12	21.10	30.00	1.00	Complies
		106/56	21.35	0.12	21.47	30.00	1.00	Complies
		242/61	22.09	0.12	22.21	30.00	1.00	Complies
		242/62	22.20	0.12	22.32	30.00	1.00	Complies
		484/65	24.55	0.12	24.67	30.00	1.00	Complies
159	5795	106/53	21.23	0.12	21.35	30.00	1.00	Complies
		106/54	21.39	0.12	21.51	30.00	1.00	Complies
		106/56	21.31	0.12	21.43	30.00	1.00	Complies
		242/61	21.78	0.12	21.9	30.00	1.00	Complies
		242/62	22.09	0.12	22.21	30.00	1.00	Complies
		484/65	24.25	0.12	24.37	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	106/53	25.18	30.00	1.00	Complies
		106/54	24.83	30.00	1.00	Complies
		106/56	24.94	30.00	1.00	Complies
		242/61	25.82	30.00	1.00	Complies
		242/62	25.75	30.00	1.00	Complies
		484/65	28.41	30.00	1.00	Complies
159	5795	106/53	25.20	30.00	1.00	Complies
		106/54	25.19	30.00	1.00	Complies
		106/56	25.24	30.00	1.00	Complies
		242/61	25.81	30.00	1.00	Complies
		242/62	25.92	30.00	1.00	Complies
		484/65	28.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	242/61	21.66	1.25	22.91	30.00	1.00	Complies
		242/63	21.34	1.25	22.59	30.00	1.00	Complies
		242/64	21.44	1.25	22.69	30.00	1.00	Complies
		484/65	22.02	1.25	23.27	30.00	1.00	Complies
		484/66	21.45	1.25	22.70	30.00	1.00	Complies
		996/67	21.65	1.25	22.90	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	242/61	21.09	1.25	22.34	30.00	1.00	Complies
		242/63	20.64	1.25	21.89	30.00	1.00	Complies
		242/64	20.23	1.25	21.48	30.00	1.00	Complies
		484/65	20.78	1.25	22.03	30.00	1.00	Complies
		484/66	20.29	1.25	21.54	30.00	1.00	Complies
		996/67	20.31	1.25	21.56	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	242/61	25.64	30.00	1.00	Complies
		242/63	25.26	30.00	1.00	Complies
		242/64	25.14	30.00	1.00	Complies
		484/65	25.70	30.00	1.00	Complies
		484/66	25.17	30.00	1.00	Complies
		996/67	25.29	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	17.31	0.00	17.31	30.00	1.00	Complies
		52/38	19.03	0.00	19.03	30.00	1.00	Complies
		52/40	18.89	0.00	18.89	30.00	1.00	Complies
		106/53	21.33	0.00	21.33	30.00	1.00	Complies
		106/54	21.28	0.00	21.28	30.00	1.00	Complies
		242/61	19.61	0.00	19.61	30.00	1.00	Complies
40	5200	52/37	18.21	0.00	18.21	30.00	1.00	Complies
		52/38	18.71	0.00	18.71	30.00	1.00	Complies
		52/40	18.82	0.00	18.82	30.00	1.00	Complies
		106/53	21.27	0.00	21.27	30.00	1.00	Complies
		106/54	21.46	0.00	21.46	30.00	1.00	Complies
		242/61	21.01	0.00	21.01	30.00	1.00	Complies
48	5240	52/37	18.20	0.00	18.20	30.00	1.00	Complies
		52/38	17.88	0.00	17.88	30.00	1.00	Complies
		52/40	16.97	0.00	16.97	30.00	1.00	Complies
		106/53	21.06	0.00	21.06	30.00	1.00	Complies
		106/54	21.04	0.00	21.04	30.00	1.00	Complies
		242/61	21.68	0.00	21.68	30.00	1.00	Complies

Test Mode		UNII-1_TX AX (HE20) Mode_Ant. 2						
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	16.02	0.00	16.02	30.00	1.00	Complies
		52/38	17.56	0.00	17.56	30.00	1.00	Complies
		52/40	17.36	0.00	17.36	30.00	1.00	Complies
		106/53	20.12	0.00	20.12	30.00	1.00	Complies
		106/54	20.31	0.00	20.31	30.00	1.00	Complies
		242/61	18.88	0.00	18.88	30.00	1.00	Complies
40	5200	52/37	17.12	0.00	17.12	30.00	1.00	Complies
		52/38	17.61	0.00	17.61	30.00	1.00	Complies
		52/40	17.52	0.00	17.52	30.00	1.00	Complies
		106/53	20.11	0.00	20.11	30.00	1.00	Complies
		106/54	20.37	0.00	20.37	30.00	1.00	Complies
		242/61	21.21	0.00	21.21	30.00	1.00	Complies
48	5240	52/37	17.44	0.00	17.44	30.00	1.00	Complies
		52/38	17.76	0.00	17.76	30.00	1.00	Complies
		52/40	17.55	0.00	17.55	30.00	1.00	Complies
		106/53	20.12	0.00	20.12	30.00	1.00	Complies
		106/54	20.31	0.00	20.31	30.00	1.00	Complies
		242/61	21.74	0.00	21.74	30.00	1.00	Complies

Test Mode		UNII-1_TX AX (HE20) Mode_Total				
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	19.72	30.00	1.00	Complies
		52/38	21.37	30.00	1.00	Complies
		52/40	21.20	30.00	1.00	Complies
		106/53	23.78	30.00	1.00	Complies
		106/54	23.83	30.00	1.00	Complies
		242/61	22.27	30.00	1.00	Complies
40	5200	52/37	20.71	30.00	1.00	Complies
		52/38	21.21	30.00	1.00	Complies
		52/40	21.23	30.00	1.00	Complies
		106/53	23.74	30.00	1.00	Complies
		106/54	23.96	30.00	1.00	Complies
		242/61	24.12	30.00	1.00	Complies
48	5240	52/37	20.85	30.00	1.00	Complies
		52/38	20.83	30.00	1.00	Complies
		52/40	20.28	30.00	1.00	Complies
		106/53	23.63	30.00	1.00	Complies
		106/54	23.70	30.00	1.00	Complies
		242/61	24.72	30.00	1.00	Complies

Test Mode		UNII-1_TX AX (HE40) Mode_Ant. 1						
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	106/53	17.65	0.12	17.77	30.00	1.00	Complies
		106/54	21.01	0.12	21.13	30.00	1.00	Complies
		106/56	19.41	0.12	19.53	30.00	1.00	Complies
		242/61	19.87	0.12	19.99	30.00	1.00	Complies
		242/62	19.87	0.12	19.99	30.00	1.00	Complies
		484/65	17.86	0.12	17.98	30.00	1.00	Complies
46	5230	106/53	21.59	0.12	21.71	30.00	1.00	Complies
		106/54	21.08	0.12	21.20	30.00	1.00	Complies
		106/56	22.78	0.12	22.90	30.00	1.00	Complies
		242/61	22.58	0.12	22.70	30.00	1.00	Complies
		242/62	22.98	0.12	23.10	30.00	1.00	Complies
		484/65	21.06	0.12	21.18	30.00	1.00	Complies

Test Mode		UNII-1_TX AX (HE40) Mode_Ant. 2						
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	106/53	17.41	0.12	17.53	30.00	1.00	Complies
		106/54	19.98	0.12	20.10	30.00	1.00	Complies
		106/56	18.21	0.12	18.33	30.00	1.00	Complies
		242/61	18.67	0.12	18.79	30.00	1.00	Complies
		242/62	18.88	0.12	19.00	30.00	1.00	Complies
		484/65	16.89	0.12	17.01	30.00	1.00	Complies
46	5230	106/53	20.77	0.12	20.89	30.00	1.00	Complies
		106/54	21.67	0.12	21.79	30.00	1.00	Complies
		106/56	23.58	0.12	23.70	30.00	1.00	Complies
		242/61	23.58	0.12	23.70	30.00	1.00	Complies
		242/62	22.48	0.12	22.60	30.00	1.00	Complies
		484/65	20.65	0.12	20.77	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	106/53	20.66	30.00	1.00	Complies
		106/54	23.66	30.00	1.00	Complies
		106/56	21.98	30.00	1.00	Complies
		242/61	22.44	30.00	1.00	Complies
		242/62	22.53	30.00	1.00	Complies
		484/65	20.53	30.00	1.00	Complies
46	5230	106/53	24.33	30.00	1.00	Complies
		106/54	24.52	30.00	1.00	Complies
		106/56	26.33	30.00	1.00	Complies
		242/61	26.24	30.00	1.00	Complies
		242/62	25.87	30.00	1.00	Complies
		484/65	23.99	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	242/61	18.21	1.25	19.46	30.00	1.00	Complies
		242/63	18.12	1.25	19.37	30.00	1.00	Complies
		242/64	17.68	1.25	18.93	30.00	1.00	Complies
		484/65	18.68	1.25	19.93	30.00	1.00	Complies
		484/66	17.12	1.25	18.37	30.00	1.00	Complies
		996/67	17.99	1.25	19.24	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	242/61	16.01	1.25	17.26	30.00	1.00	Complies
		242/63	17.03	1.25	18.28	30.00	1.00	Complies
		242/64	18.02	1.25	19.27	30.00	1.00	Complies
		484/65	17.69	1.25	18.94	30.00	1.00	Complies
		484/66	16.23	1.25	17.48	30.00	1.00	Complies
		996/67	17.15	1.25	18.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	242/61	21.51	30.00	1.00	Complies
		242/63	21.87	30.00	1.00	Complies
		242/64	22.11	30.00	1.00	Complies
		484/65	22.47	30.00	1.00	Complies
		484/66	20.96	30.00	1.00	Complies
		996/67	21.85	30.00	1.00	Complies

Test Mode UNII-3_TX AX (HE20) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	20.12	0.00	20.12	30.00	1.00	Complies
		52/38	20.68	0.00	20.68	30.00	1.00	Complies
		52/40	20.99	0.00	20.99	30.00	1.00	Complies
		106/53	22.21	0.00	22.21	30.00	1.00	Complies
		106/54	22.01	0.00	22.01	30.00	1.00	Complies
		242/61	22.12	0.00	22.12	30.00	1.00	Complies
157	5785	52/37	23.07	0.00	23.07	30.00	1.00	Complies
		52/38	23.11	0.00	23.11	30.00	1.00	Complies
		52/40	22.75	0.00	22.75	30.00	1.00	Complies
		106/53	23.11	0.00	23.11	30.00	1.00	Complies
		106/54	23.42	0.00	23.42	30.00	1.00	Complies
		242/61	22.41	0.00	22.41	30.00	1.00	Complies
165	5825	52/37	22.53	0.00	22.53	30.00	1.00	Complies
		52/38	22.04	0.00	22.04	30.00	1.00	Complies
		52/40	22.25	0.00	22.25	30.00	1.00	Complies
		106/53	23.11	0.00	23.11	30.00	1.00	Complies
		106/54	23.22	0.00	23.22	30.00	1.00	Complies
		242/61	23.16	0.00	23.16	30.00	1.00	Complies

Test Mode		UNII-3_TX AX (HE20) Mode_Ant. 2						
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	19.77	0.00	19.77	30.00	1.00	Complies
		52/38	19.97	0.00	19.97	30.00	1.00	Complies
		52/40	20.08	0.00	20.08	30.00	1.00	Complies
		106/53	21.08	0.00	21.08	30.00	1.00	Complies
		106/54	20.89	0.00	20.89	30.00	1.00	Complies
		242/61	20.88	0.00	20.88	30.00	1.00	Complies
157	5785	52/37	21.69	0.00	21.69	30.00	1.00	Complies
		52/38	21.78	0.00	21.78	30.00	1.00	Complies
		52/40	21.34	0.00	21.34	30.00	1.00	Complies
		106/53	21.77	0.00	21.77	30.00	1.00	Complies
		106/54	22.02	0.00	22.02	30.00	1.00	Complies
		242/61	21.04	0.00	21.04	30.00	1.00	Complies
165	5825	52/37	21.01	0.00	21.01	30.00	1.00	Complies
		52/38	20.77	0.00	20.77	30.00	1.00	Complies
		52/40	20.67	0.00	20.67	30.00	1.00	Complies
		106/53	21.56	0.00	21.56	30.00	1.00	Complies
		106/54	21.45	0.00	21.45	30.00	1.00	Complies
		242/61	21.68	0.00	21.68	30.00	1.00	Complies

Test Mode		UNII-3_TX AX (HE20) Mode_Total				
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	22.96	30.00	1.00	Complies
		52/38	23.35	30.00	1.00	Complies
		52/40	23.57	30.00	1.00	Complies
		106/53	24.69	30.00	1.00	Complies
		106/54	24.50	30.00	1.00	Complies
		242/61	24.55	30.00	1.00	Complies
157	5785	52/37	25.44	30.00	1.00	Complies
		52/38	25.51	30.00	1.00	Complies
		52/40	25.11	30.00	1.00	Complies
		106/53	25.50	30.00	1.00	Complies
		106/54	25.79	30.00	1.00	Complies
		242/61	24.79	30.00	1.00	Complies
165	5825	52/37	24.85	30.00	1.00	Complies
		52/38	24.46	30.00	1.00	Complies
		52/40	24.54	30.00	1.00	Complies
		106/53	25.41	30.00	1.00	Complies
		106/54	25.43	30.00	1.00	Complies
		242/61	25.49	30.00	1.00	Complies

Test Mode		UNII-3_TX AX (HE40) Mode_Ant. 1						
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	106/53	22.58	0.12	22.70	30.00	1.00	Complies
		106/54	22.01	0.12	22.13	30.00	1.00	Complies
		106/56	21.89	0.12	22.01	30.00	1.00	Complies
		242/61	23.37	0.12	23.49	30.00	1.00	Complies
		242/62	22.68	0.12	22.80	30.00	1.00	Complies
		484/65	25.90	0.12	26.02	30.00	1.00	Complies
159	5795	106/53	22.59	0.12	22.71	30.00	1.00	Complies
		106/54	22.29	0.12	22.41	30.00	1.00	Complies
		106/56	22.57	0.12	22.69	30.00	1.00	Complies
		242/61	23.08	0.12	23.20	30.00	1.00	Complies
		242/62	23.01	0.12	23.13	30.00	1.00	Complies
		484/65	26.01	0.12	26.13	30.00	1.00	Complies

Test Mode		UNII-3_TX AX (HE40) Mode_Ant. 2						
Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	106/53	20.52	0.12	20.64	30.00	1.00	Complies
		106/54	20.64	0.12	20.76	30.00	1.00	Complies
		106/56	21.02	0.12	21.14	30.00	1.00	Complies
		242/61	21.24	0.12	21.36	30.00	1.00	Complies
		242/62	21.89	0.12	22.01	30.00	1.00	Complies
		484/65	24.55	0.12	24.67	30.00	1.00	Complies
159	5795	106/53	20.89	0.12	21.01	30.00	1.00	Complies
		106/54	20.68	0.12	20.80	30.00	1.00	Complies
		106/56	21.03	0.12	21.15	30.00	1.00	Complies
		242/61	21.32	0.12	21.44	30.00	1.00	Complies
		242/62	21.87	0.12	21.99	30.00	1.00	Complies
		484/65	24.25	0.12	24.37	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	106/53	24.80	30.00	1.00	Complies
		106/54	24.51	30.00	1.00	Complies
		106/56	24.61	30.00	1.00	Complies
		242/61	25.56	30.00	1.00	Complies
		242/62	25.43	30.00	1.00	Complies
		484/65	28.41	30.00	1.00	Complies
159	5795	106/53	24.95	30.00	1.00	Complies
		106/54	24.69	30.00	1.00	Complies
		106/56	25.00	30.00	1.00	Complies
		242/61	25.42	30.00	1.00	Complies
		242/62	25.61	30.00	1.00	Complies
		484/65	28.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	242/61	21.21	1.25	22.46	30.00	1.00	Complies
		242/63	21.02	1.25	22.27	30.00	1.00	Complies
		242/64	21.05	1.25	22.30	30.00	1.00	Complies
		484/65	21.68	1.25	22.93	30.00	1.00	Complies
		484/66	21.06	1.25	22.31	30.00	1.00	Complies
		996/67	21.22	1.25	22.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	242/61	20.68	1.25	21.93	30.00	1.00	Complies
		242/63	20.26	1.25	21.51	30.00	1.00	Complies
		242/64	19.95	1.25	21.20	30.00	1.00	Complies
		484/65	20.45	1.25	21.70	30.00	1.00	Complies
		484/66	19.89	1.25	21.14	30.00	1.00	Complies
		996/67	19.89	1.25	21.14	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------




Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	242/61	25.21	30.00	1.00	Complies
		242/63	24.92	30.00	1.00	Complies
		242/64	24.80	30.00	1.00	Complies
		484/65	25.37	30.00	1.00	Complies
		484/66	24.77	30.00	1.00	Complies
		996/67	24.87	30.00	1.00	Complies
		242/61	25.21	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Non-Beamforming




Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/37
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.62	0.00	13.62	17.00	Complies
40	5200	13.79	0.00	13.79	17.00	Complies
48	5240	13.49	0.00	13.49	17.00	Complies



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/37
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.76	0.00	12.76	17.00	Complies
40	5200	13.14	0.00	13.14	17.00	Complies
48	5240	12.11	0.00	12.11	17.00	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	52/37
-----------	---------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.22	17.00	Complies
40	5200	16.49	17.00	Complies
48	5240	15.86	17.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/38
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.04	0.00	14.04	17.00	Complies
40	5200	14.32	0.00	14.32	17.00	Complies
48	5240	13.91	0.00	13.91	17.00	Complies



Date: 17.OCT.2019 11:29:48




Date: 17.OCT.2019 12:09:42




Date: 17.OCT.2019 16:54:10

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/38
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.19	0.00	13.19	17.00	Complies
40	5200	13.28	0.00	13.28	17.00	Complies
48	5240	12.79	0.00	12.79	17.00	Complies



Date: 17.OCT.2019 11:32:34



Date: 17.OCT.2019 12:10:23




Date: 17.OCT.2019 16:54:51

Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	52/38
-----------	---------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.65	17.00	Complies
40	5200	16.84	17.00	Complies
48	5240	16.40	17.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/40
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.23	0.00	13.23	17.00	Complies
40	5200	13.89	0.00	13.89	17.00	Complies
48	5240	13.53	0.00	13.53	17.00	Complies



Date: 17.OCT.2019 11:43:16




Date: 17.OCT.2019 12:12:04




Date: 17.OCT.2019 16:56:21

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/40
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.09	0.00	14.09	17.00	Complies
40	5200	13.51	0.00	13.51	17.00	Complies
48	5240	13.03	0.00	13.03	17.00	Complies



Date: 17.OCT.2019 11:45:12



Date: 17.OCT.2019 12:13:09






Date: 17.OCT.2019 16:55:41

Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	52/40
-----------	---------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.69	17.00	Complies
40	5200	16.71	17.00	Complies
48	5240	16.30	17.00	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.83	0.00	13.83	17.00	Complies
40	5200	13.46	0.00	13.46	17.00	Complies
48	5240	13.21	0.00	13.21	17.00	Complies



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.04	0.00	13.04	17.00	Complies
40	5200	13.08	0.00	13.08	17.00	Complies
48	5240	12.07	0.00	12.07	17.00	Complies



Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	106/53
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.46	17.00	Complies
40	5200	16.28	17.00	Complies
48	5240	15.69	17.00	Complies