


Orthogonal Axis	X
Test Mode	UNII-2C_ TX AX (HE40) Mode 5670 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11339.09	47.53	-2.61	44.92	74.00	-29.08	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_ TX AX (HE40) Mode 5670 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5662.910	59.32	38.39	97.71	68.30	29.41	peak	
2	X	5662.910	50.15	38.39	88.54	68.30	20.24	AVG	
3		5725.000	22.25	38.50	60.75	68.30	-7.55	peak	
4		5725.000	6.44	38.50	44.94	68.30	-23.36	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_ TX AX (HE40) Mode 5670 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11341.54	47.36	-2.61	44.75	74.00	-29.25	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE80) Mode 5530 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5458.938	30.64	38.11	68.75	74.00	-5.25	peak	
2		5458.938	13.22	38.11	51.33	54.00	-2.67	AVG	
3	*	5545.050	72.69	38.28	110.97	68.30	42.67	peak	
4	X	5545.050	60.09	38.28	98.37	68.30	30.07	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_ TX AX (HE80) Mode 5530 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11060.28	48.11	-2.56	45.55	74.00	-28.45	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_ TX AX (HE80) Mode 5530 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.805	23.16	38.12	61.28	68.30	-7.02	peak	
2		5460.805	7.09	38.12	45.21	68.30	-23.09	AVG	
3	*	5545.050	60.39	38.28	98.67	68.30	30.37	peak	
4	X	5545.050	50.41	38.28	88.69	68.30	20.39	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_ TX AX (HE80) Mode 5530 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11060.24	48.41	-2.56	45.85	74.00	-28.15	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE80) Mode 5610 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5601.283	73.74	38.34	112.08	68.30	43.78	peak	
2	X	5601.283	64.36	38.34	102.70	68.30	34.40	AVG	
3		5725.000	27.46	38.50	65.96	68.30	-2.34	peak	
4		5725.000	13.56	38.50	52.06	68.30	-16.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_ TX AX (HE80) Mode 5610 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11219.52	48.45	-2.76	45.69	74.00	-28.31	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_ TX AX (HE80) Mode 5610 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5598.792	59.71	38.34	98.05	68.30	29.75	peak	
2	X	5598.792	51.77	38.34	90.11	68.30	21.81	AVG	
3		5725.000	23.02	38.50	61.52	68.30	-6.78	peak	
4		5725.000	7.11	38.50	45.61	68.30	-22.69	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_ TX AX (HE80) Mode 5610 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11221.53	48.53	-2.76	45.77	74.00	-28.23	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


APPENDIX E - BANDWIDTH

CDD


Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.14	16.90
60	5300	21.16	16.84
64	5320	21.21	16.80


CH52



CH60




CH64




Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.96	16.77
116	5580	20.93	16.78
140	5700	20.96	16.82


CH100



CH116




CH140




Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.50	17.94
60	5300	21.21	17.97
64	5320	21.61	17.84



Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	39.01	36.30
62	5310	38.93	36.18



Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	80.68	75.95

CH58





Test Mode	UNII-2A_TX AX (HE20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.64	19.05
60	5300	20.85	19.00
64	5320	21.52	19.98

CH52

CH60

CH64


Test Mode	UNII-2A_TX AX (HE40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	39.77	37.60
62	5310	39.77	37.54

CH54

CH62


Test Mode UNII-2A_TX AX (HE80)


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	80.49	76.76

CH58




Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.46	17.89
116	5580	21.40	17.96
140	5700	21.70	17.90





Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.05	36.24
110	5550	39.16	36.23
134	5670	39.25	36.25




Test Mode	UNII-2C_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	80.62	75.90
122	5610	101.90	75.81

CH106

CH122



Test Mode	UNII-2C_TX AX (HE20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.52	18.89
116	5580	21.71	19.07
140	5670	21.50	18.95



Test Mode	UNII-2C_TX AX (HE40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.42	37.49
110	5550	39.65	37.52
134	5670	39.41	37.65




Test Mode	UNII-2C_TX AX (HE80)
-----------	----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	81.28	76.99
122	5610	80.54	76.94

CH106



CH122



APPENDIX F - CONDUCTED OUTPUT POWER

For 1TX

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.29	0.21	16.50	24.00	0.25	Complies
60	5300	16.38	0.21	16.59	24.00	0.25	Complies
64	5320	16.17	0.21	16.38	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.52	0.21	16.73	24.00	0.25	Complies
116	5580	17.75	0.21	17.96	24.00	0.25	Complies
140	5700	16.93	0.21	17.14	24.00	0.25	Complies

**For 2TX
CDD**

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.77	0.44	14.21	24.00	0.25	Complies
60	5300	13.87	0.44	14.31	24.00	0.25	Complies
64	5320	13.77	0.44	14.21	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.37	0.44	12.81	24.00	0.25	Complies
60	5300	12.89	0.44	13.33	24.00	0.25	Complies
64	5320	12.42	0.44	12.86	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.57	24.00	0.25	Complies
60	5300	16.86	24.00	0.25	Complies
64	5320	16.60	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.78	0.79	16.57	24.00	0.25	Complies
62	5310	14.21	0.79	15.00	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.71	0.79	15.50	24.00	0.25	Complies
62	5310	13.45	0.79	14.24	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.08	24.00	0.25	Complies
62	5310	17.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.37	0.44	14.81	24.00	0.25	Complies
116	5580	14.52	0.44	14.96	24.00	0.25	Complies
140	5700	13.54	0.44	13.98	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.32	0.44	15.76	24.00	0.25	Complies
116	5580	13.27	0.44	13.71	24.00	0.25	Complies
140	5700	11.78	0.44	12.22	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.32	24.00	0.25	Complies
116	5580	17.39	24.00	0.25	Complies
140	5700	16.20	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.85	0.79	16.64	24.00	0.25	Complies
110	5550	17.65	0.79	18.44	24.00	0.25	Complies
134	5670	17.86	0.79	18.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.37	0.79	16.16	24.00	0.25	Complies
110	5550	17.27	0.79	18.06	24.00	0.25	Complies
134	5670	17.32	0.79	18.11	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.42	24.00	0.25	Complies
110	5550	21.27	24.00	0.25	Complies
134	5670	21.40	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.88	0.13	14.01	24.00	0.25	Complies
60	5300	13.97	0.13	14.10	24.00	0.25	Complies
64	5320	13.83	0.13	13.96	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.41	0.13	12.54	24.00	0.25	Complies
60	5300	13.06	0.13	13.19	24.00	0.25	Complies
64	5320	12.84	0.13	12.97	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.35	24.00	0.25	Complies
60	5300	16.68	24.00	0.25	Complies
64	5320	16.50	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.31	0.25	16.56	24.00	0.25	Complies
62	5310	14.25	0.25	14.50	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.68	0.25	15.93	24.00	0.25	Complies
62	5310	13.78	0.25	14.03	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.27	24.00	0.25	Complies
62	5310	17.28	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.02	0.56	21.58	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.64	0.56	20.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.95	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.89	0.79	13.68	24.00	0.25	Complies
60	5300	12.47	0.79	13.26	24.00	0.25	Complies
64	5320	11.97	0.79	12.76	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.77	0.79	12.56	24.00	0.25	Complies
60	5300	11.56	0.79	12.35	24.00	0.25	Complies
64	5320	11.24	0.79	12.03	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.17	24.00	0.25	Complies
60	5300	15.84	24.00	0.25	Complies
64	5320	15.42	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.42	1.11	21.53	24.00	0.25	Complies
62	5310	12.75	1.11	13.86	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.69	1.11	19.80	24.00	0.25	Complies
62	5310	11.74	1.11	12.85	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.76	24.00	0.25	Complies
62	5310	16.40	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.53	1.25	13.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.78	1.25	13.03	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.43	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.42	0.13	14.55	24.00	0.25	Complies
116	5580	14.67	0.13	14.80	24.00	0.25	Complies
140	5700	13.87	0.13	14.00	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.37	0.13	15.50	24.00	0.25	Complies
116	5580	13.52	0.13	13.65	24.00	0.25	Complies
140	5700	12.03	0.13	12.16	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.06	24.00	0.25	Complies
116	5580	17.27	24.00	0.25	Complies
140	5700	16.19	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.83	0.25	16.08	24.00	0.25	Complies
110	5550	17.88	0.25	18.13	24.00	0.25	Complies
134	5670	17.99	0.25	18.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.41	0.25	15.66	24.00	0.25	Complies
110	5550	17.43	0.25	17.68	24.00	0.25	Complies
134	5670	17.47	0.25	17.72	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.89	24.00	0.25	Complies
110	5550	20.92	24.00	0.25	Complies
134	5670	21.00	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.26	0.56	16.82	24.00	0.25	Complies
122	5610	21.08	0.56	21.64	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.98	0.56	16.54	24.00	0.25	Complies
122	5610	19.14	0.56	19.70	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.69	24.00	0.25	Complies
122	5610	23.79	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.25	0.79	14.04	24.00	0.25	Complies
116	5580	13.87	0.79	14.66	24.00	0.25	Complies
140	5700	13.16	0.79	13.95	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.12	0.79	13.91	24.00	0.25	Complies
116	5580	13.42	0.79	14.21	24.00	0.25	Complies
140	5700	12.97	0.79	13.76	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.99	24.00	0.25	Complies
116	5580	17.45	24.00	0.25	Complies
140	5700	16.87	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.48	1.11	14.59	24.00	0.25	Complies
110	5550	16.38	1.11	17.49	24.00	0.25	Complies
134	5670	16.21	1.11	17.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.89	1.11	14.00	24.00	0.25	Complies
110	5550	15.89	1.11	17.00	24.00	0.25	Complies
134	5670	15.89	1.11	17.00	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.32	24.00	0.25	Complies
110	5550	20.26	24.00	0.25	Complies
134	5670	20.17	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.59	1.25	15.84	24.00	0.25	Complies
122	5610	19.85	1.25	21.10	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.01	1.25	15.26	24.00	0.25	Complies
122	5610	18.15	1.25	19.40	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.57	24.00	0.25	Complies
122	5610	23.34	24.00	0.25	Complies

**For 2TX
Beamforming**

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.75	0.44	13.19	21.99	0.16	Complies
60	5300	12.85	0.44	13.29	21.99	0.16	Complies
64	5320	13.75	0.44	14.19	21.99	0.16	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.35	0.44	12.79	21.99	0.16	Complies
60	5300	12.86	0.44	13.30	21.99	0.16	Complies
64	5320	12.41	0.44	12.85	21.99	0.16	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.00	21.99	0.16	Complies
60	5300	16.30	21.99	0.16	Complies
64	5320	16.58	21.99	0.16	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.67	0.79	16.46	21.99	0.16	Complies
62	5310	14.18	0.79	14.97	21.99	0.16	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.73	0.79	15.52	21.99	0.16	Complies
62	5310	13.45	0.79	14.24	21.99	0.16	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.03	21.99	0.16	Complies
62	5310	17.63	21.99	0.16	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.32	0.44	14.76	21.99	0.16	Complies
116	5580	14.51	0.44	14.95	21.99	0.16	Complies
140	5700	13.44	0.44	13.88	21.99	0.16	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.31	0.44	15.75	21.99	0.16	Complies
116	5580	13.21	0.44	13.65	21.99	0.16	Complies
140	5700	11.67	0.44	12.11	21.99	0.16	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.29	21.99	0.16	Complies
116	5580	17.36	21.99	0.16	Complies
140	5700	16.09	21.99	0.16	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.83	0.79	16.62	21.99	0.16	Complies
110	5550	17.61	0.79	18.40	21.99	0.16	Complies
134	5670	17.57	0.79	18.36	21.99	0.16	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.32	0.79	16.11	21.99	0.16	Complies
110	5550	17.21	0.79	18.00	21.99	0.16	Complies
134	5670	17.21	0.79	18.00	21.99	0.16	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.38	21.99	0.16	Complies
110	5550	21.22	21.99	0.16	Complies
134	5670	21.20	21.99	0.16	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.86	0.13	13.99	21.99	0.16	Complies
60	5300	13.85	0.13	13.98	21.99	0.16	Complies
64	5320	13.75	0.13	13.88	21.99	0.16	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.35	0.13	12.48	21.99	0.16	Complies
60	5300	13.04	0.13	13.17	21.99	0.16	Complies
64	5320	12.66	0.13	12.79	21.99	0.16	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.31	21.99	0.16	Complies
60	5300	16.60	21.99	0.16	Complies
64	5320	16.38	21.99	0.16	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.21	0.25	16.46	21.99	0.16	Complies
62	5310	14.21	0.25	14.46	21.99	0.16	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.56	0.25	15.81	21.99	0.16	Complies
62	5310	13.53	0.25	13.78	21.99	0.16	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.16	21.99	0.16	Complies
62	5310	17.14	21.99	0.16	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.56	0.56	18.12	21.99	0.16	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.59	0.56	18.15	21.99	0.16	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.14	21.99	0.16	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.74	0.79	13.53	21.99	0.16	Complies
60	5300	12.41	0.79	13.20	21.99	0.16	Complies
64	5320	11.74	0.79	12.53	21.99	0.16	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.25	0.79	12.04	21.99	0.16	Complies
60	5300	11.42	0.79	12.21	21.99	0.16	Complies
64	5320	11.12	0.79	11.91	21.99	0.16	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.86	21.99	0.16	Complies
60	5300	15.75	21.99	0.16	Complies
64	5320	15.24	21.99	0.16	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.62	1.11	17.73	21.99	0.16	Complies
62	5310	12.47	1.11	13.58	21.99	0.16	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.22	1.11	18.33	21.99	0.16	Complies
62	5310	11.57	1.11	12.68	21.99	0.16	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.05	21.99	0.16	Complies
62	5310	16.17	21.99	0.16	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.24	1.25	13.49	21.99	0.16	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.74	1.25	12.99	21.99	0.16	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.26	21.99	0.16	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.24	0.13	14.37	21.99	0.16	Complies
116	5580	14.52	0.13	14.65	21.99	0.16	Complies
140	5700	13.41	0.13	13.54	21.99	0.16	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.31	0.13	15.44	21.99	0.16	Complies
116	5580	13.21	0.13	13.34	21.99	0.16	Complies
140	5700	11.78	0.13	11.91	21.99	0.16	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.95	21.99	0.16	Complies
116	5580	17.05	21.99	0.16	Complies
140	5700	15.81	21.99	0.16	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.42	0.25	15.67	21.99	0.16	Complies
110	5550	17.56	0.25	17.81	21.99	0.16	Complies
134	5670	17.52	0.25	17.77	21.99	0.16	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.23	0.25	15.48	21.99	0.16	Complies
110	5550	17.21	0.25	17.46	21.99	0.16	Complies
134	5670	17.21	0.25	17.46	21.99	0.16	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.59	21.99	0.16	Complies
110	5550	20.65	21.99	0.16	Complies
134	5670	20.63	21.99	0.16	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.11	0.56	16.67	21.99	0.16	Complies
122	5610	17.61	0.56	18.17	21.99	0.16	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.77	0.56	16.33	21.99	0.16	Complies
122	5610	17.58	0.56	18.14	21.99	0.16	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.51	21.99	0.16	Complies
122	5610	21.16	21.99	0.16	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.21	0.79	14.00	21.99	0.16	Complies
116	5580	13.54	0.79	14.33	21.99	0.16	Complies
140	5700	13.01	0.79	13.80	21.99	0.16	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.07	0.79	13.86	21.99	0.16	Complies
116	5580	13.21	0.79	14.00	21.99	0.16	Complies
140	5700	12.86	0.79	13.65	21.99	0.16	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.94	21.99	0.16	Complies
116	5580	17.18	21.99	0.16	Complies
140	5700	16.74	21.99	0.16	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.24	1.11	14.35	21.99	0.16	Complies
110	5550	16.25	1.11	17.36	21.99	0.16	Complies
134	5670	16.08	1.11	17.19	21.99	0.16	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.65	1.11	13.76	21.99	0.16	Complies
110	5550	15.45	1.11	16.56	21.99	0.16	Complies
134	5670	15.48	1.11	16.59	21.99	0.16	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.08	21.99	0.16	Complies
110	5550	19.99	21.99	0.16	Complies
134	5670	19.91	21.99	0.16	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.23	1.25	15.48	21.99	0.16	Complies
122	5610	16.91	1.25	18.16	21.99	0.16	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.25	1.25	14.50	21.99	0.16	Complies
122	5610	16.93	1.25	18.18	21.99	0.16	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.03	21.99	0.16	Complies
122	5610	21.18	21.99	0.16	Complies


APPENDIX G - POWER SPECTRAL DENSITY

For 1TX


Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.35	0.21	8.56	11.00	Complies
60	5300	8.65	0.21	8.86	11.00	Complies
64	5320	8.59	0.21	8.80	11.00	Complies


CH52



CH60




CH64




Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.61	0.21	8.82	11.00	Complies
116	5580	8.75	0.21	8.96	11.00	Complies
140	5700	8.43	0.21	8.64	11.00	Complies


CH100



CH116




CH140



**For 2TX
CDD**


Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.08	0.13	6.21	8.99	Complies
60	5300	5.87	0.13	6.00	8.99	Complies
64	5320	5.99	0.13	6.12	8.99	Complies



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.82	0.13	4.95	8.99	Complies
60	5300	4.59	0.13	4.72	8.99	Complies
64	5320	5.27	0.13	5.40	8.99	Complies




Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.63	8.99	Complies
60	5300	8.42	8.99	Complies
64	5320	8.78	8.99	Complies


Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
------------------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.99	0.25	6.24	8.99	Complies
62	5310	6.04	0.25	6.29	8.99	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
------------------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.17	0.25	4.42	8.99	Complies
62	5310	5.07	0.25	5.32	8.99	Complies




Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
------------------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.44	8.99	Complies
62	5310	8.84	8.99	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.94	0.56	4.50	8.99	Complies


CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.13	0.56	2.69	8.99	Complies

CH58




Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.70	8.99	Complies


Test Mode	UNII-2A_TX AX (HE20) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.62	0.79	6.41	8.99	Complies
60	5300	5.58	0.79	6.37	8.99	Complies
64	5320	5.33	0.79	6.12	8.99	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.01	0.79	4.80	8.99	Complies
60	5300	4.68	0.79	5.47	8.99	Complies
64	5320	4.87	0.79	5.66	8.99	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.69	8.99	Complies
60	5300	8.96	8.99	Complies
64	5320	8.91	8.99	Complies


Test Mode	UNII-2A_TX AX (HE40) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.59	1.11	6.70	8.99	Complies
62	5310	4.93	1.11	6.04	8.99	Complies



Test Mode	UNII-2A_TX AX (HE40) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.84	1.11	4.95	8.99	Complies
62	5310	4.12	1.11	5.23	8.99	Complies




Test Mode	UNII-2A_TX AX (HE40) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.92	8.99	Complies
62	5310	8.67	8.99	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.44	1.25	3.69	8.99	Complies

CH58



Test Mode	UNII-2A_TX AX (HE80) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.75	1.25	2.00	8.99	Complies

CH58




Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.94	8.99	Complies


Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.19	0.13	6.32	8.99	Complies
116	5580	6.39	0.13	6.52	8.99	Complies
140	5700	6.13	0.13	6.26	8.99	Complies



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.05	0.13	5.18	8.99	Complies
116	5580	4.08	0.13	4.21	8.99	Complies
140	5700	4.27	0.13	4.40	8.99	Complies




Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.80	8.99	Complies
116	5580	8.53	8.99	Complies
140	5700	8.44	8.99	Complies


Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.13	0.25	6.38	8.99	Complies
110	5550	6.31	0.25	6.56	8.99	Complies
134	5670	6.53	0.25	6.78	8.99	Complies



Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.81	0.25	5.06	8.99	Complies
110	5550	4.62	0.25	4.87	8.99	Complies
134	5670	4.19	0.25	4.44	8.99	Complies




Test Mode UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.78	8.99	Complies
110	5550	8.81	8.99	Complies
134	5670	8.78	8.99	Complies


Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.29	0.56	4.85	8.99	Complies
122	5610	4.61	0.56	5.17	8.99	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.70	0.56	3.26	8.99	Complies
122	5610	2.54	0.56	3.10	8.99	Complies




Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.14	8.99	Complies
122	5610	7.27	8.99	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode _Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.46	0.79	6.25	8.99	Complies
116	5580	5.90	0.79	6.69	8.99	Complies
140	5700	6.08	0.79	6.87	8.99	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode _Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.40	0.79	5.19	8.99	Complies
116	5580	3.67	0.79	4.46	8.99	Complies
140	5700	4.00	0.79	4.79	8.99	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode _Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.76	8.99	Complies
116	5580	8.73	8.99	Complies
140	5700	8.97	8.99	Complies


Test Mode UNII-2C_TX AX (HE40) Mode _Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.19	1.11	6.30	8.99	Complies
110	5550	5.21	1.11	6.32	8.99	Complies
134	5670	5.67	1.11	6.78	8.99	Complies



Test Mode UNII-2C_TX AX (HE40) Mode _Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.35	1.11	5.46	8.99	Complies
110	5550	3.73	1.11	4.84	8.99	Complies
134	5670	3.14	1.11	4.25	8.99	Complies




Test Mode UNII-2C_TX AX (HE40) Mode _Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.91	8.99	Complies
110	5550	8.65	8.99	Complies
134	5670	8.71	8.99	Complies


Test Mode	UNII-2C_TX AX (HE80) Mode _Ant. 1
------------------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.22	1.25	4.47	8.99	Complies
122	5610	3.32	1.25	4.57	8.99	Complies

CH106

CH122


Test Mode	UNII-2C_TX AX (HE80) Mode _Ant. 2
------------------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.16	1.25	2.41	8.99	Complies
122	5610	1.46	1.25	2.71	8.99	Complies

CH106

CH122


Test Mode	UNII-2C_TX AX (HE80) Mode_Total
------------------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.57	8.99	Complies
122	5610	6.75	8.99	Complies

End of Test Report