

Appendix A. Test Data

Duty cycle						
Band	Frequency (MHz)	on time (ms)	on+off time (ms)	Duty cycle (%)	Duty Factor (dB)	1/T Minimum VBW (kHz)
802.11a	5955	1.989	1.996	99.65	0.02	0.50
802.11n_20	5955	10.000	10.000	100.00	0.00	0.10
802.11n_40	5965	10.000	10.000	100.00	0.00	0.10
802.11ac_20	5955	10.000	10.000	100.00	0.00	0.10
802.11ac_40	5965	10.000	10.000	100.00	0.00	0.10
802.11ac_80	5985	10.000	10.000	100.00	0.00	0.10
802.11ac_160	6025	10.000	10.000	100.00	0.00	0.10
802.11ax_20	5955	10.000	10.000	100.00	0.00	0.10
802.11ax_40	5965	10.000	10.000	100.00	0.00	0.10
802.11ax_80	5985	10.000	10.000	100.00	0.00	0.10
802.11ax_160	6025	10.000	10.000	100.00	0.00	0.10
802.11be_20	5955	10.000	10.000	100.00	0.00	0.10
802.11be_40	5965	10.000	10.000	100.00	0.00	0.10
802.11be_80	5985	10.000	10.000	100.00	0.00	0.10
802.11be_160	6025	10.000	10.000	100.00	0.00	0.10
802.11be_320	6105	10.000	10.000	100.00	0.00	0.10

RF power setting in Test SW							
Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11a	1	5955	12.5	12.5	-	-	QSPR 6.00.00134.4
	45	6175	11	11	-	-	
	93	6415	12	12	-	-	
	97	6435	12	12	-	-	
	105	6475	12	12	-	-	
	113	6515	12	12	-	-	
	117	6535	12.5	12.5	-	-	
	149	6695	14	14	-	-	
	181	6855	13	13	-	-	
	185	6875	13	13	-	-	
	189	6895	13.5	13.5	-	-	
	209	6995	14	14	-	-	
	233	7115	6.5	6.5	-	-	
802.11n HT20	1	5955	13	13	-	-	QSPR 6.00.00134.4
	45	6175	11.5	11.5	-	-	
	93	6415	12.5	12.5	-	-	
	97	6435	12	12	-	-	
	105	6475	12	12	-	-	
	113	6515	12.5	12.5	-	-	
	117	6535	13	13	-	-	
	149	6695	14	14	-	-	
	181	6855	13	13	-	-	
	185	6875	13	13	-	-	
	189	6895	13.5	13.5	-	-	
	209	6995	14	14	-	-	
	233	7115	13.5	13.5	-	-	
802.11n HT40	3	5965	16	16	-	-	QSPR 6.00.00134.4
	43	6165	14.5	14.5	-	-	
	91	6405	14.5	14.5	-	-	
	99	6445	14	14	-	-	
	107	6485	14	14	-	-	
	115	6525	15	15	-	-	
	123	6565	16	16	-	-	
	147	6685	17.5	17.5	-	-	
	179	6845	18.5	18.5	-	-	
	187	6885	19	19	-	-	
	195	6925	19.5	19.5	-	-	
	211	7005	18.5	18.5	-	-	
	227	7085	16.5	16.5	-	-	

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11ac VHT20	1	5955	13	13	-	-	QSPR 6.00.00134.4
	45	6175	11.5	11.5	-	-	
	93	6415	12.5	12.5	-	-	
	97	6435	12	12	-	-	
	105	6475	12	12	-	-	
	113	6515	12.5	12.5	-	-	
	117	6535	13	13	-	-	
	149	6695	14	14	-	-	
	181	6855	13	13	-	-	
	185	6875	13	13	-	-	
	189	6895	13.5	13.5	-	-	
	209	6995	14	14	-	-	
	233	7115	13.5	13.5	-	-	
802.11ac VHT40	3	5965	16	16	-	-	QSPR 6.00.00134.4
	43	6165	14.5	14.5	-	-	
	91	6405	14.5	14.5	-	-	
	99	6445	14	14	-	-	
	107	6485	14	14	-	-	
	115	6525	15	15	-	-	
	123	6565	16	16	-	-	
	147	6685	17.5	17.5	-	-	
	179	6845	18.5	18.5	-	-	
	187	6885	19	19	-	-	
	195	6925	19.5	19.5	-	-	
	211	7005	18.5	18.5	-	-	
	227	7085	16.5	16.5	-	-	
802.11ac VHT80	7	5985	19	19	-	-	QSPR 6.00.00134.4
	39	6145	17.5	17.5	-	-	
	87	6385	17.5	17.5	-	-	
	103	6465	16	16	-	-	
	119	6545	18	18	-	-	
	135	6625	20	20	-	-	
	151	6705	20.5	20.5	-	-	
	167	6785	21	21	-	-	
	183	6865	22	22	-	-	
	199	6945	22	22	-	-	
802.11ac VHT160	215	7025	21	21	-	-	QSPR 6.00.00134.4
	15	6025	22.5	22.5	-	-	
	47	6185	23	23	-	-	
	79	6345	23.5	23.5	-	-	
	111	6505	21	21	-	-	
	143	6665	23	23	-	-	
	175	6825	23	23	-	-	
	207	6985	21.5	21.5	-	-	

Mode	CH	Frequency (MHz)	RU Config	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11ax HE20	1	5955	full	13	13	-	-	QSPR 6.00.00134.4
	45	6175	full	11.5	11.5	-	-	
	93	6415	full	12.5	12.5	-	-	
	97	6435	full	12	12	-	-	
	105	6475	full	12	12	-	-	
	113	6515	full	12.5	12.5	-	-	
	117	6535	full	13	13	-	-	
	149	6695	full	14	14	-	-	
	181	6855	full	13	13	-	-	
	185	6875	full	13	13	-	-	
	189	6895	full	13.5	13.5	-	-	
	209	6995	full	14	14	-	-	
	233	7115	full	-4.5	-4.5	-	-	
802.11ax HE40	3	5965	full	16	16	-	-	QSPR 6.00.00134.4
	43	6165	full	14.5	14.5	-	-	
	91	6405	full	14.5	14.5	-	-	
	99	6445	full	14	14	-	-	
	107	6485	full	14	14	-	-	
	115	6525	full	15	15	-	-	
	123	6565	full	16	16	-	-	
	147	6685	full	17.5	17.5	-	-	
	179	6845	full	18.5	18.5	-	-	
	187	6885	full	19	19	-	-	
	195	6925	full	19.5	19.5	-	-	
	211	7005	full	18.5	18.5	-	-	
	227	7085	full	16.5	16.5	-	-	
802.11ax HE80	7	5985	full	19	19	-	-	QSPR 6.00.00134.4
	39	6145	full	17.5	17.5	-	-	
	87	6385	full	17.5	17.5	-	-	
	103	6465	full	16	16	-	-	
	119	6545	full	18	18	-	-	
	135	6625	full	20	20	-	-	
	151	6705	full	20.5	20.5	-	-	
	167	6785	full	21	21	-	-	
	183	6865	full	22	22	-	-	
	199	6945	full	22	22	-	-	
802.11ax HE160	215	7025	full	21	21	-	-	QSPR 6.00.00134.4
	15	6025	full	22.5	22.5	-	-	
	47	6185	full	23	23	-	-	
	79	6345	full	23.5	23.5	-	-	
	111	6505	full	21	21	-	-	
	143	6665	full	23	23	-	-	
	175	6825	full	23	23	-	-	
	207	6985	full	21.5	21.5	-	-	

Mode	CH	Frequency (MHz)	RU Config	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11be EHT20	1	5955	full	13	13	-	-	QSPR 6.00.00134.4
	45	6175	full	11.5	11.5	-	-	
	93	6415	full	12.5	12.5	-	-	
	97	6435	full	12	12	-	-	
	105	6475	full	12	12	-	-	
	113	6515	full	12.5	12.5	-	-	
	117	6535	full	13	13	-	-	
	149	6695	full	14	14	-	-	
	181	6855	full	13	13	-	-	
	185	6875	full	13	13	-	-	
	189	6895	full	13.5	13.5	-	-	
	209	6995	full	14	14	-	-	
	233	7115	full	-10	-10	-	-	
802.11be EHT40	3	5965	full	16	16	-	-	QSPR 6.00.00134.4
	43	6165	full	14.5	14.5	-	-	
	91	6405	full	14.5	14.5	-	-	
	99	6445	full	14	14	-	-	
	107	6485	full	14	14	-	-	
	115	6525	full	15	15	-	-	
	123	6565	full	16	16	-	-	
	147	6685	full	17.5	17.5	-	-	
	179	6845	full	18.5	18.5	-	-	
	187	6885	full	19	19	-	-	
	195	6925	full	19.5	19.5	-	-	
	211	7005	full	18.5	18.5	-	-	
	227	7085	full	16.5	16.5	-	-	
802.11be EHT80	7	5985	full	19	19	-	-	QSPR 6.00.00134.4
	39	6145	full	17.5	17.5	-	-	
	87	6385	full	17.5	17.5	-	-	
	103	6465	full	16	16	-	-	
	119	6545	full	18	18	-	-	
	135	6625	full	20	20	-	-	
	151	6705	full	20.5	20.5	-	-	
	167	6785	full	21	21	-	-	
	183	6865	full	22.5	22.5	-	-	
	199	6945	full	22	22	-	-	
802.11be EHT160	215	7025	full	21	21	-	-	QSPR 6.00.00134.4
	15	6025	full	23	23	-	-	
	47	6185	full	23	23	-	-	
	79	6345	full	23.5	23.5	-	-	
	111	6505	full	21	21	-	-	
802.11be EHT320	143	6665	full	23	23	-	-	QSPR 6.00.00134.4
	31	6105	full	22.5	22.5	-	-	
	95	6425	full	22	22	-	-	
	159	6745	full	22.5	22.5	-	-	
	63	6265	full	23.5	23.5	-	-	
	127	6585	full	23	23	-	-	
	191	6905	full	22.5	22.5	-	-	

Maximum Conducted Output Power Measurement						
Band	CH	Freq. (MHz)	Measurement			
			Directional Gain(dBi)	EIRP (dBm)	EIRP (W)	Limit (dBm/MHz)
802.11a	1	5955	1.26	16.22	0.041879	30
	45	6175	1.26	14.35	0.027227	30
	93	6415	1.26	16.01	0.039902	30
	97	6435	1.26	15.48	0.035318	30
	105	6475	1.26	15.40	0.034674	30
	113	6515	1.26	15.43	0.034914	30
	117	6535	1.49	16.07	0.040458	30
	149	6695	1.49	17.12	0.051523	30
	181	6855	1.49	16.34	0.043053	30
	185	6875	1.49	16.50	0.044668	30
	189	6895	1.49	17.02	0.050350	30
	209	6995	1.49	17.33	0.054075	30
	233	7115	1.49	10.74	0.011858	30
802.11n HT20	1	5955	4.26	19.46	0.088308	30
	45	6175	4.26	17.46	0.055719	30
	93	6415	4.26	19.25	0.084140	30
	97	6435	4.26	18.38	0.068865	30
	105	6475	4.26	18.28	0.067298	30
	113	6515	4.26	19.02	0.079799	30
	117	6535	4.47	19.18	0.082794	30
	149	6695	4.47	19.91	0.097949	30
	181	6855	4.47	19.25	0.084140	30
	185	6875	4.47	19.47	0.088512	30
	189	6895	4.47	19.79	0.095280	30
	209	6995	4.47	20.11	0.102565	30
	233	7115	4.47	19.29	0.084918	30
802.11n HT40	3	5965	4.26	22.36	0.172187	30
	43	6165	4.26	20.55	0.113501	30
	91	6405	4.26	21.02	0.126474	30
	99	6445	4.26	20.41	0.109901	30
	107	6485	4.26	20.42	0.110154	30
	115	6525	4.26	21.21	0.132130	30
	123	6565	4.47	22.45	0.175792	30
	147	6685	4.47	24.07	0.255270	30
	179	6845	4.47	24.41	0.276058	30
	187	6885	4.47	25.06	0.320627	30
	195	6925	4.47	25.31	0.339625	30
	211	7005	4.47	24.31	0.269774	30
	227	7085	4.47	22.22	0.166725	30

Band	CH	Freq. (MHz)	Measurement			
			Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
802.11ac VHT20	1	5955	4.26	19.48	0.088716	30
	45	6175	4.26	17.52	0.056494	30
	93	6415	4.26	19.27	0.084528	30
	97	6435	4.26	18.40	0.069183	30
	105	6475	4.26	18.33	0.068077	30
	113	6515	4.26	19.02	0.079799	30
	117	6535	4.47	19.33	0.085704	30
	149	6695	4.47	19.95	0.098855	30
	181	6855	4.47	19.30	0.085114	30
	185	6875	4.47	19.50	0.089125	30
	189	6895	4.47	19.86	0.096828	30
	209	6995	4.47	20.19	0.104472	30
	233	7115	4.47	19.32	0.085507	30
802.11ac VHT40	3	5965	4.26	22.48	0.177011	30
	43	6165	4.26	20.71	0.117761	30
	91	6405	4.26	21.04	0.127057	30
	99	6445	4.26	20.51	0.112460	30
	107	6485	4.26	20.43	0.110408	30
	115	6525	4.26	21.36	0.136773	30
	123	6565	4.47	22.46	0.176198	30
	147	6685	4.47	24.12	0.258226	30
	179	6845	4.47	24.46	0.279254	30
	187	6885	4.47	25.12	0.325087	30
	195	6925	4.47	25.32	0.340408	30
	211	7005	4.47	24.45	0.278612	30
	227	7085	4.47	22.26	0.168267	30
802.11ac VHT80	7	5985	4.26	24.86	0.306196	30
	39	6145	4.26	23.41	0.219280	30
	87	6385	4.26	23.61	0.229615	30
	103	6465	4.26	22.36	0.172187	30
	119	6545	4.47	24.03	0.252930	30
	135	6625	4.47	26.58	0.454988	30
	151	6705	4.47	25.67	0.368978	30
	167	6785	4.47	26.27	0.423643	30
	183	6865	4.47	27.67	0.584790	30
	199	6945	4.47	27.73	0.592925	30
	215	7025	4.47	26.86	0.485289	30
802.11ac VHT160	15	6025	4.26	28.20	0.660693	30
	47	6185	4.26	28.40	0.691831	30
	79	6345	4.26	29.07	0.807235	30
	111	6505	4.26	26.75	0.473151	30
	143	6665	4.47	29.23	0.837529	30
	175	6825	4.47	28.55	0.716143	30
	207	6985	4.47	27.94	0.622300	30

Band	CH	Freq. (MHz)		Measurement			
				Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
802.11ax HE20	1	5955	full	4.26	19.70	0.093325	30
	45	6175	full	4.26	17.82	0.060534	30
	93	6415	full	4.26	19.30	0.085114	30
	97	6435	full	4.26	18.63	0.072946	30
	105	6475	full	4.26	18.46	0.070146	30
	113	6515	full	4.26	19.16	0.082414	30
	117	6535	full	4.47	19.47	0.088512	30
	149	6695	full	4.47	20.04	0.100925	30
	181	6855	full	4.47	19.50	0.089125	30
	185	6875	full	4.47	19.72	0.093756	30
	189	6895	full	4.47	20.12	0.102802	30
	209	6995	full	4.47	20.56	0.113763	30
	233	7115	full	4.47	2.11	0.001626	30
802.11ax HE40	3	5965	full	4.26	22.41	0.174181	30
	43	6165	full	4.26	20.74	0.118577	30
	91	6405	full	4.26	21.06	0.127644	30
	99	6445	full	4.26	20.47	0.111429	30
	107	6485	full	4.26	20.37	0.108893	30
	115	6525	full	4.26	21.25	0.133352	30
	123	6565	full	4.47	22.49	0.177419	30
	147	6685	full	4.47	24.17	0.261216	30
	179	6845	full	4.47	24.55	0.285102	30
	187	6885	full	4.47	25.14	0.326588	30
	195	6925	full	4.47	25.37	0.344350	30
	211	7005	full	4.47	24.45	0.278612	30
	227	7085	full	4.47	22.18	0.165196	30
802.11ax HE80	7	5985	full	4.26	24.99	0.315500	30
	39	6145	full	4.26	23.43	0.220293	30
	87	6385	full	4.26	23.63	0.230675	30
	103	6465	full	4.26	22.37	0.172584	30
	119	6545	full	4.47	24.11	0.257632	30
	135	6625	full	4.47	26.54	0.450817	30
	151	6705	full	4.47	25.79	0.379315	30
	167	6785	full	4.47	26.29	0.425598	30
	183	6865	full	4.47	27.72	0.591562	30
	199	6945	full	4.47	27.77	0.598412	30
	215	7025	full	4.47	26.89	0.488652	30
802.11ax HE160	15	6025	full	4.26	27.73	0.592925	30
	47	6185	full	4.26	28.41	0.693426	30
	79	6345	full	4.26	29.15	0.822243	30
	111	6505	full	4.26	26.67	0.464515	30
	143	6665	full	4.47	29.19	0.829851	30
	175	6825	full	4.47	28.57	0.719449	30
	207	6985	full	4.47	27.90	0.616595	30

Band	CH	Freq. (MHz)		Measurement			
				Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
802.11be EHT20	1	5955	full	4.26	19.73	0.093972	30
	45	6175	full	4.26	17.86	0.061094	30
	93	6415	full	4.26	19.40	0.087096	30
	97	6435	full	4.26	18.66	0.073451	30
	105	6475	full	4.26	18.48	0.070469	30
	113	6515	full	4.26	19.24	0.083946	30
	117	6535	full	4.47	19.54	0.089950	30
	149	6695	full	4.47	20.06	0.101391	30
	181	6855	full	4.47	19.54	0.089950	30
	185	6875	full	4.47	19.76	0.094624	30
	189	6895	full	4.47	20.22	0.105196	30
	209	6995	full	4.47	20.58	0.114288	30
	233	7115	full	4.47	-3.25	0.000473	30
802.11be EHT40	3	5965	full	4.26	22.60	0.181970	30
	43	6165	full	4.26	20.78	0.119674	30
	91	6405	full	4.26	21.07	0.127938	30
	99	6445	full	4.26	20.56	0.113763	30
	107	6485	full	4.26	20.44	0.110662	30
	115	6525	full	4.26	21.37	0.137088	30
	123	6565	full	4.47	22.50	0.177828	30
	147	6685	full	4.47	24.23	0.264850	30
	179	6845	full	4.47	24.61	0.289068	30
	187	6885	full	4.47	25.29	0.338065	30
	195	6925	full	4.47	25.40	0.346737	30
	211	7005	full	4.47	24.50	0.281838	30
	227	7085	full	4.47	22.30	0.169824	30
802.11be EHT80	7	5985	full	4.26	25.01	0.316957	30
	39	6145	full	4.26	23.78	0.238781	30
	87	6385	full	4.26	23.82	0.240991	30
	103	6465	full	4.26	22.41	0.174181	30
	119	6545	full	4.47	24.12	0.258226	30
	135	6625	full	4.47	26.56	0.452898	30
	151	6705	full	4.47	25.82	0.381944	30
	167	6785	full	4.47	26.38	0.434510	30
	183	6865	full	4.47	28.34	0.682339	30
	199	6945	full	4.47	27.81	0.603949	30
	215	7025	full	4.47	26.94	0.494311	30
802.11be EHT160	15	6025	full	4.26	28.84	0.765597	30
	47	6185	full	4.26	28.45	0.699842	30
	79	6345	full	4.26	29.16	0.824138	30
	111	6505	full	4.26	26.85	0.484172	30
	143	6665	full	4.47	29.28	0.847227	30
	175	6825	full	4.47	28.59	0.722770	30
	207	6985	full	4.47	27.94	0.622300	30
802.11be EHT320	31	6105	full	4.26	28.72	0.744732	30
	95	6425	full	4.26	27.97	0.626614	30
	159	6745	full	4.26	27.80	0.602560	30
	63	6265	full	4.26	28.94	0.783430	30
	127	6585	full	4.26	28.76	0.751623	30
	191	6905	full	4.47	28.25	0.668344	30

Power Spectral Density Measurement					
Band	CH	Freq. (MHz)	Measurement		
			Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11a	1	5955	4.26	4.70	5.00
	45	6175	4.26	4.52	5.00
	93	6415	4.26	4.80	5.00
	97	6435	4.26	4.76	5.00
	105	6475	4.26	4.95	5.00
	113	6515	4.26	4.65	5.00
	117	6535	4.47	4.57	5.00
	149	6695	4.47	4.84	5.00
	181	6855	4.47	4.68	5.00
	185	6875	4.47	4.76	5.00
	189	6895	4.47	4.94	5.00
	209	6995	4.47	4.90	5.00
802.11ac VHT20	233	7115	4.47	-1.73	5.00
	1	5955	4.26	3.72	5.00
	45	6175	4.26	4.90	5.00
	93	6415	4.26	4.35	5.00
	97	6435	4.26	4.37	5.00
	105	6475	4.26	4.57	5.00
	113	6515	4.26	4.50	5.00
	117	6535	4.47	4.79	5.00
	149	6695	4.47	3.24	5.00
	181	6855	4.47	2.91	5.00
	185	6875	4.47	3.57	5.00
	189	6895	4.47	4.06	5.00
802.11ac VHT40	209	6995	4.47	3.91	5.00
	233	7115	4.47	4.62	5.00
	3	5965	4.26	4.94	5.00
	43	6165	4.26	4.50	5.00
	91	6405	4.26	4.85	5.00
	99	6445	4.26	4.67	5.00
	107	6485	4.26	4.98	5.00
	115	6525	4.26	4.85	5.00
	123	6565	4.47	4.68	5.00
	147	6685	4.47	3.42	5.00
	179	6845	4.47	3.61	5.00
	187	6885	4.47	4.31	5.00
802.11ac VHT80	195	6925	4.47	4.45	5.00
	211	7005	4.47	4.73	5.00
	227	7085	4.47	4.54	5.00
	7	5985	4.26	4.64	5.00
	39	6145	4.26	4.88	5.00
	87	6385	4.26	4.40	5.00
	103	6465	4.26	4.27	5.00
	119	6545	4.47	4.77	5.00
	135	6625	4.47	4.60	5.00
	151	6705	4.47	3.82	5.00
	167	6785	4.47	3.58	5.00
	183	6865	4.47	4.71	5.00
802.11ac VHT160	199	6945	4.47	3.88	5.00
	215	7025	4.47	3.87	5.00
	15	6025	4.26	4.31	5.00
	47	6185	4.26	4.96	5.00
	79	6345	4.26	4.38	5.00
	111	6505	4.26	4.99	5.00
	143	6665	4.47	4.04	5.00
	175	6825	4.47	2.73	5.00
	207	6985	4.47	4.21	5.00

Band	CH	Freq. (MHz)		Measurement		
				Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax HE20	1	5955	full	4.26	4.76	5.00
	45	6175	full	4.26	4.77	5.00
	93	6415	full	4.26	4.67	5.00
	97	6435	full	4.26	4.71	5.00
	105	6475	full	4.26	4.67	5.00
	113	6515	full	4.26	4.66	5.00
	117	6535	full	4.47	4.95	5.00
	149	6695	full	4.47	4.93	5.00
	181	6855	full	4.47	4.71	5.00
	185	6875	full	4.47	4.49	5.00
	189	6895	full	4.47	4.42	5.00
	209	6995	full	4.47	4.60	5.00
802.11ax HE40	233	7115	full	4.47	-14.12	5.00
	3	5965	full	4.26	4.92	5.00
	43	6165	full	4.26	4.85	5.00
	91	6405	full	4.26	4.96	5.00
	99	6445	full	4.26	4.60	5.00
	107	6485	full	4.26	4.54	5.00
	115	6525	full	4.26	4.57	5.00
	123	6565	full	4.47	4.64	5.00
	147	6685	full	4.47	4.80	5.00
	179	6845	full	4.47	4.56	5.00
	187	6885	full	4.47	4.58	5.00
	195	6925	full	4.47	4.67	5.00
802.11ax HE80	211	7005	full	4.47	4.88	5.00
	227	7085	full	4.47	4.67	5.00
	7	5985	full	4.26	4.83	5.00
	39	6145	full	4.26	4.77	5.00
	87	6385	full	4.26	3.99	5.00
	103	6465	full	4.26	3.74	5.00
	119	6545	full	4.47	4.66	5.00
	135	6625	full	4.47	4.64	5.00
	151	6705	full	4.47	4.67	5.00
	167	6785	full	4.47	4.69	5.00
	183	6865	full	4.47	4.69	5.00
	199	6945	full	4.47	4.72	5.00
802.11ax HE160	215	7025	full	4.47	4.85	5.00
	15	6025	full	4.26	4.35	5.00
	47	6185	full	4.26	4.85	5.00
	79	6345	full	4.26	4.45	5.00
	111	6505	full	4.26	4.87	5.00
	143	6665	full	4.47	3.83	5.00
	175	6825	full	4.47	2.96	5.00
	207	6985	full	4.47	3.80	5.00

Band	CH	Freq. (MHz)		Measurement		
				Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be EHT20	1	5955	full	4.26	4.54	5.00
	45	6175	full	4.26	4.55	5.00
	93	6415	full	4.26	4.70	5.00
	97	6435	full	4.26	4.55	5.00
	105	6475	full	4.26	4.91	5.00
	113	6515	full	4.26	4.58	5.00
	117	6535	full	4.47	4.63	5.00
	149	6695	full	4.47	4.91	5.00
	181	6855	full	4.47	4.91	5.00
	185	6875	full	4.47	4.65	5.00
	189	6895	full	4.47	4.72	5.00
	209	6995	full	4.47	4.69	5.00
802.11be EHT40	233	7115	full	4.47	-19.62	5.00
	3	5965	full	4.26	4.72	5.00
	43	6165	full	4.26	4.63	5.00
	91	6405	full	4.26	4.77	5.00
	99	6445	full	4.26	4.95	5.00
	107	6485	full	4.26	4.83	5.00
	115	6525	full	4.26	4.82	5.00
	123	6565	full	4.47	4.71	5.00
	147	6685	full	4.47	4.99	5.00
	179	6845	full	4.47	4.61	5.00
	187	6885	full	4.47	4.74	5.00
	195	6925	full	4.47	4.95	5.00
802.11be EHT80	211	7005	full	4.47	4.92	5.00
	227	7085	full	4.47	4.94	5.00
	7	5985	full	4.26	4.73	5.00
	39	6145	full	4.26	4.82	5.00
	87	6385	full	4.26	4.55	5.00
	103	6465	full	4.26	4.32	5.00
	119	6545	full	4.47	4.65	5.00
	135	6625	full	4.47	4.73	5.00
	151	6705	full	4.47	4.86	5.00
	167	6785	full	4.47	4.58	5.00
	183	6865	full	4.47	4.84	5.00
	199	6945	full	4.47	4.40	5.00
802.11ax HE160	215	7025	full	4.47	4.45	5.00
	15	6025	full	4.26	4.89	5.00
	47	6185	full	4.26	4.93	5.00
	79	6345	full	4.26	4.35	5.00
	111	6505	full	4.26	4.87	5.00
	143	6665	full	4.47	3.65	5.00
	175	6825	full	4.47	2.75	5.00
802.11be EHT320	207	6985	full	4.47	3.45	5.00
	31	6105	full	4.26	3.94	5.00
	95	6425	full	4.26	4.19	5.00
	159	6745	full	4.26	1.10	5.00
	63	6265	full	4.26	3.45	5.00
	127	6585	full	4.26	4.64	5.00
	191	6905	full	4.47	0.49	5.00

RF power setting in Test SW (Beamforming on)							
Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11n HT20	1	5955	16	16	-	-	QSPR 6.00.00134.4
	45	6175	14	14	-	-	
	93	6415	16	16	-	-	
	97	6435	15	15	-	-	
	105	6475	15	15	-	-	
	113	6515	15	15	-	-	
	117	6535	15	15	-	-	
	149	6695	16	16	-	-	
	181	6855	15	15	-	-	
	185	6875	16	16	-	-	
	189	6895	16	16	-	-	
	209	6995	16	16	-	-	
	233	7115	15	15	-	-	
802.11n HT40	3	5965	18	18	-	-	QSPR 6.00.00134.4
	43	6165	17	17	-	-	
	91	6405	17	17	-	-	
	99	6445	17	17	-	-	
	107	6485	17	17	-	-	
	115	6525	17	17	-	-	
	123	6565	18	18	-	-	
	147	6685	19	19	-	-	
	179	6845	19	19	-	-	
	187	6885	20	20	-	-	
	195	6925	20	20	-	-	
	211	7005	19	19	-	-	
	227	7085	18	18	-	-	

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11ac VHT20	1	5955	16	16	-	-	QSPR 6.00.00134.4
	45	6175	14	14	-	-	
	93	6415	16	16	-	-	
	97	6435	14	14	-	-	
	105	6475	14	14	-	-	
	113	6515	15	15	-	-	
	117	6535	15	15	-	-	
	149	6695	16	16	-	-	
	181	6855	15	15	-	-	
	185	6875	16	16	-	-	
	189	6895	16	16	-	-	
	209	6995	16	16	-	-	
	233	7115	15	15	-	-	
802.11ac VHT40	3	5965	18	18	-	-	QSPR 6.00.00134.4
	43	6165	17	17	-	-	
	91	6405	17	17	-	-	
	99	6445	16	16	-	-	
	107	6485	16	16	-	-	
	115	6525	17	17	-	-	
	123	6565	18	18	-	-	
	147	6685	19	19	-	-	
	179	6845	19	19	-	-	
	187	6885	20	20	-	-	
	195	6925	20	20	-	-	
	211	7005	19	19	-	-	
	227	7085	18	18	-	-	
802.11ac VHT80	7	5985	20	20	-	-	QSPR 6.00.00134.4
	39	6145	19	19	-	-	
	87	6385	19	19	-	-	
	103	6465	18	18	-	-	
	119	6545	19	19	-	-	
	135	6625	21	21	-	-	
	151	6705	20	20	-	-	
	167	6785	20	20	-	-	
	183	6865	22	22	-	-	
802.11ac VHT160	199	6945	22	22	-	-	QSPR 6.00.00134.4
	215	7025	21	21	-	-	
	15	6025	22	22	-	-	
	47	6185	22	22	-	-	
	79	6345	22	22	-	-	
	111	6505	21	21	-	-	
	143	6665	22	22	-	-	
	175	6825	22	22	-	-	QSPR 6.00.00134.4
	207	6985	21	21	-	-	

Mode	CH	Frequency (MHz)	RU Config	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11ax HE20	1	5955	full	16	16	-	-	QSPR 6.00.00134.4
	45	6175	full	14	14	-	-	
	93	6415	full	16	16	-	-	
	97	6435	full	15	15	-	-	
	105	6475	full	15	15	-	-	
	113	6515	full	16	16	-	-	
	117	6535	full	16	16	-	-	
	149	6695	full	16	16	-	-	
	181	6855	full	16	16	-	-	
	185	6875	full	16	16	-	-	
	189	6895	full	16	16	-	-	
	209	6995	full	17	17	-	-	
	233	7115	full	-2	-2	-	-	
802.11ax HE40	3	5965	full	18	18	-	-	QSPR 6.00.00134.4
	43	6165	full	17	17	-	-	
	91	6405	full	17	17	-	-	
	99	6445	full	17	17	-	-	
	107	6485	full	17	17	-	-	
	115	6525	full	17	17	-	-	
	123	6565	full	18	18	-	-	
	147	6685	full	19	19	-	-	
	179	6845	full	19	19	-	-	
	187	6885	full	20	20	-	-	
	195	6925	full	20	20	-	-	
	211	7005	full	19	19	-	-	
	227	7085	full	18	18	-	-	
802.11ax HE80	7	5985	full	20	20	-	-	QSPR 6.00.00134.4
	39	6145	full	19	19	-	-	
	87	6385	full	19	19	-	-	
	103	6465	full	18	18	-	-	
	119	6545	full	19	19	-	-	
	135	6625	full	21	21	-	-	
	151	6705	full	21	21	-	-	
	167	6785	full	21	21	-	-	
	183	6865	full	22	22	-	-	
802.11ax HE160	199	6945	full	21	21	-	-	QSPR 6.00.00134.4
	215	7025	full	22	22	-	-	
	15	6025	full	22	22	-	-	
	47	6185	full	23	23	-	-	
	79	6345	full	23	23	-	-	
	111	6505	full	21	21	-	-	
	143	6665	full	23	23	-	-	
	175	6825	full	23	23	-	-	QSPR 6.00.00134.4
	207	6985	full	22	22	-	-	

Mode	CH	Frequency (MHz)	RU Config	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11be EHT20	1	5955	full	16	16	-	-	QSPR 6.00.00134.4
	45	6175	full	14	14	-	-	
	93	6415	full	16	16	-	-	
	97	6435	full	15	15	-	-	
	105	6475	full	15	15	-	-	
	113	6515	full	16	16	-	-	
	117	6535	full	16	16	-	-	
	149	6695	full	16	16	-	-	
	181	6855	full	16	16	-	-	
	185	6875	full	16	16	-	-	
	189	6895	full	16	16	-	-	
	209	6995	full	17	17	-	-	
	233	7115	full	-8	-8	-	-	
802.11be EHT40	3	5965	full	18	18	-	-	QSPR 6.00.00134.4
	43	6165	full	17	17	-	-	
	91	6405	full	17	17	-	-	
	99	6445	full	17	17	-	-	
	107	6485	full	17	17	-	-	
	115	6525	full	17	17	-	-	
	123	6565	full	18	18	-	-	
	147	6685	full	19	19	-	-	
	179	6845	full	19	19	-	-	
	187	6885	full	20	20	-	-	
	195	6925	full	20	20	-	-	
	211	7005	full	19	19	-	-	
	227	7085	full	18	18	-	-	
802.11be EHT80	7	5985	full	20	20	-	-	QSPR 6.00.00134.4
	39	6145	full	19	19	-	-	
	87	6385	full	19	19	-	-	
	103	6465	full	18	18	-	-	
	119	6545	full	19	19	-	-	
	135	6625	full	21	21	-	-	
	151	6705	full	21	21	-	-	
	167	6785	full	21	21	-	-	
	183	6865	full	22	22	-	-	
	199	6945	full	21	21	-	-	
802.11be EHT160	215	7025	full	22	22	-	-	QSPR 6.00.00134.4
	15	6025	full	22	22	-	-	
	47	6185	full	23	23	-	-	
	79	6345	full	23	23	-	-	
	111	6505	full	21	21	-	-	
802.11be EHT320	143	6665	full	23	23	-	-	QSPR 6.00.00134.4
	31	6105	full	23	23	-	-	
	95	6425	full	22	22	-	-	
	159	6745	full	22	22	-	-	
	63	6265	full	23	23	-	-	
	127	6585	full	23	23	-	-	
	191	6905	full	22	22	-	-	

Maximum Conducted Output Power Measurement (Beamforming on)												
Band	CH	Freq. (MHz)	Measurement									
			Ant-0	Ant-1	Ant-2	Ant-3	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (W)	Limit (dBm/MHz)
			dBm/MHz	dBm/MHz	dBm/MHz	dBm/MHz	dBm/MHz					
802.11n HT20	1	5955	11.82	12.10	-	-	14.97	0.00	4.26	19.23	0.083753	30
	45	6175	10.09	9.89	-	-	13.00	0.00	4.26	17.26	0.053211	30
	93	6415	11.98	11.45	-	-	14.73	0.00	4.26	18.99	0.079250	30
	97	6435	10.90	11.01	-	-	13.97	0.00	4.26	18.23	0.066527	30
	105	6475	10.64	10.96	-	-	13.81	0.00	4.26	18.07	0.064121	30
	113	6515	11.54	11.46	-	-	14.51	0.00	4.26	18.77	0.075336	30
	117	6535	11.39	11.60	-	-	14.51	0.00	4.47	18.98	0.079068	30
	149	6695	11.99	12.35	-	-	15.18	0.00	4.47	19.65	0.092257	30
	181	6855	11.56	11.46	-	-	14.52	0.00	4.47	18.99	0.079250	30
	185	6875	11.45	12.04	-	-	14.77	0.00	4.47	19.24	0.083946	30
	189	6895	12.14	12.00	-	-	15.08	0.00	4.47	19.55	0.090157	30
	209	6995	12.38	12.37	-	-	15.39	0.00	4.47	19.86	0.096828	30
	233	7115	11.56	11.70	-	-	14.64	0.00	4.47	19.11	0.081470	30
802.11n HT40	3	5965	14.84	14.85	-	-	17.86	0.00	4.26	22.12	0.162930	30
	43	6165	13.22	12.99	-	-	16.12	0.00	4.26	20.38	0.109144	30
	91	6405	13.82	13.20	-	-	16.53	0.00	4.26	20.79	0.119950	30
	99	6445	13.04	12.89	-	-	15.98	0.00	4.26	20.24	0.105682	30
	107	6485	13.01	12.76	-	-	15.90	0.00	4.26	20.16	0.103753	30
	115	6525	13.93	13.58	-	-	16.77	0.00	4.26	21.03	0.126765	30
	123	6565	14.61	14.74	-	-	17.69	0.00	4.47	22.16	0.164437	30
	147	6685	16.81	16.07	-	-	19.47	0.00	4.47	23.94	0.247742	30
	179	6845	16.61	16.85	-	-	19.74	0.00	4.47	24.21	0.263633	30
	187	6885	17.40	17.25	-	-	20.34	0.00	4.47	24.81	0.302691	30
	195	6925	17.37	17.87	-	-	20.64	0.00	4.47	25.11	0.324340	30
	211	7005	16.52	16.82	-	-	19.68	0.00	4.47	24.15	0.260016	30
	227	7085	14.18	14.80	-	-	17.51	0.00	4.47	21.98	0.157761	30

Band	CH	Freq. (MHz)	Measurement									
			Ant-0	Ant-1	Ant-2	Ant-3	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
			dBm/MHz	dBm/MHz	dBm/MHz	dBm/MHz	dBm/MHz					
802.11ac VHT20	1	5955	11.86	12.09	-	-	14.99	0.00	4.26	19.25	0.084140	30
	45	6175	10.17	10.01	-	-	13.10	0.00	4.26	17.36	0.054450	30
	93	6415	12.11	11.49	-	-	14.82	0.00	4.26	19.08	0.080910	30
	97	6435	11.01	10.96	-	-	14.00	0.00	4.26	18.26	0.066988	30
	105	6475	10.69	11.06	-	-	13.89	0.00	4.26	18.15	0.065313	30
	113	6515	11.51	11.53	-	-	14.53	0.00	4.26	18.79	0.075683	30
	117	6535	11.66	11.70	-	-	14.69	0.00	4.47	19.16	0.082414	30
	149	6695	11.89	12.54	-	-	15.24	0.00	4.47	19.71	0.093541	30
	181	6855	11.46	11.71	-	-	14.60	0.00	4.47	19.07	0.080724	30
	185	6875	11.41	12.15	-	-	14.81	0.00	4.47	19.28	0.084723	30
	189	6895	12.27	12.17	-	-	15.23	0.00	4.47	19.70	0.093325	30
	209	6995	12.57	12.38	-	-	15.49	0.00	4.47	19.96	0.099083	30
	233	7115	11.69	11.66	-	-	14.69	0.00	4.47	19.16	0.082414	30
802.11ac VHT40	3	5965	14.92	15.08	-	-	18.01	0.00	4.26	22.27	0.168655	30
	43	6165	13.28	13.17	-	-	16.24	0.00	4.26	20.50	0.112202	30
	91	6405	13.73	13.46	-	-	16.61	0.00	4.26	20.87	0.122180	30
	99	6445	13.11	12.91	-	-	16.02	0.00	4.26	20.28	0.106660	30
	107	6485	12.94	12.85	-	-	15.91	0.00	4.26	20.17	0.103992	30
	115	6525	14.01	13.75	-	-	16.89	0.00	4.26	21.15	0.130317	30
	123	6565	14.79	14.72	-	-	17.77	0.00	4.47	22.24	0.167494	30
	147	6685	16.90	15.98	-	-	19.47	0.00	4.47	23.94	0.247742	30
	179	6845	16.65	16.85	-	-	19.76	0.00	4.47	24.23	0.264850	30
	187	6885	17.54	17.33	-	-	20.45	0.00	4.47	24.92	0.310456	30
	195	6925	17.50	17.86	-	-	20.69	0.00	4.47	25.16	0.328095	30
	211	7005	16.49	17.11	-	-	19.82	0.00	4.47	24.29	0.268534	30
	227	7085	14.29	14.89	-	-	17.61	0.00	4.47	22.08	0.161436	30
802.11ac VHT80	7	5985	17.36	17.49	-	-	20.44	0.00	4.26	24.70	0.295121	30
	39	6145	15.93	15.94	-	-	18.95	0.00	4.26	23.21	0.209411	30
	87	6385	16.32	16.01	-	-	19.18	0.00	4.26	23.44	0.220800	30
	103	6465	14.92	14.82	-	-	17.88	0.00	4.26	22.14	0.163682	30
	119	6545	16.49	16.22	-	-	19.37	0.00	4.47	23.84	0.242103	30
	135	6625	18.92	18.84	-	-	21.89	0.00	4.47	26.36	0.432514	30
	151	6705	17.97	17.94	-	-	20.97	0.00	4.47	25.44	0.349945	30
	167	6785	18.65	18.37	-	-	21.52	0.00	4.47	25.99	0.397192	30
	183	6865	20.05	19.96	-	-	23.02	0.00	4.47	27.49	0.561048	30
	199	6945	20.15	19.83	-	-	23.00	0.00	4.47	27.47	0.558470	30
	215	7025	18.96	19.36	-	-	22.17	0.00	4.47	26.64	0.461318	30
802.11ac VHT160	15	6025	20.47	20.82	-	-	23.66	0.00	4.26	27.92	0.619441	30
	47	6185	21.08	20.82	-	-	23.96	0.00	4.26	28.22	0.663743	30
	79	6345	21.49	21.66	-	-	24.59	0.00	4.26	28.85	0.767361	30
	111	6505	19.44	19.06	-	-	22.26	0.00	4.26	26.52	0.448745	30
	143	6665	21.84	21.33	-	-	24.60	0.00	4.47	29.07	0.807235	30
	175	6825	20.89	20.84	-	-	23.88	0.00	4.47	28.35	0.683912	30
	207	6985	19.92	19.66	-	-	22.80	0.00	4.47	27.27	0.533335	30

Band	CH	Freq. (MHz)		Measurement									
				Ant-0	Ant-1	Ant-2	Ant-3	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
				dBm/MHz	dBm/MHz	dBm/MHz	dBm/MHz	dBm/MHz					
802.11ax HE20	1	5955	full	12.22	12.32	-	-	15.28	0.00	4.26	19.54	0.089950	30
	45	6175	full	10.53	10.33	-	-	13.44	0.00	4.26	17.70	0.058884	30
	93	6415	full	11.93	11.70	-	-	14.83	0.00	4.26	19.09	0.081096	30
	97	6435	full	11.42	10.90	-	-	14.18	0.00	4.26	18.44	0.069823	30
	105	6475	full	11.00	11.11	-	-	14.07	0.00	4.26	18.33	0.068077	30
	113	6515	full	11.70	11.69	-	-	14.71	0.00	4.26	18.97	0.078886	30
	117	6535	full	11.64	11.88	-	-	14.77	0.00	4.47	19.24	0.083946	30
	149	6695	full	12.15	12.48	-	-	15.33	0.00	4.47	19.80	0.095499	30
	181	6855	full	11.85	11.68	-	-	14.78	0.00	4.47	19.25	0.084140	30
	185	6875	full	11.94	12.24	-	-	15.10	0.00	4.47	19.57	0.090573	30
	189	6895	full	12.30	12.53	-	-	15.43	0.00	4.47	19.90	0.097724	30
	209	6995	full	12.45	13.22	-	-	15.86	0.00	4.47	20.33	0.107895	30
	233	7115	full	-5.98	-4.91	-	-	-2.40	0.00	4.47	2.07	0.001611	30
802.11ax HE40	3	5965	full	14.94	15.01	-	-	17.99	0.00	4.26	22.25	0.167880	30
	43	6165	full	13.11	13.24	-	-	16.19	0.00	4.26	20.45	0.110917	30
	91	6405	full	13.85	13.32	-	-	16.60	0.00	4.26	20.86	0.121899	30
	99	6445	full	13.02	12.82	-	-	15.93	0.00	4.26	20.19	0.104472	30
	107	6485	full	13.12	12.82	-	-	15.98	0.00	4.26	20.24	0.105682	30
	115	6525	full	13.84	13.70	-	-	16.78	0.00	4.26	21.04	0.127057	30
	123	6565	full	14.65	14.87	-	-	17.77	0.00	4.47	22.24	0.167494	30
	147	6685	full	16.96	15.99	-	-	19.51	0.00	4.47	23.98	0.250035	30
	179	6845	full	16.86	16.88	-	-	19.88	0.00	4.47	24.35	0.272270	30
	187	6885	full	17.66	17.32	-	-	20.50	0.00	4.47	24.97	0.314051	30
	195	6925	full	17.64	17.69	-	-	20.68	0.00	4.47	25.15	0.327341	30
	211	7005	full	16.52	17.03	-	-	19.79	0.00	4.47	24.26	0.266686	30
	227	7085	full	14.28	14.75	-	-	17.53	0.00	4.47	22.00	0.158489	30
802.11ax HE80	7	5985	full	17.62	17.47	-	-	20.56	0.00	4.26	24.82	0.303389	30
	39	6145	full	15.80	16.13	-	-	18.98	0.00	4.26	23.24	0.210863	30
	87	6385	full	16.26	16.06	-	-	19.17	0.00	4.26	23.43	0.220293	30
	103	6465	full	14.85	14.96	-	-	17.92	0.00	4.26	22.18	0.165196	30
	119	6545	full	16.55	16.30	-	-	19.44	0.00	4.47	23.91	0.246037	30
	135	6625	full	18.72	19.01	-	-	21.88	0.00	4.47	26.35	0.431519	30
	151	6705	full	17.97	18.17	-	-	21.08	0.00	4.47	25.55	0.358922	30
	167	6785	full	18.70	18.57	-	-	21.65	0.00	4.47	26.12	0.409261	30
	183	6865	full	20.05	20.01	-	-	23.04	0.00	4.47	27.51	0.563638	30
	199	6945	full	20.21	19.96	-	-	23.10	0.00	4.47	27.57	0.571479	30
802.11ax HE160	15	6025	full	20.68	19.99	-	-	23.24	0.00	4.26	27.50	0.562341	30
	47	6185	full	20.92	20.82	-	-	23.94	0.00	4.26	28.20	0.660693	30
	79	6345	full	21.66	21.68	-	-	24.68	0.00	4.26	28.94	0.783430	30
	111	6505	full	19.39	19.03	-	-	22.22	0.00	4.26	26.48	0.444631	30
	143	6665	full	21.87	21.16	-	-	24.46	0.00	4.47	28.93	0.781628	30
	175	6825	full	21.04	20.90	-	-	23.98	0.00	4.47	28.45	0.699842	30
	207	6985	full	20.96	20.61	-	-	23.08	0.00	4.47	27.55	0.568853	30

Band	CH	Freq. (MHz)		Measurement									
				Ant-0	Ant-1	Ant-2	Ant-3	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
				dBm/MHz	dBm/MHz	dBm/MHz	dBm/MHz	dBm/MHz					
802.11be EHT20	1	5955	full	12.27	12.35			15.32	0.00	4.26	19.58	0.090782	30
	45	6175	full	10.53	10.32			13.48	0.00	4.26	17.74	0.059429	30
	93	6415	full	12.17	11.77			14.88	0.00	4.26	19.14	0.082035	30
	97	6435	full	11.48	11.05			14.16	0.00	4.26	18.42	0.069502	30
	105	6475	full	10.97	11.06			13.98	0.00	4.26	18.24	0.066681	30
	113	6515	full	11.74	11.65			14.75	0.00	4.26	19.01	0.079616	30
	117	6535	full	11.73	11.90			14.87	0.00	4.47	19.34	0.085901	30
	149	6695	full	12.24	12.43			15.43	0.00	4.47	19.90	0.097724	30
	181	6855	full	11.92	11.92			14.89	0.00	4.47	19.36	0.086298	30
	185	6875	full	11.71	12.32			15.04	0.00	4.47	19.51	0.089331	30
	189	6895	full	12.39	12.65			15.50	0.00	4.47	19.97	0.099312	30
	209	6995	full	12.56	13.25			15.90	0.00	4.47	20.37	0.108893	30
	233	7115	full	12.06	12.26			-7.96	0.00	4.47	-3.49	0.000448	30
802.11be EHT40	3	5965	full	15.15	15.17			18.13	0.00	4.26	22.39	0.173380	30
	43	6165	full	13.28	13.32			16.35	0.00	4.26	20.61	0.115080	30
	91	6405	full	13.78	13.35			16.58	0.00	4.26	20.84	0.121339	30
	99	6445	full	13.28	13.00			16.08	0.00	4.26	20.34	0.108143	30
	107	6485	full	13.14	12.88			15.95	0.00	4.26	20.21	0.104954	30
	115	6525	full	14.05	13.82			17.00	0.00	4.26	21.26	0.133660	30
	123	6565	full	14.66	14.95			17.91	0.00	4.47	22.38	0.172982	30
	147	6685	full	16.83	16.06			19.62	0.00	4.47	24.09	0.256448	30
	179	6845	full	16.78	16.96			19.99	0.00	4.47	24.46	0.279254	30
	187	6885	full	17.57	17.63			20.61	0.00	4.47	25.08	0.322107	30
	195	6925	full	17.47	17.98			20.66	0.00	4.47	25.13	0.325837	30
	211	7005	full	16.45	17.19			19.81	0.00	4.47	24.28	0.267917	30
	227	7085	full	14.37	14.85			17.57	0.00	4.47	22.04	0.159956	30
802.11be EHT80	7	5985	full	6.70	7.01			20.61	0.00	4.26	24.87	0.306902	30
	39	6145	full	6.89	6.91			19.32	0.00	4.26	23.58	0.228034	30
	87	6385	full	6.88	6.87			19.42	0.00	4.26	23.68	0.233346	30
	103	6465	full	6.71	7.00			17.89	0.00	4.26	22.15	0.164059	30
	119	6545	full	6.84	6.70			19.42	0.00	4.47	23.89	0.244906	30
	135	6625	full	6.79	6.98			21.93	0.00	4.47	26.40	0.436516	30
	151	6705	full	6.71	6.65			21.24	0.00	4.47	25.71	0.372392	30
	167	6785	full	6.57	6.72			21.68	0.00	4.47	26.15	0.412098	30
	183	6865	full	6.74	6.88			23.71	0.00	4.47	28.18	0.657658	30
	199	6945	full	6.77	6.70			23.18	0.00	4.47	27.65	0.582103	30
802.11be EHT160	15	6025	full	21.17	21.50			24.33	0.00	4.26	28.59	0.722770	30
	47	6185	full	21.07	20.94			24.03	0.00	4.26	28.29	0.674528	30
	79	6345	full	21.71	21.71			24.73	0.00	4.26	28.99	0.792501	30
	111	6505	full	19.51	19.29			22.38	0.00	4.26	26.64	0.461318	30
	143	6665	full	21.96	21.21			24.64	0.00	4.47	29.11	0.814704	30
	175	6825	full	21.02	20.81			23.96	0.00	4.47	28.43	0.696627	30
	207	6985	full	21.26	21.00			23.09	0.00	4.47	27.56	0.570164	30
802.11be EHT320	31	6105	full	21.24	21.16			24.21	0.00	4.26	28.47	0.703072	30
	95	6425	full	20.73	20.29			23.52	0.00	4.26	27.78	0.599791	30
	159	6745	full	20.42	20.29			23.25	0.00	4.26	27.51	0.563638	30
	63	6265	full	21.49	21.31			24.45	0.00	4.26	28.71	0.743019	30
	127	6585	full	21.21	21.42			24.28	0.00	4.26	28.54	0.714496	30
	191	6905	full	20.77	20.39			23.56	0.00	4.47	28.03	0.635331	30