

# FCC 15.407 U-NII-5/6/7/8

## Hardware Setup: WMS Measurements\TS8997

Spectrum Analyzer: SA FSV3044(1) (SA FSV3044) @ VISA (ADR  
TCPIP::192.168.48.20::inst0::instr), SN 1330.5000K43/101416, FW  
1.90

OSP: OSP-B157W8PLUS (OSP-B157W8PLUS) @ VISA (ADR  
TCPIP::192.168.48.157::inst0::instr), SN 1527.1144.05 / 100850, FW  
2.10.0.23

## Emission Bandwidth 26 dB (5955 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 5955.000000         | 23.400000       | ---             | 320.000000      | 5943.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 5955.000000         | 5966.650000           | ---                  | 2.1             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 5.93500 GHz      | 5.93500 GHz    |
| Stop Frequency        | 5.97500 GHz      | 5.97500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 57 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.02 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (5955 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 5955.000000         | 23.300000       | ---             | 320.000000      | 5943.350000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 5955.000000         | 5966.650000           | ---                  | 2.0             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 5.93500 GHz      | 5.93500 GHz    |
| Stop Frequency        | 5.97500 GHz      | 5.97500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 68 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.20 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6175 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6175.000000         | 23.300000       | ---             | 320.000000      | 6163.350000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6175.000000         | 6186.650000           | ---                  | 0.0             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.15500 GHz      | 6.15500 GHz    |
| Stop Frequency        | 6.19500 GHz      | 6.19500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 54 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.05 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6175 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6175.000000         | 23.000000       | ---             | 320.000000      | 6163.550000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6175.000000         | 6186.550000           | ---                  | 0.1             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.15500 GHz      | 6.15500 GHz    |
| Stop Frequency        | 6.19500 GHz      | 6.19500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 43 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.16 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6415 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6415.000000         | 23.100000       | ---             | 320.000000      | 6403.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6415.000000         | 6426.350000           | ---                  | 1.4             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.39500 GHz      | 6.39500 GHz    |
| Stop Frequency        | 6.43500 GHz      | 6.43500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 95 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6415 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6415.000000         | 23.500000       | ---             | 320.000000      | 6403.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6415.000000         | 6426.750000           | ---                  | 1.1             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.39500 GHz      | 6.39500 GHz    |
| Stop Frequency        | 6.43500 GHz      | 6.43500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 50 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6435 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6435.000000         | 23.400000       | ---             | 320.000000      | 6423.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6435.000000         | 6446.650000           | ---                  | 1.2             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.41500 GHz      | 6.41500 GHz    |
| Stop Frequency        | 6.45500 GHz      | 6.45500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 78 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Emission Bandwidth 26 dB (6435 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6435.000000         | 23.200000       | ---             | 320.000000      | 6423.450000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6435.000000         | 6446.650000           | ---                  | 1.2             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.41500 GHz      | 6.41500 GHz    |
| Stop Frequency        | 6.45500 GHz      | 6.45500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 91 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.06 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6475 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6475.000000         | 23.300000       | ---             | 320.000000      | 6463.350000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6475.000000         | 6486.650000           | ---                  | 1.9             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.45500 GHz      | 6.45500 GHz    |
| Stop Frequency        | 6.49500 GHz      | 6.49500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 47 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.30 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6475 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6475.000000         | 23.100000       | ---             | 320.000000      | 6463.550000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6475.000000         | 6486.650000           | ---                  | 1.6             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.45500 GHz      | 6.45500 GHz    |
| Stop Frequency        | 6.49500 GHz      | 6.49500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 53 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.15 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6515 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6515.000000         | 23.400000       | ---             | 320.000000      | 6503.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6515.000000         | 6526.650000           | ---                  | 1.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.49500 GHz      | 6.49500 GHz    |
| Stop Frequency        | 6.53500 GHz      | 6.53500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 65 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6515 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6515.000000         | 23.400000       | ---             | 320.000000      | 6503.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6515.000000         | 6526.650000           | ---                  | 1.3             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.49500 GHz      | 6.49500 GHz    |
| Stop Frequency        | 6.53500 GHz      | 6.53500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 69 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6535 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6535.000000         | 23.400000       | ---             | 320.000000      | 6523.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6535.000000         | 6546.650000           | ---                  | 2.1             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.51500 GHz      | 6.51500 GHz    |
| Stop Frequency        | 6.55500 GHz      | 6.55500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 78 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6535 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6535.000000         | 23.300000       | ---             | 320.000000      | 6523.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6535.000000         | 6546.550000           | ---                  | 1.7             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.51500 GHz      | 6.51500 GHz    |
| Stop Frequency        | 6.55500 GHz      | 6.55500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 73 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6695 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6695.000000         | 23.100000       | ---             | 320.000000      | 6683.450000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6695.000000         | 6706.550000           | ---                  | 4.0             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.67500 GHz      | 6.67500 GHz    |
| Stop Frequency        | 6.71500 GHz      | 6.71500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 73 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.11 dB          | 0.30 dB        |



## Emission Bandwidth 26 dB (6695 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6695.000000         | 22.900000       | ---             | 320.000000      | 6683.550000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6695.000000         | 6706.450000           | ---                  | 3.7             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.67500 GHz      | 6.67500 GHz    |
| Stop Frequency        | 6.71500 GHz      | 6.71500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 67 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.13 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6855 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6855.000000         | 23.200000       | ---             | 320.000000      | 6843.150000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6855.000000         | 6866.350000           | ---                  | 2.1             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.83500 GHz      | 6.83500 GHz    |
| Stop Frequency        | 6.87500 GHz      | 6.87500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 64 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.19 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6855 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6855.000000         | 23.100000       | ---             | 320.000000      | 6843.350000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6855.000000         | 6866.450000           | ---                  | 2.4             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.83500 GHz      | 6.83500 GHz    |
| Stop Frequency        | 6.87500 GHz      | 6.87500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 69 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.10 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6875 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6875.000000         | 23.200000       | 11.750000               | 11.450000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6875.000000         | 6863.250000          | ---                  | 6886.450000           | ---                  | 2.0             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.85500 GHz      | 6.85500 GHz    |
| Stop Frequency        | 6.89500 GHz      | 6.89500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 77 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.13 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6875 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6875.000000         | 23.100000       | 11.550000               | 11.550000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6875.000000         | 6863.450000          | ---                  | 6886.550000           | ---                  | 2.5             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.85500 GHz      | 6.85500 GHz    |
| Stop Frequency        | 6.89500 GHz      | 6.89500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 63 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.21 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6895 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6895.000000         | 23.400000       | ---             | 320.000000      | 6883.150000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6895.000000         | 6906.550000           | ---                  | 2.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.87500 GHz      | 6.87500 GHz    |
| Stop Frequency        | 6.91500 GHz      | 6.91500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 67 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.23 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6895 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6895.000000         | 23.300000       | ---             | 320.000000      | 6883.350000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6895.000000         | 6906.650000           | ---                  | 3.1             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.87500 GHz      | 6.87500 GHz    |
| Stop Frequency        | 6.91500 GHz      | 6.91500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 54 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.25 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6995 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6995.000000         | 23.200000       | ---             | 320.000000      | 6983.450000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6995.000000         | 7006.650000           | ---                  | 3.3             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.97500 GHz      | 6.97500 GHz    |
| Stop Frequency        | 7.01500 GHz      | 7.01500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 84 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Emission Bandwidth 26 dB (6995 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6995.000000         | 23.100000       | ---             | 320.000000      | 6983.550000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6995.000000         | 7006.650000           | ---                  | 3.2             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.97500 GHz      | 6.97500 GHz    |
| Stop Frequency        | 7.01500 GHz      | 7.01500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 46 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.12 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (7115 MHz; 11a (20 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7115.000000         | 23.400000       | ---             | 320.000000      | 7103.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 7115.000000         | 7126.650000           | ---                  | -4.9            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 7.09500 GHz      | 7.09500 GHz    |
| Stop Frequency        | 7.13500 GHz      | 7.13500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 41 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.28 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (7115 MHz; 11a (20 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7115.000000         | 23.200000       | ---             | 320.000000      | 7103.350000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 7115.000000         | 7126.550000           | ---                  | -4.3            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 7.09500 GHz      | 7.09500 GHz    |
| Stop Frequency        | 7.13500 GHz      | 7.13500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 72 / max. 150    | max. 150       |
| Stable                | 5 / 5            | 5              |
| Max Stable Difference | 0.14 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (5955 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 5955.000000         | 23.100000       | ---             | 320.000000      | 5943.550000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 5955.000000         | 5966.650000           | ---                  | 2.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 5.93500 GHz      | 5.93500 GHz    |
| Stop Frequency        | 5.97500 GHz      | 5.97500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (5955 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 5955.000000         | 23.800000       | ---             | 320.000000      | 5943.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 5955.000000         | 5967.050000           | ---                  | 2.4             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 5.93500 GHz      | 5.93500 GHz    |
| Stop Frequency        | 5.97500 GHz      | 5.97500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6175 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6175.000000         | 23.300000       | ---             | 320.000000      | 6163.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6175.000000         | 6186.550000           | ---                  | 0.9             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.15500 GHz      | 6.15500 GHz    |
| Stop Frequency        | 6.19500 GHz      | 6.19500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6175 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6175.000000         | 23.600000       | ---             | 320.000000      | 6163.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6175.000000         | 6186.850000           | ---                  | 0.4             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.15500 GHz      | 6.15500 GHz    |
| Stop Frequency        | 6.19500 GHz      | 6.19500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6415 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6415.000000         | 23.100000       | ---             | 320.000000      | 6403.450000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6415.000000         | 6426.550000           | ---                  | 2.0             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.39500 GHz      | 6.39500 GHz    |
| Stop Frequency        | 6.43500 GHz      | 6.43500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Emission Bandwidth 26 dB (6415 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6415.000000         | 23.800000       | ---             | 320.000000      | 6403.150000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6415.000000         | 6426.950000           | ---                  | 1.6             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.39500 GHz      | 6.39500 GHz    |
| Stop Frequency        | 6.43500 GHz      | 6.43500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6435 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6435.000000         | 22.900000       | ---             | 320.000000      | 6423.650000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6435.000000         | 6446.550000           | ---                  | 1.5             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.41500 GHz      | 6.41500 GHz    |
| Stop Frequency        | 6.45500 GHz      | 6.45500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6435 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6435.000000         | 23.700000       | ---             | 320.000000      | 6423.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6435.000000         | 6446.950000           | ---                  | 1.3             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.41500 GHz      | 6.41500 GHz    |
| Stop Frequency        | 6.45500 GHz      | 6.45500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6475 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6475.000000         | 23.200000       | ---             | 320.000000      | 6463.450000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6475.000000         | 6486.650000           | ---                  | 1.6             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.45500 GHz      | 6.45500 GHz    |
| Stop Frequency        | 6.49500 GHz      | 6.49500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6475 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6475.000000         | 23.500000       | ---             | 320.000000      | 6463.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6475.000000         | 6486.750000           | ---                  | 1.4             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.45500 GHz      | 6.45500 GHz    |
| Stop Frequency        | 6.49500 GHz      | 6.49500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6515 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6515.000000         | 23.000000       | ---             | 320.000000      | 6503.550000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6515.000000         | 6526.550000           | ---                  | 2.6             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.49500 GHz      | 6.49500 GHz    |
| Stop Frequency        | 6.53500 GHz      | 6.53500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6515 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6515.000000         | 23.700000       | ---             | 320.000000      | 6503.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6515.000000         | 6526.950000           | ---                  | 1.9             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.49500 GHz      | 6.49500 GHz    |
| Stop Frequency        | 6.53500 GHz      | 6.53500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6535 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6535.000000         | 23.100000       | ---             | 320.000000      | 6523.550000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6535.000000         | 6546.650000           | ---                  | 2.4             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.51500 GHz      | 6.51500 GHz    |
| Stop Frequency        | 6.55500 GHz      | 6.55500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Emission Bandwidth 26 dB (6535 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6535.000000         | 23.600000       | ---             | 320.000000      | 6523.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6535.000000         | 6546.850000           | ---                  | 2.7             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.51500 GHz      | 6.51500 GHz    |
| Stop Frequency        | 6.55500 GHz      | 6.55500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6695 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6695.000000         | 23.000000       | ---             | 320.000000      | 6683.550000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6695.000000         | 6706.550000           | ---                  | 3.7             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.67500 GHz      | 6.67500 GHz    |
| Stop Frequency        | 6.71500 GHz      | 6.71500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6695 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6695.000000         | 23.500000       | ---             | 320.000000      | 6683.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6695.000000         | 6706.750000           | ---                  | 3.5             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.67500 GHz      | 6.67500 GHz    |
| Stop Frequency        | 6.71500 GHz      | 6.71500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6855 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6855.000000         | 23.100000       | ---             | 320.000000      | 6843.450000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6855.000000         | 6866.550000           | ---                  | 2.1             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.83500 GHz      | 6.83500 GHz    |
| Stop Frequency        | 6.87500 GHz      | 6.87500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6855 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6855.000000         | 23.600000       | ---             | 320.000000      | 6843.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6855.000000         | 6866.850000           | ---                  | 2.6             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.83500 GHz      | 6.83500 GHz    |
| Stop Frequency        | 6.87500 GHz      | 6.87500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6875 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6875.000000         | 23.100000       | 11.550000               | 11.550000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6875.000000         | 6863.450000          | ---                  | 6886.550000           | ---                  | 2.4             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.85500 GHz      | 6.85500 GHz    |
| Stop Frequency        | 6.89500 GHz      | 6.89500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6875 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6875.000000         | 23.500000       | 11.750000               | 11.750000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6875.000000         | 6863.250000          | ---                  | 6886.750000           | ---                  | 2.6             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.85500 GHz      | 6.85500 GHz    |
| Stop Frequency        | 6.89500 GHz      | 6.89500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6895 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6895.000000         | 23.100000       | ---             | 320.000000      | 6883.450000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6895.000000         | 6906.550000           | ---                  | 2.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.87500 GHz      | 6.87500 GHz    |
| Stop Frequency        | 6.91500 GHz      | 6.91500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Emission Bandwidth 26 dB (6895 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6895.000000         | 23.500000       | ---             | 320.000000      | 6883.150000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6895.000000         | 6906.650000           | ---                  | 3.0             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.87500 GHz      | 6.87500 GHz    |
| Stop Frequency        | 6.91500 GHz      | 6.91500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6995 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6995.000000         | 23.100000       | ---             | 320.000000      | 6983.450000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6995.000000         | 7006.550000           | ---                  | 3.5             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.97500 GHz      | 6.97500 GHz    |
| Stop Frequency        | 7.01500 GHz      | 7.01500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6995 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6995.000000         | 23.400000       | ---             | 320.000000      | 6983.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6995.000000         | 7006.650000           | ---                  | 3.2             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.97500 GHz      | 6.97500 GHz    |
| Stop Frequency        | 7.01500 GHz      | 7.01500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (7115 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7115.000000         | 40.000000       | ---             | 320.000000      | 7095.000000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 7115.000000         | 7135.000000           | ---                  | -21.8           | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 7.09500 GHz      | 7.09500 GHz    |
| Stop Frequency        | 7.13500 GHz      | 7.13500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (7115 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7115.000000         | 39.900000       | ---             | 320.000000      | 7095.050000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 7115.000000         | 7134.950000           | ---                  | -21.6           | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 7.09500 GHz      | 7.09500 GHz    |
| Stop Frequency        | 7.13500 GHz      | 7.13500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | ~ 200.000 kHz  |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (5965 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 5965.000000         | 45.328330       | ---             | 320.000000      | 5942.185741          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 5965.000000         | 5987.514071           | ---                  | 4.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 5.92500 GHz      | 5.92500 GHz    |
| Stop Frequency        | 6.00500 GHz      | 6.00500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (5965 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 5965.000000         | 43.677298       | ---             | 320.000000      | 5943.086304          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 5965.000000         | 5986.763602           | ---                  | 5.0             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 5.92500 GHz      | 5.92500 GHz    |
| Stop Frequency        | 6.00500 GHz      | 6.00500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6165 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6165.000000         | 44.277673       | ---             | 320.000000      | 6142.636023          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6165.000000         | 6186.913696           | ---                  | 3.9             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.12500 GHz      | 6.12500 GHz    |
| Stop Frequency        | 6.20500 GHz      | 6.20500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Emission Bandwidth 26 dB (6165 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6165.000000         | 44.277674       | ---             | 320.000000      | 6142.936210          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6165.000000         | 6187.213884           | ---                  | 3.5             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.12500 GHz      | 6.12500 GHz    |
| Stop Frequency        | 6.20500 GHz      | 6.20500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6405 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6405.000000         | 45.328330       | ---             | 320.000000      | 6382.485929          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6405.000000         | 6427.814259           | ---                  | 3.0             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.36500 GHz      | 6.36500 GHz    |
| Stop Frequency        | 6.44500 GHz      | 6.44500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 0 / 5            | 5              |
| Max Stable Difference | 0.50 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6405 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6405.000000         | 44.427768       | ---             | 320.000000      | 6382.786116          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6405.000000         | 6427.213884           | ---                  | 3.5             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.36500 GHz      | 6.36500 GHz    |
| Stop Frequency        | 6.44500 GHz      | 6.44500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6445 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6445.000000         | 44.727954       | ---             | 320.000000      | 6422.636023          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6445.000000         | 6467.363977           | ---                  | 2.6             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.40500 GHz      | 6.40500 GHz    |
| Stop Frequency        | 6.48500 GHz      | 6.48500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6445 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6445.000000         | 44.127580       | ---             | 320.000000      | 6422.936210          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6445.000000         | 6467.063790           | ---                  | 2.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.40500 GHz      | 6.40500 GHz    |
| Stop Frequency        | 6.48500 GHz      | 6.48500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6485 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6485.000000         | 45.328330       | ---             | 320.000000      | 6462.185741          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6485.000000         | 6507.514071           | ---                  | 2.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.44500 GHz      | 6.44500 GHz    |
| Stop Frequency        | 6.52500 GHz      | 6.52500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6485 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6485.000000         | 45.028142       | ---             | 320.000000      | 6462.485929          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6485.000000         | 6507.514071           | ---                  | 2.9             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.44500 GHz      | 6.44500 GHz    |
| Stop Frequency        | 6.52500 GHz      | 6.52500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6525 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6525.000000         | 45.628517       | 23.264540               | 22.363977               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6525.000000         | 6501.735460          | ---                  | 6547.363977           | ---                  | 3.7             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.48500 GHz      | 6.48500 GHz    |
| Stop Frequency        | 6.56500 GHz      | 6.56500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Emission Bandwidth 26 dB (6525 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6525.000000         | 43.827392       | 22.063790               | 21.763602               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6525.000000         | 6502.936210          | ---                  | 6546.763602           | ---                  | 4.4             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.48500 GHz      | 6.48500 GHz    |
| Stop Frequency        | 6.56500 GHz      | 6.56500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6565 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6565.000000         | 44.878048       | ---             | 320.000000      | 6542.485929          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6565.000000         | 6587.363977           | ---                  | 4.2             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.52500 GHz      | 6.52500 GHz    |
| Stop Frequency        | 6.60500 GHz      | 6.60500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6565 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6565.000000         | 44.577861       | ---             | 320.000000      | 6542.485929          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6565.000000         | 6587.063790           | ---                  | 4.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.52500 GHz      | 6.52500 GHz    |
| Stop Frequency        | 6.60500 GHz      | 6.60500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6685 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6685.000000         | 44.878048       | ---             | 320.000000      | 6662.485929          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6685.000000         | 6707.363977           | ---                  | 6.2             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.64500 GHz      | 6.64500 GHz    |
| Stop Frequency        | 6.72500 GHz      | 6.72500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6685 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6685.000000         | 44.727954       | ---             | 320.000000      | 6662.636023          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6685.000000         | 6707.363977           | ---                  | 5.9             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.64500 GHz      | 6.64500 GHz    |
| Stop Frequency        | 6.72500 GHz      | 6.72500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6845 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6845.000000         | 44.878048       | ---             | 320.000000      | 6822.636023          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6845.000000         | 6867.514071           | ---                  | 6.5             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.80500 GHz      | 6.80500 GHz    |
| Stop Frequency        | 6.88500 GHz      | 6.88500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6845 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6845.000000         | 43.827392       | ---             | 320.000000      | 6822.786116          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6845.000000         | 6866.613508           | ---                  | 7.2             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.80500 GHz      | 6.80500 GHz    |
| Stop Frequency        | 6.88500 GHz      | 6.88500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6885 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6885.000000         | 44.577861       | 12.213884               | 32.363977               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6885.000000         | 6862.786116          | ---                  | 6907.363977           | ---                  | 7.1             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.84500 GHz      | 6.84500 GHz    |
| Stop Frequency        | 6.92500 GHz      | 6.92500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Emission Bandwidth 26 dB (6885 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6885.000000         | 44.277673       | 11.763602               | 32.514071               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6885.000000         | 6863.236398          | ---                  | 6907.514071           | ---                  | 7.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.84500 GHz      | 6.84500 GHz    |
| Stop Frequency        | 6.92500 GHz      | 6.92500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6925 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6925.000000         | 44.727954       | ---             | 320.000000      | 6902.636023          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6925.000000         | 6947.363977           | ---                  | 7.3             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.88500 GHz      | 6.88500 GHz    |
| Stop Frequency        | 6.96500 GHz      | 6.96500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (6925 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6925.000000         | 43.977486       | ---             | 320.000000      | 6903.086304          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6925.000000         | 6947.063790           | ---                  | 7.6             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.88500 GHz      | 6.88500 GHz    |
| Stop Frequency        | 6.96500 GHz      | 6.96500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (7005 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7005.000000         | 45.028142       | ---             | 320.000000      | 6982.636023          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 7005.000000         | 7027.664165           | ---                  | 6.5             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.96500 GHz      | 6.96500 GHz    |
| Stop Frequency        | 7.04500 GHz      | 7.04500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 0 / 5            | 5              |
| Max Stable Difference | 0.61 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (7005 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7005.000000         | 44.577861       | ---             | 320.000000      | 6982.636023          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 7005.000000         | 7027.213884           | ---                  | 6.8             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.96500 GHz      | 6.96500 GHz    |
| Stop Frequency        | 7.04500 GHz      | 7.04500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (7085 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7085.000000         | 44.277673       | ---             | 320.000000      | 7062.485929          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 7085.000000         | 7106.763602           | ---                  | 5.4             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 7.04500 GHz      | 7.04500 GHz    |
| Stop Frequency        | 7.12500 GHz      | 7.12500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (7085 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7085.000000         | 44.727955       | ---             | 320.000000      | 7062.335835          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 7085.000000         | 7107.063790           | ---                  | 5.3             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 7.04500 GHz      | 7.04500 GHz    |
| Stop Frequency        | 7.12500 GHz      | 7.12500 GHz    |
| Span                  | 80.000 MHz       | 80.000 MHz     |
| RBW                   | 300.000 kHz      | ~ 400.000 kHz  |
| VBW                   | 1.000 MHz        | >= 900.000 kHz |
| SweepPoints           | 533              | ~ 533          |
| Sweeptime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Emission Bandwidth 26 dB (5985 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 5985.000000         | 90.000000       | ---             | 320.000000      | 5939.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 5985.000000         | 6029.750000           | ---                  | 13.1            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 5.90500 GHz      | 5.90500 GHz   |
| Stop Frequency        | 6.06500 GHz      | 6.06500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 1 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |



## Emission Bandwidth 26 dB (5985 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 5985.000000         | 91.500000       | ---             | 320.000000      | 5939.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 5985.000000         | 6030.750000           | ---                  | 12.2            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 5.90500 GHz      | 5.90500 GHz   |
| Stop Frequency        | 6.06500 GHz      | 6.06500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 2 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6145 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6145.000000         | 92.500000       | ---             | 320.000000      | 6099.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6145.000000         | 6191.750000           | ---                  | 11.0            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.06500 GHz      | 6.06500 GHz   |
| Stop Frequency        | 6.22500 GHz      | 6.22500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 3 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6145 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6145.000000         | 91.000000       | ---             | 320.000000      | 6099.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6145.000000         | 6190.250000           | ---                  | 10.5            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.06500 GHz      | 6.06500 GHz   |
| Stop Frequency        | 6.22500 GHz      | 6.22500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| Sweeptime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 1 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6385 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6385.000000         | 91.500000       | ---             | 320.000000      | 6339.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6385.000000         | 6430.750000           | ---                  | 11.7            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.30500 GHz      | 6.30500 GHz   |
| Stop Frequency        | 6.46500 GHz      | 6.46500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| Sweeptime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 3 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6385 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6385.000000         | 91.000000       | ---             | 320.000000      | 6339.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6385.000000         | 6430.250000           | ---                  | 11.1            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.30500 GHz      | 6.30500 GHz   |
| Stop Frequency        | 6.46500 GHz      | 6.46500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 3 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6465 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6465.000000         | 92.000000       | ---             | 320.000000      | 6418.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6465.000000         | 6510.750000           | ---                  | 9.5             | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.38500 GHz      | 6.38500 GHz   |
| Stop Frequency        | 6.54500 GHz      | 6.54500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| Sweeptime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 2 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6465 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6465.000000         | 90.500000       | ---             | 320.000000      | 6419.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6465.000000         | 6509.750000           | ---                  | 10.1            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.38500 GHz      | 6.38500 GHz   |
| Stop Frequency        | 6.54500 GHz      | 6.54500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 1 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6545 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6545.000000         | 91.500000       | 26.250000               | 65.250000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6545.000000         | 6498.750000          | ---                  | 6590.250000           | ---                  | 11.4            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.46500 GHz      | 6.46500 GHz   |
| Stop Frequency        | 6.62500 GHz      | 6.62500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 2 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |



## Emission Bandwidth 26 dB (6545 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6545.000000         | 91.500000       | 25.750000               | 65.750000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6545.000000         | 6499.250000          | ---                  | 6590.750000           | ---                  | 11.2            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.46500 GHz      | 6.46500 GHz   |
| Stop Frequency        | 6.62500 GHz      | 6.62500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 2 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6625 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6625.000000         | 91.500000       | ---             | 320.000000      | 6579.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6625.000000         | 6670.750000           | ---                  | 13.3            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.54500 GHz      | 6.54500 GHz   |
| Stop Frequency        | 6.70500 GHz      | 6.70500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 3 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6625 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6625.000000         | 91.500000       | ---             | 320.000000      | 6578.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6625.000000         | 6670.250000           | ---                  | 12.3            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.54500 GHz      | 6.54500 GHz   |
| Stop Frequency        | 6.70500 GHz      | 6.70500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 2 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6705 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6705.000000         | 90.500000       | ---             | 320.000000      | 6659.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6705.000000         | 6750.250000           | ---               | 13.6            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.62500 GHz      | 6.62500 GHz   |
| Stop Frequency        | 6.78500 GHz      | 6.78500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| Sweeptime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 3 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6705 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6705.000000         | 90.000000       | ---             | 320.000000      | 6659.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6705.000000         | 6749.750000           | ---                  | 14.3            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.62500 GHz      | 6.62500 GHz   |
| Stop Frequency        | 6.78500 GHz      | 6.78500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| Sweeptime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 3 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6785 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6785.000000         | 91.500000       | ---             | 320.000000      | 6739.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6785.000000         | 6831.250000           | ---                  | 13.7            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.70500 GHz      | 6.70500 GHz   |
| Stop Frequency        | 6.86500 GHz      | 6.86500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| Sweeptime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 0 / 5            | 5             |
| Max Stable Difference | 2.36 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6785 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6785.000000         | 90.000000       | ---             | 320.000000      | 6739.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6785.000000         | 6829.750000           | ---                  | 13.6            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.70500 GHz      | 6.70500 GHz   |
| Stop Frequency        | 6.86500 GHz      | 6.86500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 2 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6865 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6865.000000         | 93.500000       | 57.750000               | 35.750000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6865.000000         | 6817.250000          | ---                  | 6910.750000           | ---                  | 15.5            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.78500 GHz      | 6.78500 GHz   |
| Stop Frequency        | 6.94500 GHz      | 6.94500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 3 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |



## Emission Bandwidth 26 dB (6865 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6865.000000         | 90.500000       | 55.750000               | 34.750000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6865.000000         | 6819.250000          | ---                  | 6909.750000           | ---                  | 15.8            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.78500 GHz      | 6.78500 GHz   |
| Stop Frequency        | 6.94500 GHz      | 6.94500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 3 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6945 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6945.000000         | 91.500000       | ---             | 320.000000      | 6899.250000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6945.000000         | 6990.750000           | ---               | 14.7            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.86500 GHz      | 6.86500 GHz   |
| Stop Frequency        | 7.02500 GHz      | 7.02500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 1 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6945 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6945.000000         | 92.500000       | ---             | 320.000000      | 6898.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6945.000000         | 6991.250000           | ---               | 13.8            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.86500 GHz      | 6.86500 GHz   |
| Stop Frequency        | 7.02500 GHz      | 7.02500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| Sweeptime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 1 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (7025 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7025.000000         | 92.500000       | ---             | 320.000000      | 6977.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 7025.000000         | 7070.250000           | ---               | 14.1            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.94500 GHz      | 6.94500 GHz   |
| Stop Frequency        | 7.10500 GHz      | 7.10500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| Sweeptime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 3 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (7025 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 7025.000000         | 91.500000       | ---             | 320.000000      | 6978.750000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 7025.000000         | 7070.250000           | ---                  | 13.3            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value  |
|-----------------------|------------------|---------------|
| Start Frequency       | 6.94500 GHz      | 6.94500 GHz   |
| Stop Frequency        | 7.10500 GHz      | 7.10500 GHz   |
| Span                  | 160.000 MHz      | 160.000 MHz   |
| RBW                   | 1.000 MHz        | ~ 800.000 kHz |
| VBW                   | 3.000 MHz        | >= 3.000 MHz  |
| SweepPoints           | 320              | ~ 320         |
| SweepTime             | 1.000 ms         | AUTO          |
| Reference Level       | 10.000 dBm       | 10.000 dBm    |
| Attenuation           | 20.000 dB        | AUTO          |
| Detector              | MaxPeak          | MaxPeak       |
| SweepCount            | 200              | 200           |
| Filter                | 3 dB             | 3 dB          |
| Trace Mode            | Max Hold         | Max Hold      |
| SweepType             | Sweep            | AUTO          |
| Preamp                | off              | off           |
| Stablemode            | Trace            | Trace         |
| Stablevalue           | 0.30 dB          | 0.30 dB       |
| Run                   | 20 / max. 20     | max. 20       |
| Stable                | 2 / 5            | 5             |
| Max Stable Difference | 0.00 dB          | 0.30 dB       |

## Emission Bandwidth 26 dB (6025 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6025.000000         | 177.000000      | ---             | 320.000000      | 5937.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6025.000000         | 6114.500000           | ---               | 18.2            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 5.86500 GHz      | 5.86500 GHz  |
| Stop Frequency        | 6.18500 GHz      | 6.18500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 4 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6025 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6025.000000         | 175.000000      | ---             | 320.000000      | 5938.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6025.000000         | 6113.500000           | ---               | 17.1            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 5.86500 GHz      | 5.86500 GHz  |
| Stop Frequency        | 6.18500 GHz      | 6.18500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| Sweeptime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 2 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6185 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6185.000000         | 179.000000      | ---             | 320.000000      | 6096.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6185.000000         | 6275.500000           | ---               | 17.0            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.02500 GHz      | 6.02500 GHz  |
| Stop Frequency        | 6.34500 GHz      | 6.34500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 2 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |



## Emission Bandwidth 26 dB (6185 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6185.000000         | 176.000000      | ---             | 320.000000      | 6096.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6185.000000         | 6272.500000           | ---               | 16.3            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.02500 GHz      | 6.02500 GHz  |
| Stop Frequency        | 6.34500 GHz      | 6.34500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| Sweeptime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 3 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6345 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6345.000000         | 179.000000      | ---             | 320.000000      | 6256.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6345.000000         | 6435.500000           | ---               | 17.0            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.18500 GHz      | 6.18500 GHz  |
| Stop Frequency        | 6.50500 GHz      | 6.50500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 1 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6345 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6345.000000         | 176.000000      | ---             | 320.000000      | 6256.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6345.000000         | 6432.500000           | ---               | 17.1            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.18500 GHz      | 6.18500 GHz  |
| Stop Frequency        | 6.50500 GHz      | 6.50500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 3 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6505 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6505.000000         | 177.000000      | 107.500000              | 69.500000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6505.000000         | 6417.500000          | ---                  | 6594.500000           | ---                  | 15.6            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.34500 GHz      | 6.34500 GHz  |
| Stop Frequency        | 6.66500 GHz      | 6.66500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 3 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6505 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6505.000000         | 175.000000      | 107.500000              | 67.500000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6505.000000         | 6417.500000          | ---                  | 6592.500000           | ---                  | 14.7            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.34500 GHz      | 6.34500 GHz  |
| Stop Frequency        | 6.66500 GHz      | 6.66500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 3 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6665 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6665.000000         | 179.000000      | ---             | 320.000000      | 6576.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6665.000000         | 6755.500000           | ---                  | 16.4            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.50500 GHz      | 6.50500 GHz  |
| Stop Frequency        | 6.82500 GHz      | 6.82500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| Sweeptime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 2 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6665 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6665.000000         | 175.000000      | ---             | 320.000000      | 6577.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6665.000000         | 6752.500000           | ---                  | 16.9            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.50500 GHz      | 6.50500 GHz  |
| Stop Frequency        | 6.82500 GHz      | 6.82500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| Sweeptime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 4 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6825 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6825.000000         | 179.000000      | 138.500000              | 40.500000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6825.000000         | 6736.500000          | ---                  | 6915.500000           | ---                  | 15.3            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.66500 GHz      | 6.66500 GHz  |
| Stop Frequency        | 6.98500 GHz      | 6.98500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 3 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |



## Emission Bandwidth 26 dB (6825 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6825.000000         | 174.000000      | 137.500000              | 36.500000               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6825.000000         | 6737.500000          | ---                  | 6911.500000           | ---                  | 15.4            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.66500 GHz      | 6.66500 GHz  |
| Stop Frequency        | 6.98500 GHz      | 6.98500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 2 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6985 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6985.000000         | 178.000000      | ---             | 320.000000      | 6896.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6985.000000         | 7074.500000           | ---               | 14.8            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.82500 GHz      | 6.82500 GHz  |
| Stop Frequency        | 7.14500 GHz      | 7.14500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| Sweeptime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6985 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6985.000000         | 174.000000      | ---             | 320.000000      | 6897.500000          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|-------------------|-----------------|--------|
| 6985.000000         | 7071.500000           | ---               | 13.9            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.82500 GHz      | 6.82500 GHz  |
| Stop Frequency        | 7.14500 GHz      | 7.14500 GHz  |
| Span                  | 320.000 MHz      | 320.000 MHz  |
| RBW                   | 2.000 MHz        | ~ 1.600 MHz  |
| VBW                   | 10.000 MHz       | >= 6.000 MHz |
| SweepPoints           | 320              | ~ 320        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 20 / max. 20     | max. 20      |
| Stable                | 2 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6105 MHz; 11be320 (320 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6105.000000         | 343.231851      | ---             | 320.000000      | 5934.133489          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6105.000000         | 6277.365340           | ---                  | 16.1            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 5.78500 GHz      | 5.78500 GHz  |
| Stop Frequency        | 6.42500 GHz      | 6.42500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| Sweeptime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 109 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6105 MHz; 11be320 (320 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6105.000000         | 340.234192      | ---             | 320.000000      | 5935.632319          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6105.000000         | 6275.866511           | ---                  | 16.7            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 5.78500 GHz      | 5.78500 GHz  |
| Stop Frequency        | 6.42500 GHz      | 6.42500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| Sweeptime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 134 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6265 MHz; 11be320 (320 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6265.000000         | 344.730680      | ---             | 320.000000      | 6092.634660          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6265.000000         | 6437.365340           | ---                  | 16.8            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 5.94500 GHz      | 5.94500 GHz  |
| Stop Frequency        | 6.58500 GHz      | 6.58500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| Sweeptime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 129 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6265 MHz; 11be320 (320 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------|
| 6265.000000         | 340.234192      | ---             | 320.000000      | 6094.133489          | ---            |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|-----------------------|----------------------|-----------------|--------|
| 6265.000000         | 6434.367681           | ---                  | 17.7            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 5.94500 GHz      | 5.94500 GHz  |
| Stop Frequency        | 6.58500 GHz      | 6.58500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| Sweeptime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 135 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6425 MHz; 11be320 (320 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6425.000000         | 344.730680      | 272.365340              | 72.365340               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6425.000000         | 6252.634660          | ---                  | 6597.365340           | ---                  | 16.1            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.10500 GHz      | 6.10500 GHz  |
| Stop Frequency        | 6.74500 GHz      | 6.74500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 124 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |



## Emission Bandwidth 26 dB (6425 MHz; 11be320 (320 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6425.000000         | 343.231851      | 272.365340              | 70.866511               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6425.000000         | 6252.634660          | ---                  | 6595.866511           | ---                  | 16.1            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.10500 GHz      | 6.10500 GHz  |
| Stop Frequency        | 6.74500 GHz      | 6.74500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 114 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6585 MHz; 11be320 (320 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6585.000000         | 341.733022      | 110.866511              | 230.866511              | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6585.000000         | 6414.133489          | ---                  | 6755.866511           | ---                  | 16.3            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.26500 GHz      | 6.26500 GHz  |
| Stop Frequency        | 6.90500 GHz      | 6.90500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 112 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.21 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6585 MHz; 11be320 (320 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 6 (MHz) | Bandwidth U-NII 7 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6585.000000         | 343.231851      | 110.866511              | 232.365340              | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6585.000000         | 6414.133489          | ---                  | 6757.365340           | ---                  | 15.8            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.26500 GHz      | 6.26500 GHz  |
| Stop Frequency        | 6.90500 GHz      | 6.90500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 121 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6745 MHz; 11be320 (320 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6745.000000         | 346.229509      | 300.866511              | 45.362998               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6745.000000         | 6574.133489          | ---                  | 6920.362998           | ---                  | 15.5            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.42500 GHz      | 6.42500 GHz  |
| Stop Frequency        | 7.06500 GHz      | 7.06500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 127 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6745 MHz; 11be320 (320 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6745.000000         | 338.735362      | 299.367681              | 39.367681               | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6745.000000         | 6575.632319          | ---                  | 6914.367681           | ---                  | 15.7            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.42500 GHz      | 6.42500 GHz  |
| Stop Frequency        | 7.06500 GHz      | 7.06500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 93 / max. 150    | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6905 MHz; 11be320 (320 MHz)) - Ant0


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6905.000000         | 341.733022      | 140.866511              | 200.866511              | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6905.000000         | 6734.133489          | ---                  | 7075.866511           | ---                  | 14.7            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.58500 GHz      | 6.58500 GHz  |
| Stop Frequency        | 7.22500 GHz      | 7.22500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 119 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Emission Bandwidth 26 dB (6905 MHz; 11be320 (320 MHz)) – Ant1


### 26 dB Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6905.000000         | 337.236533      | 139.367681              | 197.868852              | ---             | 320.000000      |

(continuation of the "26 dB Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Max Level (dBm) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|-----------------|--------|
| 6905.000000         | 6735.632319          | ---                  | 7072.868852           | ---                  | 15.7            | PASS   |

26 dB Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value |
|-----------------------|------------------|--------------|
| Start Frequency       | 6.58500 GHz      | 6.58500 GHz  |
| Stop Frequency        | 7.22500 GHz      | 7.22500 GHz  |
| Span                  | 640.000 MHz      | 640.000 MHz  |
| RBW                   | 3.000 MHz        | ~ 3.200 MHz  |
| VBW                   | 10.000 MHz       | >= 9.000 MHz |
| SweepPoints           | 427              | ~ 427        |
| SweepTime             | 1.000 ms         | AUTO         |
| Reference Level       | 10.000 dBm       | 10.000 dBm   |
| Attenuation           | 20.000 dB        | AUTO         |
| Detector              | MaxPeak          | MaxPeak      |
| SweepCount            | 200              | 200          |
| Filter                | 3 dB             | 3 dB         |
| Trace Mode            | Max Hold         | Max Hold     |
| SweepType             | Sweep            | AUTO         |
| Preamp                | off              | off          |
| Stablemode            | Trace            | Trace        |
| Stablevalue           | 0.30 dB          | 0.30 dB      |
| Run                   | 110 / max. 150   | max. 150     |
| Stable                | 5 / 5            | 5            |
| Max Stable Difference | 0.00 dB          | 0.30 dB      |

## Occupied Channel Bandwidth 99% (5955 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 5955.000000         | 16.900000       | ---             | 320.000000      | 5946.550000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 5955.000000         | 5963.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 5.93500 GHz      | 5.93500 GHz    |
| Stop Frequency        | 5.97500 GHz      | 5.97500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 5 / max. 5       | max. 5         |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Occupied Channel Bandwidth 99%(5955 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 5955.000000         | 16.900000       | ---             | 320.000000      | 5946.550000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 5955.000000         | 5963.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 5.93500 GHz      | 5.93500 GHz    |
| Stop Frequency        | 5.97500 GHz      | 5.97500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 5 / max. 5       | max. 5         |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6175 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6175.000000         | 16.800000       | ---             | 320.000000      | 6166.550000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6175.000000         | 6183.350000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.15500 GHz      | 6.15500 GHz    |
| Stop Frequency        | 6.19500 GHz      | 6.19500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 5 / max. 5       | max. 5         |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99%(6175 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6175.000000         | 16.900000       | ---             | 320.000000      | 6166.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6175.000000         | 6183.350000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.15500 GHz      | 6.15500 GHz    |
| Stop Frequency        | 6.19500 GHz      | 6.19500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 5 / max. 5       | max. 5         |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6415 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6415.000000         | 16.900000       | ---             | 320.000000      | 6406.550000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6415.000000         | 6423.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.39500 GHz      | 6.39500 GHz    |
| Stop Frequency        | 6.43500 GHz      | 6.43500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 5 / max. 5       | max. 5         |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99%(6415 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6415.000000         | 16.900000       | ---             | 320.000000      | 6406.550000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6415.000000         | 6423.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.39500 GHz      | 6.39500 GHz    |
| Stop Frequency        | 6.43500 GHz      | 6.43500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 5 / max. 5       | max. 5         |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6435 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6435.000000         | 17.000000       | ---             | 320.000000      | 6426.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6435.000000         | 6443.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.41500 GHz      | 6.41500 GHz    |
| Stop Frequency        | 6.45500 GHz      | 6.45500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99%(6435 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6435.000000         | 17.000000       | ---             | 320.000000      | 6426.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6435.000000         | 6443.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.41500 GHz      | 6.41500 GHz    |
| Stop Frequency        | 6.45500 GHz      | 6.45500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6475 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6475.000000         | 17.000000       | ---             | 320.000000      | 6466.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6475.000000         | 6483.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.45500 GHz      | 6.45500 GHz    |
| Stop Frequency        | 6.49500 GHz      | 6.49500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Occupied Channel Bandwidth 99%(6475 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6475.000000         | 17.000000       | ---             | 320.000000      | 6466.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6475.000000         | 6483.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.45500 GHz      | 6.45500 GHz    |
| Stop Frequency        | 6.49500 GHz      | 6.49500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6515 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6515.000000         | 16.900000       | ---             | 320.000000      | 6506.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6515.000000         | 6523.350000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.49500 GHz      | 6.49500 GHz    |
| Stop Frequency        | 6.53500 GHz      | 6.53500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99%(6515 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6515.000000         | 17.000000       | ---             | 320.000000      | 6506.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6515.000000         | 6523.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.49500 GHz      | 6.49500 GHz    |
| Stop Frequency        | 6.53500 GHz      | 6.53500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6535 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6535.000000         | 17.000000       | ---             | 320.000000      | 6526.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6535.000000         | 6543.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.51500 GHz      | 6.51500 GHz    |
| Stop Frequency        | 6.55500 GHz      | 6.55500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99%(6535 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6535.000000         | 17.000000       | ---             | 320.000000      | 6526.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6535.000000         | 6543.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.51500 GHz      | 6.51500 GHz    |
| Stop Frequency        | 6.55500 GHz      | 6.55500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6695 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6695.000000         | 16.900000       | ---             | 320.000000      | 6686.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6695.000000         | 6703.350000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.67500 GHz      | 6.67500 GHz    |
| Stop Frequency        | 6.71500 GHz      | 6.71500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99%(6695 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6695.000000         | 17.000000       | ---             | 320.000000      | 6686.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6695.000000         | 6703.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.67500 GHz      | 6.67500 GHz    |
| Stop Frequency        | 6.71500 GHz      | 6.71500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6855 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6855.000000         | 17.000000       | ---             | 320.000000      | 6846.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6855.000000         | 6863.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.83500 GHz      | 6.83500 GHz    |
| Stop Frequency        | 6.87500 GHz      | 6.87500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 2 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |



## Occupied Channel Bandwidth 99%(6855 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6855.000000         | 17.000000       | ---             | 320.000000      | 6846.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6855.000000         | 6863.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.83500 GHz      | 6.83500 GHz    |
| Stop Frequency        | 6.87500 GHz      | 6.87500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6875 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6875.000000         | 17.000000       | 8.550000                | 8.450000                | ---             | 320.000000      |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|--------|
| 6875.000000         | 6866.450000          | 5925.000000          | 6883.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.85500 GHz      | 6.85500 GHz    |
| Stop Frequency        | 6.89500 GHz      | 6.89500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 4 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99%(6875 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Bandwidth U-NII 7 (MHz) | Bandwidth U-NII 8 (MHz) | Limit Min (MHz) | Limit Max (MHz) |
|---------------------|-----------------|-------------------------|-------------------------|-----------------|-----------------|
| 6875.000000         | 17.000000       | 8.550000                | 8.450000                | ---             | 320.000000      |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|----------------------|----------------------|-----------------------|----------------------|--------|
| 6875.000000         | 6866.450000          | 5925.000000          | 6883.450000           | 7125.000000          | PASS   |

99 % B andwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.85500 GHz      | 6.85500 GHz    |
| Stop Frequency        | 6.89500 GHz      | 6.89500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99% (6895 MHz; 11a (20 MHz)) - Ant0

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6895.000000         | 17.000000       | ---             | 320.000000      | 6886.450000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6895.000000         | 6903.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.87500 GHz      | 6.87500 GHz    |
| Stop Frequency        | 6.91500 GHz      | 6.91500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 1 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |

## Occupied Channel Bandwidth 99%(6895 MHz; 11a (20 MHz)) – Ant1

Customized settings.


### 99 % Bandwidth

| DUT Frequency (MHz) | Bandwidth (MHz) | Limit Min (MHz) | Limit Max (MHz) | Band Edge Left (MHz) | Limit Min BE L (MHz) |
|---------------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| 6895.000000         | 16.900000       | ---             | 320.000000      | 6886.550000          | 5925.000000          |

(continuation of the "99 % Bandwidth" table from column 6 ...)

| DUT Frequency (MHz) | Band Edge Right (MHz) | Limit Max BE R (MHz) | Result |
|---------------------|-----------------------|----------------------|--------|
| 6895.000000         | 6903.450000           | 7125.000000          | PASS   |

99 % Bandwidth



### Measurement

| Setting               | Instrument Value | Target Value   |
|-----------------------|------------------|----------------|
| Start Frequency       | 6.87500 GHz      | 6.87500 GHz    |
| Stop Frequency        | 6.91500 GHz      | 6.91500 GHz    |
| Span                  | 40.000 MHz       | 40.000 MHz     |
| RBW                   | 200.000 kHz      | >= 200.000 kHz |
| VBW                   | 1.000 MHz        | >= 600.000 kHz |
| SweepPoints           | 400              | ~ 400          |
| SweepTime             | 1.000 ms         | AUTO           |
| Reference Level       | 10.000 dBm       | 10.000 dBm     |
| Attenuation           | 20.000 dB        | AUTO           |
| Detector              | MaxPeak          | MaxPeak        |
| SweepCount            | 200              | 200            |
| Filter                | 3 dB             | 3 dB           |
| Trace Mode            | Max Hold         | Max Hold       |
| SweepType             | Sweep            | AUTO           |
| Preamp                | off              | off            |
| Stablemode            | Trace            | Trace          |
| Stablevalue           | 0.30 dB          | 0.30 dB        |
| Run                   | 20 / max. 20     | max. 20        |
| Stable                | 3 / 5            | 5              |
| Max Stable Difference | 0.00 dB          | 0.30 dB        |