


Appendix C. Radiated Emission


Below 1 GHz

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	Transmit Mode		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	62.01	51.57	-12.68	38.89	40.00	-1.11	QP
2	176.47	54.52	-13.50	41.02	43.50	-2.48	QP
3	325.85	55.10	-10.98	44.12	46.00	-1.88	QP
4	391.81	52.30	-9.24	43.06	46.00	-2.94	QP
5	749.74	40.98	-2.66	38.33	46.00	-7.68	QP
6	967.99	33.83	0.25	34.08	54.00	-19.92	QP

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	Transmit Mode		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	61.04	50.50	-12.38	38.12	40.00	-1.88	QP
2	109.54	57.48	-15.42	42.06	43.50	-1.44	QP
3	427.70	51.20	-8.59	42.61	46.00	-3.39	QP
4	526.64	46.17	-6.54	39.63	46.00	-6.37	QP
5	673.11	40.17	-3.96	36.21	46.00	-9.79	QP
6	971.87	33.39	0.29	33.68	54.00	-20.32	QP

Harmonic


Above 1 GHz

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 5955 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11910.00	43.01	7.58	50.59	74.00	-23.41	PEAK
2	17865.00	42.96	7.16	50.12	74.00	-23.88	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 5955 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11910.00	46.62	7.58	54.20	74.00	-19.80	PEAK
2	11910.00	37.38	7.58	44.96	54.00	-9.04	AVG
3	17865.00	47.47	7.16	54.63	74.00	-19.37	PEAK
4	17865.00	38.69	7.16	45.85	54.00	-8.15	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 6175 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12350.00	52.82	7.90	60.72	74.00	-13.28	PEAK
2	12350.00	41.43	7.90	49.33	54.00	-4.67	AVG
3	18525.00	42.52	8.27	50.79	74.00	-23.21	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 6175 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12350.00	56.82	7.90	64.72	74.00	-9.28	PEAK
2	12350.00	45.16	7.90	53.06	54.00	-0.94	AVG
3	18525.00	48.52	8.27	56.79	74.00	-17.21	PEAK
4	18525.00	38.09	8.27	46.36	54.00	-7.64	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6415 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12830.00	46.63	8.43	55.06	88.20	-33.14	PEAK
2	19245.00	41.84	8.59	50.43	74.00	-23.57	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6415 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12830.00	53.10	8.43	61.53	88.20	-26.67	PEAK
2	19245.00	42.29	8.59	50.88	74.00	-23.12	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 6435 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12870.00	48.90	8.49	57.39	88.20	-30.81	PEAK
2	19305.00	41.67	8.62	50.29	74.00	-23.71	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6435 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12870.00	47.56	8.50	56.06	88.20	-32.14	PEAK
2	19305.00	42.06	8.62	50.68	74.00	-23.32	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 6475 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12950.00	46.67	8.50	55.17	88.20	-33.03	PEAK
2	19425.00	42.26	8.67	50.93	74.00	-23.07	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 6475 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12950.00	48.05	8.51	56.56	88.20	-31.64	PEAK
2	19425.00	41.42	8.67	50.09	74.00	-23.91	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6515 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13030.00	46.62	8.50	55.12	88.20	-33.08	PEAK
2	19545.00	41.54	8.67	50.21	74.00	-23.79	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6515 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13030.00	48.47	8.50	56.97	88.20	-31.23	PEAK
2	19545.00	41.52	8.73	50.25	74.00	-23.75	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6535 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13070.00	43.40	8.52	51.92	88.20	-36.28	PEAK
2	19605.00	42.11	8.75	50.86	74.00	-23.14	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6535 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13070.00	46.98	8.52	55.50	88.20	-32.70	PEAK
2	19605.00	41.27	8.75	50.02	74.00	-23.98	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6695 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13390.00	47.07	8.15	55.22	74.00	-18.79	PEAK
2	13390.00	40.47	8.15	48.62	54.00	-5.38	AVG
3	20085.00	47.13	8.98	56.11	74.00	-17.89	PEAK
4	20085.00	40.34	8.98	49.32	54.00	-4.68	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6695 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13390.00	49.17	8.15	57.32	74.00	-16.68	PEAK
2	13390.00	44.08	8.15	52.23	54.00	-1.77	AVG
3	20085.00	46.89	8.98	55.87	74.00	-18.13	PEAK
4	20085.00	37.53	8.98	46.51	54.00	-7.49	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 6855 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13710.00	47.16	7.80	54.97	88.20	-33.24	PEAK
2	20565.00	40.99	9.18	50.17	74.00	-23.83	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6855 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13710.00	49.12	7.80	56.92	88.20	-31.28	PEAK
2	20565.00	47.50	9.18	56.68	74.00	-17.32	PEAK
3	20565.00	40.34	9.18	49.52	54.00	-4.48	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6875 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13750.00	44.64	7.79	52.43	88.20	-35.77	PEAK
2	20625.00	41.63	9.21	50.84	74.00	-23.16	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 6875 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13750.00	52.64	7.80	60.44	88.20	-27.76	PEAK
2	20625.00	52.35	9.22	61.57	74.00	-12.43	PEAK
3	20625.00	40.80	9.22	50.02	54.00	-3.98	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 6895 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13790.00	46.62	7.79	54.41	88.20	-33.79	PEAK
2	20685.00	41.76	9.23	50.99	74.00	-23.01	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 6895 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13790.00	49.19	7.79	56.98	88.20	-31.22	PEAK
2	20685.00	41.40	9.23	50.63	74.00	-23.37	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6995 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13990.00	51.09	8.30	59.39	88.20	-28.81	PEAK
2	20985.00	47.78	9.38	57.16	74.00	-16.84	PEAK
3	20985.00	34.30	9.38	43.68	54.00	-10.32	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 6995 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13990.00	51.04	8.25	59.29	88.20	-28.91	PEAK
2	20985.00	49.82	9.37	59.19	74.00	-14.81	PEAK
3	20985.00	40.48	9.37	49.85	54.00	-4.15	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 7115 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14230.00	52.30	8.50	60.80	88.20	-27.40	PEAK
2	21345.00	46.48	9.53	56.01	74.00	-17.99	PEAK
3	21345.00	37.42	9.53	46.95	54.00	-7.05	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14230.00	54.31	8.50	62.81	88.20	-25.39	PEAK
2	21345.00	47.84	9.53	57.37	74.00	-16.63	PEAK
3	21345.00	40.34	9.53	49.87	54.00	-4.13	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 5955 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11910.00	52.87	7.58	60.45	74.00	-13.55	PEAK
2	11910.00	42.70	7.58	50.28	54.00	-3.72	AVG
3	17865.00	43.45	7.16	50.61	74.00	-23.39	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 5955 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11910.00	55.39	7.58	62.97	74.00	-11.04	PEAK
2	11910.00	46.25	7.58	53.83	54.00	-0.17	AVG
3	17865.00	52.79	7.16	59.95	74.00	-14.05	PEAK
4	17865.00	40.82	7.16	47.98	54.00	-6.02	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6175 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12350.00	53.08	7.91	60.99	74.00	-13.01	PEAK
2	12350.00	43.72	7.91	51.63	54.00	-2.37	AVG
3	18525.00	42.09	8.27	50.36	74.00	-23.64	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6175 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12350.00	56.36	7.86	64.22	74.00	-9.78	PEAK
2	12350.00	45.56	7.86	53.42	54.00	-0.58	AVG
3	18525.00	50.45	8.27	58.72	74.00	-15.28	PEAK
4	18525.00	39.99	8.27	48.26	54.00	-5.74	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6415 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12830.00	48.17	8.43	56.60	88.20	-31.60	PEAK
2	19245.00	41.51	8.59	50.10	74.00	-23.90	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6415 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12830.00	50.68	8.43	59.11	88.20	-29.09	PEAK
2	19245.00	41.93	8.59	50.52	74.00	-23.48	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6435 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12870.00	48.12	8.49	56.61	88.20	-31.59	PEAK
2	19305.00	41.79	8.62	50.41	74.00	-23.59	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6435 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12870.00	49.57	8.49	58.06	88.20	-30.14	PEAK
2	19305.00	41.72	8.62	50.34	74.00	-23.66	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6475 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12950.00	44.94	8.50	53.44	88.20	-34.76	PEAK
2	19425.00	41.42	8.67	50.09	74.00	-23.91	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6475 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12950.00	47.64	8.51	56.15	88.20	-32.05	PEAK
2	19425.00	42.12	8.67	50.79	74.00	-23.21	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6515 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13030.00	44.47	8.49	52.96	88.20	-35.24	PEAK
2	19545.00	41.65	8.73	50.38	74.00	-23.62	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6515 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13030.00	48.03	8.50	56.53	88.20	-31.67	PEAK
2	19545.00	42.25	8.73	50.98	74.00	-23.02	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6535 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13070.00	44.24	8.52	52.76	88.20	-35.44	PEAK
2	19605.00	41.30	8.75	50.05	74.00	-23.95	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6535 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13070.00	47.51	8.52	56.03	88.20	-32.17	PEAK
2	19605.00	41.76	8.75	50.51	74.00	-23.49	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6695 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13390.00	44.53	8.13	52.66	74.00	-21.34	PEAK
2	13390.00	35.83	8.12	43.95	54.00	-10.05	AVG
3	20085.00	41.95	8.98	50.93	74.00	-23.07	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6695 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13390.00	47.08	8.15	55.23	74.00	-18.77	PEAK
2	13390.00	38.83	8.15	46.98	54.00	-7.02	AVG
3	20085.00	41.91	8.98	50.89	74.00	-23.11	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6855 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13710.00	46.55	7.80	54.35	88.20	-33.85	PEAK
2	20565.00	41.41	9.19	50.60	74.00	-23.40	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6855 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13710.00	48.56	7.80	56.36	88.20	-31.84	PEAK
2	20565.00	37.55	9.19	46.74	54.00	-7.26	AVG
3	20565.00	47.35	9.19	56.54	74.00	-17.46	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6875 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13750.00	46.91	7.80	54.71	88.20	-33.49	PEAK
2	20625.00	41.26	9.21	50.47	74.00	-23.53	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6875 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13750.00	52.19	7.79	59.98	88.20	-28.22	PEAK
2	20625.00	48.35	9.22	57.57	74.00	-16.43	PEAK
3	20625.00	37.86	9.22	47.08	54.00	-6.92	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6895 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13790.00	50.79	7.79	58.58	88.20	-29.62	PEAK
2	20685.00	41.26	9.23	50.49	74.00	-23.51	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6895 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13790.00	50.91	7.79	58.70	88.20	-29.50	PEAK
2	20685.00	48.00	9.25	57.25	74.00	-16.75	PEAK
3	20685.00	38.67	9.25	47.92	54.00	-6.08	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6995 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13990.00	50.30	8.25	58.55	88.20	-29.66	PEAK
2	20985.00	47.61	9.38	56.99	74.00	-17.01	PEAK
3	20985.00	37.64	9.38	47.02	54.00	-6.98	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 6995 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13990.00	49.99	8.25	58.24	88.20	-29.96	PEAK
2	20985.00	46.76	9.37	56.13	74.00	-17.87	PEAK
3	20985.00	36.88	9.37	46.25	54.00	-7.75	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 7115 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14230.00	51.78	8.52	60.31	88.20	-27.90	PEAK
2	21345.00	45.50	9.54	55.04	74.00	-18.96	PEAK
3	21345.00	36.54	9.54	46.08	54.00	-7.92	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 7115 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14230.00	53.34	8.52	61.86	88.20	-26.34	PEAK
2	21345.00	47.47	9.53	57.00	74.00	-17.00	PEAK
3	21345.00	37.52	9.53	47.05	54.00	-6.95	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 5965 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11930.00	55.22	7.58	62.80	74.00	-11.20	PEAK
2	11930.00	44.53	7.58	52.11	54.00	-1.89	AVG
3	17895.00	43.18	7.33	50.51	74.00	-23.49	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 5965 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11930.00	56.64	7.58	64.22	74.00	-9.78	PEAK
2	11930.00	45.69	7.58	53.27	54.00	-0.73	AVG
3	17895.00	43.39	7.33	50.72	74.00	-23.28	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6165 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12330.00	50.12	7.78	57.91	74.00	-16.10	PEAK
2	12330.00	39.24	7.78	47.02	54.00	-6.98	AVG
3	18495.00	52.52	8.26	60.79	74.00	-13.22	PEAK
4	18495.00	43.10	8.26	51.36	54.00	-2.64	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6165 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12330.00	55.33	7.82	63.15	74.00	-10.85	PEAK
2	12330.00	45.09	7.82	52.91	54.00	-1.09	AVG
3	18495.00	55.89	8.26	64.15	74.00	-9.85	PEAK
4	18495.00	45.11	8.26	53.37	54.00	-0.63	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT40 6405 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12810.00	45.22	8.40	53.62	88.20	-34.58	PEAK
2	19215.00	42.20	8.58	50.78	74.00	-23.22	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6405 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12810.00	48.48	8.40	56.88	88.20	-31.32	PEAK
2	19215.00	41.69	8.58	50.27	74.00	-23.73	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6445 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12890.00	43.51	8.51	52.02	88.20	-36.18	PEAK
2	19335.00	42.25	8.64	50.89	74.00	-23.11	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6445 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12890.00	45.76	8.51	54.27	88.20	-33.93	PEAK
2	19335.00	41.74	8.64	50.38	74.00	-23.62	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6485 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12970.00	41.89	8.50	50.39	88.20	-37.81	PEAK
2	19455.00	41.56	8.68	50.24	74.00	-23.76	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6485 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12970.00	45.36	8.50	53.86	88.20	-34.34	PEAK
2	19455.00	42.16	8.68	50.84	74.00	-23.16	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6525 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13050.00	42.35	8.51	50.86	88.20	-37.34	PEAK
2	19575.00	42.00	8.74	50.74	74.00	-23.26	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6525 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13050.00	44.16	8.51	52.67	88.20	-35.53	PEAK
2	19575.00	41.74	8.74	50.48	74.00	-23.52	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6565 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13130.00	44.00	8.49	52.49	88.20	-35.71	PEAK
2	19695.00	41.66	8.80	50.46	74.00	-23.54	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6565 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13130.00	44.83	8.49	53.32	88.20	-34.88	PEAK
2	19695.00	41.43	8.80	50.23	74.00	-23.77	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6685 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13370.00	43.69	8.17	51.86	74.00	-22.14	PEAK
2	13370.00	34.81	8.17	42.98	54.00	-11.02	AVG
3	20055.00	41.74	8.95	50.69	74.00	-23.31	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6685 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13370.00	45.01	8.17	53.18	74.00	-20.82	PEAK
2	13370.00	36.19	8.17	44.36	54.00	-9.64	AVG
3	20055.00	41.38	8.95	50.33	74.00	-23.67	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT40 6845 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13690.00	43.27	7.80	51.07	88.20	-37.13	PEAK
2	20535.00	41.11	9.17	50.28	74.00	-23.72	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6845 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13690.00	46.88	7.80	54.68	88.20	-33.52	PEAK
2	13690.00	37.47	7.80	45.27	68.20	-22.93	AVG
3	20535.00	48.16	9.17	57.33	74.00	-16.67	PEAK
4	20535.00	37.78	9.17	46.95	54.00	-7.05	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6885 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13770.00	45.14	7.79	52.93	88.20	-35.27	PEAK
2	20655.00	41.04	9.22	50.26	74.00	-23.74	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6885 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13770.00	49.46	7.79	57.25	88.20	-30.95	PEAK
2	20655.00	41.64	9.22	50.86	74.00	-23.14	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6925 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13850.00	47.39	7.91	55.30	88.20	-32.90	PEAK
2	20775.00	41.39	9.28	50.67	74.00	-23.33	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 6925 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13850.00	47.80	7.91	55.71	88.20	-32.49	PEAK
2	20775.00	40.79	9.28	50.07	74.00	-23.93	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 7005 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14010.00	47.84	8.31	56.15	88.20	-32.05	PEAK
2	21015.00	41.21	9.39	50.60	74.00	-23.40	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 7005 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14010.00	48.31	8.31	56.62	88.20	-31.58	PEAK
2	21015.00	41.15	9.39	50.54	74.00	-23.46	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 7085 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14170.00	47.46	8.51	55.97	88.20	-32.23	PEAK
2	21255.00	46.07	9.49	55.56	74.00	-18.44	PEAK
3	21255.00	35.76	9.49	45.25	54.00	-8.75	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 7085 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14170.00	48.78	8.51	57.29	88.20	-30.91	PEAK
2	21255.00	46.04	9.49	55.53	74.00	-18.47	PEAK
3	21255.00	37.36	9.49	46.85	54.00	-7.15	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 5985 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11970.00	51.29	7.59	58.88	74.00	-15.12	PEAK
2	11970.00	41.93	7.59	49.52	54.00	-4.48	AVG
3	17955.00	47.56	7.73	55.29	74.00	-18.71	PEAK
4	17955.00	38.23	7.73	45.96	54.00	-8.04	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 5985 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	11970.00	54.72	7.59	62.31	74.00	-11.69	PEAK
2	11970.00	45.57	7.59	53.16	54.00	-0.84	AVG
3	17955.00	53.20	7.74	60.94	74.00	-13.06	PEAK
4	17955.00	43.38	7.74	51.12	54.00	-2.88	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6145 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12290.00	47.16	7.72	54.88	74.00	-19.12	PEAK
2	12290.00	37.14	7.72	44.86	54.00	-9.14	AVG
3	18435.00	47.85	8.23	56.08	74.00	-17.92	PEAK
4	18435.00	38.85	8.23	47.08	54.00	-6.92	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6145 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12290.00	49.92	7.72	57.64	74.00	-16.36	PEAK
2	12290.00	39.49	7.72	47.21	54.00	-6.79	AVG
3	18435.00	46.81	8.23	55.04	74.00	-18.96	PEAK
4	18435.00	36.72	8.23	44.95	54.00	-9.05	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6385 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12770.00	44.10	8.35	52.45	88.20	-35.75	PEAK
2	19155.00	41.58	8.56	50.14	74.00	-23.86	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6385 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12770.00	46.45	8.35	54.80	88.20	-33.40	PEAK
2	19155.00	42.10	8.56	50.66	74.00	-23.34	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6465 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12930.00	42.68	8.52	51.20	88.20	-37.00	PEAK
2	19395.00	41.56	8.67	50.23	74.00	-23.77	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6465 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12930.00	42.68	8.52	51.20	88.20	-37.00	PEAK
2	19395.00	41.56	8.67	50.23	74.00	-23.77	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6545 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13090.00	42.19	8.53	50.72	88.20	-37.48	PEAK
2	19635.00	42.22	8.77	50.99	74.00	-23.01	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6545 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13090.00	44.30	8.53	52.83	88.20	-35.37	PEAK
2	19635.00	42.00	8.77	50.77	74.00	-23.23	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6625 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13250.00	39.46	8.35	47.81	74.00	-26.19	PEAK
2	19875.00	41.32	8.87	50.19	74.00	-23.81	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6625 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13250.00	44.39	8.35	52.74	74.00	-21.26	PEAK
2	13250.00	34.87	8.35	43.22	54.00	-10.78	AVG
3	19875.00	41.48	8.87	50.35	74.00	-23.65	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6705 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13410.00	41.79	8.08	49.87	88.20	-38.33	PEAK
2	20115.00	41.65	8.99	50.64	74.00	-23.36	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6705 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13410.00	43.73	8.08	51.81	88.20	-36.39	PEAK
2	20115.00	41.32	8.99	50.31	74.00	-23.69	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6785 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13570.00	45.74	7.82	53.56	88.20	-34.64	PEAK
2	20355.00	41.58	9.09	50.67	74.00	-23.33	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6785 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13570.00	44.47	7.82	52.29	88.20	-35.91	PEAK
2	20355.00	41.27	9.09	50.36	74.00	-23.64	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6865 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13730.00	41.98	7.79	49.77	88.20	-38.43	PEAK
2	20595.00	41.44	9.21	50.65	74.00	-23.35	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6865 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13730.00	45.24	7.79	53.03	88.20	-35.17	PEAK
2	20595.00	40.91	9.21	50.12	74.00	-23.88	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6945 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13890.00	45.35	8.02	53.37	88.20	-34.83	PEAK
2	20835.00	41.43	9.30	50.73	74.00	-23.27	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 6945 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13890.00	45.57	8.02	53.59	88.20	-34.61	PEAK
2	20835.00	40.94	9.30	50.24	74.00	-23.76	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 7025 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14050.00	45.44	8.36	53.80	88.20	-34.40	PEAK
2	21075.00	40.97	9.41	50.38	74.00	-23.62	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 7025 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	14050.00	44.85	8.36	53.21	88.20	-34.99	PEAK
2	21075.00	40.64	9.41	50.05	74.00	-23.95	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT160 6025
MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12050.00	46.29	7.60	53.89	74.00	-20.11	PEAK
2	12050.00	36.99	7.60	44.59	54.00	-9.41	AVG
3	18075.00	42.58	8.07	50.65	74.00	-23.35	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT160 6025
MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12050.00	51.16	7.60	58.76	74.00	-15.24	PEAK
2	12050.00	41.58	7.60	49.18	54.00	-4.82	AVG
3	18075.00	48.21	8.07	56.28	74.00	-17.72	PEAK
4	18075.00	39.79	8.07	47.86	54.00	-6.14	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT160 6185
MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12370.00	44.50	7.96	52.46	74.00	-21.54	PEAK
2	12370.00	35.23	7.96	43.19	54.00	-10.81	AVG
3	18555.00	42.48	8.29	50.77	74.00	-23.23	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT160 6185
MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12370.00	47.64	7.96	55.60	74.00	-18.40	PEAK
2	12370.00	37.92	7.96	45.88	54.00	-8.12	AVG
3	18555.00	42.02	8.29	50.31	74.00	-23.69	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6345		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12690.00	41.67	8.24	49.91	74.00	-24.09	PEAK
2	19035.00	41.75	8.50	50.25	74.00	-23.75	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT160 6345
MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12690.00	43.91	8.24	52.15	74.00	-21.85	PEAK
2	19035.00	44.59	8.50	53.09	74.00	-20.91	PEAK
3	19035.00	36.05	8.50	44.55	54.00	-9.45	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6505		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13010.00	41.03	8.49	49.52	88.20	-38.68	PEAK
2	19515.00	41.72	8.72	50.44	74.00	-23.56	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6505		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13010.00	44.91	8.49	53.40	88.20	-34.80	PEAK
2	19515.00	41.99	8.72	50.71	74.00	-23.29	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6665		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13330.00	41.89	8.25	50.14	74.00	-23.86	PEAK
2	19995.00	42.00	8.94	50.94	74.00	-23.06	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6665		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13330.00	44.74	8.25	52.99	74.00	-21.01	PEAK
2	13330.00	34.83	8.25	43.08	54.00	-10.92	AVG
3	19995.00	41.80	8.94	50.74	74.00	-23.26	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6825		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13650.00	42.99	7.81	50.80	88.20	-37.40	PEAK
2	20475.00	41.25	9.14	50.39	74.00	-23.61	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT160 6825
MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13650.00	44.20	7.81	52.01	88.20	-36.19	PEAK
2	20475.00	41.80	9.14	50.94	74.00	-23.06	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6985		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13970.00	43.39	8.22	51.61	88.20	-36.59	PEAK
2	20955.00	40.66	9.36	50.02	74.00	-23.98	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6985		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13970.00	44.74	8.22	52.96	88.20	-35.24	PEAK
2	20955.00	41.60	9.36	50.96	74.00	-23.04	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT320 6105
MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12210.00	46.33	7.70	54.03	74.00	-19.97	PEAK
2	12210.00	39.76	7.70	47.46	54.00	-6.54	AVG
3	18315.00	47.03	8.18	55.21	74.00	-18.79	PEAK
4	18315.00	40.78	8.18	48.96	54.00	-5.04	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT320 6105
MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12210.00	48.38	7.70	56.08	74.00	-17.92	PEAK
2	12210.00	41.29	7.70	48.99	54.00	-5.01	AVG
3	18315.00	47.73	8.18	55.91	74.00	-18.09	PEAK
4	18315.00	37.78	8.18	45.96	54.00	-8.04	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6425		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12850.00	41.71	8.46	50.17	88.20	-38.03	PEAK
2	19275.00	41.92	8.61	50.53	74.00	-23.47	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6425		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12850.00	43.96	8.46	52.42	88.20	-35.78	PEAK
2	19275.00	41.58	8.61	50.19	74.00	-23.81	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6745		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13490.00	42.34	7.85	50.19	88.20	-38.01	PEAK
2	20235.00	41.94	9.04	50.98	74.00	-23.02	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6745		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13490.00	45.15	7.85	53.00	88.20	-35.20	PEAK
2	20235.00	41.65	9.04	50.69	74.00	-23.31	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6265		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12530.00	41.49	8.13	49.62	74.00	-24.38	PEAK
2	18795.00	42.35	8.40	50.75	74.00	-23.25	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6265		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	12530.00	42.75	8.13	50.88	74.00	-23.12	PEAK
2	18795.00	42.46	8.40	50.86	74.00	-23.14	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6585		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13170.00	41.20	8.44	49.64	88.20	-38.56	PEAK
2	19755.00	41.38	8.82	50.20	74.00	-23.80	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6585		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13170.00	43.94	8.44	52.38	88.20	-35.82	PEAK
2	19755.00	41.93	8.82	50.75	74.00	-23.25	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6905		
	MHz		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13810.00	41.92	7.81	49.73	88.20	-38.47	PEAK
2	20715.00	41.73	9.26	50.99	74.00	-23.01	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6905		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	13810.00	44.00	7.81	51.81	88.20	-36.39	PEAK
2	20715.00	41.07	9.26	50.33	74.00	-23.67	PEAK

Band Edge


Peak

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 5955 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5921.30	64.03	3.33	67.36	88.20	-20.84	PEAK
2	5925.00	63.14	3.31	66.45	88.20	-21.75	PEAK
3	5950.85	106.11	3.15	109.26	88.20	21.06	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 5955 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5922.80	78.06	3.33	81.39	88.20	-6.81	PEAK
2	5925.00	72.97	3.31	76.28	88.20	-11.92	PEAK
3	5957.90	119.07	3.14	122.21	88.20	34.01	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7108.65	88.62	6.43	95.05	88.20	6.85	PEAK
2	7125.00	70.37	6.43	76.80	88.20	-11.40	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 7115 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7108.39	98.77	6.43	105.20	88.20	17.00	PEAK
2	7125.00	78.67	6.43	85.10	88.20	-3.10	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 5955 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5925.00	58.90	3.31	62.21	88.20	-25.99	PEAK
2	5957.30	104.90	3.15	108.05	88.20	19.85	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 5955 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5922.50	66.37	3.33	69.70	88.20	-18.50	PEAK
2	5925.00	65.52	3.31	68.83	88.20	-19.37	PEAK
3	5957.15	118.95	3.15	122.10	88.20	33.90	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT20 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7110.21	74.87	6.43	81.30	88.20	-6.90	PEAK
2	7125.00	62.61	6.43	69.04	88.20	-19.16	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 7115 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7106.83	83.98	6.42	90.40	88.20	2.20	PEAK
2	7125.00	71.85	6.43	78.28	88.20	-9.92	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 5965 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5920.40	64.19	3.34	67.53	88.20	-20.67	PEAK
2	5925.00	63.30	3.31	66.61	88.20	-21.59	PEAK
3	5962.25	105.62	3.15	108.77	88.20	20.57	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 5965 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5920.10	76.11	3.34	79.45	88.20	-8.75	PEAK
2	5925.00	74.36	3.31	77.67	88.20	-10.53	PEAK
3	5967.20	117.61	3.15	120.76	88.20	32.56	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 7085 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7081.32	100.61	6.38	106.99	88.20	18.79	PEAK
2	7125.00	62.57	6.43	69.00	88.20	-19.20	PEAK
3	7128.04	61.95	6.43	68.38	88.20	-19.82	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 7085 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7067.56	110.37	6.36	116.73	88.20	28.53	PEAK
2	7125.00	72.27	6.43	78.70	88.20	-9.50	PEAK
3	7126.60	73.14	6.42	79.56	88.20	-8.64	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 5985 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5923.87	62.52	3.32	65.84	88.20	-22.36	PEAK
2	5925.00	61.53	3.31	64.84	88.20	-23.36	PEAK
3	5968.13	101.65	3.14	104.79	88.20	16.59	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 5985 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5907.68	76.62	3.42	80.05	88.20	-8.16	PEAK
2	5925.00	75.68	3.31	78.99	88.20	-9.21	PEAK
3	5986.85	114.48	3.14	117.62	88.20	29.42	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 7025 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7062.33	101.44	6.34	107.78	88.20	19.58	PEAK
2	7125.00	65.57	6.43	72.00	88.20	-16.20	PEAK
3	7125.78	66.76	6.42	73.18	88.20	-15.02	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 7025 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7025.88	112.40	6.42	118.82	88.20	30.62	PEAK
2	7125.00	72.82	6.43	79.25	88.20	-8.95	PEAK
3	7125.55	74.68	6.42	81.10	88.20	-7.10	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6025		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5914.54	60.58	3.37	63.95	88.20	-24.25	PEAK
2	5925.00	57.50	3.31	60.81	88.20	-27.39	PEAK
3	6029.92	99.57	3.37	102.94	88.20	14.74	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT160 6025
MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5924.17	74.89	3.32	78.21	88.20	-9.99	PEAK
2	5925.00	74.16	3.31	77.47	88.20	-10.73	PEAK
3	6043.55	111.54	3.48	115.02	88.20	26.82	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6985		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	6942.58	95.93	6.32	102.25	88.20	14.05	PEAK
2	7125.00	60.82	6.43	67.25	88.20	-20.95	PEAK
3	7128.80	64.37	6.43	70.80	88.20	-17.40	PEAK

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT160 6985
MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7023.18	108.14	6.42	114.56	88.20	26.36	PEAK
2	7125.00	71.51	6.43	77.94	88.20	-10.26	PEAK
3	7129.13	76.63	6.42	83.05	88.20	-5.15	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6105		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5888.64	59.42	3.49	62.91	88.20	-25.29	PEAK
2	5925.00	58.72	3.31	62.03	88.20	-26.17	PEAK
3	6088.89	98.10	3.78	101.88	88.20	13.68	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6105		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5922.46	70.35	3.33	73.68	88.20	-14.52	PEAK
2	5925.00	70.76	3.31	74.07	88.20	-14.13	PEAK
3	6101.79	108.57	3.85	112.42	88.20	24.22	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6905		
	MHz		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	6846.70	95.62	6.28	101.91	88.20	13.71	PEAK
2	7125.00	65.89	6.43	72.32	88.20	-15.88	PEAK
3	7188.63	69.52	6.49	76.01	88.20	-12.19	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6905		
	MHz		
Polarization:	Vertical		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	6876.29	105.29	6.27	111.56	88.20	23.36	PEAK
2	7125.00	65.21	6.43	71.64	88.20	-16.56	PEAK
3	7211.42	74.62	6.49	81.11	88.20	-7.09	PEAK


Average

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11a 5955 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5920.85	52.08	3.33	55.41	68.20	-12.79	AVG
2	5925.00	53.28	3.31	56.59	68.20	-11.61	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 5955 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5923.40	64.03	3.32	67.35	68.20	-0.85	AVG
2	5925.00	61.26	3.31	64.57	68.20	-3.63	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	54.08	6.43	60.51	68.20	-7.69	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 7115 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	60.82	6.43	67.25	68.20	-0.95	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT20 5955 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5896.10	47.66	3.48	51.14	68.20	-17.07	AVG
2	5925.00	46.84	3.31	50.15	68.20	-18.05	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 5955 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5922.95	52.31	3.33	55.64	68.20	-12.56	AVG
2	5925.00	52.10	3.31	55.41	68.20	-12.79	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT20 7115 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	53.21	6.43	59.64	68.20	-8.56	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT20 7115 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	61.63	6.43	68.06	68.20	-0.14	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 5965 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5919.95	50.96	3.34	54.30	68.20	-13.90	AVG
2	5925.00	50.98	3.31	54.29	68.20	-13.91	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 5965 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5924.45	61.88	3.31	65.19	68.20	-3.01	AVG
2	5925.00	62.20	3.31	65.51	68.20	-2.69	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT40 7085 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	51.81	6.43	58.24	68.20	-9.96	AVG
2	7125.96	51.69	6.42	58.11	68.20	-10.09	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT40 7085 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	59.51	6.43	65.94	68.20	-2.26	AVG
2	7125.96	58.43	6.42	64.85	68.20	-3.35	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 5985 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5924.06	51.84	3.32	55.16	68.20	-13.05	AVG
2	5925.00	52.11	3.31	55.42	68.20	-12.78	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 5985 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5924.06	63.37	3.32	66.69	68.20	-1.51	AVG
2	5925.00	63.55	3.31	66.86	68.20	-1.34	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 7025 MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	52.34	6.43	58.77	68.20	-9.43	AVG
2	7126.00	51.59	6.42	58.01	68.20	-10.19	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT80 7025 MHz
Polarization: Vertical
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	60.95	6.43	67.38	68.20	-0.82	AVG
2	7125.55	60.37	6.42	66.79	68.20	-1.41	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6025		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5916.42	48.63	3.37	52.00	68.20	-16.20	AVG
2	5925.00	47.83	3.31	51.14	68.20	-17.06	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6025		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5907.49	61.44	3.42	64.87	68.20	-3.34	AVG
2	5925.00	62.05	3.31	65.36	68.20	-2.84	AVG

Test Site: 96603-WG Standard: Part 15.407
Test Mode: 802.11be EHT160 6985
MHz
Polarization: Horizontal
Remark:




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	51.46	6.43	57.89	68.20	-10.31	AVG
2	7137.58	52.86	6.42	59.28	68.20	-8.92	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT160 6985		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	60.17	6.43	66.60	68.20	-1.60	AVG
2	7141.80	59.62	6.42	66.04	68.20	-2.16	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6105		
	MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5891.31	48.90	3.49	52.39	68.20	-15.81	AVG
2	5925.00	48.39	3.31	51.70	68.20	-16.50	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6105		
	MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5905.99	58.32	3.43	61.75	68.20	-6.46	AVG
2	5925.00	59.77	3.31	63.08	68.20	-5.12	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6905		
	MHz		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	52.92	6.43	59.35	68.20	-8.85	AVG
2	7183.78	54.33	6.50	60.83	68.20	-7.37	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11be EHT320 6905		
	MHz		
Polarization:	Vertical		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	7125.00	53.33	6.43	59.76	68.20	-8.44	AVG
2	7133.34	60.05	6.43	66.48	68.20	-1.72	AVG