


39.3 mm

59.0 mm



来料方式：卷装



SCALE 2:1


NOTES (技术要求) :

1. 黑色印刷，无边框，59\*39.3mm, R3  
 ( Black printing, no frame, 59\*39.3mm, R3 )
2. 材料: 50#亮白PET+光膜，背面有不干胶  
 (Material: 50# bright white PET+bright film, back with glue)
3. 原材料及后处理工艺均能满足我司《环保技术标准》要求。  
 (Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards)

DIM	TOL±	△				CUSTOMER: D-LINK		T&W 同维 SHENZHEN GONGJIN ELECTRONICS CO., LTD.			
RANGE	C1	C2	C3	C4		TITLE: 盒底标贴		MODEL: DSL-2750B/VZ T2		PART NO: 608000022904	
0~6	0.1	0.1	0.15	0.2		UNIT'S	mm	VER:	A0	DRAW	赵雅楠
6~30	0.2	0.3	0.4	0.5	MAT'L	/	SCALE	1:1	CHECK	陈冠文	
30~80	0.25	0.5	0.9	1.2	FINISH	/	SHEET	1 / 1	PDE	N/A	
80~180	0.3	0.8	1.2	1.5	ANG.TOL±		0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°		
180~315	0.5	1.3	1.8	3							
315~500	0.7	1.5	2.5	4							
500~800	0.9	1.8	3	5							

39.3 mm

59.0 mm



SCALE 2:1

NOTES (技术要求):

来料方式: 卷装

1. 黑色印刷, 无边框, 59\*39.3mm, R3  
(Black printing, no frame, 59\*39.3mm, R3)
2. 材料: 50#亮白PET+光膜, 背面有不干胶  
(Material:50# bright white PET+bright film,back with glue)
3. 材料,印刷原料,印刷工艺均能满足ROHS指令要求.  
(All Materials and process technologies should be compliant with RoHS)

DIM	TOL±	△				CUSTOMER: <b>D-LINK</b>		<b>T&amp;W 同维</b> SHENZHEN GONGJIN ELECTRONICS CO., LTD.				
RANGE	C1	C2	C3	C4		MODEL: <b>DSL-2750B/VZ</b>		PART NO: <b>608000010076</b>				
0~6	0.1	0.1	0.15	0.2		TITLE: 盒底标贴	UNIT'S	mm	VER:	A0	DRAW	徐志娟
6~30	0.2	0.3	0.4	0.5	MAT'L	/	SCALE	1:1	CHECK	李杰		
30~80	0.25	0.5	0.9	1.2	FINISH	/	SHEET	1 / 1	PDE	刘欢		
80~180	0.3	0.8	1.2	1.5	ANG.TOL±	0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°				
180~315	0.5	1.3	1.8	3								
315~500	0.7	1.5	2.5	4								
500~800	0.9	1.8	3	5								



label location