



## Appendix B

### B1. Transmitter Conducted Output Power And ERP/EIRP

Band	Channel	Freq (MHz)	Connection Type	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)	ERP/EIRP (Limit) (dBm)	Verdict
2	9262	1852.4	RMC	25.39	27.54	0.5674	33.01	PASS
2	9262	1852.4	HSDPA Subtest-1	25.1	27.25	0.5305	33.01	PASS
2	9262	1852.4	HSDPA Subtest-2	22.01	24.16	0.2603	33.01	PASS
2	9262	1852.4	HSDPA Subtest-3	20.88	23.03	0.2009	33.01	PASS
2	9262	1852.4	HSDPA Subtest-4	20.05	22.2	0.1658	33.01	PASS
2	9262	1852.4	HSUPA Subtest-1	25.34	27.49	0.5608	33.01	PASS
2	9262	1852.4	HSUPA Subtest-2	25.15	27.3	0.5376	33.01	PASS
2	9262	1852.4	HSUPA Subtest-3	24.6	26.75	0.473	33.01	PASS
2	9262	1852.4	HSUPA Subtest-4	24.92	27.07	0.509	33.01	PASS
2	9262	1852.4	HSUPA Subtest-5	24.44	26.59	0.4557	33.01	PASS
2	9400	1880.0	RMC	24.81	26.96	0.4966	33.01	PASS
2	9400	1880.0	HSDPA Subtest-1	24.68	26.83	0.4821	33.01	PASS
2	9400	1880.0	HSDPA Subtest-2	22.19	24.34	0.2715	33.01	PASS
2	9400	1880.0	HSDPA Subtest-3	20.75	22.9	0.1949	33.01	PASS
2	9400	1880.0	HSDPA Subtest-4	19.95	22.1	0.1621	33.01	PASS
2	9400	1880.0	HSUPA Subtest-1	24.66	26.81	0.4799	33.01	PASS
2	9400	1880.0	HSUPA Subtest-2	24.62	26.77	0.4751	33.01	PASS
2	9400	1880.0	HSUPA Subtest-3	24.05	26.2	0.4166	33.01	PASS
2	9400	1880.0	HSUPA Subtest-4	24.51	26.66	0.4635	33.01	PASS
2	9400	1880.0	HSUPA Subtest-5	23.97	26.12	0.4091	33.01	PASS
2	9538	1907.6	RMC	25.13	27.28	0.535	33.01	PASS
2	9538	1907.6	HSDPA Subtest-1	24.91	27.06	0.5078	33.01	PASS
2	9538	1907.6	HSDPA Subtest-2	21.88	24.03	0.253	33.01	PASS
2	9538	1907.6	HSDPA Subtest-3	20.32	22.47	0.1765	33.01	PASS
2	9538	1907.6	HSDPA Subtest-4	20.0	22.15	0.1641	33.01	PASS
2	9538	1907.6	HSUPA Subtest-1	24.92	27.07	0.5089	33.01	PASS
2	9538	1907.6	HSUPA Subtest-2	24.75	26.9	0.4901	33.01	PASS
2	9538	1907.6	HSUPA Subtest-3	24.2	26.35	0.4315	33.01	PASS
2	9538	1907.6	HSUPA Subtest-4	24.53	26.68	0.4661	33.01	PASS
2	9538	1907.6	HSUPA Subtest-5	24.02	26.17	0.4136	33.01	PASS
4	1312	1712.4	RMC	25.22	26.6	0.457	30	PASS
4	1312	1712.4	HSDPA Subtest-1	25.07	26.45	0.4412	30	PASS
4	1312	1712.4	HSDPA Subtest-2	22.18	23.56	0.2268	30	PASS
4	1312	1712.4	HSDPA Subtest-3	20.98	22.36	0.1723	30	PASS
4	1312	1712.4	HSDPA Subtest-4	20.15	21.53	0.1423	30	PASS
4	1312	1712.4	HSUPA Subtest-1	25.2	26.58	0.4554	30	PASS
4	1312	1712.4	HSUPA Subtest-2	25.2	26.58	0.4548	30	PASS
4	1312	1712.4	HSUPA Subtest-3	24.41	25.79	0.379	30	PASS
4	1312	1712.4	HSUPA Subtest-4	25.14	26.52	0.4487	30	PASS
4	1312	1712.4	HSUPA Subtest-5	24.37	25.75	0.3757	30	PASS
4	1412	1732.4	RMC	24.21	25.59	0.3619	30	PASS
4	1412	1732.4	HSDPA Subtest-1	23.93	25.31	0.3394	30	PASS
4	1412	1732.4	HSDPA Subtest-2	21.04	22.42	0.1745	30	PASS
4	1412	1732.4	HSDPA Subtest-3	19.91	21.29	0.1346	30	PASS
4	1412	1732.4	HSDPA Subtest-4	19.04	20.41	0.11	30	PASS
4	1412	1732.4	HSUPA Subtest-1	24.12	25.5	0.3546	30	PASS
4	1412	1732.4	HSUPA Subtest-2	23.91	25.29	0.338	30	PASS
4	1412	1732.4	HSUPA Subtest-3	23.38	24.76	0.2993	30	PASS
4	1412	1732.4	HSUPA Subtest-4	23.71	25.09	0.3227	30	PASS
4	1412	1732.4	HSUPA Subtest-5	23.21	24.59	0.2878	30	PASS
4	1513	1752.6	RMC	24.03	25.41	0.3476	30	PASS
4	1513	1752.6	HSDPA Subtest-1	23.88	25.26	0.3355	30	PASS
4	1513	1752.6	HSDPA Subtest-2	21.24	22.62	0.1826	30	PASS
4	1513	1752.6	HSDPA Subtest-3	20.07	21.45	0.1397	30	PASS
4	1513	1752.6	HSDPA Subtest-4	19.29	20.67	0.1166	30	PASS
4	1513	1752.6	HSUPA Subtest-1	23.8	25.18	0.3298	30	PASS
4	1513	1752.6	HSUPA Subtest-2	23.84	25.22	0.3323	30	PASS
4	1513	1752.6	HSUPA Subtest-3	23.2	24.58	0.2869	30	PASS
4	1513	1752.6	HSUPA Subtest-4	23.79	25.17	0.3288	30	PASS
4	1513	1752.6	HSUPA Subtest-5	23.16	24.54	0.2844	30	PASS
5	4132	826.4	RMC	23.58	23.66	0.2321	38.45	PASS
5	4132	826.4	HSDPA Subtest-1	23.45	23.53	0.2255	38.5	PASS
5	4132	826.4	HSDPA Subtest-2	20.42	20.5	0.1121	38.5	PASS
5	4132	826.4	HSDPA Subtest-3	19.27	19.35	0.0861	38.5	PASS
5	4132	826.4	HSDPA Subtest-4	18.49	18.57	0.072	38.5	PASS
5	4132	826.4	HSUPA Subtest-1	23.62	23.7	0.2347	38.5	PASS
5	4132	826.4	HSUPA Subtest-2	23.51	23.59	0.2285	38.5	PASS
5	4132	826.4	HSUPA Subtest-3	22.82	22.9	0.1951	38.5	PASS
5	4132	826.4	HSUPA Subtest-4	23.4	23.48	0.2228	38.5	PASS
5	4132	826.4	HSUPA Subtest-5	22.69	22.77	0.1891	38.5	PASS
5	4182	836.4	RMC	22.86	22.94	0.1969	38.45	PASS



**Report No.:SZ25080340W03**


5	4182	836.4	HSDPA Subtest-1	22.71	22.79	0.1903	38.5	PASS
5	4182	836.4	HSDPA Subtest-2	19.82	19.9	0.0978	38.5	PASS
5	4182	836.4	HSDPA Subtest-3	18.22	18.3	0.0676	38.5	PASS
5	4182	836.4	HSDPA Subtest-4	17.91	17.99	0.0629	38.5	PASS
5	4182	836.4	HSUPA Subtest-1	22.75	22.83	0.1918	38.5	PASS
5	4182	836.4	HSUPA Subtest-2	22.65	22.73	0.1876	38.5	PASS
5	4182	836.4	HSUPA Subtest-3	22.12	22.2	0.1661	38.5	PASS
5	4182	836.4	HSUPA Subtest-4	22.55	22.63	0.1834	38.5	PASS
5	4182	836.4	HSUPA Subtest-5	22.02	22.1	0.1622	38.5	PASS
5	4233	846.6	RMC	23.22	23.3	0.2139	38.45	PASS
5	4233	846.6	HSDPA Subtest-1	23.05	23.13	0.2057	38.5	PASS
5	4233	846.6	HSDPA Subtest-2	20.11	20.19	0.1044	38.5	PASS
5	4233	846.6	HSDPA Subtest-3	18.99	19.07	0.0806	38.5	PASS
5	4233	846.6	HSDPA Subtest-4	18.67	18.75	0.075	38.5	PASS
5	4233	846.6	HSUPA Subtest-1	23.15	23.23	0.2106	38.5	PASS
5	4233	846.6	HSUPA Subtest-2	23.02	23.1	0.2043	38.5	PASS
5	4233	846.6	HSUPA Subtest-3	22.44	22.52	0.1788	38.5	PASS
5	4233	846.6	HSUPA Subtest-4	22.88	22.96	0.1979	38.5	PASS
5	4233	846.6	HSUPA Subtest-5	22.29	22.37	0.1726	38.5	PASS




Report No.:SZ25080340W03

## B2.Peak to Average Ratio


Band	Channel	Freq (MHz)	Result (dB)	Limit (dB)	Verdict
2	9262	1852.4	3.54	13	PASS
2	9400	1880.0	2.78	13	PASS
2	9538	1907.6	3.01	13	PASS
4	1312	1712.4	2.99	13	PASS
4	1412	1732.4	3.22	13	PASS
4	1513	1752.6	2.55	13	PASS
5	4132	826.4	2.99	13	PASS
5	4182	836.4	3.16	13	PASS
5	4233	846.6	3.07	13	PASS




Band 2 5MHz/1852.4/Low




Band 2 5MHz/1880.0/Mid




Band 2 5MHz/1907.6/High




Band 4 5MHz/1712.4/Low




Band 4 5MHz/1732.4/Mid




Band 4 5MHz/1752.6/High



Band 5 5MHz/826.4/Low



Band 5 5MHz/836.4/Mid




Band 5 5MHz/846.6/High




Report No.:SZ25080340W03

### B3.Occupied Bandwidth


Band	Channel	Freq (MHz)	OBW (MHz)	26dB BW (MHz)	Verdict
2	9262	1852.4	4.1679	4.689	PASS
2	9400	1880.0	4.1679	4.718	PASS
2	9538	1907.6	4.1968	4.732	PASS
4	1312	1712.4	4.2258	4.747	PASS
4	1412	1732.4	4.1679	4.689	PASS
4	1513	1752.6	4.1968	4.848	PASS
5	4132	826.4	4.1534	4.660	PASS
5	4182	836.4	4.1534	4.689	PASS
5	4233	846.6	4.1823	4.703	PASS




99%OBW  
Band 2 5MHz/1852.4/Low




26%OBW  
Band 2 5MHz/1852.4/Low




99%OBW  
Band 2 5MHz/1880.0/Mid






26%OBW  
Band 2 5MHz/1880.0/Mid




99%OBW  
Band 2 5MHz/1907.6/High




26%OBW  
Band 2 5MHz/1907.6/High







99%OBW  
Band 5 5MHz/826.4/Low




26%OBW  
Band 5 5MHz/826.4/Low




99%OBW  
Band 5 5MHz/836.4/Mid



26%OBW  
Band 5 5MHz/836.4/Mid



99%OBW  
Band 5 5MHz/846.6/High




26%OBW  
Band 5 5MHz/846.6/High




Report No.:SZ25080340W03

## B4. Conducted Band Edge


Band	Channel	Freq (MHz)	Result	Verdict
2	9262	1852.4	see graph	PASS
2	9538	1907.6	see graph	PASS
4	1312	1712.4	see graph	PASS
4	1513	1752.6	see graph	PASS
5	4132	826.4	see graph	PASS
5	4233	846.6	see graph	PASS




Band 2 5MHz/1852.4/Low



Band 2 5MHz/1907.6/High




Band 4 5MHz/1712.4/Low




Band 4 5MHz/1752.6/High



Band 5 5MHz/826.4/Low




Band 5 5MHz/846.6/High






### B5.Conducted Spurious Emissions


Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit (dBm)	Verdict
2	9262	1852.4	0.009	0.15	-57.79	-43	PASS
2	9262	1852.4	0.15	30.0	-51.78	-23	PASS
2	9262	1852.4	30.0	1000.0	-30.12	-13	PASS
2	9262	1852.4	1000.0	20000.0	-24.29	-13	PASS
2	9400	1880.0	0.009	0.15	-56.53	-43	PASS
2	9400	1880.0	0.15	30.0	-51.39	-23	PASS
2	9400	1880.0	30.0	1000.0	-35.11	-13	PASS
2	9400	1880.0	1000.0	20000.0	-23.8	-13	PASS
2	9538	1907.6	0.009	0.15	-56.02	-43	PASS
2	9538	1907.6	0.15	30.0	-50.47	-23	PASS
2	9538	1907.6	30.0	1000.0	-28.38	-13	PASS
2	9538	1907.6	1000.0	20000.0	-23.72	-13	PASS
4	1312	1712.4	0.009	0.15	-53.27	-43	PASS
4	1312	1712.4	0.15	30.0	-50.94	-23	PASS
4	1312	1712.4	30.0	1000.0	-34.08	-13	PASS
4	1312	1712.4	1000.0	20000.0	-23.74	-13	PASS
4	1412	1732.4	0.009	0.15	-51.24	-43	PASS
4	1412	1732.4	0.15	30.0	-51.7	-23	PASS
4	1412	1732.4	30.0	1000.0	-29.58	-13	PASS
4	1412	1732.4	1000.0	20000.0	-23.49	-13	PASS
4	1513	1752.6	0.009	0.15	-46.84	-43	PASS
4	1513	1752.6	0.15	30.0	-51.47	-23	PASS
4	1513	1752.6	30.0	1000.0	-26.42	-13	PASS
4	1513	1752.6	1000.0	20000.0	-23.3	-13	PASS
5	4132	826.4	0.009	0.15	-52.85	-33	PASS
5	4132	826.4	0.15	30.0	-44.6	-13	PASS
5	4132	826.4	30.0	1000.0	-43.26	-13	PASS
5	4132	826.4	1000.0	10000.0	-31.34	-13	PASS
5	4182	836.4	0.009	0.15	-51.42	-33	PASS
5	4182	836.4	0.15	30.0	-46.14	-13	PASS
5	4182	836.4	30.0	1000.0	-42.15	-13	PASS
5	4182	836.4	1000.0	10000.0	-34.0	-13	PASS
5	4233	846.6	0.009	0.15	-46.98	-33	PASS
5	4233	846.6	0.15	30.0	-46.62	-13	PASS
5	4233	846.6	30.0	1000.0	-41.27	-13	PASS
5	4233	846.6	1000.0	10000.0	-34.0	-13	PASS




0.009MHz-0.15MHz  
Band 2 5MHz/1852.4/Low




0.15MHz-30.0MHz  
Band 2 5MHz/1852.4/Low




30.0MHz-1000.0MHz  
Band 2 5MHz/1852.4/Low




1000.0MHz-20000.0MHz  
Band 2 5MHz/1852.4/Low




0.009MHz-0.15MHz  
Band 2 5MHz/1880.0/Mid




0.15MHz-30.0MHz  
Band 2 5MHz/1880.0/Mid







0.009MHz-0.15MHz  
Band 4 5MHz/1712.4/Low




0.15MHz-30.0MHz  
Band 4 5MHz/1712.4/Low




30.0MHz-1000.0MHz  
Band 4 5MHz/1712.4/Low




1000.0MHz-20000.0MHz  
Band 4 5MHz/1712.4/Low




0.009MHz-0.15MHz  
Band 4 5MHz/1732.4/Mid




0.15MHz-30.0MHz  
Band 4 5MHz/1732.4/Mid




30.0MHz-1000.0MHz  
Band 4 5MHz/1732.4/Mid




1000.0MHz-20000.0MHz  
Band 4 5MHz/1732.4/Mid




0.009MHz-0.15MHz  
Band 4 5MHz/1752.6/High




0.15MHz-30.0MHz  
Band 4 5MHz/1752.6/High




30.0MHz-1000.0MHz  
Band 4 5MHz/1752.6/High




1000.0MHz-20000.0MHz  
Band 4 5MHz/1752.6/High




0.009MHz-0.15MHz  
Band 5 5MHz/826.4/Low




0.15MHz-30.0MHz  
Band 5 5MHz/826.4/Low




30.0MHz-1000.0MHz  
Band 5 5MHz/826.4/Low





1000.0MHz-10000.0MHz  
Band 5 5MHz/826.4/Low



0.009MHz-0.15MHz  
Band 5 5MHz/836.4/Mid





0.15MHz-30.0MHz  
Band 5 5MHz/836.4/Mid





30.0MHz-1000.0MHz  
Band 5 5MHz/836.4/Mid

1000.0MHz-10000.0MHz  
Band 5 5MHz/836.4/Mid



0.009MHz-0.15MHz  
Band 5 5MHz/846.6/High

0.15MHz-30.0MHz  
Band 5 5MHz/846.6/High



30.0MHz-1000.0MHz  
Band 5 5MHz/846.6/High

1000.0MHz-10000.0MHz  
Band 5 5MHz/846.6/High



B6.Frequency Stability

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	9262	1852.4	-4.56	-0.00246	±2.5	PASS	VL
2	9262	1852.4	-3.01	-0.001626	±2.5	PASS	VN
2	9262	1852.4	-3.06	-0.001653	±2.5	PASS	VH
2	9262	1852.4	0.52	0.000282	±2.5	PASS	-30°C
2	9262	1852.4	1.64	0.000884	±2.5	PASS	-20°C
2	9262	1852.4	-1.75	-0.000946	±2.5	PASS	-10°C
2	9262	1852.4	1.17	0.000633	±2.5	PASS	0°C
2	9262	1852.4	0.36	0.000197	±2.5	PASS	10°C
2	9262	1852.4	1.51	0.000815	±2.5	PASS	20°C
2	9262	1852.4	0.51	0.000278	±2.5	PASS	30°C
2	9262	1852.4	0.32	0.000173	±2.5	PASS	40°C
2	9262	1852.4	3.86	0.002081	±2.5	PASS	50°C
2	9400	1880.0	-4.11	-0.002184	±2.5	PASS	VL
2	9400	1880.0	-1.32	-0.0007	±2.5	PASS	VN
2	9400	1880.0	-2.22	-0.001179	±2.5	PASS	VH
2	9400	1880.0	0.32	0.00017	±2.5	PASS	-30°C
2	9400	1880.0	-0.63	-0.000335	±2.5	PASS	-20°C
2	9400	1880.0	-3.08	-0.001636	±2.5	PASS	-10°C
2	9400	1880.0	-0.88	-0.000468	±2.5	PASS	0°C
2	9400	1880.0	-1.93	-0.001027	±2.5	PASS	10°C
2	9400	1880.0	-2.91	-0.001548	±2.5	PASS	20°C
2	9400	1880.0	-2.26	-0.001202	±2.5	PASS	30°C
2	9400	1880.0	2.22	0.001183	±2.5	PASS	40°C
2	9400	1880.0	-2.95	-0.001571	±2.5	PASS	50°C
2	9538	1907.6	-1.37	-0.00072	±2.5	PASS	VL
2	9538	1907.6	0.43	0.000225	±2.5	PASS	VN
2	9538	1907.6	0.69	0.000364	±2.5	PASS	VH
2	9538	1907.6	-0.54	-0.000285	±2.5	PASS	-30°C
2	9538	1907.6	-1.42	-0.000746	±2.5	PASS	-20°C
2	9538	1907.6	0.84	0.000439	±2.5	PASS	-10°C
2	9538	1907.6	3.42	0.001792	±2.5	PASS	0°C
2	9538	1907.6	-2.08	-0.001091	±2.5	PASS	10°C
2	9538	1907.6	2.18	0.001144	±2.5	PASS	20°C
2	9538	1907.6	-3.02	-0.001582	±2.5	PASS	30°C
2	9538	1907.6	4.47	0.002343	±2.5	PASS	40°C
2	9538	1907.6	-0.69	-0.00036	±2.5	PASS	50°C
4	1312	1712.4	-6.28	-0.003667	±2.5	PASS	VL
4	1312	1712.4	-7.11	-0.004152	±2.5	PASS	VN
4	1312	1712.4	-2.03	-0.001186	±2.5	PASS	VH
4	1312	1712.4	-4.66	-0.002723	±2.5	PASS	-30°C
4	1312	1712.4	-2.73	-0.001596	±2.5	PASS	-20°C
4	1312	1712.4	0.47	0.000276	±2.5	PASS	-10°C
4	1312	1712.4	-1.13	-0.00066	±2.5	PASS	0°C
4	1312	1712.4	-3.88	-0.002268	±2.5	PASS	10°C
4	1312	1712.4	-0.99	-0.000581	±2.5	PASS	20°C
4	1312	1712.4	2.63	0.001537	±2.5	PASS	30°C
4	1312	1712.4	-2.37	-0.001387	±2.5	PASS	40°C
4	1312	1712.4	-2.09	-0.00122	±2.5	PASS	50°C
4	1412	1732.4	-1.48	-0.000855	±2.5	PASS	VL
4	1412	1732.4	2.09	0.001206	±2.5	PASS	VN
4	1412	1732.4	1.23	0.00071	±2.5	PASS	VH
4	1412	1732.4	-2.4	-0.001387	±2.5	PASS	-30°C
4	1412	1732.4	3.16	0.001825	±2.5	PASS	-20°C
4	1412	1732.4	-1.48	-0.000855	±2.5	PASS	-10°C
4	1412	1732.4	0.83	0.000479	±2.5	PASS	0°C
4	1412	1732.4	-2.2	-0.001272	±2.5	PASS	10°C
4	1412	1732.4	0.34	0.000194	±2.5	PASS	20°C
4	1412	1732.4	-3.07	-0.001771	±2.5	PASS	30°C
4	1412	1732.4	-1.65	-0.000954	±2.5	PASS	40°C
4	1412	1732.4	-5.39	-0.003113	±2.5	PASS	50°C
4	1513	1752.6	-3.23	-0.001845	±2.5	PASS	VL
4	1513	1752.6	-1.71	-0.000975	±2.5	PASS	VN
4	1513	1752.6	-3.88	-0.002216	±2.5	PASS	VH
4	1513	1752.6	-4.58	-0.002612	±2.5	PASS	-30°C
4	1513	1752.6	-4.07	-0.002322	±2.5	PASS	-20°C
4	1513	1752.6	-3.66	-0.00209	±2.5	PASS	-10°C
4	1513	1752.6	-3.7	-0.00211	±2.5	PASS	0°C
4	1513	1752.6	-1.69	-0.000963	±2.5	PASS	10°C
4	1513	1752.6	-1.33	-0.000759	±2.5	PASS	20°C
4	1513	1752.6	-2.5	-0.001424	±2.5	PASS	30°C



Report No.:SZ25080340W03

4	1513	1752.6	-5.71	-0.003261	±2.5	PASS	40°C
4	1513	1752.6	-2.2	-0.001253	±2.5	PASS	50°C
5	4132	826.4	-0.25	-0.000303	±2.5	PASS	VL
5	4132	826.4	0.36	0.000433	±2.5	PASS	VN
5	4132	826.4	-2.42	-0.002925	±2.5	PASS	VH
5	4132	826.4	-0.85	-0.001103	±2.5	PASS	-30°C
5	4132	826.4	0.57	0.000684	±2.5	PASS	-20°C
5	4132	826.4	-2.83	-0.003419	±2.5	PASS	-10°C
5	4132	826.4	-1.12	-0.001359	±2.5	PASS	0°C
5	4132	826.4	-1.08	-0.001307	±2.5	PASS	10°C
5	4132	826.4	-2.76	-0.003341	±2.5	PASS	20°C
5	4132	826.4	-2.02	-0.002441	±2.5	PASS	30°C
5	4132	826.4	-2.52	-0.003055	±2.5	PASS	40°C
5	4132	826.4	-1.98	-0.002397	±2.5	PASS	50°C
5	4182	836.4	-3.36	-0.004019	±2.5	PASS	VL
5	4182	836.4	-3.48	-0.004156	±2.5	PASS	VN
5	4182	836.4	-2.7	-0.003224	±2.5	PASS	VH
5	4182	836.4	-3.86	-0.004609	±2.5	PASS	-30°C
5	4182	836.4	-0.78	-0.000932	±2.5	PASS	-20°C
5	4182	836.4	-2.55	-0.003044	±2.5	PASS	-10°C
5	4182	836.4	-3.0	-0.003583	±2.5	PASS	0°C
5	4182	836.4	-2.28	-0.002728	±2.5	PASS	10°C
5	4182	836.4	-1.77	-0.002112	±2.5	PASS	20°C
5	4182	836.4	-2.99	-0.003575	±2.5	PASS	30°C
5	4182	836.4	-1.72	-0.002052	±2.5	PASS	40°C
5	4182	836.4	-2.57	-0.003079	±2.5	PASS	50°C
5	4233	846.6	-2.39	-0.002822	±2.5	PASS	VL
5	4233	846.6	-0.29	-0.000346	±2.5	PASS	VN
5	4233	846.6	0.32	0.000378	±2.5	PASS	VH
5	4233	846.6	-0.59	-0.000693	±2.5	PASS	-30°C
5	4233	846.6	-0.62	-0.000727	±2.5	PASS	-20°C
5	4233	846.6	-0.77	-0.000904	±2.5	PASS	-10°C
5	4233	846.6	-0.84	-0.000988	±2.5	PASS	0°C
5	4233	846.6	-1.3	-0.001538	±2.5	PASS	10°C
5	4233	846.6	-0.43	-0.000507	±2.5	PASS	20°C
5	4233	846.6	-2.36	-0.002788	±2.5	PASS	30°C
5	4233	846.6	-2.45	-0.002889	±2.5	PASS	40°C
5	4233	846.6	-1.34	-0.001588	±2.5	PASS	50°C



Report No.:SZ25080340W03

### B7.Modulation Characteristics

Band	Channel	Freq (MHz)	Verdict
2	9262	1852.4	PASS
2	9400	1880.0	PASS
2	9538	1907.6	PASS
4	1312	1712.4	PASS
4	1412	1732.4	PASS
4	1513	1752.6	PASS
5	4132	826.4	PASS
5	4182	836.4	PASS
5	4233	846.6	PASS