



FCC RF Test Report

APPLICANT : D-Link Corporation
EQUIPMENT : LTE Mobile Router
BRAND NAME : D-Link
MODEL NAME : DWR-930
FCC ID : KA2WR930A1
STANDARD : 47 CFR Part 2, 22(H), 27
CLASSIFICATION : PCS Licensed Transmitter (PCB)

The product was received on Mar. 14, 2014 and testing was completed on Apr. 16, 2014. We, SPORTON INTERNATIONAL INC., would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI / TIA / EIA-603-C-2004 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC., the test report shall not be reproduced except in full.

Reviewed by: Joseph Lin / Supervisor

Approved by: Jones Tsai / Manager



SPORTON INTERNATIONAL INC.

No. 52, Hwa Ya 1st Rd., Hwa Ya Technology Park, Kwei-Shan Hsiang, Tao Yuan Hsien, Taiwan, R.O.C.

SPORTON INTERNATIONAL INC.

TEL : 886-3-327-3456

FAX : 886-3-328-4978

FCC ID : KA2WR930A1

Page Number : 1 of 145

Report Issued Date : Apr. 24, 2014

Report Version : Rev. 01



TABLE OF CONTENTS

REVISION HISTORY.....3
SUMMARY OF TEST RESULT4
1 GENERAL DESCRIPTION5
1.1 Applicant5
1.2 Manufacturer5
1.3 Product Feature of Equipment Under Test.....5
1.4 Product Specification subjective to this standard5
1.5 Modification of EUT5
1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator6
1.7 Testing Location7
1.8 Applicable Standards.....7
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST8
2.1 Test Mode8
2.2 Connection Diagram of Test System.....10
2.3 Support Unit used in test configuration and system10
2.4 Measurement Results Explanation Example.....11
3 TEST RESULT12
3.1 Conducted Output Power Measurement12
3.2 Peak-to-Average Ratio17
3.3 Effective Radiated Power and Equivalent Isotropic Radiated Power Measurement.....25
3.4 Occupied Bandwidth.....31
3.5 Conducted Band Edge Measurement80
3.6 Conducted Spurious Emission Measurement113
3.7 Radiated Spurious Emission Measurement123
3.8 Frequency Stability Measurement141
4 LIST OF MEASURING EQUIPMENT144
5 UNCERTAINTY OF EVALUATION145
APPENDIX A. SETUP PHOTOGRAPHS



SUMMARY OF TEST RESULT

Report Section	FCC Rule	IC Rule	Description	Limit	Result	Remark
3.1	§2.1046	RSS-Gen(4.8) RSS-132 (5.4) RSS-199 (4.4)	Conducted Output Power	Reporting Only	PASS	-
3.2	§27.50(d)(5)	RSS-132 (5.4)	Peak-to-Average Ratio	<13 dB	PASS	-
3.3	§22.913(a)(2)	RSS-132(5.4) SRSP-503(5.1.3)	Effective Radiated Power (Band 5)	ERP < 7 Watt	PASS	-
	§27.50(h)(2)	RSS-199 (4.4)	Equivalent Isotropic Radiated Power (Band 7)	EIRP < 2Watt	PASS	-
3.4	§2.1049 §22.917(b) §27.53(l)(6)	RSS-GEN(4.6.1) RSS-132 (3.1) RSS-199 (4.2)	Occupied Bandwidth	Reporting Only	PASS	-
3.5	§2.1051 §22.917(a) §27.53(l)(4)	RSS-GEN(4.9) RSS-132 (5.5) RSS-199 (4.5)	Conducted Band Edge Measurement	< 43+10log ₁₀ (P[Watt])	PASS	-
3.6	§2.1051 §22.917(a)	RSS-GEN(4.9) RSS-132 (5.5)	Conducted Spurious Emission (Band 5)	< 43+10log ₁₀ (P[Watts])	PASS	-
	§2.1051 §27.53(l)(4)	RSS-GEN(4.9) RSS-199 (4.5)	Conducted Spurious Emission (Band 7)	<55+10log ₁₀ (P[Watts])	PASS	-
3.7	§2.1053 §22.917	RSS-GEN(4.9) RSS-132 (5.5)	Radiated Spurious Emission (Band 5)	< 43+10log ₁₀ (P[Watts])	PASS	Under limit 6.29 dB at 12846.000 MHz
	§2.1053 §27.53(l)(4)	RSS-GEN(4.9) RSS-199 (4.5)	Radiated Spurious Emission (Band 7)	< 55+10log ₁₀ (P[Watts])	PASS	
3.8	§2.1055 §22.355 §27.54	RSS-GEN(4.7) RSS-132(5.3) RSS-199 (4.3)	Frequency Stability Temperature & Voltage	< 2.5 ppm	PASS	-

1 General Description

1.1 Applicant

D-Link Corporation
 No.289, Sinhu 3rd Rd, Neihu District Taipei City 114 Taiwan

1.2 Manufacturer

D-Link Co.
 No.289, Sinhu 3rd Rd, Neihu District Taipei City 114 Taiwan

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	LTE Mobile Router
Brand Name	D-Link
Model Name	DWR-930
FCC ID	KA2WR930A1
EUT supports Radios application	GSM/EGPRS/WCDMA/HSPA/LTE WLAN 11/b/g/n (HT20)
HW Version	A1
SW Version	01.00.07_0110
EUT Stage	Identical Prototype

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

1.4 Product Specification subjective to this standard

Product Specification subjective to this standard	
Tx Frequency	LTE Band 5 : 824.7 MHz ~ 848.3 MHz LTE Band 7 : 2502.5 MHz ~ 2567.5 MHz
Rx Frequency	LTE Band 5 : 869.7 MHz ~ 893.3 MHz LTE Band 7 : 2622.5MHz ~ 2687.5 MHz
Bandwidth	LTE Band 5 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 7 : 5MHz/ 10MHz / 15MHz / 20MHz
Maximum Output Power to Antenna	LTE Band 5 : 23.56 dBm LTE Band 7 : 22.87 dBm
Antenna Type	monopole Antenna
Type of Modulation	QPSK / 16QAM

1.5 Modification of EUT

No modifications are made to the EUT during all test items.



1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator

FCC Rule	System	Type of Modulation	BW	Emission Designator	Frequency Tolerance (ppm)	Maximum ERP/EIRP
Part 22	LTE Band 5	QPSK	1.4 MHz	1M10G7D	-	0.084 W
Part 22	LTE Band 5	16QAM	1.4 MHz	1M10D7W	-	0.065 W
Part 22	LTE Band 5	QPSK	3 MHz	2M72G7D	-	-
Part 22	LTE Band 5	16QAM	3 MHz	2M73D7W	-	-
Part 22	LTE Band 5	QPSK	5 MHz	4M50G7D	-	-
Part 22	LTE Band 5	16QAM	5 MHz	4M51D7W	-	-
Part 22	LTE Band 5	QPSK	10 MHz	9M08G7D	0.0026 ppm	0.086 W
Part 22	LTE Band 5	16QAM	10 MHz	9M04D7W	-	0.074 W
Part 27	LTE Band 7	QPSK	5MHz	4M51G7D	-	0.158 W
Part 27	LTE Band 7	16QAM	5MHz	4M50D7W	-	0.149 W
Part 27	LTE Band 7	QPSK	10MHz	9M04G7D	0.0017 ppm	-
Part 27	LTE Band 7	16QAM	10MHz	9M04D7W	-	-
Part 27	LTE Band 7	QPSK	15MHz	13M5G7D	-	-
Part 27	LTE Band 7	16QAM	15MHz	13M5D7W	-	-
Part 27	LTE Band 7	QPSK	20MHz	18M5G7D	-	0.121 W
Part 27	LTE Band 7	16QAM	20MHz	18M5D7W	-	0.141 W



1.7 Testing Location

Sporton Lab is accredited to ISO 17025 by Taiwan Accreditation Foundation (TAF code : 1190) and the FCC designation No. TW1022 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC Test.

Test Site	SPORTON INTERNATIONAL INC.	
Test Site Location	No. 52, Hwa Ya 1 st Rd., Hwa Ya Technology Park, Kwei-Shan Hsiang, Tao Yuan Hsien, Taiwan, R.O.C. TEL: +886-3-327-3456 FAX: +886-3-328-4978	
Test Site No.	Sporton Site No.	
	TH02-HY	03CH07-HY

1.8 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR Part 2, 22(H), 24(E), 27
- ♦ ANSI / TIA / EIA-603-C-2004
- ♦ FCC KDB 971168 D01 Power Meas. License Digital Systems v02r01

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.



2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v02r01 with maximum output power.


Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

Test Items	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Max. Output Power	5	Y	Y	Y	Y	-	-	Y	Y	Y	Y	Y	Y	Y	Y
	7	-	-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Peak-to-Average Ratio	5				Y	-	-		Y	Y		Y	Y	Y	Y
	7	-	-				Y		Y	Y		Y	Y	Y	Y
26dB and 99% Bandwidth	5	Y	Y	Y	Y	-	-	Y	Y			Y	Y	Y	Y
	7	-	-	Y	Y	Y	Y	Y	Y			Y	Y	Y	Y
Conducted Band Edge	5	Y	Y	Y	Y	-	-	Y	Y	Y		Y	Y		Y
	7	-	-	Y	Y	Y	Y	Y	Y	Y		Y	Y		Y



Test Items	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Conducted Spurious Emission	5	v	v	v	v	-	-	v	v	v				v	
	7	-	-	v	v	v	v	v	v	v				v	
Frequency Stability	5				v	-	-	v				v		v	
	7	-	-		v			v				v		v	
E.R.P/ E.I.R.P.	5	v				-	-	v	v	V(QPSK)	V(16-QAM)		v	v	v
					v	-	-	v	v	v			v	v	v
	7	-	-	v			v	v	v	v			v	v	v
Radiated Spurious Emission	5	v	v	v	v	-	-	v		v				v	
	7	-	-	v	v	v	v	v		v				v	
Note	<ol style="list-style-type: none"> The mark "v " means that this configuration is chosen for testing The mark "- " means that this bandwidth is not supported. For E.R.P/E.I.R.P. measurement, the widest bandwidth of each band is chosen for testing due to highest conducted power. Besides, the lowest bandwidth of each band is also measured for reporting only. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported. 														

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	System Simulator	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m



2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.2 dB and 10dB attenuator.

Example :

$$\begin{aligned} \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)}. \\ &= 4.2 + 10 = 14.2 \text{ (dB)} \end{aligned}$$

3 Test Result

3.1 Conducted Output Power Measurement

3.1.1 Description of the Conducted Output Power Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.


3.1.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.1.3 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.

3.1.4 Test Setup





3.1.5 Test Result of Conducted Output Power

<LTE Band 5 Conducted Power>

BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20450	20525	20600
Frequency (MHz)				829	836.5	844
10	QPSK	1	0	23.56	22.98	23.18
10	QPSK	1	24	23.55	22.89	23.36
10	QPSK	1	49	23.55	23.25	23.24
10	QPSK	25	0	22.36	21.72	21.96
10	QPSK	25	12	22.46	21.91	21.99
10	QPSK	25	24	22.27	21.79	21.95
10	QPSK	50	0	22.24	21.71	21.83
10	16QAM	1	0	22.47	22.29	22.34
10	16QAM	1	24	22.66	22.31	22.44
10	16QAM	1	49	22.13	22.41	22.26
10	16QAM	25	0	21.12	20.66	20.77
10	16QAM	25	12	21.15	20.78	21.18
10	16QAM	25	24	20.91	20.70	20.90
10	16QAM	50	0	20.91	20.68	20.75
Channel				20425	20525	20625
Frequency (MHz)				826.5	836.5	846.5
5	QPSK	1	0	23.25	22.95	23.29
5	QPSK	1	12	23.49	23.14	23.20
5	QPSK	1	24	23.54	23.06	23.13
5	QPSK	12	0	22.36	21.99	22.16
5	QPSK	12	6	22.44	21.98	22.18
5	QPSK	12	11	22.41	21.93	22.09
5	QPSK	25	0	22.19	21.81	21.95
5	16QAM	1	0	22.03	21.80	21.96
5	16QAM	1	12	22.42	21.94	21.92
5	16QAM	1	24	22.15	21.77	21.73
5	16QAM	12	0	20.95	20.86	21.02
5	16QAM	12	6	21.05	20.77	21.23
5	16QAM	12	11	21.35	20.92	21.12
5	16QAM	25	0	21.25	20.81	20.95



BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20415	20525	20635
Frequency (MHz)				825.5	836.5	847.5
3	QPSK	1	0	23.18	22.95	23.30
3	QPSK	1	7	23.30	22.80	23.12
3	QPSK	1	14	23.49	23.01	23.18
3	QPSK	8	0	22.14	21.68	22.15
3	QPSK	8	4	22.22	21.91	21.94
3	QPSK	8	7	22.22	21.81	22.00
3	QPSK	15	0	22.16	21.78	21.94
3	16QAM	1	0	22.34	21.89	22.02
3	16QAM	1	7	22.50	22.03	22.09
3	16QAM	1	14	22.19	21.75	21.87
3	16QAM	8	0	21.48	21.06	21.17
3	16QAM	8	4	21.58	21.13	21.11
3	16QAM	8	7	20.88	20.60	21.02
3	16QAM	15	0	21.42	20.95	21.08
Channel				20407	20525	20643
Frequency (MHz)				824.7	836.5	848.3
1.4	QPSK	1	0	23.07	22.67	23.04
1.4	QPSK	1	2	23.09	22.70	23.02
1.4	QPSK	1	5	23.22	22.82	23.03
1.4	QPSK	3	0	23.11	22.75	23.00
1.4	QPSK	3	1	23.12	22.74	23.10
1.4	QPSK	3	2	23.14	22.71	23.07
1.4	QPSK	6	0	22.07	21.76	22.08
1.4	16QAM	1	0	21.67	21.45	21.67
1.4	16QAM	1	2	21.68	21.42	21.72
1.4	16QAM	1	5	21.85	21.53	21.75
1.4	16QAM	3	0	22.18	21.86	22.08
1.4	16QAM	3	1	22.11	21.86	21.97
1.4	16QAM	3	2	22.23	21.84	21.95
1.4	16QAM	6	0	21.13	20.80	21.03



<LTE Band 7 Conducted Power>

BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20850	21100	21350
Frequency (MHz)				2510	2535	2560
20	QPSK	1	0	22.22	22.45	22.33
20	QPSK	1	49	22.21	22.46	22.62
20	QPSK	1	99	22.74	22.77	22.87
20	QPSK	50	0	21.04	21.28	21.33
20	QPSK	50	24	21.09	21.30	21.32
20	QPSK	50	49	21.10	21.31	21.46
20	QPSK	100	0	21.05	21.30	21.39
20	16QAM	1	0	21.25	21.55	21.41
20	16QAM	1	49	21.21	21.59	21.65
20	16QAM	1	99	21.58	21.60	21.92
20	16QAM	50	0	20.06	20.38	20.28
20	16QAM	50	24	20.05	20.34	20.31
20	16QAM	50	49	20.05	20.33	20.44
20	16QAM	100	0	20.05	20.38	20.36
Channel				20825	21100	21375
Frequency (MHz)				2507.5	2535.0	2562.5
15	QPSK	1	0	22.41	22.55	22.64
15	QPSK	1	37	22.29	22.51	22.58
15	QPSK	1	74	22.46	22.50	22.80
15	QPSK	36	0	21.14	21.41	21.37
15	QPSK	36	18	21.16	21.38	21.43
15	QPSK	36	37	21.19	21.33	21.65
15	QPSK	75	0	21.07	21.33	21.50
15	16QAM	1	0	21.39	21.52	21.56
15	16QAM	1	37	21.28	21.53	21.65
15	16QAM	1	74	21.40	21.49	21.85
15	16QAM	36	0	20.14	20.41	20.41
15	16QAM	36	18	20.22	20.40	20.36
15	16QAM	36	37	20.22	20.39	20.63
15	16QAM	75	0	20.09	20.38	20.48



BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20800	21100	21400
Frequency (MHz)				2505.0	2535.0	2565.0
10	QPSK	1	0	22.33	22.55	22.56
10	QPSK	1	24	22.32	22.50	22.73
10	QPSK	1	49	22.34	22.49	22.82
10	QPSK	25	0	21.08	21.35	21.44
10	QPSK	25	12	21.18	21.38	21.63
10	QPSK	25	24	21.23	21.39	21.70
10	QPSK	50	0	21.09	21.32	21.43
10	16QAM	1	0	21.37	21.57	21.54
10	16QAM	1	24	21.35	21.60	21.67
10	16QAM	1	49	21.32	21.51	21.65
10	16QAM	25	0	20.14	20.38	20.44
10	16QAM	25	12	20.21	20.44	20.62
10	16QAM	25	24	20.23	20.38	20.63
10	16QAM	50	0	20.12	20.35	20.42
Channel				20775	21100	21425
Frequency (MHz)				2502.5	2535.0	2567.5
5	QPSK	1	0	22.34	22.48	22.76
5	QPSK	1	12	22.33	22.51	22.79
5	QPSK	1	24	22.29	22.42	22.72
5	QPSK	12	0	21.28	21.60	21.76
5	QPSK	12	6	21.28	21.52	21.72
5	QPSK	12	11	21.20	21.51	21.68
5	QPSK	25	0	21.15	21.48	21.57
5	16QAM	1	0	21.36	21.45	21.80
5	16QAM	1	12	21.32	21.56	21.74
5	16QAM	1	24	21.31	21.48	21.72
5	16QAM	12	0	20.35	20.57	20.79
5	16QAM	12	6	20.38	20.58	20.84
5	16QAM	12	11	20.31	20.59	20.79
5	16QAM	25	0	20.10	20.43	20.58

Note: maximum average power for LTE.

3.2 Peak-to-Average Ratio

3.2.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.


3.2.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.2.3 Test Procedures

1. The EUT was connected to spectrum and system simulator via a power divider.
2. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
3. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
4. Record the deviation as Peak to Average Ratio.

3.2.4 Test Setup





3.2.5 Test Result of Peak-to-Average Ratio

LTE Band 5						
BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20450	20525	20600
Frequency (MHz)				829	836.5	844
10	16QAM	1	0	6.03	6.19	6.35
10	16QAM	50	0	5.80	5.93	6.19


LTE Band 7						
BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20850	21100	21350
Frequency (MHz)				2510	2535	2560
20	16QAM	1	0	5.22	5.26	4.52
20	16QAM	100	0	6.12	5.83	6.03



3.2.6 Peak to Average Power Ratio

Peak-to-Average Ratio on LTE Band 5


10MHz / 16QAM in Ch. 20450 (1RB Size)



Date: 26.MAR.2014 17:41:34

Peak-to-Average Ratio on LTE Band 5

10MHz / 16QAM in Ch. 20525 (1RB Size)




Date: 26.MAR.2014 17:42:37



Peak-to-Average Ratio on LTE Band 5

10MHz / 16QAM in Ch. 20600 (1RB Size)




Complementary Cumulative Distribution Function
NOF samples: 100000, Usable BW: 11.2MHz

Trace 1	
Mean	22.08 dBm
Peak	28.74 dBm
Crest	6.67 dB
10 %	2.76 dB
1 %	5.32 dB
.1 %	6.35 dB
.01 %	6.57 dB

Date: 26.MAR.2014 17:43:15

Peak-to-Average Ratio on LTE Band 5

10MHz / 16QAM in Ch. 20450 (50RB Size)




Complementary Cumulative Distribution Function
NOF samples: 100000, Usable BW: 11.2MHz

Trace 1	
Mean	21.34 dBm
Peak	28.33 dBm
Crest	6.99 dB
10 %	2.82 dB
1 %	4.74 dB
.1 %	5.80 dB
.01 %	6.47 dB

Date: 26.MAR.2014 17:41:52



Peak-to-Average Ratio on LTE Band 5
10MHz / 16QAM in Ch. 20525 (50RB Size)




Complementary Cumulative Distribution Function
NOF samples: 100000, Usable BW: 11.2MHz

Trace 1	
Mean	20.84 dBm
Peak	28.22 dBm
Crest	7.38 dB
10 %	2.85 dB
1 %	4.84 dB
.1 %	5.93 dB
.01 %	6.73 dB

Date: 26.MAR.2014 17:42:59

Peak-to-Average Ratio on LTE Band 5
10MHz / 16QAM in Ch. 20600 (50RB Size)




Complementary Cumulative Distribution Function
NOF samples: 100000, Usable BW: 11.2MHz

Trace 1	
Mean	21.26 dBm
Peak	28.96 dBm
Crest	7.69 dB
10 %	2.88 dB
1 %	4.94 dB
.1 %	6.19 dB
.01 %	7.02 dB

Date: 26.MAR.2014 17:43:31




Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 20850 (1RB Size)



Date: 26.MAR.2014 16:30:39


Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 21100 (1RB Size)



Date: 26.MAR.2014 16:31:14



Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 21350 (1RB Size)




Complementary Cumulative Distribution Function
NOF samples: 100000, Usable BW: 23.7MHz

Trace 1	
Mean	21.81 dBm
Peak	26.46 dBm
Crest	4.65 dB
10 %	2.76 dB
1 %	4.17 dB
.1 %	4.52 dB
.01 %	4.58 dB

Date: 26.MAR.2014 16:31:51

Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 20850 (100RB Size)




Complementary Cumulative Distribution Function
NOF samples: 100000, Usable BW: 23.7MHz

Trace 1	
Mean	20.68 dBm
Peak	28.02 dBm
Crest	7.34 dB
10 %	3.01 dB
1 %	4.97 dB
.1 %	6.12 dB
.01 %	6.86 dB

Date: 26.MAR.2014 16:30:56



Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 21100 (100RB Size)




Complementary Cumulative Distribution Function
 NOF samples: 100000, Usable BW: 23.7MHz

Trace 1	
Mean	20.66 dBm
Peak	27.37 dBm
Crest	6.71 dB
10 %	3.04 dB
1 %	4.87 dB
.1 %	5.83 dB
.01 %	6.38 dB

Date: 26.MAR.2014 16:31:33

Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 21350 (100RB Size)



Complementary Cumulative Distribution Function
 NOF samples: 100000, Usable BW: 23.7MHz

Trace 1	
Mean	20.80 dBm
Peak	27.95 dBm
Crest	7.14 dB
10 %	2.98 dB
1 %	4.90 dB
.1 %	6.03 dB
.01 %	6.67 dB

Date: 26.MAR.2014 16:32:12



3.3 Effective Radiated Power and Equivalent Isotropic Radiated Power Measurement

3.3.1 Description of the ERP/EIRP Measurement

Effective radiated power output measurements by substitution method according to ANSI / TIA / EIA-603-C-2004, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas. License Digital Systems v02r01. Mobile and portable (hand-held) stations operating are limited to average ERP of 7 watts with LTE band 5 .

Equivalent isotropic radiated power output measurements by substitution method according to ANSI / TIA / EIA-603-C-2004, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas. License Digital Systems v02r01. Mobile and portable (hand-held) stations operating are limited to average EIRP of 2 watts with LTE band 7 .

3.3.2 Measuring Instruments


The measuring equipment is listed in the section 4 of this test report.

3.3.3 Test Procedures


1. The EUT was placed on a non-conductive rotating platform 0.8 meters high in a semi-anechoic chamber. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and a spectrum analyzer with RMS detector per section 5. of KDB 971168 D01.
2. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power. The maximum emission was recorded from analyzer power level (LVL) from the 360 degrees rotation of the turntable and the test antenna raised and lowered over a range from 1 to 4 meters in both horizontally and vertically polarized orientations.
3. Effective Isotropic Radiated Power (EIRP) was measured by substitution method according to TIA/EIA-603-C. The EUT was replaced by dipole antenna (substitution antenna) at same location, and then a known power from S.G. was applied into the dipole antenna through a Tx cable, and then recorded the maximum Analyzer reading through raised and lowered the test antenna. The correction factor (in dB) = S.G. - Tx Cable loss + Substitution antenna gain - Analyzer reading. Then the EUT's EIRP was calculated with the correction factor, $EIRP = LVL + \text{Correction factor}$ and $ERP = EIRP - 2.15$.

3.3.4 Test Setup

For Effective Radiated Power



For Equivalent Isotropic Radiated Power





3.3.5 Test Result of ERP/EIRP

LTE Band 5 Radiated Power ERP for BW 1.4MHz / QPSK				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
824.7	-10.51	31.54	18.88	0.077
836.5	-10.64	32.04	19.25	0.084
848.3	-11.50	32.59	18.94	0.078
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
824.7	-15.28	32.93	15.50	0.036
836.5	-15.00	32.82	15.67	0.037
848.3	-15.77	33.62	15.70	0.037

LTE Band 5 Radiated Power ERP for BW 1.4MHz / 16QAM				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
824.7	-11.42	31.54	17.97	0.063
836.5	-11.79	32.04	18.10	0.065
848.3	-12.57	32.59	17.87	0.061
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
824.7	-16.35	32.93	14.43	0.028
836.5	-16.13	32.82	14.54	0.028
848.3	-16.83	33.62	14.64	0.029

* ERP = LVL (dBm) + Correction Factor (dB) - 2.15



LTE Band 5 Radiated Power ERP for BW 10MHz / QPSK				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
829	-10.82	31.44	18.47	0.070
836.5	-10.56	32.04	19.33	0.086
844	-11.83	32.63	18.65	0.073
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
829	-15.47	32.78	15.16	0.033
836.5	-14.82	32.82	15.85	0.039
844	-15.33	33.4	15.92	0.039

LTE Band 5 Radiated Power ERP for BW 10MHz / 16QAM				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
829	-11.97	31.44	17.32	0.054
836.5	-11.22	32.04	18.67	0.074
844	-12.72	32.63	17.76	0.060
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
829	-16.40	32.78	14.23	0.027
836.5	-15.68	32.82	14.99	0.032
844	-16.01	33.4	15.24	0.033

* ERP = LVL (dBm) + Correction Factor (dB) - 2.15



LTE Band 7 Radiated Power EIRP for BW 5MHz / QPSK				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
2502.5	-24.72	44.76	20.04	0.101
2535.0	-23.39	45.37	21.98	0.158
2567.5	-23.81	45.12	21.31	0.135
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
2502.5	-32.72	45.76	13.04	0.020
2535.0	-32.00	47.04	15.04	0.032
2567.5	-32.64	46.31	13.67	0.023

LTE Band 7 Radiated Power EIRP for BW 5MHz / 16QAM				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
2502.5	-24.78	44.76	19.98	0.100
2535.0	-23.64	45.37	21.73	0.149
2567.5	-24.11	45.12	21.01	0.126
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
2502.5	-34.40	45.76	11.36	0.014
2535.0	-34.22	47.04	12.82	0.019
2567.5	-33.18	46.31	13.13	0.021



LTE Band 7 Radiated Power EIRP for BW 20MHz / QPSK				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
2510.0	-25.41	44.94	19.53	0.090
2535.0	-24.56	45.37	20.81	0.121
2560.0	-25.26	45.10	19.84	0.096
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
2510.0	-33.14	45.94	12.80	0.019
2535.0	-33.23	47.04	13.81	0.024
2560.0	-35.44	46.29	10.85	0.012

LTE Band 7 Radiated Power EIRP for BW 20MHz / 16QAM				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
2510.0	-24.17	44.94	20.77	0.119
2535.0	-23.88	45.37	21.49	0.141
2560.0	-24.07	45.10	21.03	0.127
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
2510.0	-33.69	45.94	12.25	0.017
2535.0	-34.01	47.04	13.03	0.020
2560.0	-33.35	46.29	12.94	0.020

3.4 Occupied Bandwidth

3.4.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.


3.4.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.4.3 Test Procedures

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The 26dB and 99% occupied bandwidth (BW) of the middle channel for the highest RF power with full RB sizes were measured.

3.4.4 Test Setup






3.4.5 Test Result (Plots) of Occupied Bandwidth


Band :	LTE Band 5	BW / Mod. :	1.4MHz / QPSK
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 20407



Date: 26.MAR.2014 16:35:14


26dB Bandwidth Plot on Channel 20407



Date: 26.MAR.2014 16:36:04




99% Occupied Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 16:41:20


26dB Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 16:41:53




99% Occupied Bandwidth Plot on Channel 20643



Date: 26.MAR.2014 16:44:23

26dB Bandwidth Plot on Channel 20643




Date: 26.MAR.2014 16:44:56




Band :	LTE Band 5	BW / Mod. :	1.4MHz / 16QAM
---------------	------------	--------------------	----------------

99% Occupied Bandwidth Plot on Channel 20407



Date: 26.MAR.2014 16:35:30


26dB Bandwidth Plot on Channel 20407



Date: 26.MAR.2014 16:35:47




99% Occupied Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 16:41:36


26dB Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 16:42:10




99% Occupied Bandwidth Plot on Channel 20643



Date: 26.MAR.2014 16:44:39

26dB Bandwidth Plot on Channel 20643




Date: 26.MAR.2014 16:35:47




Band :	LTE Band 5	BW / Mod. :	3MHz / QPSK
---------------	------------	--------------------	-------------

99% Occupied Bandwidth Plot on Channel 20415



Date: 26.MAR.2014 16:50:30


26dB Bandwidth Plot on Channel 20415



Date: 26.MAR.2014 16:51:02




99% Occupied Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 16:56:36


26dB Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 16:57:08




99% Occupied Bandwidth Plot on Channel 20635



Date: 26.MAR.2014 16:59:39

26dB Bandwidth Plot on Channel 20635




Date: 26.MAR.2014 17:00:11




Band :	LTE Band 5	BW / Mod. :	3MHz / 16QAM
---------------	------------	--------------------	--------------

99% Occupied Bandwidth Plot on Channel 20415



Date: 26.MAR.2014 16:50:45


26dB Bandwidth Plot on Channel 20415



Date: 26.MAR.2014 16:51:19




99% Occupied Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 16:56:51


26dB Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 16:57:25




99% Occupied Bandwidth Plot on Channel 20635



Date: 26.MAR.2014 16:59:54

26dB Bandwidth Plot on Channel 20635




Date: 26.MAR.2014 17:00:28




Band :	LTE Band 5	BW / Mod. :	5MHz / QPSK
--------	------------	-------------	-------------

99% Occupied Bandwidth Plot on Channel 20425



Date: 26.MAR.2014 17:08:25


26dB Bandwidth Plot on Channel 20425



Date: 26.MAR.2014 17:08:57




99% Occupied Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 17:14:31


26dB Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 17:15:03




99% Occupied Bandwidth Plot on Channel 20625



Date: 26.MAR.2014 17:17:34

26dB Bandwidth Plot on Channel 20625




Date: 26.MAR.2014 17:18:06




Band :	LTE Band 5	BW / Mod. :	5MHz / 16QAM
---------------	------------	--------------------	--------------

99% Occupied Bandwidth Plot on Channel 20425



Date: 26.MAR.2014 17:08:40


26dB Bandwidth Plot on Channel 20425



Date: 26.MAR.2014 17:09:14




99% Occupied Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 17:14:46


26dB Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 17:15:21




99% Occupied Bandwidth Plot on Channel 20625



Date: 26.MAR.2014 17:17:49

26dB Bandwidth Plot on Channel 20625




Date: 26.MAR.2014 17:18:23




Band :	LTE Band 5	BW / Mod. :	10MHz / QPSK
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 20450



Date: 26.MAR.2014 17:23:45


26dB Bandwidth Plot on Channel 20450



Date: 26.MAR.2014 17:24:17




99% Occupied Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 17:29:51


26dB Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 17:30:23




99% Occupied Bandwidth Plot on Channel 20600



Date: 26.MAR.2014 17:32:54

26dB Bandwidth Plot on Channel 20600




Date: 26.MAR.2014 17:33:26




Band :	LTE Band 5	BW / Mod. :	10MHz / 16QAM
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 20450



Date: 26.MAR.2014 17:24:00


26dB Bandwidth Plot on Channel 20450



Date: 26.MAR.2014 17:24:34




99% Occupied Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 17:30:06


26dB Bandwidth Plot on Channel 20525



Date: 26.MAR.2014 17:30:40




99% Occupied Bandwidth Plot on Channel 20600



Date: 26.MAR.2014 17:33:09

26dB Bandwidth Plot on Channel 20600




Date: 26.MAR.2014 17:33:43




Band :	LTE Band 7	BW / Mod. :	5MHz / QPSK
---------------	------------	--------------------	-------------

99% Occupied Bandwidth Plot on Channel 20775



Date: 26.MAR.2014 15:27:50


26dB Bandwidth Plot on Channel 20775



Date: 26.MAR.2014 15:28:24




99% Occupied Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 15:34:05


26dB Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 15:34:37




99% Occupied Bandwidth Plot on Channel 21425



Date: 26.MAR.2014 15:37:15

26dB Bandwidth Plot on Channel 21425




Date: 26.MAR.2014 15:37:48




Band :	LTE Band 7	BW / Mod. :	5MHz / 16QAM
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 20775



Date: 26.MAR.2014 15:28:07


26dB Bandwidth Plot on Channel 20775



Date: 26.MAR.2014 15:28:41




99% Occupied Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 15:34:20


26dB Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 15:34:55




99% Occupied Bandwidth Plot on Channel 21425



Date: 26.MAR.2014 15:37:30

26dB Bandwidth Plot on Channel 21425




Date: 26.MAR.2014 15:38:05




Band :	LTE Band 7	BW / Mod. :	10MHz / QPSK
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 20800



Date: 26.MAR.2014 15:43:29


26dB Bandwidth Plot on Channel 20800



Date: 26.MAR.2014 15:44:02




99% Occupied Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 15:49:43


26dB Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 15:50:16




99% Occupied Bandwidth Plot on Channel 21400



Date: 26.MAR.2014 15:52:54

26dB Bandwidth Plot on Channel 21400




Date: 26.MAR.2014 15:53:27




Band :	LTE Band 7	BW / Mod. :	10MHz / 16QAM
---------------	------------	--------------------	---------------

99% Occupied Bandwidth Plot on Channel 20800



Date: 26.MAR.2014 15:43:45


26dB Bandwidth Plot on Channel 20800



Date: 26.MAR.2014 15:44:19




99% Occupied Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 15:49:59


26dB Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 15:50:33




99% Occupied Bandwidth Plot on Channel 21400



Date: 26.MAR.2014 15:53:09


26dB Bandwidth Plot on Channel 21400



Date: 26.MAR.2014 15:53:44




99% Occupied Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 16:05:22


26dB Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 16:05:54




99% Occupied Bandwidth Plot on Channel 21375



Date: 26.MAR.2014 16:08:32

26dB Bandwidth Plot on Channel 21375




Date: 26.MAR.2014 16:09:04




Band :	LTE Band 7	BW / Mod. :	15MHz / 16QAM
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 20825



Date: 26.MAR.2014 15:59:24


26dB Bandwidth Plot on Channel 20825



Date: 26.MAR.2014 15:59:58




99% Occupied Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 16:05:37


26dB Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 16:06:12




99% Occupied Bandwidth Plot on Channel 21375



Date: 26.MAR.2014 16:08:47

26dB Bandwidth Plot on Channel 21375




Date: 26.MAR.2014 16:09:22




Band :	LTE Band 7	BW / Mod. :	20MHz / QPSK
---------------	------------	--------------------	--------------

99% Occupied Bandwidth Plot on Channel 20850



Date: 26.MAR.2014 16:14:46


26dB Bandwidth Plot on Channel 20850



Date: 26.MAR.2014 16:15:18




99% Occupied Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 16:20:59


26dB Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 16:21:31




99% Occupied Bandwidth Plot on Channel 21350



Date: 26.MAR.2014 16:24:09

26dB Bandwidth Plot on Channel 21350




Date: 26.MAR.2014 16:24:42




Band :	LTE Band 7	BW / Mod. :	20MHz / 16QAM
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 20850



Date: 26.MAR.2014 16:15:01


26dB Bandwidth Plot on Channel 20850



Date: 26.MAR.2014 16:15:35




99% Occupied Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 16:21:14


26dB Bandwidth Plot on Channel 21100



Date: 26.MAR.2014 16:21:48




99% Occupied Bandwidth Plot on Channel 21350



Date: 26.MAR.2014 16:24:25

26dB Bandwidth Plot on Channel 21350



Date: 26.MAR.2014 16:24:59

3.5 Conducted Band Edge Measurement

3.5.1 Description of Conducted Band Edge Measurement

22.917(a) and RSS – 132

For operations in the 824 – 849 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power P(Watts) in a 100kHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53 (l)(4) and RSS – 199

The emissions be operated in the 2496-2690 MHz band, the attenuation factor of transmitter Power (P) shall be not less than $55 + 10 \log (P)$ dB at the channel edge


3.5.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.5.3 Test Procedures

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The band edges of low and high channels for the highest RF powers were measured. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
3. Set spectrum analyzer with RMS detector.
4. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
5. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 - = $P(W) - [43 + 10\log(P)]$ (dB)
 - = $[30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 - = -13dBm.

3.5.4 Test Setup






3.5.5 Test Result (Plots) of Conducted Band Edge


Band :	LTE Band 5	Band Width :	1.4MHz / QPSK
--------	------------	--------------	---------------

Lower Band Edge Plot for QPSK-RB Size 1, RB Offset 0



Date: 26.MAR.2014 16:36:50


Lower Band Edge Plot for QPSK-RB Size 6, RB Offset 0



Date: 26.MAR.2014 16:38:21




Higher Band Edge Plot for QPSK-RB Size 1, RB Offset 5



Date: 26.MAR.2014 16:47:31

Higher Band Edge Plot for QPSK-RB Size 6, RB Offset 0




Date: 26.MAR.2014 16:45:59




Band :	LTE Band 5	Band Width :	1.4MHz / 16QAM
---------------	------------	---------------------	----------------

Lower Band Edge Plot for 16QAM -RB Size 1, RB Offset 0



Date: 26.MAR.2014 16:37:36


Lower Band Edge Plot for 16QAM -RB Size 6, RB Offset 0



Date: 26.MAR.2014 16:39:07




Higher Band Edge Plot for 16QAM -RB Size 1, RB Offset 5



Date: 26.MAR.2014 16:48:17

Higher Band Edge Plot for 16QAM -RB Size 6, RB Offset 0




Date: 26.MAR.2014 16:46:45




Band :	LTE Band 5	Band Width :	3MHz / QPSK
---------------	------------	---------------------	-------------

Lower Band Edge Plot for QPSK-RB Size 1, RB Offset 0



Date: 26.MAR.2014 16:52:05


Lower Band Edge Plot for QPSK-RB Size 15, RB Offset 0



Date: 26.MAR.2014 16:53:37




Higher Band Edge Plot for QPSK-RB Size 1, RB Offset 14



Date: 26.MAR.2014 17:01:14

Higher Band Edge Plot for QPSK-RB Size 15, RB Offset 0




Date: 26.MAR.2014 17:05:21




Band :	LTE Band 5	Band Width :	3MHz / 16QAM
---------------	------------	---------------------	--------------

Lower Band Edge Plot for 16QAM -RB Size 1, RB Offset 0



Date: 26.MAR.2014 16:52:51


Lower Band Edge Plot for 16QAM -RB Size 15, RB Offset 0



Date: 26.MAR.2014 16:54:23




Higher Band Edge Plot for 16QAM -RB Size 1, RB Offset 14



Date: 26.MAR.2014 17:45:21

Higher Band Edge Plot for 16QAM -RB Size 15, RB Offset 0




Date: 26.MAR.2014 17:06:07




Band :	LTE Band 5	Band Width :	5MHz / QPSK
---------------	------------	---------------------	-------------

Lower Band Edge Plot for QPSK-RB Size 1, RB Offset 0



Date: 26.MAR.2014 17:10:00


Lower Band Edge Plot for QPSK-RB Size 25, RB Offset 0



Date: 26.MAR.2014 17:11:32




Higher Band Edge Plot for QPSK-RB Size 1, RB Offset 24



Date: 26.MAR.2014 17:19:09

Higher Band Edge Plot for QPSK-RB Size 25, RB Offset 0




Date: 26.MAR.2014 17:20:41




Band :	LTE Band 5	Band Width :	5MHz / 16QAM
---------------	------------	---------------------	--------------

Lower Band Edge Plot for 16QAM -RB Size 1, RB Offset 0



Date: 26.MAR.2014 17:10:46


Lower Band Edge Plot for 16QAM -RB Size 25, RB Offset 0



Date: 26.MAR.2014 17:12:18




Higher Band Edge Plot for 16QAM -RB Size 1, RB Offset 24



Date: 26.MAR.2014 17:19:55

Higher Band Edge Plot for 16QAM -RB Size 25, RB Offset 0




Date: 26.MAR.2014 17:21:27




Band :	LTE Band 5	Band Width :	10MHz / QPSK
---------------	------------	---------------------	--------------

Lower Band Edge Plot for QPSK-RB Size 1, RB Offset 0



Date: 26.MAR.2014 17:25:20


Lower Band Edge Plot for QPSK-RB Size 50, RB Offset 0



Date: 26.MAR.2014 17:26:52




Higher Band Edge Plot for QPSK-RB Size 1, RB Offset 49



Date: 26.MAR.2014 17:34:29

Higher Band Edge Plot for QPSK-RB Size 50, RB Offset 0




Date: 26.MAR.2014 17:36:01




Band :	LTE Band 5	Band Width :	10MHz / 16QAM
---------------	------------	---------------------	---------------

Lower Band Edge Plot for 16QAM -RB Size 1, RB Offset 0



Date: 26.MAR.2014 17:26:06


Lower Band Edge Plot for 16QAM -RB Size 50, RB Offset 0



Date: 26.MAR.2014 17:27:38




Higher Band Edge Plot for 16QAM -RB Size 1, RB Offset 49



Date: 26.MAR.2014 17:35:15

Higher Band Edge Plot for 16QAM -RB Size 50, RB Offset 0




Date: 26.MAR.2014 17:36:47




Band :	LTE Band 7	Band Width :	5MHz / QPSK
---------------	------------	---------------------	-------------

Lower Band Edge Plot for QPSK-RB Size 1, RB Offset 0



Date: 26.MAR.2014 15:29:27


Lower Band Edge Plot for QPSK-RB Size 25, RB Offset 0



Date: 26.MAR.2014 15:30:58




Higher Band Edge Plot for QPSK-RB Size 1, RB Offset 24



Date: 26.MAR.2014 15:38:51

Higher Band Edge Plot for QPSK-RB Size 25, RB Offset 0




Date: 26.MAR.2014 15:40:23




Band :	LTE Band 7	Band Width :	5MHz / 16QAM
---------------	------------	---------------------	--------------

Lower Band Edge Plot for 16QAM-RB Size 1, RB Offset 0



Date: 26.MAR.2014 15:30:13


Lower Band Edge Plot for 16QAM-RB Size 25, RB Offset 0



Date: 26.MAR.2014 15:31:44




Higher Band Edge Plot for 16QAM-RB Size 1, RB Offset 24



Date: 26.MAR.2014 15:39:37

Higher Band Edge Plot for 16QAM-RB Size 25, RB Offset 0




Date: 26.MAR.2014 15:41:09




Band :	LTE Band 7	Band Width :	10MHz / QPSK
---------------	------------	---------------------	--------------

Lower Band Edge Plot for QPSK-RB Size 1, RB Offset 0



Date: 26.MAR.2014 15:45:05


Lower Band Edge Plot for QPSK-RB Size 50, RB Offset 0



Date: 26.MAR.2014 15:46:37




Higher Band Edge Plot for QPSK-RB Size 1, RB Offset 49



Date: 26.MAR.2014 15:54:30

Higher Band Edge Plot for QPSK-RB Size 50, RB Offset 0




Date: 26.MAR.2014 15:56:02




Band :	LTE Band 7	Band Width :	10MHz / 16QAM
---------------	------------	---------------------	---------------

Lower Band Edge Plot for 16QAM-RB Size 1, RB Offset 0



Date: 26.MAR.2014 15:45:51


Lower Band Edge Plot for 16QAM-RB Size 50, RB Offset 0



Date: 26.MAR.2014 15:47:23




Higher Band Edge Plot for 16QAM-RB Size 1, RB Offset 49



Date: 26.MAR.2014 15:55:16

Higher Band Edge Plot for 16QAM-RB Size 50, RB Offset 0




Date: 26.MAR.2014 15:56:48




Band :	LTE Band 7	Band Width :	15MHz / QPSK
---------------	------------	---------------------	--------------

Lower Band Edge Plot for QPSK-RB Size 1, RB Offset 0



Date: 26.MAR.2014 16:00:44


Lower Band Edge Plot for QPSK-RB Size 75, RB Offset 0



Date: 26.MAR.2014 16:02:16




Higher Band Edge Plot for QPSK-RB Size 1, RB Offset 74



Date: 26.MAR.2014 16:10:07

Higher Band Edge Plot for QPSK-RB Size 75, RB Offset 0




Date: 26.MAR.2014 16:11:39




Band :	LTE Band 7	Band Width :	15MHz / 16QAM
---------------	------------	---------------------	---------------

Lower Band Edge Plot for 16QAM-RB Size 1, RB Offset 0



Date: 26.MAR.2014 16:01:30


Lower Band Edge Plot for 16QAM-RB Size 75, RB Offset 0



Date: 26.MAR.2014 16:03:02




Higher Band Edge Plot for 16QAM-RB Size 1, RB Offset 74



Date: 26.MAR.2014 16:10:53

Higher Band Edge Plot for 16QAM-RB Size 75, RB Offset 0




Date: 26.MAR.2014 16:12:25




Band :	LTE Band 7	Band Width :	20MHz / QPSK
---------------	------------	---------------------	--------------

Lower Band Edge Plot for QPSK-RB Size 1, RB Offset 0



Date: 26.MAR.2014 16:16:21


Lower Band Edge Plot for QPSK-RB Size 100, RB Offset 0



Date: 26.MAR.2014 16:17:53




Higher Band Edge Plot for QPSK-RB Size 1, RB Offset 99



Date: 26.MAR.2014 16:25:45

Higher Band Edge Plot for QPSK-RB Size 100, RB Offset 0




Date: 26.MAR.2014 16:28:01




Band :	LTE Band 7	Band Width :	20MHz / 16QAM
---------------	------------	---------------------	---------------

Lower Band Edge Plot for 16QAM-RB Size 1, RB Offset 0



Date: 26.MAR.2014 16:17:07


Lower Band Edge Plot for 16QAM-RB Size 100, RB Offset 0



Date: 26.MAR.2014 16:18:39




Higher Band Edge Plot for 16QAM-RB Size 1, RB Offset 99



Date: 26.MAR.2014 16:26:30

Higher Band Edge Plot for 16QAM-RB Size 100, RB Offset 0



Date: 26.MAR.2014 16:27:16



3.6 Conducted Spurious Emission Measurement

3.6.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 9 kHz up to a frequency including its 10th harmonic.

3.6.2 Measuring Instruments


The measuring equipment is listed in the section 4 of this test report.

3.6.3 Test Procedures

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. The middle channel for the highest RF power within the transmitting frequency was measured.
4. The conducted spurious emission for the whole frequency range was taken.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
6. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
7. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 $= -13$ dBm.
8. For Band 7

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)

3.6.4 Test Setup






3.6.5 Test Result (Plots) of Conducted Spurious Emission


Band :	LTE Band 5	Channel :	CH20525
Band Width :	1.4MHz		

QPSK (RB Size 1, RB Offset 0)



Date: 26.MAR.2014 16:43:09

16QAM (RB Size 1, RB Offset 0)




Date: 26.MAR.2014 16:44:08




Band :	LTE Band 5	Channel :	CH20525
Band Width :	3MHz		

QPSK (RB Size 1, RB Offset 0)



Date: 26.MAR.2014 16:58:24

16QAM (RB Size 1, RB Offset 0)




Date: 26.MAR.2014 16:59:23




Band :	LTE Band 5	Channel :	CH20525
Band Width :	5MHz		

QPSK (RB Size 1, RB Offset 0)



Date: 26.MAR.2014 17:16:19

16QAM (RB Size 1, RB Offset 0)




Date: 26.MAR.2014 17:17:18




Band :	LTE Band 5	Channel :	CH20525
Band Width :	10MHz		

QPSK (RB Size 1, RB Offset 0)



Date: 26.MAR.2014 17:31:39

16QAM (RB Size 1, RB Offset 0)




Date: 26.MAR.2014 17:32:38




Band :	LTE Band 7	Channel :	CH21100
Band Width :	5MHz		

QPSK (RB Size 1, RB Offset 0)



Date: 26.MAR.2014 15:35:57

16QAM (RB Size 1, RB Offset 0)




Date: 26.MAR.2014 15:37:00




Band :	LTE Band 7	Channel :	CH21100
Band Width :	10MHz		

QPSK (RB Size 1, RB Offset 0)



Date: 26.MAR.2014 15:51:36

16QAM (RB Size 1, RB Offset 0)




Date: 26.MAR.2014 15:52:38




Band :	LTE Band 7	Channel :	CH21100
Band Width :	15MHz		

QPSK (RB Size 1, RB Offset 0)



Date: 26.MAR.2014 16:07:14

16QAM (RB Size 1, RB Offset 0)




Date: 26.MAR.2014 16:08:16




Band :	LTE Band 7	Channel :	CH21100
Band Width :	20MHz		

QPSK (RB Size 1, RB Offset 0)



Date: 26.MAR.2014 16:22:51

16QAM (RB Size 1, RB Offset 0)



Date: 26.MAR.2014 16:23:54



3.7 Radiated Spurious Emission Measurement

3.7.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI / TIA / EIA-603-C-2004. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

3.7.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.7.3 Test Procedures

1. The EUT was placed on a rotatable wooden table with 0.8 meter above ground.
2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
3. The table was rotated 360 degrees to determine the position of the highest spurious emission.
4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
6. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
7. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
8. Taking the record of output power at antenna port.
9. Repeat step 7 to step 8 for another polarization.
10. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 $= -13$ dBm.


For Band 7

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)


11. EIRP (dBm) = S.G. Power – Tx Cable Loss + Tx Antenna Gain
12. ERP (dBm) = EIRP - 2.15

3.7.4 Test Setup

For radiated emissions from 30MHz to 1GHz




For radiated emissions above 1GHz





3.7.5 Test Result of Field Strength of Spurious Radiated

Band :	LTE Band 5	Temperature :	19~21°C
Test Mode :	10MHz QPSK RB Size 1 Offset 0	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		




Site : 03CH07-HY
 Condition : -13 HF-EIRP(080306) HORIZONTAL
 Project : FG 431455

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1648	-41.25	-13	-28.25	-50.42	-45.2	1.63	5.58	H	Pass
2472	-53.40	-13	-40.40	-66.77	-57.5	2.21	6.31	H	Pass
3296	-53.17	-13	-40.17	-67.76	-58.2	3.1	8.13	H	Pass




Band :	LTE Band 5	Temperature :	19~21°C
Test Mode :	10MHz QPSK RB Size 1 Offset 0	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		



Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1648	-40.25	-13	-27.25	-51.48	-44.2	1.63	5.58	V	Pass
2472	-53.00	-13	-40.00	-66.56	-57.1	2.21	6.31	V	Pass
3296	-51.27	-13	-38.27	-66.93	-56.3	3.1	8.13	V	Pass




Band :	LTE Band 5	Temperature :	19~21°C
Test Mode :	5MHz QPSK RB Size 1 Offset 24	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		



Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1656	-42.00	-13	-29.00	-51.32	-45.9	1.61	5.51	H	Pass
2487	-54.94	-13	-41.94	-67.94	-59.1	2.1	6.26	H	Pass
3316	-54.60	-13	-41.60	-68.6	-59.6	3.12	8.12	H	Pass




Band :	LTE Band 5	Temperature :	19~21°C
Test Mode :	5MHz QPSK RB Size 1 Offset 24	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		



Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1656	-38.60	-13	-25.60	-49.69	-42.5	1.61	5.51	V	Pass
2487	-53.74	-13	-40.74	-67.42	-57.9	2.1	6.26	V	Pass
3316	-52.50	-13	-39.50	-68.23	-57.5	3.12	8.12	V	Pass



Band :	LTE Band 5	Temperature :	19~21°C
Test Mode :	3MHz QPSK RB Size 1 Offset 14	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		




Site : 03CH07-HY
 Condition : -13 HF-EIRP(080306) HORIZONTAL
 Project : FG 431455

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1656	-41.21	-13	-28.21	-50.04	-45.1	1.6	5.49	H	Pass
2481	-54.12	-13	-41.12	-67.59	-58.3	2.08	6.26	H	Pass
3308	-53.78	-13	-40.78	-68.05	-58.8	3.09	8.11	H	Pass




Band :	LTE Band 5	Temperature :	19~21°C
Test Mode :	3MHz QPSK RB Size 1 Offset 14	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		



Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1656	-38.21	-13	-25.21	-49.61	-42.1	1.6	5.49	V	Pass
2481	-52.72	-13	-39.72	-66.72	-56.9	2.08	6.26	V	Pass
3308	-52.78	-13	-39.78	-68.2	-57.8	3.09	8.11	V	Pass



Band :	LTE Band 5	Temperature :	19~21°C
Test Mode :	1.4MHz QPSK RB Size 1 Offset 5	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		




Site : 03CH07-HY
 Condition : -13 HF-EIRP(080306) HORIZONTAL
 Project : FG 431455

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1650	-41.31	-13	-28.31	-50.59	-45.2	1.61	5.50	H	Pass
2476	-53.75	-13	-40.75	-67.01	-57.9	2.09	6.24	H	Pass
3301	-54.19	-13	-41.19	-68.48	-59.2	3.08	8.09	H	Pass




Band :	LTE Band 5	Temperature :	19~21°C
Test Mode :	1.4MHz QPSK RB Size 1 Offset 5	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		



Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1650	-39.61	-13	-26.61	-50.99	-43.5	1.61	5.50	V	Pass
2476	-53.95	-13	-40.95	-67.63	-58.1	2.09	6.24	V	Pass
3301	-52.29	-13	-39.29	-68.35	-57.3	3.08	8.09	V	Pass




Band :	LTE Band 7	Temperature :	19~21°C
Test Mode :	20MHz QPSK RB Size 1 Offset 99	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		



Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
5140	-51.26	-25	-26.26	-69.98	-55.8	5.84	10.38	H	Pass
7710	-42.16	-25	-17.16	-67.63	-45.1	9.33	12.27	H	Pass
10280	-37.10	-25	-12.10	-66.2	-41.3	8.6	12.80	H	Pass
12850	-31.84	-25	-6.84	-65.16	-36.1	8.98	13.24	H	Pass




Band :	LTE Band 7	Temperature :	19~21°C
Test Mode :	20MHz QPSK RB Size 1 Offset 99	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		



Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
5140	-43.76	-25	-18.76	-62.69	-48.3	5.84	10.38	V	Pass
7710	-40.86	-25	-15.86	-66.5	-43.8	9.33	12.27	V	Pass
10280	-37.30	-25	-12.30	-66.02	-41.5	8.6	12.80	V	Pass
12850	-38.94	-25	-13.94	-70.05	-43.2	8.98	13.24	V	Pass



Band :	LTE Band 7	Temperature :	19~21°C
Test Mode :	15MHz QPSK RB Size 1 Offset74	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		




Site : 03CH07-HY
 Condition : -25 HF-EIRP(080306) HORIZONTAL
 Project : FG 431455

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
5136	-46.96	-25	-21.96	-65.7	-50.5	6.87	10.41	H	Pass
7710	-42.15	-25	-17.15	-67.42	-45.1	9.35	12.30	H	Pass
10278	-36.11	-25	-11.11	-65.3	-40.3	8.63	12.82	H	Pass
12846	-31.85	-25	-6.85	-65.02	-36.1	9	13.25	H	Pass



Band :	LTE Band 7	Temperature :	19~21°C
Test Mode :	15MHz QPSK RB Size 1 Offset74	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		




Site : 03CH07-HY
 Condition : -25 HF-EIRP(080306) VERTICAL
 Project : FG 431455

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
5136	-42.26	-25	-17.26	-61.29	-45.8	6.87	10.41	V	Pass
7710	-41.55	-25	-16.55	-66.99	-44.5	9.35	12.30	V	Pass
10278	-37.01	-25	-12.01	-65.18	-41.2	8.63	12.82	V	Pass
12846	-38.85	-25	-13.85	-70.05	-43.1	9	13.25	V	Pass



Band :	LTE Band 7	Temperature :	19~21°C
Test Mode :	10MHz QPSK RB Size 1 Offset49	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		




Site : 03CH07-HY
 Condition : -25 HF-EIRP(080306) HORIZONTAL
 Project : FG 431455

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
5136	-47.88	-25	-22.88	-65.83	-51.42	6.88	10.42	H	Pass
7710	-40.27	-25	-15.27	-66.63	-43.21	9.37	12.31	H	Pass
10278	-36.25	-25	-11.25	-65.58	-40.44	8.64	12.83	H	Pass
12846	-31.29	-25	-6.29	-64.76	-35.56	9.01	13.28	H	Pass



Band :	LTE Band 7	Temperature :	19~21°C
Test Mode :	10MHz QPSK RB Size 1 Offset49	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		




Site : 03CH07-HY
 Condition : -25 HF-EIRP(080306) VERTICAL
 Project : FG 431455

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
5136	-44.19	-25	-19.19	-62.55	-47.73	6.88	10.42	V	Pass
7710	-40.64	-25	-15.64	-66.63	-43.58	9.37	12.31	V	Pass
10278	-36.33	-25	-11.33	-64.6	-40.52	8.64	12.83	V	Pass
12846	-34.15	-25	-9.15	-67.04	-38.42	9.01	13.28	V	Pass




Band :	LTE Band 7	Temperature :	19~21°C
Test Mode :	5MHz QPSK RB Size 1 Offset12	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		



Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
5132	-47.53	-25	-22.53	-65.49	-51.06	6.9	10.43	H	Pass
7696	-39.59	-25	-14.59	-65.59	-42.52	9.39	12.32	H	Pass
10264	-36.54	-25	-11.54	-65.9	-40.68	8.71	12.85	H	Pass
12828	-31.60	-25	-6.60	-64.1	-35.89	9.02	13.31	H	Pass



Band :	LTE Band 7	Temperature :	19~21°C
Test Mode :	5MHz QPSK RB Size 1 Offset12	Relative Humidity :	39~41%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-10th harmonic were found more than 20dB below limit line.		



Site : 03CH07-HY
 Condition : -25 HF-EIRP(080306) VERTICAL
 Project : FG 431455

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
5132	-44.23	-25	-19.23	-62.57	-47.76	6.9	10.43	V	Pass
7696	-39.42	-25	-14.42	-65.37	-42.35	9.39	12.32	V	Pass
10264	-37.43	-25	-12.43	-65.5	-41.57	8.71	12.85	V	Pass
12828	-33.40	-25	-8.40	-65.09	-37.69	9.02	13.31	V	Pass

3.8 Frequency Stability Measurement

3.8.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

3.8.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.


3.8.3 Test Procedures for Temperature Variation

1. The EUT was set up in the thermal chamber and connected with the system simulator.
2. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
3. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.8.4 Test Procedures for Voltage Variation

1. The EUT was placed in a temperature chamber at $25\pm 5^{\circ}\text{C}$ and connected with the system simulator.
2. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value measured at the input to the EUT.
3. The variation in frequency was measured for the worst case.

3.8.5 Test Setup





3.8.6 Test Result of Temperature Variation

Band :	LTE Band 5 (QPSK)	Limit (ppm) :	2.5
Temperature (°C)	BW 10MHz		Result
	Deviation (ppm)		
50	0.0004		PASS
40	0.0015		
30	0.0012		
20	0.0005		
10	0.0003		
0	0.0007		
-10	0.0012		
-20	0.0012		
-30	0.0013		

Band :	LTE Band 7 (QPSK)	Limit (ppm) :	2.5
Temperature (°C)	BW 10MHz		Result
	Deviation (ppm)		
50	0.0013		PASS
40	0.0011		
30	0.0006		
20	0.0010		
10	0.0002		
0	0.0003		
-10	0.0005		
-20	0.0010		
-30	0.0013		



3.8.7 Test Result of Voltage Variation

Band	Bandwidth	Voltage (Volt)	Deviation (ppm)	Limit (ppm)	Result
LTE Band 5	10M	4.20	0.0026	2.5	PASS
		Normal	0.0012		
		3.30	0.0024		
LTE Band 7	10M	4.20	0.0017	2.5	PASS
		Normal	0.0002		
		3.30	0.0013		

Remark:

- 1. Normal Voltage = 3.70V.
- 2. The manufacturer declared that the EUT could work properly between voltage 3.30V ~ 4.20V.



4 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
LTE Base Station	Anritsu	MT8820C	6201026480	30MHz~2.7GHz SISO	Jan. 07, 2014	Mar. 26, 2014	Jan. 06, 2015	Conducted (TH02-HY)
Spectrum Analyzer	Rohde & Schwarz	FSP40	100055	9kHz~40GHz	Jun. 07, 2013	Mar. 26, 2014	Jun. 06, 2014	Conducted (TH02-HY)
Thermal Chamber	Ten Billion	TTH-D3SP	TBN-930701	N/A	Jul. 19, 2013	Mar. 26, 2014	Jul. 18, 2014	Conducted (TH02-HY)
Spectrum Analyzer	Rohde & Schwarz	FSV30	101749	10Hz ~ 30GHz	Feb. 10, 2014	Mar. 28, 2014~ Apr. 16, 2014	Feb. 09, 2015	Radiation (03CH07-HY)
Bilog Antenna	Schaffner	CBL6111C	2726	30MHz ~ 1GHz	Oct. 10, 2013	Mar. 28, 2014~ Apr. 16, 2014	Oct. 09, 2014	Radiation (03CH07-HY)
Double Ridge Horn Antenna	ESCO	3117	75962	1GHz~18GHz	Aug. 22, 2013	Mar. 28, 2014~ Apr. 16, 2014	Aug. 21, 2014	Radiation (03CH07-HY)
Preamplifier	COM-POWER	PA-103A	161241	10 MHz ~ 1000MHz	Mar. 17, 2014	Mar. 28, 2014~ Apr. 16, 2014	Mar. 16, 2015	Radiation (03CH07-HY)
Preamplifier	Agilent	8449B	3008A02362	1 GHz~26.5 GHz	Nov. 29, 2013	Mar. 28, 2014~ Apr. 16, 2014	Nov. 28, 2014	Radiation (03CH07-HY)
Turn Table	ChainTek	ChainTek 3000	N/A	0 ~ 360 degree	N/A	Mar. 28, 2014~ Apr. 16, 2014	N/A	Radiation (03CH07-HY)
Antenna Mast	ChainTek	M-400-0	114/8000604	N/A	N/A	Mar. 28, 2014~ Apr. 16, 2014	N/A	Radiation (03CH07-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA91702 51	15GHz- 40GHz	Oct. 03, 2013	Mar. 28, 2014~ Apr. 16, 2014	Oct. 02, 2014	Radiation (03CH07-HY)



5 Uncertainty of Evaluation

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.50
---	------

