


FCC ID LABEL & LOCATION

LABELING REQUIREMENTS PER §2.925


The label shall be permanently affixed at a conspicuous location on the device.



**SEE NEXT PAGE(S) FOR
PART 15(B) FCC DoC LABEL**

**SEE NEXT PAGE(S) FOR
PART 15(C) FCC ID LABEL**

1. MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE OR EQUIVALENT.
2. PRINTING: INK, SONY #4072 OR EQUIVALENT.
3. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



This product contains an FCC
and Industry Canada transmitter
FCC ID: KBC1X100XA750WLB1
IC: 1943A-1X100Xa

SCALE 1.000

C6	2	MH	JMD	IX100Xa WAS IX100A			
-	1	MH	JMD	PROTOTYPE RELEASE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER J.DERTING		DATE 2-12-04		DESCRIPTION LBL, IX100X, BT, WLAN, AC750			
CHECKER		DATE					
ELEC. ENG		DATE		SIZE B	DWG. NO 26-0573-001		
MECH. ENG		DATE					
MFG. ENG		DATE		SCALE 4.000		SHEET 1 OF 1	REV 2

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING


NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND
IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED
WITH A PROPOSAL, THE RECIPIENT SHALL USE IT
SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED
TO A CUSTOMER IT SHALL BE USED SOLELY FOR
PURPOSES OF INSPECTION INSTALLATION, OR
MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT
SHALL BE USED SOLELY IN THE PERFORMANCE OF THE
WORK CONTRACTED FOR BY THIS COMPANY. THE
INFORMATION SHALL NOT BE USED OR DISCLOSED BY
THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE PROJECTION


ITRONIX

S. 801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210



NOTES:(UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: .007" THK. 8B35 POLYCARBONATE W/.005" THK. 3M 468 ADHESIVE.
2. MATERIAL TO BE UL AND CSA APPROVED.
3. PRINTING: SILVER BACKGROUND W/BLACK TEXT.
4. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



SCALE 1:000

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS DO NOT SCALE DRAWING		.TOL. EXCEPT AS NOTED X ± 0.5 MM X.X ± 0.25 MM X.XX ± 0.125 MM ANG. = 1.0°		DRAFTER J.DERTING DATE 09-06-02		DESCRIPTION LABEL,FCC,PRT 15,IX100						
NOTICE OF PROPRIETARY INFORMATION INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.		THIRD ANGLE PROJECTION				CHECKER B.ERLER DATE 7/10/03		SIZE B		DWG. NO 26-0404-001		
		 S.801 STEVENS, P.O. BOX 179 SPOKANE, WA 99210		ELEC. ENG DATE		MECH. ENG BE DATE 09-06-02		SCALE 2.000		SHEET 1 OF 1		REV A
				MFG. ENG J.VOCATURE DATE 10/2/02								