

	Test Report Serial No.:	040505KBC-F631-E15EW	Report Issue No.:	E631EW-042006-R0
	Test Date(s):	03Oct05 - 18Nov05	Report Issue Date:	April 20, 2006
	Test Rule Part(s):	FCC 47 CFR §15.407	Industry Canada RSS-210 Issue 6	
	Lab Registration(s):	FCC Lab Reg. # 714830	Industry Canada Lab File # IC 3874	

G.7. SETUP PHOTOGRAPHS

Photograph G.7-1- 3115 Horn @ 3 m



Photograph G.7-2- Waveline Horn with LNA @ 1m



Photograph G.7-3- DUT Configuration




G.8. DUT OPERATING DESCRIPTION

The worst-case data rate was determined from prescan investigations. Measurements were made at three channels throughout the lower band applicable for Mode a.

Company:	Itronix Corporation	FCC ID:	KBCIX325-CWLBT	IC ID:	1943A-IX325ab	
Model(s):	IX325-CWLBT	IX325 Series Rugged Tablet PC with Cisco AIR-CB21AG-A-K9 802.11abg WLAN				
2006 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 42 of 69

	Test Report Serial No.: 040505KBC-F631-E15EW		Report Issue No.: E631EW-042006-R0
	Test Date(s): 03Oct05 - 18Nov05		Report Issue Date: April 20, 2006
	Test Rule Part(s): FCC 47 CFR §15.407		Industry Canada RSS-210 Issue 6
	Lab Registration(s): FCC Lab Reg. # 714830		Industry Canada Lab File # IC 3874

H.7. SETUP PHOTOGRAPHS

Photograph H-1 - Loop Antenna (10kHz - 30 MHz) @ 3m	Photograph H-2 - Bilog Antenna (30 MHz - 1 GHz) @ 3m
	
Photograph H-3 - 3115 Horn @ 3 m	Photograph H-4 - 3115 Horn with LNA/Filter @ 1m
	
Photograph H-5 - Waveline Horn with LNA @ 1m	Photograph H-6 - DUT Configuration
	

H.8. DUT OPERATING DESCRIPTION

The worst-case data rate was determined from prescan investigations. Measurements were made at three channels throughout the lower band applicable for Mode a.

Company:	Itronix Corporation	FCC ID:	KBCIX325-CWLBT	IC ID:	1943A-IX325ab	 A GENERAL DYNAMICS COMPANY
Model(s):	IX325-CWLBT	IX325 Series Rugged Tablet PC with Cisco AIR-CB21AG-A-K9 802.11abg WLAN				
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 51 of 69

	Test Report Serial No.:	040505KBC-F631-E15EW	Report Issue No.:	E631EW-042006-R0
	Test Date(s):	03Oct05 - 18Nov05	Report Issue Date:	April 20, 2006
	Test Rule Part(s):	FCC 47 CFR §15.407	Industry Canada RSS-210 Issue 6	
	Lab Registration(s):	FCC Lab Reg. # 714830	Industry Canada Lab File # IC 3874	

J.7. SETUP PHOTOS

Photograph J-1 - AC Powerline Conducted Emission Cable Placement



Photograph J-2 - AC Powerline Conducted Emission Configuration



J.8. DUT OPERATING DESCRIPTION

WLAN:	The WLAN was set to transmit at full power on Channel 36, Mode a 6 Mb/s
PC:	Other than operating the WLAN software and running MS windows, no PC exercising was performed.
Peripherals:	All peripherals were active, but no specific traffic was initiated.

Company:	Itronix Corporation	FCC ID:	KBCIX325-CWLBT	IC ID:	1943A-IX325ab	 A GENERAL DYNAMICS COMPANY
Model(s):	IX325-CWLBT	IX325 Series Rugged Tablet PC with Cisco AIR-CB21AG-A-K9 802.11abg WLAN				
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 65 of 69