


RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	0.5 & 1.0	
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date:
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots	
Customer:	LPA Design, Inc.	Test Sample: PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No: N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	
Notes:	Fundamental Frequency: 344.0501002 MHz	



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots			
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver	Job No: R-4564N-1
Model No:	N/A	Serial No:	N/A	Technician: M. Seamans
Test Specification:	FCC Part 15, Subpart C		15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz			
Notes:	Fundamental Frequency: 344.0501002 MHz			



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots	
Customer:	LPA Design, Inc.	Test Sample: PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No: N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	
Notes:	Fundamental Frequency: 344.0501002 MHz	



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots			
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver	Job No: R-4564N-1
Model No:	N/A	Serial No:	N/A	Technician: M. Seamans
Test Specification:	FCC Part 15, Subpart C		15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz			
Notes:	Fundamental Frequency: 344.0501002 MHz			



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots	
Customer:	LPA Design, Inc.	Test Sample: PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No: N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	
Notes:	Fundamental Frequency: 353.99499 MHz	



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots	
Customer:	LPA Design, Inc.	Test Sample: PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No: N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	
Notes:	Fundamental Frequency: 353.99499 MHz	



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots	
Customer:	LPA Design, Inc.	Test Sample: PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No: N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	
Notes:	Fundamental Frequency: 353.99499 MHz	



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots	
Customer:	LPA Design, Inc.	Test Sample: PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No: N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	
Notes:	Fundamental Frequency: 353.99499 MHz	



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots			
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver	Job No: R-4564N-1
Model No:	N/A	Serial No:	N/A	Technician: M. Seamans
Test Specification:	FCC Part 15, Subpart C		15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz			
Notes:	Fundamental Frequency: 353.99499 MHz			



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots	
Customer:	LPA Design, Inc.	Test Sample: PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No: N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	
Notes:	Fundamental Frequency: 353.99499 MHz	



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz	Technician:	M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		

