

Annex 4: Test setup photographs 19-1-0130001T15a-A4

Number of pages:	7	Date of Report:	2021-Jul-13
Testing company:	CETECOM GmbH Im Teelbruch 116 45219 Essen Germany Tel. + 49 (0) 20 54 / 95 19-0 Fax: + 49 (0) 20 54 / 95 19-150	Applicant:	ORTOVOX Sportartikel GmbH
Product: Model:	Avalanche Transceiver DIRECT VOICE		
FCC ID:	KF5DIR1	IC:	26906-DIR1
Testing has been carried out in accordance with:	Title 47 CFR, Chapter I FCC Regulations, Subchapter A: §15.209 RSS-Gen, Issue 5 Deviations, modifications or clarifications (if any) to above mentioned documents are written in each section under "Test method and limit".		

Table of Contents

1 Test setup photographs3

 1.1 Radiated field strength frequency range 9 kHz – 30 MHz3


 1.2 Radiated field strength frequency range 30 MHz – 1 GHz.....5

 1.3 Radiated field strength frequency range 1 GHz – 18 GHz6

 1.4 Radiated field strength frequency range 18 GHz – 26 GHz7

1 Test setup photographs


1.1 Radiated field strength frequency range 9 kHz – 30 MHz




Photograph 1: EUT Test Setup in the anechoic chamber SAC5, Radiated interference field



Photograph 2: EUT Test Setup in the anechoic chamber SAC5, Radiated interference field strength measured at 8



Photograph 3: EUT Test Setup in the anechoic chamber SAC1, Radiated interference field strength




Photograph 4: EUT Test Setup in the chamber SAC1, Radiated interference field strength measured at 3 m

1.2 Radiated field strength frequency range 30 MHz – 1 GHz




Photograph 5: EUT Test Setup in the anechoic chamber SAC1, Radiated interference field strength




Photograph 6: EUT Test Setup in the chamber SAC1, Radiated interference field strength measured at 3 m

1.3 Radiated field strength frequency range 1 GHz – 18 GHz




Photograph 7: EUT Test Setup in the anechoic chamber FAC1, Radiated interference field strength



Photograph 8: EUT Test Setup in the chamber FAC1, Radiated interference field strength measured at 3 m

1.4 Radiated field strength frequency range 18 GHz – 26 GHz



Photograph 9: EUT Test Setup in the anechoic chamber FAC2, Radiated interference field strength

End of Annex 4