

ThreeSOMA

弘怡科技股份有限公司
THREE SOMA TECHNOLOGY CO., LTD.
桃園市水汴二路 27 號 2 F
FL.2, NO.27, SHOEI BIANN 2ND RD., TAOYUAN, TAIWAN, R.O.C.
TEL:886-3-3577677 FAX:886-3-3577689

Federal Communications Commission
Authorization and Evaluation Division
7435 Oakland Mills Rd.
Columbia, MD. 21046

Date: Oct. 23, 2002

Attention: Authorization and Evaluation Division

Subject: RFI related modifications incorporated
into unit 15" LCD MONITOR (EUT) with - FCC ID: KX7LZE

Dear Sirs:


This letter serves as our declaration that all modifications listed below were implemented in the sample submitted for testing. We further declare that the same modifications will be implemented into all production units to enhance compliance of the units to FCC limits.

The modifications include the following:

1. Added two ferrite cores on the video cable one the outside of the monitor. (see photo 1)
2. Added aluminum foils on the two sides of LCD panel for EMI. (see photo 6 & 11)
3. Added metal cover on the logical board for EMI. (see photo 7)
4. Added shielding tape on the cable connecting logical board to LCD panel. (see photo 7)
5. Added a ferrite core on the cables connecting OSD panel to logical panel. (see photo 8)
6. Added aluminum foils on the cable, attached to the metal cover. (see photo 9)
7. Added one EMI gasket in between the solder side of logical board and metal cover. (see photo 12)
8. Added a ferrite core on the DC cable of power adapter. (see photo 21)

If you have any further questions or comments regarding the above, please don't hesitate to contact Mr. Sharon Hsiung of ADT Lab. at fax No.: 886-2-2602-2943 or E-mail: sharon@mail.adt.com.tw

Sincerely yours,



Jui-Ming Lin / President
Three Soma Technology Co., Ltd.